
DL6111S10
Swingdock 100

SDK100LVLR1MAIN

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
LL = Lip length
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6111S10

- frame type T
- tear plate 8mm
- 100kN
- swing lip 500mm
- steel lip bevelled 40mm
- RAL 5010
- paint class 80µm
- control unit 950 Docking LA SD
- mains switch
- cable harness 7m / 10m when NL ≥ 3000
- 400V

		NL / LH				
		2000	2500	3000	3500	4000
		700	700	700	800	900
NW	2000	3828,00	4154,00	4502,00	4857,00	5226,00
	2200	3932,00	4279,00	4630,00	5005,00	5381,00

	NL				
surface	2000	2500	3000	3500	4000
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00	126,00	126,00
hot galvanisation	875,00	1010,00	1151,00	1295,00	1439,00

	NL				
frame	2000	2500	3000	3500	4000
frame W	0,00	0,00	0,00	0,00	0,00
Box frame, RAL	200,00	231,00	271,00	371,00	498,00
Box frame, galvanized	288,00	335,00	394,00	540,00	725,00

options			**unit**	**price**
swing lip	lip tapered "s" (125mm)		pcs	7,00
	lip straight		pcs	0,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
	EPDM-seal (frame / platform)		pcs	79,00
	platform insulation 40mm		m²	63,00
	Leveller protection foil		m²	13,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA SD		pcs	65,00
	950 Docking LSA SD		pcs	65,00
	950 Docking DLSA SD		pcs	65,00
	prepared for 950 Docking with Auto-button (control unit ordered with OHSD)		pcs	-228,00
control options	cable harness extension	*max = 16m!*	3m	10,00
	emergency stop push button		pcs	21,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00
delivery	Leveller disassembled for containers		pcs	39,00


We keep the right to alter technical specifications!

DL6111S15
Swingdock 150

SDK150LVLR1MAIN

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
LL = Lip length
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6111S15

- frame type T
- tear plate 8mm
- 150kN
- swing lip 500mm
- steel lip bevelled 40mm
- RAL 5010
- paint class 80µm
- control unit 950 Docking LA SD
- mains switch
- cable harness 7m / 10m when NL ≥ 3000
- 400V

		NL / LH		
		2000	2500	3000
		750	750	750
NW	2000	4825,00	5277,00	5755,00
	2200	4953,00	5434,00	5913,00

	NL		
surface	2000	2500	3000
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00
hot galvanisation	1162,00	1363,00	1565,00

	NL		
frame	2000	2500	3000
frame W	0,00	0,00	0,00
Box frame, RAL	183,00	202,00	223,00
Box frame, galvanized	261,00	294,00	330,00

options			**unit**	**price**
swing lip	lip tapered "s" (125mm)		pcs	7,00
	lip straight		pcs	0,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
	EPDM-seal (frame / platform)		pcs	79,00
	platform insulation 40mm		m²	63,00
	Leveller protection foil		m²	13,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA SD		pcs	65,00
	950 Docking LSA SD		pcs	65,00
	950 Docking DLSA SD		pcs	65,00
	prepared for 950 Docking with Auto-button (control unit ordered with OHSD)		pcs	-228,00
control options	cable harness extension	*max = 16m!*	3m	10,00
	emergency stop push button		pcs	21,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00
delivery	Leveller disassembled for containers		pcs	39,00


We keep the right to alter technical specifications!

DL6121T10
Teledock 100

TDK100LVLR1MAIN

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
LE = Lip extension
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6121T10

- frame type T
- tear plate 10mm
- 100kN
- lip extension 500mm
- steel lip bevelled 40mm
- RAL 5010
- paintclass 80µm
- control unit 950 Docking LA TD
- mains switch
- cable harness 7m
- 400V

		NL / LH					
		2000	2500	3000	3500	4000	4500
		700	700	800	900	900	900
NW	2000	4692,00	4984,00	5327,00	5762,00	6116,00	6518,00
	2200	4926,00	5283,00	5619,00	6081,00	6464,00	6890,00

	NL					
surface	2000	2500	3000	3500	4000	4500
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00	126,00	126,00	126,00
hot galvanized	1 152,00	1 297,00	1 462,00	1 628,00	1 792,00	1 976,00

	NL					
frame	2000	2500	3000	3500	4000	4500
frame W	0,00	0,00	0,00	0,00	0,00	0,00
box-frame, RAL	113,00	139,00	259,00	292,00	330,00	373,00
box-frame, galvanised	177,00	217,00	405,00	455,00	517,00	582,00

options			**unit**	**price**
telescopic lip	lip extension 1000mm (RAL)		pcs	380,00
	lip extension 1000mm (GALV)		pcs	558,00
	lip tapered "s" (100mm)		pcs	7,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
	EPDM-seal (frame / platform)		pcs	79,00
	Leveller protection foil		m²	13,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA TD		pcs	65,00
	950 Docking LSA TD		pcs	65,00
	950 Docking DLSA TD		pcs	65,00
	prepared for 950 Docking (control unit ordered with OHSD)		pcs	-228,00
control options	automatic retraction		pcs	0,00
	cable harness extension	*max = 16m!*	3m	10,00
	emergency stop push button		pcs	21,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	42,00
	cross-traffic detection	*0A590104*	pcs	98,00
delivery	Leveller disassembled for containers		pcs	33,00


We keep the right to alter technical specifications!

DL6121T15
Teledock 150

TDK150LVLR1MAIN

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
LE = Lip extension
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6121T15

- frame type T
- tear plate 10mm
- 150kN
- lip extension 500mm
- steel lip bevelled 40mm
- RAL 5010
- paintclass 80µm
- control unit 950 Docking LA TD
- mains switch
- cable harness 7m
- 400V

		NL / LH		
		2000	2500	3000
		700	700	800
NW	2000	5930,00	6473,00	6916,00
	2200	6218,00	6739,00	7278,00

	NL		
surface	2000	2500	3000
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00
hot galvanized	1 452,00	1 658,00	1 885,00

	NL		
frame	2000	2500	3000
frame W	0,00	0,00	0,00
box-frame, RAL	145,00	172,00	246,00
box-frame, galvanised	216,00	257,00	373,00

options			**unit**	**price**
telescopic lip	lip extension 1000mm (RAL)		pcs	380,00
	lip extension 1000mm (GALV)		pcs	558,00
	lip tapered "s" (100mm)		pcs	7,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
	EPDM-seal (frame / platform)		pcs	79,00
	Leveller protection foil		m²	13,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA TD		pcs	65,00
	950 Docking LSA TD		pcs	65,00
	950 Docking DLSA TD		pcs	65,00
	prepared for 950 Docking (control unit ordered with OHSD)		pcs	-228,00
control options	automatic retraction		pcs	0,00
	cable harness extension	*max = 16m!*	3m	10,00
	emergency stop push button		pcs	21,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	42,00
	cross-traffic detection	*0A590104*	pcs	98,00
delivery	Leveller disassembled for containers		pcs	33,00


We keep the right to alter technical specifications!

DL6111SA10
Swingdock Autodock 100

ADS100LVLR1MAIN

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
OW = Overall width
DH = Dock height
AA = Angular adjustment
LL = Lip length
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6111SA10

- NWAD 3300mm
- tear plate 8mm
- 100kN
- swing lip 500mm
- steel lip bevelled 40mm
- RAL 5010
- paint class 80µm
- control unit 950 Docking LA SD
- mains switch
- cable harness 7m / 10m when NL = 3000
- 400V
- foundation type steel plinth / concrete plinth / console connection

		NL / LH		
		2000	2450	3000
		800	800	800
NW	2000	4 889,00	5 332,00	5 838,00
	2200	4 934,00	5 396,00	5 901,00

	NL		
autodock frame	2000	2450	3000
NWAD 3500mm	92,00	103,00	115,00
NWAD 3600mm	127,00	143,00	163,00
NWAD 3750mm	181,00	205,00	235,00

	NL		
surface platform	2000	2450	3000
RAL 3002 / RAL 9005 / RAL 6005	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00
hot galvanised	641,00	753,00	875,00

	NL		
surface autodock frame	2000	2450	3000
RAL 3002 / RAL 9005 / RAL 6005	48,00	48,00	48,00
paintclass 160µm	126,00	126,00	126,00
NWAD 3300, hot galvanised	550,00	593,00	636,00
NWAD 3500, hot galvanised	589,00	636,00	686,00
NWAD 3600, hot galvanised	607,00	658,00	712,00
NWAD 3750, hot galvanised	636,00	691,00	749,00

We keep the right to alter technical specifications!

DL6111SA10
Swingdock Autodock 100

ADS100LVLR1MAIN

valid from: 2017-04-01

options			unit	price
swing lip	lip tapered "s" (125mm)		pcs	7,00
	lip straight		pcs	0,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA SD		pcs	65,00
	950 Docking LSA SD		pcs	65,00
	950 Docking DLSA SD		pcs	65,00
	prepared for 950 Docking with Auto-button (control unit ordered with OHSD)		pcs	-228,00
control options	cable harness extension	*max = 16m!*	3m	10,00
	emergency stop push button		pcs	21,00
	DE6090DI White pre assembled to autodock frame	*R0090195*	set	152,00
	DE6090DI Red pre assembled to autodock frame	*R0090200*	set	350,00
	DE6090DI White & Red pre assembled to autodock frame	*R0090205*	set	438,00
	DE6090DI Indication Lamp inside on 950 Docking	*R0090208*	set	38,00
	DE6090DI Second Red LED	*R0090210*	set	60,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00


We keep the right to alter technical specifications!

DL6111SA15
Swingdock Autodock 150

ADS150LVLR1MAIN

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
OW = Overall width
DH = Dock height
AA = Angular adjustment
LL = Lip length
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6111SA15

- NWAD 3300mm
- tear plate 8mm
- 150kN
- swing lip 500mm
- steel lip bevelled 40mm
- RAL 5010
- paint class 80µm
- control unit 950 Docking LA SD
- mains switch
- cable harness 7m / 10m when NL = 3000
- 400V
- foundation type steel plinth / concrete plinth / console connection

		NL / LH		
		2000	2450	3000
		850	850	850
NW	2000	5 871,00	6 401,00	7 038,00
	2200	5 916,00	6 445,00	7 081,00

	NL		
autodock frame	2000	2450	3000
NWAD 3500mm	93,00	103,00	119,00
NWAD 3600mm	133,00	154,00	183,00
NWAD 3750mm	198,00	229,00	267,00

	NL		
surface platform	2000	2450	3000
RAL 3002 / RAL 9005 / RAL 6005	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00
hot galvanised	774,00	923,00	1 071,00

	NL		
surface autodock frame	2000	2450	3000
RAL 3002 / RAL 9005 / RAL 6005	48,00	48,00	48,00
paintclass 160µm	126,00	126,00	126,00
NWAD 3300, hot galvanised	677,00	785,00	876,00
NWAD 3500, hot galvanised	721,00	836,00	935,00
NWAD 3600, hot galvanised	743,00	861,00	966,00
NWAD 3750, hot galvanised	777,00	899,00	1 011,00

We keep the right to alter technical specifications!

DL6111SA15
Swingdock Autodock 150

ADS150LVLR1MAIN

valid from: 2017-04-01

options			unit	price
swing lip	lip tapered "s" (125mm)		pcs	7,00
	lip straight		pcs	0,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA SD		pcs	65,00
	950 Docking LSA SD		pcs	65,00
	950 Docking DLSA SD		pcs	65,00
	prepared for 950 Docking with Auto-button (control unit ordered with OHSD)		pcs	-228,00
control options	cable harness extension	*max = 16m!*	3m	10,00
	emergency stop push button		pcs	21,00
	DE6090DI White pre assembled to autodock frame	*R0090195*	set	152,00
	DE6090DI Red pre assembled to autodock frame	*R0090200*	set	350,00
	DE6090DI White & Red pre assembled to autodock frame	*R0090205*	set	438,00
	DE6090DI Indication Lamp inside on 950 Docking	*R0090208*	set	38,00
	DE6090DI Second Red LED	*R0090210*	set	60,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00


We keep the right to alter technical specifications!

DL6121TA10
Teledock Autodock 100

ADT100LVLR1MAIN

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
OW = Overall width
DH = Dock height
AA = Angular adjustment
LE = Lip extension
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6121TA10

- NWAD 3300mm
- tear plate 8mm
- 100kN
- lip extension 500mm
- steel lip bevelled 40mm
- foundation type steel plinth / concrete plinth / console connection
- RAL 5010
- paint class 80µm
- control unit 950 Docking TD LA
- mains switch
- cable harness 7m
- 400V

		NL / LH		
		2000	2450	3000
		700	700	800
NW	2000	5609,00	6179,00	6555,00
	2200	5809,00	6225,00	6741,00

	NL		
autodock frame	2000	2450	3000
NWAD 3500mm	71,00	74,00	93,00
NWAD 3600mm	103,00	136,00	136,00
NWAD 3750mm	157,00	197,00	207,00

	NL		
surface platform	2000	2450	3000
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00
hot galvanised	922,00	1047,00	1181,00

	NL		
surface autodock frame	2000	2450	3000
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00
paintclass 160µm	126,00	126,00	126,00
NWAD 3300, hot galvanized	797,00	883,00	1042,00
NWAD 3500, hot galvanized	836,00	953,00	1093,00
NWAD 3600, hot galvanized	855,00	949,00	1120,00
NWAD 3750, hot galvanized	884,00	983,00	1158,00

We keep the right to alter technical specifications!

valid from: 2017-04-01

options			unit	price
telescopic lip	lip extension 1000mm (RAL)		pcs	380,00
	lip extension 1000mm (GALV)		pcs	558,00
	lip tapered "s" (100mm)		pcs	7,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA TD		pcs	65,00
	950 Docking LSA TD		pcs	65,00
	950 Docking DLSA TD		pcs	65,00
	prepared for 950 Docking (control unit ordered with OHSD)		pcs	-228,00
control options	cable harness extension		3m	10,00
	emergency stop push button		pcs	21,00
	DE6090DI White pre assembled to autodock frame	*R0090195*	set	152,00
	DE6090DI Red pre assembled to autodock frame	*R0090200*	set	350,00
	DE6090DI White & Red pre assembled to autodock frame	*R0090205*	set	438,00
	DE6090DI Indication Lamp inside on 950 Docking	*R0090208*	set	38,00
	DE6090DI Second Red LED	*R0090210*	set	60,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00


We keep the right to alter technical specifications!

DL6121TA15
Teledock Autodock 150

ADT150LVLR1MAIN

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
OW = Overall width
DH = Dock height
AA = Angular adjustment
LE = Lip extension
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6121TA15

- NWAD 3300mm
- tear plate 8mm
- 150kN
- lip extension 500mm
- steel lip bevelled 40mm
- foundation type steel plinth / concrete plinth / console connection
- RAL 5010
- paint class 80µm
- control unit 950 Docking TD LA
- mains switch
- cable harness 7m
- 400V

		NL / LH		
		2000	2450	3000
		700	700	800
NW	2000	6971,00	7489,00	8152,00
	2200	7169,00	7698,00	8384,00

	NL		
autodock frame	2000	2450	3000
NWAD 3500mm	74,00	85,00	101,00
NWAD 3600mm	111,00	128,00	151,00
NWAD 3750mm	165,00	192,00	227,00

	NL		
surface platform	2000	2450	3000
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00
hot galvanised	1068,00	1220,00	1381,00

	NL		
surface autodock frame	2000	2450	3000
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00
paintclass 160µm	126,00	126,00	126,00
NWAD 3300, hot galvanized	681,00	797,00	949,00
NWAD 3500, hot galvanized	725,00	850,00	1011,00
NWAD 3600, hot galvanized	748,00	875,00	1041,00
NWAD 3750, hot galvanized	781,00	915,00	1087,00

We keep the right to alter technical specifications!

DL6121TA15
Teledock Autodock 150

ADT150LVLR1MAIN

valid from: 2017-04-01

options			unit	price
telescopic lip	lip extension 1000mm (RAL)		pcs	380,00
	lip extension 1000mm (GALV)		pcs	558,00
	lip tapered "s" (100mm)		pcs	7,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA TD		pcs	65,00
	950 Docking LSA TD		pcs	65,00
	950 Docking DLSA TD		pcs	65,00
	prepared for 950 Docking (control unit ordered with OHSD)		pcs	-228,00
control options	cable harness extension		3m	10,00
	emergency stop push button		pcs	21,00
	DE6090DI White pre assembled to autodock frame	*R0090195*	set	152,00
	DE6090DI Red pre assembled to autodock frame	*R0090200*	set	350,00
	DE6090DI White & Red pre assembled to autodock frame	*R0090205*	set	438,00
	DE6090DI Indication Lamp inside on 950 Docking	*R0090208*	set	38,00
	DE6090DI Second Red LED	*R0090210*	set	60,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00

We keep the right to alter technical specifications!