P.O. No. - NVA 527
Date - 12/08/2021
Appendix 1/A

Project	**Delhi Fire Station Project**
Location	**Delhi**
Application	**3110**
Our ref.no.	**221-239**
Calculated	**08/12/2021**
Notes	**Header box and side fittings bolted to a concrete surface** **Rev.A: 4 vision panels added**

System summary

Calc by	Ashish Nair
Revision	A
Identical doors	8
Destination	India
Sales office	AAES Skellefteå Sales (SEO3080)
Transport	Pick up at Megadoor
Total weight	441 kg
Shipping weight	792 kg
Shipping volume	5,76 m³
Environment	Megadoor Standard
Nominal current	3,3 A
Total power	1,4 kW
Hoist peak current	14,0 A
Voltage/Frequency	400 V 50 Hz
Control panel	Basic Cabinet, 500x600x250 (5A nom.)

Options selected

Back-up power switch	
Audible and visual alarm	
Beam clamps	
Side profiles	

Door 1 options selected

19204466 Weights on S800/1000 bottom beam, 2 x 80*15mm (L=TW-636mm)	5,564 no.
Safety edge	
Metal trim motor side	
Shop-built door leaf	
Aluminum clamp strip on inside	
Aluminum clamp strip on outside	
Vision panels on leaf	4

Door 1

CW	6000 mm
CH	5400 mm
Depth	100 mm
Differential pressure	1,15 kPa (24 psf) * 1.5 FOS
Leaf height	6150 mm
Total height	6510 mm
Total width	6200 mm
Guide shoe load	2,4 kN
Leaf fabric outside	Standard fabric, Colour TBC
Leaf fabric inside	Standard fabric, Colour TBC
Hoist	1 * SK 773.1-90S/4 Z dual brake
Moving weight	264 kg
Total weight	441 kg
Bottom seal	EPDM Grey 400 mm