TASA ENGINEERING EQUIPMENTS

Office Address and Work Address : GAT NO. 1617, Patra shade N0.8 ,Chikhali Dehu Rd, near hotel amrale and MRF tyer,Patilnagar, Chikhali, Pune, Maharashtra 411062

Contact no: +917066630078 / 79 / 80

Mail Id: sales@tasaengineering.com , tasaengineering01@gmail.com

GSTIN: 27AAPFT9870L1Z3

Date: 06/03/2024

Quotation No: 202403_224

To,

NIHVA Technologies

Subject: Quotation for Hydraulic Scissor Lift

Dear Sir,

Ref: You're Enquiry for Scissor lift dated 06/03/2024

Thank you for showing interest in our products & contacting us. Please find our exclusive quotation for Your requirement of **Hydraulic Scissor Lift (Pit)**

S.No	Product Description	Product Image	Qty	Price/unit	Total Amount
1.	Hydraulic Scissor Lift (Pit) Capacity : 1 Ton Platform Length : 2300 mm Platform Width : 2000 mm Min Height : 500 mm Max Height : 1500 mm Lift Height : 1000 mm	NA			
	Electrical push Button		1	INR 3,15,000/-	INR 3,15,000/-
	Lever Operated		1	INR 2,35,000/-	INR 2,35,000/-
	Commissioning charges Extra				
	(Refer page 2 for more details)				

Terms and Conditions:

1. Delivery Period: 4 to 5 Weeks after receiving purchase order, drawing approval and advance Payment.
2. Payment terms: 50 % advance with PO, 40 % against Performa invoice and 10 % after dispatch.
3. Taxes: SGST 9 % and CGST 9 % will be applicable.
4. Freight Charges Extra
5. Warranty : 1 year from date of commissioning
6. Validity: The quoted prices are valid for 90 days from date of quotation

Specification for Hydraulic Scissor Lift

Technical Specification:

Parameter	Specification/Make
1. Type	Hydraulic Scissor Lift (Pit)
2. Capacity	1 Ton
3. Platform length	2300 mm
4. Platform Width	2000 mm
5. Minimum Height	500 mm
6. Maximum Height	1500 mm
7. Lift Height	1000 mm
8. Operating Mode	Push Button Control
9. Platform Sheet	Check. Sheet
10. Roller Joint	Double Ball Bearing
11. Hydraulic Cylinder	TASA
12. Joint	Oil Less Bush Joint (No Greasing)
13. Power Pack	3 HP(FLP)
14. Puppet Type Solenoid Value	Lifter Block 24V
15. Power Pack Tank	Fabricated Tank
16. Lift Cylinder	Tasa Make Single Acting Cylinder
17. Power Source	3 Phase, 415v, 50Hz, R, Y, B, N
18. Control Voltage	24V, AC
19. Limit Switches	Jai Balaji
20. Switch Gear	SCHNEIDER
21. Relays	Omron
22. Push Button	TEKNIK OR EQUIVALENT
23. Power Pack Location	Outside
24. Cables	Polycab
25. Cable Routing	Flexible Conduit

Please call us in case of any query/ doubts.

Sincerely yours,
Prajakta Pawar
Sales Engineer

+91-7066630078 / 79 / 80
Tasa Engineering Equipments *(Passion To Lift)*

Website : www.tasaengineering.com