
# SPARE PARTS
# RR 290/320Lip

ALBANY
ASSA ABLOY



2013-05 Index 00

| | |
|---|---|
| Side frame complete | |
| Seitenteil komplett | |
| Karm komplett | |
| | |




ALBANY
ASSA ABLOY

**RR 290/320Lip Version 23**

| Pos.<br>Item | Description | Bemerkung<br>Note | gültig ab ► gültig bis<br>valid from ► valid to | Art.-Nr.<br>Item-No | 1 | Delivery time class | Einheit<br>Unit | Anzahl pro Tor<br>Quantity per door | Verschleißteil Wear<br>part / Slitdetalje |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | |
| **I** | **Side frame right** | | | | | | | | |
| | RH sideframe cpl | steel | ► 2004-03 | D8220025 | G | C | m | 1 | |
| | | alu | | D8220025 | G | C | m | 1 | |
| | RH sideframe cpl | steel | 2004-04 ► | D8220RG236 | G | C | m | 1 | |
| | | alu | | D8220RG236 | G | C | m | 1 | |
| 1 | Sideframe Steel | 290 | | D8220027 | G | C | m | 1 | |
| | RH sideframe Aluminium | 320Lip | | D4721RG050 | G | C | m | 1 | |
| 2 | RH head plate | | | D4604499 | | A | Stck./pc. | 1 | |
| 3 | RH bottom plate | | ► 2004-03 | D8120106 | | A | Stck./pc. | 1 | |
| | RH bottom plate | | 2004-04 ► | D4521R0116 | | A | Stck./pc. | 1 | |
| 4 | Photocell transmitter without bracket - blue | | | D4904R0547 | | A | Stck./pc. | 1 | |
| | Cable photocell | | | D4907R0035 | | A | Stck./pc. | 1 | |
| 5 | Cap finished | | | D4121R0209 | | A | Stck./pc. | 1 | |
| | | | | | | | | | |
| **II** | **Side frame left**<br>**(See drawing side frame right)** | | | | | | | | |
| | LH sideframe cpl | | ► 2004-03 | D8220026 | G | C | m | 1 | |
| | LH sideframe cpl | | 2004-04 ► | D8220RG237 | G | C | m | 2 | |
| 1 | Sideframe Steel | 290 | | D8220027 | G | C | m | 1 | |
| | LH sideframe Aluminium | 320Lip | | D4721RG051 | G | C | m | 1 | |
| 2 | LH head plate | | | D4604498 | | A | Stck./pc. | 1 | |
| 3 | LH bottom plate | | ► 2004-03 | D8120107 | | A | Stck./pc. | 1 | |
| | LH bottom plate | | 2004-04 ► | D4521R0117 | | A | Stck./pc. | 1 | |
| 4 | Photocell receiver without bracket - black | | | D4904R0548 | | A | Stck./pc. | 1 | |
| | Cable photocell | | | D4907R0035 | | A | Stck./pc. | 1 | |
| 5 | Cap finished | | | D4121R0209 | | C | Stck./pc. | 1 | |

| | |
|---|---|
| Top roll with door blade | RR300, RR300 MP, RP300 |
| Wickelwelle mit Torbehang | RR300, RR300 MP, RP300 |
| | |
| | |





ALBANY
ASSA ABLOY


**RR 290/320Lip Version 23**

| Pos.<br>Item | Description | Bemerkung<br>Note | gültig ab ▶ gültig bis<br>valid from ▶ valid to | Art.-Nr.<br>Item-No | 1 | Delivery time class | Einheit<br>Unit | Anzahl pro Tor<br>Quantity per door | Verschleißteil<br>Wear part / Slitdetalje |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | |
| **III** | **Top roll with curtain** | | | | | | | | |
| 1 | Door blade PVC with stripes<br>without barrel | | | D8230RG058 | G | C | | 1 | |
| | | Base price | | D8230RG058 | | | Stck./pc. | | |
| | Door blade with stripes in blue or red | Upcharge | | D8230RG058 | | | m² | | |
| | Door blade with stripes in special color | Upcharge | | D8230RG058 | | | m² | | |
| | Door blade Travitop 2x0,5 without vision panel<br>without barrel | blue or red | | D8230016 | G | C | m² | 1 | |
| | Door blade Travitop 2x0,5 without vision panel<br>without barrel | special color | | D8230016 | G | C | m² | 1 | |
| | Door blade Travitop 2x0,5 with vision panel<br>without barrel | blue or red | | D8230013 | G | C | m² | 1 | |
| | Door blade Travitop 2x0,5 with vision panel<br>without barrel | special color | | D8230013 | G | C | m² | 1 | |
| | Door blade Rolltex plus grey,orange,blue<br>without barrel | no window | | D8230RG312 | G | C | | 1 | |
| | | Base price | | D8230RG312 | | | Stck./pc. | | |
| | | Upcharge | | D8230RG312 | | | m² | | |
| | window horizontal for door blade Rolltex plus□ | with window | | D8230rg312 | | C | Stck./pc. | max 2 | |
| | window vertical for door blade Rolltex plus□ | with window | | D8230rg312 | | C | Stck./pc. | max 3 | |
| 2 | Top roll with bearing | | | D8240078 | G | C | m | 1 | |
| 3 | Top roll with bearing and door blade | | | D8240021 | G | C | Stck./pc. | 1 | |
| 4 | Flange bearing D 30 | | | D8140R0005 | | A | Stck./pc. | 2 | x |
| 5 | Set windbreaktaps with screw joint (12 pcs) | | | D8130R0009 | | A | Satz / set | 1 | x |

| | |
|---|---|
| Bottom beam | RR300 |
| Abschlussprofil | RR250/290 |
| | RR250E/290E |
| | |







ALBANY
ASSA ABLOY


**RR 290/320Lip Version 23**

| Pos. Item | Description | Bemerkung Note | gültig ab ▶ gültig bis valid from ▶ valid to | Art.-Nr. Item-No | 1 | Delivery time class | Einheit Unit | Anzahl pro Tor Quantity per door | Verschleißteil Wear part / Slitdetalje |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | |
| **IV** | **Bottom profile with safety edge** | | | | | | | | |
| | Bottom profile ASO complete with coil cable | | | D8550RG053 | G | B | m | 1 | |
| 1 | Sliding part cpl for standard-version | | | D4121V0012 | | A | Stck./pc. | 2 | |
| 2 | Sliding part cpl for crash-version | | | D4121V0013 | | A | Stck./pc. | 2 | |
| 3 | Weight | | | D8150R0001 | | A | Stck./pc. | 2 | |
| 4 | Profile for bottom profile | | | D4701182 | G | B | m | 1 | |
| 5 | Rubber profile with integrated safety edge | | | D4421RG036 | B | G | m | 1 | |
| | Rubber profile elongated sealing-lilp | | | D4421RG037 | C | G | m | 1 | |
| 7 | Plate for Crash sensor | | | D4721R0038 | | A | Stck./pc. | 1 | |
| 8 | Crash sensor | | | D4905V0044 | | A | Stck./pc. | 1 | |
| | | | | D8450014 | | A | Stck./pc. | 1 | |
| 9 | Rope 3,2; L=9500 | Crash | | D5105R0091 | | A | Stck./pc. | max. 1 | x |
| 10 | PVC-washer | | | D4121R0039 | | A | Stck./pc. | 2 | x |
| 11 | Coil cable 5x0,75 | | | D4907R0038 | | A | Stck./pc. | 1 | |

| | |
|---|---|
| Drive Unit | RR300 |
| Antrieb | RR300 |
| | |
| | |




8
in control system





only for control cable >2,5m

ALBANY
ASSA ABLOY


**RR 290/320Lip Version 23**

| Pos.<br>Item | Description | Bemerkung<br>Note | gültig ab ► gültig bis<br>valid from ► valid to | Art.-Nr.<br>Item-No | 1 | Delivery time class | Einheit<br>Unit | Anzahl pro Tor<br>Quantity per door | Verschleißteil Wear part / Slitdetalje |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | |
| **V** | **Drive unit** | | | | | | | | |
| (*) | Gear motor for control ACS60/80/FUSIII<br>with rubber profile, torque arm, Crank, 2 cable for photocell, Coil cable, Terminal box if cable longer 5m.<br>Without Motor-, Brake- and Controlcable. | | ► 2003-03 | D8200RG001 | G | B | Stck./pc. | 1 | |
| | Gear motor for control FUSI/II (96V Brake)<br>with rubber profile, torque arm, Crank, 2 cable for Photocell, Coil cable, Terminal box if cable longer 5m.<br>Without Motor-, Brake- and Controlcable. | | ► 2003-03 | D8200RG002 | G | B | Stck./pc. | 1 | |
| | Gear motor for control PLS-G/GT/GF<br>with rubber profile, torque arm, Crank, 2 cable for photocell, Coil cable, Terminal box if cable longer 5m.<br>Without Motor-, Brake- and Controlcable. | **Top roll d=140**<br>(50/60Hz)<br>Drive D6601R0180<br>**Top roll d=115**<br>(50Hz) D6601R0139<br>(60Hz) D6601R0126 | ► 2000-12<br>2001-01 ►<br>► 2003-03 | D8200RG003 | G | B | Stck./pc. | 1 | |
| | Gear motor for control ACS50<br>with rubber profile, torque arm, Crank, 2 cable for photocell, Coil cable, Terminal box if cable longer 5m.<br>Without Motor-, Brake- and Controlcable. | | ► 2003-03 | D8200RG004 | G | B | Stck./pc. | 1 | |
| 1 | Gear motor with rubber profile 100 mm | | 2003-04 ► | D8200RG005 | G | B | Stck./pc. | 1 | |
| 2 | Break<br>for drive 6601038, 6601R0008, 6601R0115 | | | D6622R0026 | | A | Stck./pc. | 1 | x |
| | Break<br>for gear motor 4901230 | | | D4902040 | | A | Stck./pc. | 1 | x |
| 3 | Terminal box with cable 9x0,75 | | 2003-04 ► | D8570RG001 | G | A | Stck./pc. | 1 | |
| 4 | Limit switch section, 7 switches | FUS, PLS-G,<br>ACS50 with IP65 | ► 2000-03 | D4801238 | | A | Stck./pc. | 1 | |
| | Limit switch section, 7 switches | FUS | 2000-03 ► | D4905019 | | D | Stck./pc. | 1 | |
| | Limit switch section, 6 switches | | 2000-03 ► | D4905018 | | A | Stck./pc. | 1 | |
| 5 | Torque arm | | 2000-03 ► | D8110R0086 | | A | Stck./pc. | 1 | |
| | Torque arm | | ► 2000-02 | D4604538 | | D | Stck./pc. | 1 | |
| 6 | Cam | | | D4801240 | | C | Stck./pc. | 1 | |
| 7 | Crank | H>2000 | | D8110R0084 | | A | Stck./pc. | 1 | |
| | Crank | H<=2000 | | D8110R0085 | | A | Stck./pc. | 1 | |
| 8 | Relais with socket | ACS60/80<br>FUSI/II/III | | D8800r0001 | | A | Stck./pc. | 1 | |

| | |
|---|---|
| Drive Unit | RR300 |
| Antrieb | RR300 |
| | |
| | |




8
in control system




only for control cable >2,5m


ALBANY
ASSA ABLOY

**RR 290/320Lip Version 23**

| Pos. Item | Description | Bemerkung Note | gültig ab ► gültig bis valid from ► valid to | Art.-Nr. Item-No | 1 | Delivery time class | Einheit Unit | Anzahl pro Tor Quantity per door | Verschleißteil Wear part / Slitdetalje |
|---|---|---|---|---|---|---|---|---|---|
| 9 | Control cable | ACS 50 | ► 2003-03 | D8803004 | G | B | | 1 | |
| | | Base price | | D8803004 | | | Stck./pc. | | |
| | | Upcharge | | D8803004 | | | m | | |
| | E-Connection ACS 50 | ACS 50, without control | 2003-03 ► | D8903RG144 | G | B | | 1 | |
| | | Base price | | | | | Stck./pc. | | |
| | | Upcharge | | | | | m | | |
| | Control cable | ACS 60, 80 | | D8803004 | G | B | | 1 | |
| | | Base price | | D8803004 | | | Stck./pc. | | |
| | | Upcharge | | D8803004 | | | m | | |
| 10 | Emergency crank handle switch | ACS50 | 2008-07 ► | D4905R0228 | | A | Stck./pc. | 1 | |
| | Electrical saving for crank | Drive Standard ACS50,60,80, without control | ► 2008-06 | D8410R0083 | | A | Stck./pc. | 1 | |

(*) New order: include D8903RG144 if required, up to 2009-11 with change of switching plan

| | |
|---|---|
| RR300 | Options |
| RR300 | Optionen |
| | |
| | |



ALBANY
ASSA ABLOY

**RR 290/320Lip Version 23**

| Pos. Item | Description | Bemerkung Note | gültig ab ▶ gültig bis valid from ▶ valid to | Art.-Nr. Item-No | 1 | Delivery time class | Einheit Unit | Anzahl pro Tor Quantity per door | Verschleißteil Wear part / Slitdetalje |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | |
| **VI** | **Options** | | | | | | | | |
| 1 | Top roll cover with bracket | | | D8260004 | G | C | m | 1 | |
| 2 | Bracket for Top roll cover | | | D4521R0906 | | A | Stck./pc. | 2 | |
| 3 | Motorcover plastic grey LH | | | D8160R0104 | | A | Stck./pc. | 1 | |
| | Motorcover plastic grey RH | | | D8160R0103 | | A | Stck./pc. | 1 | |
| 6 | Albany sign 250x100 | | | D6403V0001 | | A | Stck./pc. | 1 | |

| | Legend |
|---|---|
| | |
| | **1** |
| G | Generic Item |
| | **Delivery time** |
| A | Within 24 hours |
| B | 2-3 Workdays |
| C | 5-8 Workdays |
| D | 10-14 Workdays |
| | **Wear parts** |
| | x = Standard wear with time/use |

