

Whiz SCM - BOM

User guide
V. 1.0

Table of contents

Preface 3
Introduction 4
About BOM & Routing Module 6
Application Link & Login 7
Dashboard 8
Process Flow Diagram 11
Bill of Material 12
1. Check BOM & Release for Production 13
2. Add Resources 15
3. Add Operations 18
4. Add Control Parameter 21
5. Bill of Material & Routing 23
5.1. List of BOM 24
5.2. Add New BOM 26
5.3. Add New Poly BOM 32
6. Reports 33

e-Whiz Solutions

Preface

Intended Audience

Welcome to SCM version 1.0 of the *BOM & Routing* User's Guide.

Documentation Accessibility

Our goal is to make Whiz-SCM products, services, and supporting documentation accessible, with good usability, to our customers. To that end, our documentation includes features that make information available to users of assistive technology. This documentation is available in PDF format. Accessibility standards will continue to evolve over time, and e-Whiz is actively engaged with other market leading technology vendors to address technical obstacles so that our documentation can be accessible to all of our customers.



Introduction

This chapter covers the following topics:

1. Overview
2. Features in this Version

Overview

Whiz - SCM is a result of our extensive research and development efforts on manufacturing industries. It's a unique ERP solution specially designed for manufacturing companies. With WHIZ-SCM by your side, you would be able to efficiently manage all of your manufacturing operations. It will let you procure raw materials, maintain its inventory, plan and execute production, maintain customer sales orders, pick & ship orders out to customer and create and print invoices and much more. Being a web based solution; this application could be accessed anytime, anywhere with appropriate authentication and access protocols

Features in this Version

1. Improve Operational Efficiencies
2. Minimize manufacturing & Operations cost
3. Enhanced Product Quality measures & tracking
4. Increased On-time Shipments
5. Reduce inventory levels and shortages
6. Increased Inventory Turns
7. Increase customer satisfaction

8. Lower Labor costs
9. Improve Inventory Accuracy & Visibility
10. Optimized Resource Utilization
11. Scalable – Allows you to start small and expand as necessary



About BOM & Routing Module

This module allows you to maintain Bills of Materials for all your production items and sub-assemblies. You can set lead times and material requirements for complete manufacturing BOM/Recipe. Here is the brief summary of some of its features.

Features:

1. Define & Maintain Departments
2. Define & Maintain Operations & Resources
3. Define Operation Lead Time
4. Resource Costing - Define Resource Cost
5. Define Control Parameters for each Operation
6. Create & Maintain BOM for production items with Materials, Operations and Resource requirements
7. Create & Maintain Recipe for batch manufacturing
8. Define Multi-level BOM

Application Link & Login



1

Login



Enter the valid login name in this text field

2

Password



Enter the valid password in this text field
NOTE: Password is case sensitive

3

Login Button



Click the ***Login*** button to open application
NOTE: If login name and password combination is correct, only then application is open otherwise system raise error message

Dashboard




1 BOM & Routing




Click ***BOM & Routing*** button to create or edit BOM. It shows sub menus on right side of window.

2 BOM & Routing Menu



This section shows the menus related to BOM & Routing module.

3 Notification Center



In the Notification Center user can receive notifications as per User role. User can view working of their department activities at a glance also monitor plant/department's performance.

Process Flow Diagram

A Process Flow Diagram (PFD) is a diagram commonly used to indicate the general flow of application. This diagram helps user to understand *how system work* and relationships between processes.

In this document two PFDs are shown as:


1. **Bill of Material :**

This diagram shows complete structure of creating *New Bill of Material (BOM)* for item in WHIZ-SCM




Bill of Material

This process diagram illustrates complete 'BOM creation' cycle for WHIZ-SCM.



1. Check BOM & Release for Production



1 List of SO

Release	Sales Order#	Requested Date	category Name	Item Name	Item Description	Order Quantity	Unit Price	UOM	Line total with Tax	Order Total
☑	623-2	03/14/2016	PVC	RR SHRINK PACK- PVC SLITTED - 215MMX 35U	RR SHRINK PACK- PVC SLITTED - 215MMX 35U	150	121.00	Kilogram	20827.13	131905.13
☑	623-3	03/14/2016	PVC	RR SHRINK PACK- PVC SLITTED - 220MMX 35U	RR SHRINK PACK- PVC SLITTED - 220MMX 35U	300	121.00	Kilogram	41654.25	131905.13
☐	883-3	04/13/2016	LAMINATION	TTKPDL - 55 MM FOIL Plain Roll 55 x 0 x 12 PET +18-20 MIC PE + 9 MIC FOIL+ 30-32 MIC SURLYN	PET + PE + 9 MIC FOIL+ 30-32 MIC SURLYN	2	0.00	Kilogram	0.00	0.00

List of all the sales order lines in system which is pending for production.

2

So Release for Production



Click the checkbox in front of sales order line, to release it for production.


3

Release Button



Click ***Release*** button to release order line for Production.


- This will open pop-up window with all the details :



NOTE: If for selected order line BOM is not created/available then system shows following message:



Otherwise system shows following message:




4

Cancel Button




Click ***Cancel*** button to discard changes without saving.

2. Add Resources



1 Search Panel



Select from verity of filter option ***OR*** combine different filters to narrow your search result. For example entering ***Resource Name*** or selecting department from ***Departments*** list and clicking ***Find*** button will show resulting list of resources.

2

List of Resources

Resource Name	Description	Department Name	Action
Air		Printing	Edit
Compounding Mixer	Compounding Mixer for PVC	Extrusion	Edit
Cutting Machine 1	Cutting Machine 1	Converting	Edit
Cutting Machine 2	Cutting Machine 2	Converting	Edit
Cutting Machine 3	Cutting Machine 3	Converting	Edit

List of all the resources in system or resulting list based on search option is shown here with some details.

3


Add Button



Click ***Add*** button to create New Resource.

4

Resource Details



Below lists all data items available for the seeded (default) resource details:

- Resource Name: Enter unique resource name.
- Description: Enter relevant description about resource.
- UOM: Select unit of measurement from drop down list.
- OSP (Out Side Processing): Click OSP check box if resource is processing outside the factory.
- Type: Select type of resource from drop down list.
- Basis: Select basis of resource from drop down list.
- Charge: Select type of charge for resource it may be Manual or Auto.
- Rate: Enter rate of resource. I.e. amount which is paid against services.
- Department: Select department from drop down list for which resource will used.
- Account: Enter account details to save invoice related details.
- Inactive: If user wants to in-active resource for any reason then check the 'In-Active' check box otherwise keep it as uncheck.

5 **Save Button**




Click ***Save*** button to save resource into the system or any changes made in edit mode.

6 **Cancel Button**




Click ***Cancel*** button to discard changes without saving it.

3. Add Operations



1 Search Panel



Select from verity of filter option ***OR*** combine different filters to narrow your search result. For example entering ***Operation Name*** and clicking ***Find*** button will show resulting list of operations.

2 List of Operations

Operation Name	Department	Lead Time	OSP	Action
Curing - 2 Ply	Lamination	12	No	Edit
Curing - 3 Ply	Lamination	8	No	Edit
Cutting	Converting	0	No	Edit
Cutting Sealing	Converting	0	No	Edit
Extrusion	Extrusion	0	No	Edit

List of all operations in system or resulting list based on search option is shown here with some details.

3


Add Button



Click ***Add*** button to create New Operation.

4

Operations Details



Below lists all data items available for the seeded (default) operations details:

- Operation Name: Enter unique operation name.
- Description: Enter relevant description about operation.
- Department: Select department which is relevant to the operation, from drop down list.
- Lead Time (Hrs.): Enter lead time which is required to perform that operation, depend upon the past performance.
- OSP: Click OSP check box if operation is processing outside the factory

- Resource: Select a resource which is being used to perform operation.
- UOM: System will show UOM which is set at a time of creating that resources, user can change as per requirement.
- Rate: System will show rate which is set at a time of creating that resources.
- Basis: System will show basis which is set at a time of creating that resources, user can change as per requirement.
- Std. Usage: System will show std. usage which is set at a time of creating that resources, user can change as per requirement.
- Charge: System will show charge which is set at a time of creating that resources, user can change as per requirement.

5 **Add Button**



Click ***Add*** button to add new item line.

6 **Save Button**




Click ***Save*** button to save operation into the system or any changes made in edit mode.

7 **Cancel Button**




Click ***Cancel*** button to discard changes without saving it.

4. Add Control Parameter




1 Select Operation



Select operation from dropdown list for which control parameters are going to define.

2 List of Parameters



Enter parameter and min-max value of it, which is used to perform selected operation.

3 Add Button



Click ***Add*** button to add new item line.

4 **Delete Button**



Click ***Delete*** button to delete any particular line.

5 **Save Button**



Click ***Save*** button to save control parameter into the system or any changes made in edit mode.

6 **Cancel Button**



Click ***Cancel*** button to discard changes without saving it.


5. Bill of Material & Routing

This module allows you to maintain BOM (Bill of Material) related information. You could define new BOM by using add new bill of material, and also maintain or edit existing BOM in system. You could define effective date for each BOM also able to revised existing BOM. Here is the brief summary of some of its features.

Features:


1. Maintain New and Existing BOM
2. Revised existing BOM
3. Maintain effective date
4. Able to create POLY BOM

5.1. List of BOM




1

Search Panel



Select from verity of filter option ***OR*** combine different filters to narrow your search result. For example entering ***Item Name*** or selecting ***Category*** from list and clicking ***Find*** button will show resulting list of BOM.

2 List of BOMs



Sr.No	Item	Category	Description	Effective Date	Created by	Revision	Note	Action
1	Dinshaws Dairy Foods- BOPP Plain Film Plain Roll Slitted 200 x 0 x 35	BOPP	200mm x 35micron	03/27/2016	Ajay Boralkar			Edit
2	Elegant Beverages -BOPP-Signature Water - 1 ltr Printed Roll 60 x 262 x 38	BOPP	60mm x 262mm X 38u	03/08/2016	Ajay Boralkar			Edit

List of all the BOM in system or resulting list based on search option is shown here with some details.

3 Edit Button



Click on ***Edit*** button to update or view any particular BOM.

4 Delete Button




Click ***Delete*** button to delete any particular BOM.

5 Add Button



Click ***Add*** button to add new BOM.

5.2. Add New BOM




Pre- Requisite:

Following things need to be set correctly in system for creating BOM -

1. Items/Parts are defined with correct attributes
2. Resources
3. Operations
4. Control Parameter

1 Header Part




Below lists all data items available for the seeded (default) header tab:

- Item: Select Item from the list. System displays shortened list when you start typing item name
- Primary UOM: System displays primary inventory UOM of selected item, if it is defined in item master otherwise please enter primary UOM of item.

- Description: System displays description of selected item.
- Revision: Enter revision details, if BOM is revised.
- Batch Production: Click check box if selected item required batch production, otherwise keep it uncheck.
- Effective Date: Enter effective date of BOM, up to it will be used.
- Note: Enter note, if any.

2 Line Part

1. Operations Tab




Below lists all data items available for the seeded (default) operations tab:

- Operation #: Enter operation # serial wise.
- Operation Name: Select operation from drop down list which is required to make selected item.
- Department: System will show department which is set at a time of creating that operation.
- Lead Time (Hrs.): System will show lead time which is set at a time of creating that operation, user can change as per requirement.
- Inspection: Select check box if inspection is needed for operation.
- Inspection Plan: Select inspection plan from drop down list.
- OSP: System will show OSP requirement which is set at a time of creating that operation, user can change as per requirement.

- Backflush: Select check box if item required putting in backflush after operation.
- Backflush Area: Select backflush area from drop down list.
- Backflush Location: Select backflush location from drop own list.
- Inactive: Select checkbox if any particular operation needs to be inactive.


2. Materials Tab



Below lists all data items available for the seeded (default) materials tab:

- Raw Material: Select raw material from drop down list which is required for operation.
- UOM: System displays primary inventory UOM of selected item, if it is defined in item master otherwise please enter primary UOM of item.
- Std. Qty: Enter std qty which is required to make selected item.
- Yeild: Enter yield which is produce after production of an item.
- Comments: Enter comments, if any.

3. Resources Tab




Operation #	Resource	UOM	Rate	Basis	Std.Usage (Hrs)	Charge	Comments
10 - Printing	Setup Time	Hour	0	One Time	0	Manual	
10 - Printing	Printing Machine 1	Meters	0	Item	0	Manual	
10 - Printing	Printing labor resource	Each	0	Item	0	Manual	
20 - Printing Inspection	Printing Inspection Machine	Each	0	Item	0	--- Select ---	
20 - Printing Inspection	Inspection Labour	Hour	0	Item	0	Manual	
30 - Lamination - 2 Ply	Lamination Machine1 (Less	Hour	10	Item	0	Auto	
30 - Lamination - 2 Ply	Lamination labor resource	Hour	125	Item	0	Auto	
40 - Slitting	Air	Kilogram	0.003	One Time	0	Manual	
40 - Slitting	Electricity	Kilogram	1.5	Item	0	Manual	
40 - Slitting	Slitting Machine 1	Hour	100	--- Select ---	0	Auto	

Below lists all data items available for the seeded (default) resources tab:

- Resource: System will show resources which are set at a time of creating that operation, user can change as per requirement.
- UOM: System will show UOM which is set at a time of creating that operation, user can change as per requirement.
- Rate: System will show rate which is set at a time of creating that operation.
- Basis: System will show basis which is set at a time of creating that operation, user can change as per requirement.
- Std. Usage (Hrs.): System will show std. usage which is set at a time of creating that operation, user can change as per requirement.
- Charge: System will show charge which is set at a time of creating that operation, user can change as per requirement.
- Comments: Enter comments, if any.

4. Tooling Tab




Operation #	Tool Name	Tool Description	Quantity	Default Storage area	Default Storage Location
10 - Printing	Cyl- Commander Tape	(2up x continues)	1	--- Select ---	--- Select ---
20 - Printing Inspection	RING SPANNER SET	6MM TO 32MM	10	--- Select ---	--- Select ---

Below lists all data items available for the seeded (default) tooling tab:

- Tool Name: Select tool from drop down list which is required to fulfill the operation.
- Tool Description: System will show description of selected tool, which is set at time of creating it.
- Quantity: Enter tool's quantity required to complete operation.
- Default Storage Area: Select storage area from drop down list, to keep finished goods.
- Default Storage Location: Select storage location from drop down list, to keep finished goods.


5. MFG Instructions



Below lists all data items available for the seeded (default) MFG instructions tab:

- Step #: Enter step # of operations for manufacturing person.
- Description: Enter description, if any.
- Print on WO: Select check box to print description on work order.

6. Lamination



Substrates	Width	Micron	Density	GSM	Quantity Required in kg
MATT BOPP	655	18	0.89	16.0200	0.424708
Met BOPP HS	660	20	0.905	18.1000	0.479852
Ink Gsm				1.8	0.047720
Adhesive GSM		0	0	1.8	0.047720
			Total	37.72	

Below lists all data items available for the seeded (default) lamination tab:

- Substrates: Enter substrates which are used for lamination.
- Width: Enter width of the substrates.
- Micron: Enter micron of the substrates.
- Density: Enter density of the substrates.
- GSM: Enter GSM of the substrates.
- Quantity required in KG: System will calculate quantity of substrates required in per KG.

3

Add Button



Click ***Add*** button to add new line.

4

Save Button



Click ***Save*** button to save BOM into the system or any changes made in edit mode.


5

Cancel Button




Click ***Cancel*** button to discard changes without saving it.

5.3. Add New Poly BOM




1

Materials Tab



To create Poly BOM raw materials are divided according to inner, middle and outer quantity required for recipe.

6. Reports



BOM Report
2
Reports
1
Whiz SCM
Welcome: Admin User
Dashboard
Change Password
Logout
Purchasing
Inventory
BOM & Routing
Sales
Manufacturing
Quality
Dispatch
Reports
Credit & Billing
Costing
Administrator
Reports
BOM Report
Categories base order Amount Report
Category Wise Transaction Cost Report
COA Certificate Report
Cylinder PO Report
Daily Booking Report
Daily Production Details Report
Daily Production report
Daily Shipment Report
Dispatch Report
Enquiries Report
Faulty Purchase Report
Goods Receipt Reports
Inspection Result Report
Inspection Summary Report
Inventory Aging Report
Itemwise Supplier Report
Job Costing Report
Job Order Report
On Hand Inquiry Report
Order to Dispatch days report
OSP Shipping Report
Pending Dispatch Report
Physical Inventory Adjustment Report
Physical Inventory Count Report - Detailed
Physical Inventory Count Report - Summary
Physical Inventory Missing Item Report
PO Approval Status Report
Production Downtime Report
Production Scrap Report
Production Summary Report
Provisional Supplier Register Report
Purchase Lead time Report
Purchase Order Receipt Report
Purchase Order Pending Report
Purchase Order Reports
Purchase Order Return Report
QC Report
Quotation Report
Rejected Material report
Requisition Report
Sales Order Pending Report
Sales Order Report
Sales Order Status
Sales Tracking Report
Stock Register Details
Stock Report
Supplier Details Report
Supplier Evaluation Rating Report
Transaction Inquiry Report
Inventory Report
Inventory Cost Report
Notification
16 Sales Orders are Pending towards Account Department
Comments from Account Department for 2 Variants
6 Items against 5 Sales Orders are waiting for Production Planning
41 Sales Order are Booked, Please Check BOM for relevant Items
You have 14 Quotations waiting for your Approval
You have 8 Sales Orders waiting for your Approval
You have 15 Requisitions waiting for your Approval
You have 197 Requisitions waiting for PO Conversion
84 Job Orders are waiting for Production Planning
2017 Whiz-SCM
Product Of - eWhiz Solutions Pvt. Ltd.

1 Reports



Click ***Reports*** button to get various reports.

2 BOM Report



Click ***BOM Report*** link to download report in XLS/PDF format.

SAMPLE REPORT:

Vaibhav Plasto Printing & Packaging Pvt Ltd

BOM Report

Parameters:

Item Number	**Haldiram Society Milk 200ml Printed Roll 328 x 95 x 45**	**Description**	

Item	Description	Effective Date	Revision	Note
Haldiram Society Milk 200ml Printed Roll 328 x 95 x 45	Milk film - 328 x 95 x 45 Mic	06/16/2016		