



1. Create a EC2 instance.




3. Create project folder

```
root@ip-172-31-35-108:~/employee_project
[root@ip-172-31-35-108 ~]# mkdir employee_project
[root@ip-172-31-35-108 ~]# cd employee_project/
[root@ip-172-31-35-108 employee_project]# |
```

A terminal window with a black background and white text. The prompt is root@ip-172-31-35-108:~/employee_project. The first command is [root@ip-172-31-35-108 ~]# mkdir employee_project. The second command is [root@ip-172-31-35-108 ~]# cd employee_project/. The third command is [root@ip-172-31-35-108 employee_project]# |. The window has a title bar with a minimize button, a maximize button, and a close button. The bottom of the window shows a Windows taskbar with various icons and a system tray on the right showing the time 10:51 PM and date 6/21/2026.

4. Create file in folder

```
root@ip-172-31-35-108:~/employee_project
[root@ip-172-31-35-108 employee_project]# touch employee.txt
[root@ip-172-31-35-108 employee_project]# ls
employee.txt
[root@ip-172-31-35-108 employee_project]# nano employee.sh
[root@ip-172-31-35-108 employee_project]# |
```

A terminal window with a black background and white text. The prompt is root@ip-172-31-35-108:~/employee_project. The first command is [root@ip-172-31-35-108 employee_project]# touch employee.txt. The second command is [root@ip-172-31-35-108 employee_project]# ls, which outputs employee.txt. The third command is [root@ip-172-31-35-108 employee_project]# nano employee.sh. The fourth command is [root@ip-172-31-35-108 employee_project]# |. The window has a title bar with a minimize button, a maximize button, and a close button. The bottom of the window shows a Windows taskbar with various icons and a system tray on the right showing the time 10:57 PM and date 6/21/2026.

5. Create a Shell Script file

```
root@ip-172-31-35-108:~/employee_project
GNU nano 8.3 employee.sh Modified
echo "5. Exit"

read -p "Enter Choice: " choice
case $choice in
1)
    read -p "Employee ID: " id
    read -p "Employee Name: " name
    read -p "Salary: " salary
    echo "$id,$name,$salary" >> employee.txt
    echo "Employee Added Successfully"
    ;;
2)
    cat employee.txt
    ;;
3)
    read -p "Enter Employee ID: " id
    grep "$id" employee.txt
    ;;
4)
    read -p "Enter Employee ID to Delete: " id
    sed -i "/^$id/d" employee.txt
    echo "Employee Deleted"
    ;;
5)
    exit
    ;;
*)
    echo "Invalid Choice"
    ;;
esac
done
```

AG Help AF Where Is AK Cut AT Execute AC Location M-U Undo M-A Set Mark
AX Exit AR Read File AL Replace AU Paste AJ Justify AV Go To Line M-E Redo M-6 Copy

6. Permission change the employee.sh file

```
root@ip-172-31-35-108:~/employee_project
[root@ip-172-31-35-108 employee_project]# chmod +x employee.sh
chmod: cannot access 'employee.sh': No such file or directory
[root@ip-172-31-35-108 employee_project]# nano employee.sh
[root@ip-172-31-35-108 employee_project]# ls -l
-bash: ls: command not found
[root@ip-172-31-35-108 employee_project]# ll
total 4
-rw-r--r--. 1 root root 0 Jun 21 17:22 employee.txt
-rw-r--r--. 1 root root 719 Jun 21 17:30 employee.sh
[root@ip-172-31-35-108 employee_project]# chmod +x employee.sh
[root@ip-172-31-35-108 employee_project]# ll
total 4
-rw-r--r--. 1 root root 0 Jun 21 17:22 employee.txt
-rwxr-xr-x. 1 root root 719 Jun 21 17:30 employee.sh
[root@ip-172-31-35-108 employee_project]#
```

7. Run the ./employee.sh file

```
root@ip-172-31-35-108:~/employee_project
[root@ip-172-31-35-108 employee_project]# ./employee.sh
===== Employee Management System =====
1. Add Employee
2. View Employees
3. Search Employee
4. Delete Employee
5. Exit
Enter Choice: |
```

8. Employee data add for Successfully.

```
root@ip-172-31-35-108:~/employee_project
3. Search Employee
4. Delete Employee
5. Exit
Enter Choice: 1
Employee ID: 101
Employee Name: sayali
Salary: 30000
Employee Added Successfully
===== Employee Management System =====
1. Add Employee
2. View Employees
3. Search Employee
4. Delete Employee
5. Exit
Enter Choice: 1
Employee ID: 102
Employee Name: sakshi
Salary: 50000
Employee Added Successfully
===== Employee Management System =====
1. Add Employee
2. View Employees
3. Search Employee
4. Delete Employee
5. Exit
Enter Choice: 1
Employee ID: 103
Employee Name: kalyani
Salary: 30000
Employee Added Successfully
===== Employee Management System =====
1. Add Employee
2. View Employees
3. Search Employee
4. Delete Employee
5. Exit
Enter Choice: |
```

After view the data.

```
root@ip-172-31-35-108:~/employee_project
[root@ip-172-31-35-108 employee_project]# ./employee.sh
===== Employee Management System =====
1. Add Employee
2. View Employees
3. Search Employee
4. Delete Employee
5. Exit
Enter Choice: 2
101,sayali,30000
102,sakshi,50000
103,kalyani,30000
===== Employee Management System =====
1. Add Employee
2. View Employees
3. Search Employee
4. Delete Employee
5. Exit
Enter Choice:
```

