Computational Intelligence An Introduction

Dr. Partha Pratim Sarangi

School of Computer Engineering KIIT Deemed to be University

July 28, 2023





Table of Contents

- Introduction
- Concept of Computing
- Hard Computing
- Soft Computing
- Methodologies of Soft Computing
- 6 Introduction to Fuzzy Set
- Introduction to Neural Networks
- 8 Evolutionary Computation
- Summary





 Artificial Intelligence (AI) is a branch of Computer Science and Engineering that deals with intelligent behavior, learning and adaptation in machines.



- Artificial Intelligence (AI) is a branch of Computer Science and Engineering that deals with intelligent behavior, learning and adaptation in machines.
- We can classify AI as Conventional AI and Modern AI.



- Artificial Intelligence (AI) is a branch of Computer Science and Engineering that deals with intelligent behavior, learning and adaptation in machines.
- We can classify AI as Conventional AI and Modern AI.
- Conventional AI: It refers to the early approach to artificial intelligence that relies heavily on rule-based systems and formal logic.
 - In classical AI, human experts would manually encode rules and knowledge into the AI system.
 - The focus was on symbolic reasoning and logic to process information and make decisions.
 - Conventional AI lacked the ability to learn from data and adapt to new situations, as it primarily relied on explicit rules and pre-defined knowledge.






- Artificial Intelligence (AI) is a branch of Computer Science and Engineering that deals with intelligent behavior, learning and adaptation in machines.
- We can classify AI as Conventional AI and Modern AI.
- Conventional AI: It refers to the early approach to artificial intelligence that relies heavily on rule-based systems and formal logic.
 - In classical AI, human experts would manually encode rules and knowledge into the AI system.
 - The focus was on symbolic reasoning and logic to process information and make decisions.
 - Conventional AI lacked the ability to learn from data and adapt to new situations, as it primarily relied on explicit rules and pre-defined knowledge.
 - It had limitations in handling complex and real-world problems due to the rigid nature of rule-based systems.

- Modern AI: It is also known as Computational Intelligence. It shifted
 the focus from rule-based systems to data-driven approaches, where
 AI models learn patterns and relationships directly from data.
 - It has the ability to learn from experience, adapt to new data, and improve its performance over time, making it more versatile and flexible.





- Modern AI: It is also known as Computational Intelligence. It shifted the focus from rule-based systems to data-driven approaches, where Al models learn patterns and relationships directly from data.
 - It has the ability to learn from experience, adapt to new data, and improve its performance over time, making it more versatile and flexible.
 - The development of advanced algorithms and computational power enabled the rise of Machine Learning, Deep Learning, and other statistical techniques.





- Modern AI: It is also known as Computational Intelligence. It shifted the focus from rule-based systems to data-driven approaches, where Al models learn patterns and relationships directly from data.
 - It has the ability to learn from experience, adapt to new data, and improve its performance over time, making it more versatile and flexible.
 - The development of advanced algorithms and computational power enabled the rise of Machine Learning, Deep Learning, and other statistical techniques.
 - Modern AI can handle large amounts of data and identify complex patterns that may not be easily discernible by human experts.





 In summary, Conventional AI was characterized by rule-based systems and expert knowledge, while Modern AI relies on data-driven approaches and the use of algorithms to learn from data.





- In summary, Conventional AI was characterized by rule-based systems and expert knowledge, while Modern AI relies on data-driven approaches and the use of algorithms to learn from data.
- Computational Intelligence has led to significant advancements in various applications, such as natural language processing, computer vision, speech recognition, and robotics, and has become an integral part of many industries and technologies in the present era.





Formal Computing

 The concept of computing refers to the process of using computers or computational systems to perform various tasks, solve problems, and process information.




Figure: Basic of computing

• y = f(x), f is a mapping function. f is also called a formal method or an algorithm to solve a problem.

Important characteristics of computing

• Should provide precise solution.



Important characteristics of computing

- Should provide precise solution.
- Control action should be unambiguous and accurate.





Important characteristics of computing

- Should provide precise solution.
- Control action should be unambiguous and accurate.
- Suitable for problem, which is easy to model mathematically.





Hard Computing

In 1969, Prof. Lotfi Zadeh introduced the term hard computing. According to him, term computing as "Hard" computing, if following conditions are satisfied.

• Precise result is guaranteed

Example:

 Solving numerical problems (e.g. Roots of polynomials, Integration etc.)





Hard Computing

In 1969, Prof. Lotfi Zadeh introduced the term hard computing. According to him, term computing as "Hard" computing, if following conditions are satisfied.

- Precise result is guaranteed
- Control action is unambiguous

Example:

- Solving numerical problems (e.g. Roots of polynomials, Integration etc.)
- Searching and sorting techniques





Hard Computing

In 1969, Prof. Lotfi Zadeh introduced the term hard computing. According to him, term computing as "Hard" computing, if following conditions are satisfied.

- Precise result is guaranteed
- Control action is unambiguous
- Control action is formally defined (i.e. with mathematical model)

Example:

- Solving numerical problems (e.g. Roots of polynomials, Integration etc.)
- Searching and sorting techniques
- Solving graph problems (e.g. Shortest tour in Graph theory, Finding closest pair of points, etc.)

Medical diagnosis



- Medical diagnosis
- Person identification / Computer vision





- Medical diagnosis
- Person identification / Computer vision
- Hand written character recognition



- Medical diagnosis
- Person identification / Computer vision
- Hand written character recognition
- Stock market prediction



- Medical diagnosis
- Person identification / Computer vision
- Hand written character recognition
- Stock market prediction
- Weather forecasting





- Medical diagnosis
- Person identification / Computer vision
- Hand written character recognition
- Stock market prediction
- Weather forecasting
- VLSI design





- Medical diagnosis
- Person identification / Computer vision
- Hand written character recognition
- Stock market prediction
- Weather forecasting
- VLSI design
- Network optimization





 Soft computing, as opposed to hard computing, deals with approximate models and gives solutions to complex real-life problems.
 Unlike hard computing, soft computing is tolerant of imprecision, uncertainty, partial truth, and approximations. In effect, the role model for soft computing is the human mind.



- Soft computing, as opposed to hard computing, deals with approximate models and gives solutions to complex real-life problems.
 Unlike hard computing, soft computing is tolerant of imprecision, uncertainty, partial truth, and approximations. In effect, the role model for soft computing is the human mind.
- The main goal of Soft Computing is to develop intelligent machines and to solve nonlinear and mathematically unmodelled system problems.



- Soft computing, as opposed to hard computing, deals with approximate models and gives solutions to complex real-life problems.
 Unlike hard computing, soft computing is tolerant of imprecision, uncertainty, partial truth, and approximations. In effect, the role model for soft computing is the human mind.
- The main goal of Soft Computing is to develop intelligent machines and to solve nonlinear and mathematically unmodelled system problems.
- The applications of Soft Computing have proved two main advantages. First, it made solving real world complex nonlinear problems, in which mathematical models are not available.





- Soft computing, as opposed to hard computing, deals with approximate models and gives solutions to complex real-life problems.
 Unlike hard computing, soft computing is tolerant of imprecision, uncertainty, partial truth, and approximations. In effect, the role model for soft computing is the human mind.
- The main goal of Soft Computing is to develop intelligent machines and to solve nonlinear and mathematically unmodelled system problems.
- The applications of Soft Computing have proved two main advantages. First, it made solving real world complex nonlinear problems, in which mathematical models are not available.
- Second, it introduced the human knowledge such as cognition, recognition, understanding, leaning, and others into the fields of computing.



• It does not require any mathematical modeling of problem solving



- It does not require any mathematical modeling of problem solving
- It may not yield the precise or accurate solution, satisfy with near optimal solution (which is very close to actual solution)





- It does not require any mathematical modeling of problem solving
- It may not yield the precise or accurate solution, satisfy with near optimal solution (which is very close to actual solution)
- Algorithms are adaptive (i.e. it can adjust to the change of dynamic environment)





- It does not require any mathematical modeling of problem solving
- It may not yield the precise or accurate solution, satisfy with near optimal solution (which is very close to actual solution)
- Algorithms are adaptive (i.e. it can adjust to the change of dynamic environment)
- Use some biological inspired methodologies such as genetics, evolution, Ant's behaviors, particles swarming, human nervous systems etc.





Methodologies of Soft Computing

Soft computing is a collection of computing techniques and methodologies that aim to deal with complex and uncertain problems by tolerating the notions of imprecision, vagueness, and partial truth.

Fuzzy System: Imprecision and reasoning

In summary, hard computing relies on precise algorithms and exact models to find optimal solutions in well-defined problems, whereas soft computing leverages approximate methods and adopts uncertainty to handle complex and uncertain problems.





Methodologies of Soft Computing

Soft computing is a collection of computing techniques and methodologies that aim to deal with complex and uncertain problems by tolerating the notions of imprecision, vagueness, and partial truth.

- Fuzzy System: Imprecision and reasoning
- Neural Networks: Learning and function approximation

In summary, hard computing relies on precise algorithms and exact models to find optimal solutions in well-defined problems, whereas soft computing leverages approximate methods and adopts uncertainty to handle complex and uncertain problems.





Methodologies of Soft Computing

Soft computing is a collection of computing techniques and methodologies that aim to deal with complex and uncertain problems by tolerating the notions of imprecision, vagueness, and partial truth.

- Fuzzy System: Imprecision and reasoning
- Neural Networks: Learning and function approximation
- Evolutionary Computation: Searching and optimization

In summary, hard computing relies on precise algorithms and exact models to find optimal solutions in well-defined problems, whereas soft computing leverages approximate methods and adopts uncertainty to handle complex and uncertain problems.





• Fuzzy set, a concept first proposed by Prof.Lotfi Abdelli Zadeh (1965), is a method for modeling the uncertainty in human reasoning.



- Fuzzy set, a concept first proposed by Prof.Lotfi Abdelli Zadeh (1965), is a method for modeling the uncertainty in human reasoning.
- Fuzzy logic is suitable for the representation of vague data and concepts on an intuitive basis, such as human linguistic description, e.g. the human age very-young, young, middle-age, old, very-old, etc.





- Fuzzy set, a concept first proposed by Prof.Lotfi Abdelli Zadeh (1965), is a method for modeling the uncertainty in human reasoning.
- Fuzzy logic is suitable for the representation of vague data and concepts on an intuitive basis, such as human linguistic description, e.g. the human age very-young, young, middle-age, old, very-old, etc.
- The fuzzy set for representing the linguistic variable human age is partitioned into three fuzzy subsets, namely, young middle-age, old. Each fuzzy subset is characterized by an MF.





- Fuzzy set, a concept first proposed by Prof.Lotfi Abdelli Zadeh (1965), is a method for modeling the uncertainty in human reasoning.
- Fuzzy logic is suitable for the representation of vague data and concepts on an intuitive basis, such as human linguistic description, e.g. the human age very-young, young, middle-age, old, very-old, etc.
- The fuzzy set for representing the linguistic variable human age is partitioned into three fuzzy subsets, namely, young middle-age, old.
 Each fuzzy subset is characterized by an MF.
- A linguistic variable is a variable whose values are linguistic terms in a natural or artificial language. For example, the size of an object is a linguistic variable, whose value can be small, medium, and big.





• Fuzzification is a mathematical approach that deals with uncertainty and imprecision in data or information.



- Fuzzification is a mathematical approach that deals with uncertainty and imprecision in data or information.
- Fuzzification process converts crisp (exact and precise) input data into fuzzy sets by assigning membership grades to each element in the input domain.



- Fuzzification is a mathematical approach that deals with uncertainty and imprecision in data or information.
- Fuzzification process converts crisp (exact and precise) input data into fuzzy sets by assigning membership grades to each element in the input domain.
- In classical or crisp set, an element can either belong to a set or not, represented by binary membership (0 or 1). Whereas, in fuzzy set the membership degrees lie within the range of 0 to 1, indicating the degree of belongingness of an element to a set.



- Fuzzification is a mathematical approach that deals with uncertainty and imprecision in data or information.
- Fuzzification process converts crisp (exact and precise) input data into fuzzy sets by assigning membership grades to each element in the input domain.
- In classical or crisp set, an element can either belong to a set or not, represented by binary membership (0 or 1). Whereas, in fuzzy set the membership degrees lie within the range of 0 to 1, indicating the degree of belongingness of an element to a set.
- The process of fuzzification is accomplished through the use of membership functions. A membership function defines the degree of membership of an element in a fuzzy set based on its value or characteristics.





- Fuzzification is a mathematical approach that deals with uncertainty and imprecision in data or information.
- Fuzzification process converts crisp (exact and precise) input data into fuzzy sets by assigning membership grades to each element in the input domain.
- In classical or crisp set, an element can either belong to a set or not, represented by binary membership (0 or 1). Whereas, in fuzzy set the membership degrees lie within the range of 0 to 1, indicating the degree of belongingness of an element to a set.
- The process of fuzzification is accomplished through the use of membership functions. A membership function defines the degree of membership of an element in a fuzzy set based on its value or characteristics.
- The membership functions can take various shapes, such as triangular, trapezoidal, Gaussian, or sigmoidal, depending on the nature of data and application.



A fuzzy partition of human age




FIGURE 1: A fuzzy partition of human age. The fuzzy set for representing the linguistic variable *human age* is partitioned into three fuzzy subsets, namely, *young*, *middle-age*, *old*.


Each fuzzy subset is characterized by an MF.





Introduction to Neural Networks

 Neural networks are machine learning models inspired by the structure and functioning of the human brain.








Introduction to Neural Networks


- Neural networks are machine learning models inspired by the structure and functioning of the human brain.
- We can express a neural network as, it consists of interconnected artificial neurons, also known as nodes or units, organized into layers.
- The fundamental building block of a neural network is the neuron, which takes inputs, performs a computation, and produces an output.







Mathematical representation of Neural Network






Figure: Mathematical representation of Neural Network





 The task of the neural network is to learn a model for a particular application.



- The task of the neural network is to learn a model for a particular application.
- More precise, neural networks learn from input data specific to application for optimizing the weights and biases of the network.



- The task of the neural network is to learn a model for a particular application.
- More precise, neural networks learn from input data specific to application for optimizing the weights and biases of the network.
- Given the set of input samples/observations, the design of the neural network may proceed according to the following two phases:
 - Learning phase or Training phase
 - Generalization phase or Testing phase or Evaluation phase





- The task of the neural network is to learn a model for a particular application.
- More precise, neural networks learn from input data specific to application for optimizing the weights and biases of the network.
- Given the set of input samples/observations, the design of the neural network may proceed according to the following two phases:
 - Learning phase or Training phase
 - Generalization phase or Testing phase or Evaluation phase
- A learning phase: an appropriate architecture is chosen for the neural network and a activation function for each neuron. A subset of samples or observations is used to train the network by means of a suitable algorithm.





- The task of the neural network is to learn a model for a particular application.
- More precise, neural networks learn from input data specific to application for optimizing the weights and biases of the network.
- Given the set of input samples/observations, the design of the neural network may proceed according to the following two phases:
 - Learning phase or Training phase
 - Generalization phase or Testing phase or Evaluation phase
- A learning phase: an appropriate architecture is chosen for the neural network and a activation function for each neuron. A subset of samples or observations is used to train the network by means of a suitable algorithm.
- A generalization phase: unseen samples (not used in the training)
 are tested with the neural networks model and a performance index
 computed. This index characterizes the quality of the model.

Initialize weights for all neurons



- Initialize weights for all neurons
- Present input layer with sample feature vector



- Initialize weights for all neurons
- Present input layer with sample feature vector
- Calculate outputs



- Initialize weights for all neurons
- Present input layer with sample feature vector
- Calculate outputs
- Compare output with desire output





- Initialize weights for all neurons
- Present input layer with sample feature vector
- Calculate outputs
- Compare output with desire output
- Update weights based on error





- Initialize weights for all neurons
- Present input layer with sample feature vector
- Calculate outputs
- Compare output with desire output
- Update weights based on error
- Complete one epoch by repeating all samples presented for training





- Initialize weights for all neurons
- Present input layer with sample feature vector
- Calculate outputs
- Compare output with desire output
- Update weights based on error
- Complete one epoch by repeating all samples presented for training
- Continue same process for number of epochs until error is minimized





• Searching techniques: It is useful for discovering the most appropriate solution out of many solutions based on fitness of a solution.



- Searching techniques: It is useful for discovering the most appropriate solution out of many solutions based on fitness of a solution.
- One of the widely used approaches is gradient descent search in neural networks, in which the point of zero gradient, hopefully, the maxima or minima.



- Searching techniques: It is useful for discovering the most appropriate solution out of many solutions based on fitness of a solution.
- One of the widely used approaches is gradient descent search in neural networks, in which the point of zero gradient, hopefully, the maxima or minima.
- However it requires a smooth differentiable cost function, it is unable to deal with sudden, discontinuous change.





- Searching techniques: It is useful for discovering the most appropriate solution out of many solutions based on fitness of a solution.
- One of the widely used approaches is gradient descent search in neural networks, in which the point of zero gradient, hopefully, the maxima or minima.
- However it requires a smooth differentiable cost function, it is unable to deal with sudden, discontinuous change.
- But engineering problems' cost or loss functions are mostly complex and discontinuous in nature.





- Searching techniques: It is useful for discovering the most appropriate solution out of many solutions based on fitness of a solution.
- One of the widely used approaches is gradient descent search in neural networks, in which the point of zero gradient, hopefully, the maxima or minima.
- However it requires a smooth differentiable cost function, it is unable to deal with sudden, discontinuous change.
- But engineering problems' cost or loss functions are mostly complex and discontinuous in nature.
- However, evolutionary algorithms can handle these issues because it is derivative free and randomized optimization.





Advantages of evolutionary computation

It offers considerable advantages:

• Adaptability to changing situations.





Advantages of evolutionary computation

It offers considerable advantages:

- Adaptability to changing situations.
- Being able to discover good enough solutions quickly than traditional optimization algorithms.





Advantages of evolutionary computation

It offers considerable advantages:

- Adaptability to changing situations.
- Being able to discover good enough solutions quickly than traditional optimization algorithms.
- Evolutionary algorithms are efficient at exploring a wide search space, making them well-suited for finding global optima in complex and multi-modal optimization problems.





Summary

 The main objective of soft computing is to develop intelligent and adaptive computational techniques that can handle real-world problems where data may be uncertain, imprecise, or incomplete.



Summary

- The main objective of soft computing is to develop intelligent and adaptive computational techniques that can handle real-world problems where data may be uncertain, imprecise, or incomplete.
- By combining/hybridizing two or more methodologies such as fuzzy logic, neural networks, and evolutionary algorithm methodologies together, Computational model provides powerful tools for tackling complex and dynamic challenges in diverse domains.





Summary

- The main objective of soft computing is to develop intelligent and adaptive computational techniques that can handle real-world problems where data may be uncertain, imprecise, or incomplete.
- By combining/hybridizing two or more methodologies such as fuzzy logic, neural networks, and evolutionary algorithm methodologies together, Computational model provides powerful tools for tackling complex and dynamic challenges in diverse domains.
- Truly intelligent machines Computers that can learn on their own and take decision as human being.



