

POST-MORTEM BRIEF

**I kept re-injecting the same
feedback to my AI.
Every. Single. **Session.****

Turns out this isn't a model problem. It's an **architecture
problem.** And it has a name.

"I want a cake."

The AI starts from zero and generates a default **cupcake**. You adjust context: *"No — a birthday cake."* It complies perfectly for that moment.

"I want a cake."

🤖 [Renders default Cupcake]

"No — a birthday cake."

The context clears. Next session triggers. You ask for a cake, and get a cupcake again. **Every modification evaporates instantly.**



STATE_LOST: Session context window cleared. Initialization reset to cold-start.

Memory helps. **Until it doesn't.**

You implement Semantic Vector memory. The system records your past sessions blindly. Now, it remembers "cupcake."

STEP 01

Vector Cache Recall

Remembers: Cupcake



STEP 02

Runtime Adjustment

Correction: Birthday Cake



STEP 03 // WARNING

Unconfirmed Persistence

Inferred Intent Saved

Because memory writes on inference instead of confirmation, it wastes API tokens generating wrong states and retains unapproved assumptions.

Ask first. Lock the plan. **Then act.**

I redesigned the prompt agent loop to halt action sequence when variables remain ambiguous.

"I want a cake."

System Query: "Checking implicit preference. I will generate a Cupcake — is this correct?"

"No. Birthday cake."

The explicit instruction commits **only upon user validation**. Preference updates are modular. If you shift goals later, you modify the single node. Zero token waste.

 **GATED_COMMIT:** State updated safely with verified human signal.

Meta AI named this: **PAHF**

Personalized Agents from Human Feedback (2026). RAG learns from what was done; PAHF learns only from what is explicitly approved.



What feedback do you re-inject every single session?

For me, it was always the basic UI tone, response brevity, and *"stop explaining what you are about to do."*

If you have hit this system ceiling, you are experiencing the exact architectural gap PAHF was built to close.



Reference implementation repository pinned in the comments below.