

Graded Assignment on Networking and Servers

Assignment – 3

Table of Contents

Assignment – 3.....	1
Installation of virtual box	1
Choosing the correct package	2
Install VirtualBox.....	2
For Windows:	2
For macOS:	3
For Linux:.....	3
Post-installation Configuration	3
Task 1: Install Nginx inside the Ubuntu machine and host a website.....	5
Task 2: Come back to your host machine (windows/Linux/mac) and scan the virtual machine using Nmap.	6

Installation of virtual box

Go to the official VirtualBox website: <https://www.virtualbox.org/> click on the [Download](#).



Choosing the correct package

Click on the Windows hosts, you will be able to download the file and save it in the desired path.



Install VirtualBox

For Windows:

- Download the installer for Windows and double-click on the downloaded file to start the installation.

- Follow the on-screen instructions and accept the license agreement.
- Choose the components you want to install and the installation path.
- Complete the installation process.

For macOS:


- Download the macOS version of VirtualBox.
- Double-click on the downloaded DMG file to open it.
- Double-click on the VirtualBox package icon to start the installation.
- Follow the on-screen instructions to complete the installation.

For Linux:


- Download the appropriate package for your Linux distribution (e.g., .deb for Debian/Ubuntu-based systems, .rpm for Red Hat/Fedora-based systems).
- Install VirtualBox using the package manager of your Linux distribution. For example, for Ubuntu, use the following command in the terminal:
 - `sudo dpkg -i <VirtualBox_package_name>.deb`
- You may need to install additional dependencies if prompted by the package manager.

Post-installation Configuration


- Post installation, virtual box will appear like below.




- After that we need to click on new button and a pop will open to enter the details in the Name, Folder and the ISO image.



-
- We need to download the ISO image from [here](#).




-
- Need to select [virtual box images](#).
- After that we will need to download the desired OS. In this case, I've downloaded [Ubuntu](#).



comes with Unity as its default desktop environment. There are other flavors of Ubuntu available with other desktops as default like Ubuntu GNOME, Lubuntu, Xubuntu, and so on. A tightly-integrated selection of excellent applications is included, and an incredible variety of add-on software is just a few clicks away. A default installation of Ubuntu contains a wide range of software that includes LibreOffice, Firefox, Empathy, Transmission, etc. Development of Ubuntu is led by [Canonical Ltd.](#), a company owned by South African entrepreneur Mark Shuttleworth.

→ **Ubuntu Server** images are available on this [page](#).

Ubuntu 22.10 Kinetic Kudu



- We need to save in the desired folder and select the same file in ISO path.
- We need to click on next button and make changes if necessary. Recommended method is not to edit and leave as it is. The installation will be done.
- We will need to enter few details like email address and password to link to Ubuntu account.
- Some basic details need to be entered and our Ubuntu machine will be ready to use.

Task 1: Install Nginx inside the Ubuntu machine and host a website.

1. Open a terminal and need to run the following commands

- a. `sudo apt update`
- b. `sudo apt install nginx`

```
root@ubuntu1:/home/lokes# apt install nginx
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  libnginx-mod-http-geoip2 libnginx-mod-http-image-filter libnginx-mod-http-xslt-filter libnginx-mod-mail libnginx-mod-stream
  libnginx-mod-stream-geoip2 nginx-common nginx-core
Suggested packages:
  fcgiwrap nginx-doc
The following NEW packages will be installed:
  libnginx-mod-http-geoip2 libnginx-mod-http-image-filter libnginx-mod-http-xslt-filter libnginx-mod-mail libnginx-mod-stream
  libnginx-mod-stream-geoip2 nginx nginx-common nginx-core
0 upgraded, 9 newly installed, 0 to remove and 327 not upgraded.
Need to get 697 kB of archives.
After this operation, 2,395 kB of additional disk space will be used.
Do you want to continue? [Y/n] y
```


- c.
- d. It will download all the dependencies.
- e. Need to check whether the Nginx is running or not

```
root@ubuntu1:/home/lokes# systemctl status nginx
● nginx.service - A high performance web server and a reverse proxy server
   Loaded: loaded (/lib/systemd/system/nginx.service; enabled; vendor preset: enabled)
   Active: active (running) since Sun 2023-08-06 17:53:50 IST; 25s ago
     Docs: man:nginx(8)
   Process: 5180 ExecStartPre=/usr/sbin/nginx -t -q -g daemon on; master_process on; (code=exited, status=0/SUCCESS)
   Process: 5181 ExecStart=/usr/sbin/nginx -g daemon on; master_process on; (code=exited, status=0/SUCCESS)
   Main PID: 5270 (nginx)
    Tasks: 2 (limit: 2256)
   Memory: 6.6M
      CPU: 97ms
   CGroup: /system.slice/nginx.service
           └─5270 "nginx: master process /usr/sbin/nginx -g daemon on; master_process on;"
             └─5273 "nginx: worker process"

Aug 06 17:53:50 ubuntu1 systemd[1]: Starting A high performance web server and a reverse proxy server...
Aug 06 17:53:50 ubuntu1 systemd[1]: Started A high performance web server and a reverse proxy server.
```


- f.
2. Need to create a directory to store your website files
 - a. `sudo mkdir /var/www/awesomeweb`
 3. Need to create a simple HTML file in the website directory:
 - a. `sudo nano /var/www/awesomeweb/index.html`
 4. Create a simple HTML file in the website directory:
 - a. `sudo nano /var/www/awesomeweb/index.html`
 5. Create a server block configuration file:
 - a. `sudo nano /etc/nginx/sites-available/awesomeweb`
 - b. an editor will open and need to paste the below content
 - i. `server {`
 - ii. `listen 80;`
 - iii. `server_name awesomeweb;`
 - iv.
 - v. `root /var/www/awesomeweb;`
 - vi. `index index.html;`
 - vii.

- viii. location / {
- ix. try_files \$uri \$uri/ =404;
- x. }
- xi. }
- c. Once we add the code, we need to save it and exit by saving the file. Command is below.
 - i. Ctl+x
 - ii. Y – enter
- 6. We need to enable the server block and reload Nginx
 - a. `sudo ln -s /etc/nginx/sites-available/awesomeweb /etc/nginx/sites-enabled/`
 - b. `sudo systemctl reload nginx`
- 7. Once we perform all the tasks, we also need to update the hosts file
 - a. `sudo nano /etc/hosts`
 - b. add the following line
 - c. `127.0.0.1 awesomeweb`
- 8. We have successfully performed all the tasks and we are ready to test the file.
- 9. Open a web browser and visit `http://awesomeweb`. You should see the sample website you created.



Task 2: Come back to your host machine (windows/Linux/mac) and scan the virtual machine using Nmap.

We need to copy the ip address and need to select Intense scan, all TCP ports to know the open ports. We can also check in the host machine as well as in the Ubuntu VM. Below are the screenshots for the reference.



```
ubuntu1 [Running] - Oracle VM VirtualBox
File Machine View Input Devices Help
Activities Terminal Aug 6 22:56

lokesh@ubuntu1: ~
64 bytes from 192.168.0.110: icmp_seq=3 ttl=64 time=0.036 ms
64 bytes from 192.168.0.110: icmp_seq=4 ttl=64 time=0.052 ms
^C
--- 192.168.0.110 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3075ms
rtt min/avg/max/mdev = 0.036/0.064/0.128/0.037 ms
lokesh@ubuntu1:~$ netstat -an
Command 'netstat' not found, but can be installed with:
apt install net-tools
Please ask your administrator.
lokesh@ubuntu1:~$ ping 192.168.0.111
PING 192.168.0.111 (192.168.0.111) 56(84) bytes of data.
64 bytes from 192.168.0.111: icmp_seq=1 ttl=64 time=0.630 ms
64 bytes from 192.168.0.111: icmp_seq=2 ttl=64 time=0.043 ms
64 bytes from 192.168.0.111: icmp_seq=3 ttl=64 time=0.044 ms
64 bytes from 192.168.0.111: icmp_seq=4 ttl=64 time=0.043 ms
64 bytes from 192.168.0.111: icmp_seq=5 ttl=64 time=0.038 ms
64 bytes from 192.168.0.111: icmp_seq=6 ttl=64 time=0.044 ms
64 bytes from 192.168.0.111: icmp_seq=7 ttl=64 time=0.043 ms
^C
--- 192.168.0.111 ping statistics ---
7 packets transmitted, 7 received, 0% packet loss, time 6141ms
rtt min/avg/max/mdev = 0.038/0.126/0.630/0.205 ms
lokesh@ubuntu1:~$
```

```
C:\Users\Lokesh>ping 192.168.0.111
```

```
Pinging 192.168.0.111 with 32 bytes of data:
```

```
Reply from 192.168.0.111: bytes=32 time=1ms TTL=64
```

```
Reply from 192.168.0.111: bytes=32 time<1ms TTL=64
```

```
Reply from 192.168.0.111: bytes=32 time<1ms TTL=64
```

```
Reply from 192.168.0.111: bytes=32 time<1ms TTL=64
```

```
Ping statistics for 192.168.0.111:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:
```

```
    Minimum = 0ms, Maximum = 1ms, Average = 0ms
```