

ATIABARI TEA ESTATE
(ATIABARI TEA CO. LTD, SILIGURI)

Rly Station
GAROPARA
N.F. Rly
E-Mail ID: atiabarimanager@gmail.com
Ref No ---

P.O. ATIABARI BAGAN
Via – Kalchini .
ALIPURDUAR
Pin No- 735 217
Date : 06-10-2021

TO WHOM IT MAY CONCERN

Sir,

This is to certify that the Thermax make Boiler Model No. ATM-XTL/16/CG/2, has been successfully supplied, installed and commissioned on 2019 & since then the system is running successfully. After sales, service and support by M/S GREENERGY SOLUTION PVT. LTD., SILIGURI, a channel associate of Thermax Limited, are satisfactory.

All the safeties and controls are in healthy condition.

We are satisfied with the performance of the equipment and technical support and services.

Thanking you,

For,

Atiabari Tea Estate
P.O & P.S- Kalchini,
Pin-735217,
Alipurduar.


Senior Manager

ATIABARI TEA ESTATE

AASTHA CROPS MILL PVT. LTD.



Regd. Office :

C/o. ACM ENTERPRISE, Old Bus Stand
N.H. 31, Islampur, Dist. Uttar Dinajpur, W.B. - 733202
E-mail : aasthacrops@gmail.com
CIN : U01111WB2009PTC138978

TO WHOM IT MAY CONCERN

Date :01/09/2021

Dear sir

This is to certify that, we have thermex boiler model no.40BB/10.54/106 . Commissioned by
Greenenergy solution pvt ltd,

We are satisfying with the performance of Thermax Boiler. Technical Supprt and service by
greenenergy solution pvt ltd

Thanking you,

Aastha Crops Mill Pvt.Ltd.

Manager
Aastha Crops Mill Pvt. Ltd.

MANAGER:

[Signature]
01/09/21



Amalgamated Plantations Pvt. Ltd.

TO WHOM IT MAY CONCERN

Sir,

This is to certify that the Thermax make Boiler Model No. ATM1300H/20/CG/1001 has been successfully supplied, installed and commissioned on 2015 & since then the system is running successfully. After sales, service and support by M/S GREENERGY SOLUTION PVT. LTD., SILIGURI, a channel associate of Thermax Limited, is satisfactory.

All the safeties and controls are in healthy condition.

We are satisfied with the performance of the equipment and technical support and services.

Thanking you,


Manager
Rungamuttee Tea Estate
Manager
Rungamuttee Tea Estate

RUNGAMUTTEE TEA ESTATE

P.O. MAL, Dist. Jalpaiguri, West Bengal, India – 735221, Ph: +91 03562-200008

Regd. Office : 1 Bishop Lefroy Road, Kolkata, West Bengal, India – 700020,

www.amalgamatedplantations.co.in

PPS Tea Private Limited

Mangalbari, P. O . Chalsa, Dist-Jalpaiguri (W.B. 735206)

TO WHOM IT MAY CONCERN

Sir,

This is to certify that the Thermax make Boiler Model No. ATM x TL 116/12, has been successfully supplied, installed and commissioned on 2021 & since then the system is running successfully. After sales, service and support by M/S GREENERGY SOLUTION PVT. LTD., SILIGURI, a channel associate of Thermax Limited, are satisfactory.

All the safeties and controls are in healthy condition.

We are satisfied with the performance of the equipment and technical support and services.

Thanking you,

For, Manager
PPS TEA PVT. LTD.



Regd. Office:
97A Southern Avenue
Kolkata - 700029, West Bengal



+91 33 4053 7000



+91 33 4053 7055

PPS Tea Private Limited

Mangalbari, P. O . Chalsa, Dist-Jalpaiguri (W.B. 735206)

TO WHOM IT MAY CONCERN

Sir,

This is to certify that the Thermax make Boiler Model No. ATM700H/16/20 has been successfully supplied, installed and commissioned on 2017 & since then the system is running successfully. After sales, service and support by M/S GREENERGY SOLUTION PVT. LTD., SILIGURI, a channel associate of Thermax Limited, are satisfactory.

All the safeties and controls are in healthy condition.

We are satisfied with the performance of the equipment and technical support and services.

Thanking you,


Manager

For, PPS TEA PVT. LTD.



Regd. Office:
97A Southern Avenue



+91 33 4053 7000



+91 33 4053 7055



PCM TEA PROCESSING PVT. LTD.

Corporate Office : PCM Tower, 2nd Mile, Sevoke Road, Siliguri-734 001, West Bengal
Phone : (91-353) 2777028 / 029 / 040 / 041
Fax : (91-353) 2540734
Email : pcm@pcmgrouppvt.co.in
Website : www.pcmgroup.co.in



Date :- 04.09.2021

TO WHOM IT MAY CONCERN

Sir,

This is to certify that the Hot Air Generator Model No. ATM – 1000 H/16/CG/26, has been successfully running from the year 2016, service and all support by M/S THERMAX CHANNEL ASSOCIATIONS through M/S GREENERGY SOLUTION PVT. LTD., SILIGURI.

All the safeties and controls are in healthy condition are demonstrated.

We are satisfied for service by M/S THERMAX CHANNEL ASSOCIATIONS through M/S GREENERGY SOLUTION PVT.LTD., SILIGURI in our organization since last three years.

We are satisfied to the performance of the equipment's are technical support and services.

Thanking you,

For, Pcm Tea Processing Pvt. Ltd.

21/9/2021



Maynaguri Agro Tea Pvt. Ltd.

MAL ROAD, P.O. MAYNAGURI, DIST. JALPAIGURI

Ref. No.

Date 08/09/2021

TO WHOM IT MAY CONCERN

Sir,

This is to certify that the Thermax make Boiler Model No ATM-700H/16/10, has been successfully supplied, installed and commissioned on 2017 & since then the system is running successfully. After sales, service and support by M/S GREENERGY SOLUTION PVT. LTD., SILIGURI, a channel associate of Thermax Limited, are satisfactory.

All the safeties and controls are in healthy condition.

We are satisfied with the performance of the equipment and technical support and services.

MAYNAGURI AGRO TEA (P) LTD.

Thanking you,

MANAGER

For, MAYNAGURI AGRO TEA PVT LTD

08/09/2021



Kalyani Solvex (P) Ltd.

Regd. Off.: N S Road, Beside Allahabad Bank, Raiganj - 733134, Dist.: Uttar Dinajpur (W.B.), Ph. : 03523-252558, Telefax : 03523-252634
CIN: U23300WB2002PTC95256, PAN: AACCK1422D



Ref. No.....

Date.....

23.09.2021

TO WHOM IT MAY CONCERN

This is to certify that the Steam boiler and Thermofluid Boiler Model No:CPFD-100 and VTB-10 has been successfully on running condition since 10 years by Thermax Channel Associations through M/s. Greenergy Solutions Pvt Ltd, Siliguri.

All the safeties and controls are in healthy condition are demonstrated.

We are satisfied for service by Thermax Channel Associations Through M/S. Greenergy Solutions Pvt Ltd in our organization since last ten years.

We are satisfied to the performance of the equipments and technical support and services.

Thanking You & warm Ragards
Kalyani Solvex (P) Ltd.


Authorised Signatory





KALINAGAR TEA

KALINAGAR TEA & AGRO CO. PRIVATE LIMITED

Regd Office: Somani Mill Complex, S.F. Road, Siliguri 734005, West Bengal.

Ph: 0353-2468988, +91-93430-19187 | e-mail: kalinagartea@gmail.com | Corporate Identity Number : U15122WB2014PTC200449

TO WHOM IT MAY CONCERN

Sir,

This is to certify that TheThermax make Hot Air Generator Model No.ATM 1000H/16/CG/02 & ATM 1000H/16/CG/24 has been successfully supplied, installed and commissioned on 29/11/2014 & 28/02/2017 since then the system is running successfully. After sales, service and support by M/S GREENERGY SOLUTION PVT. LTD., SILIGURI, a channel associate of Thermax Limited, is satisfactory.

All the safeties and controls are in healthy condition.

We are satisfied with the performance of the equipment and technical support and services.

Thanking you,

For Kalinagar Tea & Agro Co.Pvt.LTD

Manager

Kalinagar Tea & Agro Co. Pvt. Ltd.
22/9/21



KALINAGAR TEA

KALINAGAR TEA & AGRO CO. PRIVATE LIMITED

Regd Office: Somani Mill Complex, S.F. Road, Siliguri 734005, West Bengal.

Ph: 0353-2468988, +91-93430-19187 | e-mail: kalinagartea@gmail.com | Corporate Identity Number : U15122WB2014PTC200449

To,
Greenery Solution Pvt. Ltd.
PCM Bus Terminus, Sevoke Road.
Siliguri.

To whom it may Concern

This is to certify that Greenery Solution had Installed VFD operated panel in 'Thermax Make Hot Air Generator- ATM-1000H /16 /CG and 'Kilburn Make Drier –FF 6 on 01/03/2021 for Power savings purpose and it is observed that we are getting substantial savings on Motor energy consumption. Details as below.

Thermax Make Hot Air Generator- ATM-1000H

Application	Motor Details	Operation Mode	IP Current	Current Frequency	Energy Savings	Value Savings/Year (240Days)
ID Fan	5.5Kw	DOL Starter	10.3Amp	50Hz	3.2Amp/1.8Kwh	62,208/-
		VFD	7.1Amp	45.8Hz		
FD Fan	2.2Kw	DOL Starter	4.5Amp	50Hz	2.3Amp/1.3Kwh	44,928/-
		VFD	2.2Amp	44.7Hz		

Kilburn Make Drier – FF6

Application	Motor Details	Operation Mode	IP Current	Current Frequency	Energy Savings	Value Savings/Year (240Days)
HOT Air Fan	30Kw	S/D Starter	51.6Amp	50Hz	16.6Amp/11Kwh	3,80,160/-
		VFD	35Amp	45.3Hz		
Cold Air Fan	3.7Kw	DOL Starter	7.39Amp	50Hz	3.69Amp/2.12Kwh	73,267/-
		VFD	3.7Amp	35.8hz		

We are very much satisfied with the system supplied by Greenrgy SolutionPvt. Ltd. and also their Service support we are getting.

We appreciate the whole activities taken care by Greenery team and wish all success for future.

Thanking You,


For, kalinagar Tea & Agro CO.PVT. LTD.

Kalinagar Tea & Agro Comp. Ltd.
22/9/21
Manager

ON NAMO



SHIVAY



Jai Shankar Tea Company (P) Ltd.



GSTIN: AAACJ8533G1ZG

MANUFACTURE OF C.T.C. Tea

C.S.T. No. 1506 (JP) C

Regd. Office, Maynaguri - 735224, Dist. Jalpaiguri

CIN-U15491WB1999PTC090844

Ref. No.....

Date..... 04/09/2021

TO WHOM IT MAY CONCERN

Sir,

This is to certify that the hot air generator MODEL NO. ATM-1000H/16/31, has been successfully running from the year 2016 by M/S THERMAX CHANNEL ASSOCIATIONS through M/S GREENERGY SOLUTION PVT. LTD., SILIGURI.

All the safeties and controls are in healthy condition are demonstrated.

We are satisfied for service by M/S THERMAX CHANNEL ASSOCIATIONS through M/S GREENERGY SOLUTION PVT. LTD., SILIGURI in our organization since last five years.

We are satisfied to the performance of the equipments are technical support and service.

THANKING YOU,



YOURS FAITHFULLY

IPCA LABROTORIES LIMITED
(SIKKIM)

Date-28.08.2021

TO
THERMAX LIMITED
KOLKATA

TO WHOM SO EVER IT MAY CONCERN

Dear sir,


This is to certify that the boiler SM30DH 10.54 Serial no- 29 and SM30DH 10.54 and Serial no-40 has been run and given service by Green energy solution pvt limited is satisfactory.

We further except the same service in future also.

Thanking you,
Regards

Ipca laboratories limited

Ipca Laboratories Limited, Sikkim & India



**MANAGER
ENGINEERING**



TO WHOM IT MAY CONCERN

Sir,

This is to certify that the Thermax make Boiler Model No. ANX50/27 & AMW02/657, has been successfully supplied, installed and commissioned on 16th Jun'19 & since then the system is running successfully. After sales, service and support by M/S GREENERGY SOLUTION PVT. LTD., SILIGURI, a channel associate of Thermax Limited, are satisfactory.

All the safeties and controls are in healthy condition.

We are satisfied with the performance of the equipment and technical support and services.

Thanking you,

For,



BIJALIMONI TEA ESTATE

Owners :
NEW TEA CO. LTD
HINDUSTHAN BUILDING
KOLKATA - 700072

P.O. & T.O. KAMALA BAGAN
Rly. & Air Stn. Bagdogra N.F. Rly.
Dist. Darjeeling
Phone : (0353) 2003035

Ref. No.

Date: 12/9/17

TO WHOM IT MAY CONCERN

Sir,


This is to certify that the Thermax make Boiler Model No. ATM -1000H/13/12, has been successfully supplied, installed and commissioned on 14.09.15 & since then the system is running successfully. After sales, service and support by M/S GREENERGY SOLUTION PVT. LTD., SILIGURI, a channel associate of Thermax Limited, are satisfactory.

All the safeties and controls are in healthy condition.

We are satisfied with the performance of the equipment and technical support and services.

Thanking you,

For, BIJALIMONI TEA ESTATE


ASST. MANAGER
BIJALIMONI TEA ESTATE