



RFS

Responsive Font Size

Md. Ruhul Amin

Technical Lead – Front End & UX

Agenda



What is RFS?

Bootstrap's resizing engine responsively scales common....

Standard of RFS (Bootstrap)

Example of RFS

RFS demo in ADPA (draft)

What Is RFS?



Responsive Font Size (**RFS**) is a technique used in web development to make font sizes adapt to different screen sizes and devices, providing a more responsive and user-friendly experience. The idea behind RFS is to automatically adjust the font size based on the viewport size, ensuring that text remains readable and aesthetically pleasing across various devices.

The traditional approach to setting font sizes involves using fixed units like pixels (px) or points (pt). However, these fixed units may not scale well across different screen sizes, leading to issues such as text being too small on small screens or too large on larger screens.

RFS addresses this by dynamically adjusting font sizes using relative units like percentages (%) or viewport units (vw). This allows text to scale proportionally with the size of the viewport, making it more adaptable to different devices, including desktops, tablets, and mobile phones.

There are various ways to implement RFS, including using CSS media queries and JavaScript. Additionally, some CSS frameworks and libraries provide built-in support for responsive typography. The goal is to create a more consistent and user-friendly experience for visitors accessing a website from various devices and screen sizes.

Standard of RFS (Bootstrap)



Bootstrap's resizing engine responsively scales common CSS properties to better utilize available space across viewports and devices.

Continue learn more: [Bootstrap Link](#)

Rescale components in an intuitive way with RFS

This card uses [RFS](#) to rescale `margin`, `padding`, `font-size`, `box-shadow` & `border-radius`. Resize the codepen to see it in action.

This is the codepen example using the Sass mixin to rescale values, for more demo's and documentation, check the [Github repo](#).

Made by [Martijn Cuppens](#)

Example of RFS



1. Ref 1: <https://codepen.io/MartijnCuppens/full/ZBjdMy>
2. Ref 2: <https://picostrap.com/p5demo/headings-page>
3. Ref 3: <https://github.com/twbs/rfs/tree/v10.0.0?tab=readme-ov-file>

RFS demo in ADPA (draft)

Showing from localhost





Thank you