

```
EXPLORER  Welcome  J ATMSys...  J VehicleRentalGUI.java 1
CODING FOLDER
.vscode
c++
javaproject
J ATMSys... 1
J VehicleRentalGU... 1

javaproject > J ATMSys... > Account
1 import javax.swing.*;
2 import java.awt.*;
3 import java.awt.event.*;
4 import java.util.ArrayList;
5
6 // Account Class
7 class Account {
8     String accNo, pin;
9     double balance;
10    ArrayList<String> history = new ArrayList<>();
11
12    Account(String accNo, String pin, double balance) {
13        this.accNo = accNo;
14        this.pin = pin;
15        this.balance = balance;
16    }
17
18    public class ATMSysGUI extends JFrame {
19
20        CardLayout card = new CardLayout();
21        JPanel mainPanel = new JPanel(card);
22
23        ArrayList<Account> accounts = new ArrayList<>();
24        Account currentUser;
25
26        // Login Fields
27        JTextField accField;
28        JPasswordField pinField;
29
30        // Dashboard Components
31        JLabel balanceLabel;
32        JTextArea statementArea;
33
34        public ATMSysGUI() {
35            setTitle(title: "ATM System");
36            setSize(width: 800, height: 500);
37            setDefaultCloseOperation(EXIT_ON_CLOSE);
38            setLocationRelativeTo(c: null);
39
40            // Sample Account
41            accounts.add(new Account(accNo: "1234", pin: "1111", balance: 5000));
42
43            mainPanel.add(loginPanel(), constraints: "login");
44            mainPanel.add(dashboardPanel(), constraints: "dashboard");
45
46            add(mainPanel);
47            card.show(mainPanel, name: "login");
48
49            setVisible(b: true);
50        }
51    }
}
```

```
EXPLORER  Welcome  J ATMSys...  J VehicleRentalGUI.java 1
CODING FOLDER
.vscode
c++
javaproject
J ATMSys... 1
J VehicleRentalGU... 1

javaproject > J ATMSys... > Account
18 public class ATMSysGUI extends JFrame {
19
20    // Login Panel
21    JPanel loginPanel() {
22        JPanel panel = new JPanel(new GridBagLayout());
23        panel.setBackground(new Color(r: 30, g: 30, b: 45));
24
25        GridBagConstraints g = new GridBagConstraints();
26        g.insets = new Insets(top: 10, left: 10, bottom: 10, right: 10);
27
28        accField = new JTextField(columns: 15);
29        pinField = new JPasswordField(columns: 15);
30
31        JButton loginBtn = new JButton(text: "Login");
32
33        g.gridx = 0; g.gridy = 0;
34        panel.add(new JLabel(text: "Account No:", g), g);
35        g.gridx = 1;
36        panel.add(accField, g);
37
38        g.gridx = 0; g.gridy = 1;
39        panel.add(new JLabel(text: "PIN:", g), g);
40        g.gridx = 1;
41        panel.add(pinField, g);
42
43        g.gridy = 2; g.gridx = 1;
44        panel.add(loginBtn, g);
45
46        loginBtn.addActionListener(e -> login());
47
48        return panel;
49    }
50
51    // Dashboard Panel (Web-like UI)
52    JPanel dashboardPanel() {
53        JPanel panel = new JPanel(new BorderLayout());
54        panel.setBackground(new Color(r: 40, g: 40, b: 60));
55
56        // Sidebar
57        JPanel side = new JPanel(new GridLayout(rows: 6, cols: 1, hgap: 10, vgap: 10));
58        side.setBackground(new Color(r: 50, g: 50, b: 70));
59
60        JButton balBtn = new JButton(text: "Balance");
61        JButton depBtn = new JButton(text: "Deposit");
62        JButton witBtn = new JButton(text: "Withdraw");
63        JButton stmtBtn = new JButton(text: "Mini Statement");
64        JButton logoutBtn = new JButton(text: "Logout");
65
66        JButton[] btns = {balBtn, depBtn, witBtn, stmtBtn, logoutBtn};
67        for(JButton b: btns){
68            b.setFocusPainted(b: false);
69        }
70    }
71
72    // Login Method
73    void login() {
74        // TODO: Implement login logic
75    }
76
77    // Dashboard Method
78    void dashboard() {
79        // TODO: Implement dashboard logic
80    }
81
82    // Logout Method
83    void logout() {
84        // TODO: Implement logout logic
85    }
86
87    // Main Method
88    void main() {
89        // TODO: Implement main logic
90    }
91
92    // Test Method
93    void test() {
94        // TODO: Implement test logic
95    }
96
97    // Main Method
98    void main() {
99        // TODO: Implement main logic
100    }
}
```

```
EXPLORER
...
Welcome
J ATMSystemGUI.java
J VehicleRentalGUI.java

CODING FOLDER
> .vscode
> c++
javaproject
J ATMSystemGUI.j...
J VehicleRentalGU...

15
public class ATMSystemGUI extends JFrame {
151
void login() {
154
for(Account a : accounts){
155
if(a.acctNo.equals(acc) && a.pin.equals(pin)){
156
currentUser = a;
157
card.show(mainPanel, name: "dashboard");
158
return;
159
}
160
}
161
 JOptionPane.showMessageDialog(this, message: "Invalid Login!");
162
}
163
}
164
// Deposit
165
void deposit() {
166
String amtStr = JOptionPane.showInputDialog(message: "Enter amount:");
167
if(amtStr == null) return;
168
double amt = Double.parseDouble(amtStr);
169
if(amt <= 0){
170
 JOptionPane.showMessageDialog(this,message: "Invalid amount");
171
return;
172
}
173
currentUser.balance += amt;
174
currentUser.history.add("Deposited ₹" + amt);
175
 JOptionPane.showMessageDialog(this,message: "Deposit Successful!");
176
}
177
// Withdraw
178
void withdraw() {
179
String amtStr = JOptionPane.showInputDialog(message: "Enter amount:");
180
if(amtStr == null) return;
181
double amt = Double.parseDouble(amtStr);
182
if(amt > currentUser.balance){
183
 JOptionPane.showMessageDialog(this,message: "Insufficient Balance!");
184
return;
185
}
186
currentUser.balance -= amt;
187
currentUser.history.add("Withdrawn ₹" + amt);
188
 JOptionPane.showMessageDialog(this,message: "Withdraw Successful!");
189
}
190
}
191
}
192
}
193
}
194
}
195
}
196
}
197
}
198
Run | Debug
199
public static void main(String[] args) {
200
new ATMSystemGUI();
201
}
```

Account No:

PIN:

Login

