API Documentation

Table of Contents

Movie-Get API

Movie-Get API

curl-request

```
$ curl 'http://localhost:8080/movie/1' -i -X GET \
  -H 'Content-Type: application/json;charset=UTF-8' \
  -H 'Accept: application/json'
```

http-response

```
HTTP/1.1 200 OK
Content-Type: application/json
Content-Length: 1304
 "movieId" : 1,
 "title": "0000 000",
 "original_title" : "Deadpool & Wolverine",
 "original_language" : """,
 "screening_date": "2024-07-26T12:00:00",
 "member_score" : 80,
 0000 00 0000 000 00 00 00 00000",
 000 0000 00000 00.",
 "production_cost" : 200000000,
 "profits" : 10000,
 "running_time" : 128,
 "movieStatus" : "Before_release",
 "keyword" : 11,
 "genres" : [ "SF", "00", "00000", "00000", "00", "00000", "00000", "00"]
}
```

httpie-request

```
$ http GET 'http://localhost:8080/movie/1' \
    'Content-Type:application/json;charset=UTF-8' \
    'Accept:application/json'
```

request-body

request-fields

response-body

```
{
 "movieId" : 1,
 "title" : "0000 000",
 "original_title" : "Deadpool & Wolverine",
 "original_language" : "□□",
 "screening_date": "2024-07-26T12:00:00",
 "member_score" : 80,
 0000 00 0000 000 00 00 00 00000",
 000 0000 00000 00.",
 "production_cost" : 200000000,
 "profits" : 10000,
 "running_time" : 128,
 "movieStatus" : "Before_release",
 "keyword" : 11,
 "genres": [ "SF", "00", "00000", "00000", "00", "00000", "0000", "00"]
}
```

Table 1. response-fields

Path	Туре	Description
movieId	Number	movie DDD
title	String	0000
original_title	String	00 0 00
original_language	String	
screening_date	String	
member_score	Number	0000
outline	String	
one_line_summary	String	00 00
production_cost	Number	
movieStatus	String	0000
profits	Number	
running_time	Number	0000

Path	Туре	Description
genres	Array	
keyword	Number	000