

Name: Sayyad ibrahim

Reg:192525257

9

**CREATE A VIRTUAL HARD DISK AND ALLOCATE THE
STORAGE
USING VMWARE WORKSTATION**

AIM:

To create a virtual hard disk and allocate the required storage using VMware Workstation.

PROCEDURE:

STEP 1: Open VMware Workstation and select the existing virtual machine.

STEP 2: Make sure the virtual machine is powered off.

STEP 3: Right-click the virtual machine and select Settings.

STEP 4: In the Virtual Machine Settings window, click Add.

STEP 5: Select Hard Disk from the Hardware Type list and click Next.

STEP 6: Select SCSI as the virtual disk type and click Next.

STEP 7: Select Create a new virtual disk and click Next.

STEP 8: Set the disk size to 2 GB as specified in the lab manual.


STEP 9: Select Split virtual disk into multiple files and click Next.



STEP 10: Give a suitable name for the virtual disk and click Finish.



STEP 11: Verify that the newly created virtual hard disk is displayed in the Virtual Machine Settings.



STEP 12: Click OK to save the configuration.

OUTPUT:









RESULT:

Thus, a 2 GB virtual hard disk was successfully created and allocated to the virtual machine using VMware Workstation.

EXP NO: 10

CREATE A SNAPSHOT OF A VM AND TEST IT BY LOADING THE PREVIOUS VERSION/CLONED VM

AIM:

To create a snapshot of a virtual machine and test it by restoring and loading the previous version of the virtual machine.

PROCEDURE:

STEP 1: Open VMware Workstation and select the existing virtual machine.

STEP 2: Start the virtual machine and create a file or folder on the desktop.

STEP 3: In VMware Workstation, select VM → Snapshot → Take Snapshot.

STEP 4: Enter a suitable snapshot name, such as Snapshot 1, and click Take Snapshot.

STEP 5: After taking the snapshot, make a change to the virtual machine, such as modifying or deleting the file created earlier.

STEP 6: Open VM → Snapshot → Snapshot Manager.


STEP 7: Select the previously created Snapshot 1 and choose Go To/Revert.



STEP 8: Confirm the restore operation and wait for the virtual machine to return to the snapshot state.


STEP 9: Check the desktop and verify that the file or previous configuration is restored.

STEP 10: Verify that the virtual machine has successfully returned to its earlier state.

OUTPUT:







RESULT:

Thus, a snapshot of the virtual machine was successfully created and tested by restoring the VM to its previous state.

EXP NO: 11

CREATE A CLONING OF A VM AND TEST IT BY LOADING THE PREVIOUS VERSION/CLONED VM

AIM:

To create a clone of an existing virtual machine and test it by loading and running the cloned virtual machine using VMware Workstation.

PROCEDURE:

STEP 1: Open VMware Workstation and select the existing virtual machine.

STEP 2: Go to VM → Manage → Clone.

STEP 3: In the Clone Virtual Machine Wizard, click Next.

STEP 4: Select the current state of the virtual machine as the source and click Next.

STEP 5: Select Full Clone and click Next.

STEP 6: Enter a suitable name for the cloned virtual machine and select the storage location.

STEP 7: Click Finish to start the cloning process.



STEP 8: Wait until the cloning process is completed successfully.


STEP 9: Open the newly created cloned virtual machine in VMware Workstation.



STEP 10: Power on the cloned VM and verify that the guest operating system loads successfully.

STEP 11: Test the cloned VM and verify that it works independently from the original virtual machine.

OUTPUT:







RESULT:

Thus, a full clone of the virtual machine was successfully created, loaded, and tested using VMware Workstation.

EXP NO: 12

CHANGE HARDWARE COMPATIBILITY OF A VM USING VMWARE WORKSTATION

AIM:

To change the hardware configuration of an already created and configured virtual machine using VMware Workstation by adding a new virtual hardware component.

PROCEDURE:

STEP 1: Open VMware Workstation and select the existing virtual machine.

STEP 2: Right-click the virtual machine and select Settings.

STEP 3: In the Virtual Machine Settings window, click Add to open the Add Hardware Wizard.

STEP 4: Select Hard Disk and click Next.

STEP 5: Select SCSI as the virtual disk type and click Next.

STEP 6: Select Create a new virtual disk and click Next.

STEP 7: Set the virtual disk size to 2.0 GB.


STEP 8: Select Split virtual disk into multiple files and click Next.


STEP 9: Give a suitable name to the virtual disk and click Finish.



STEP 10: Verify that the newly added 2 GB SCSI virtual disk is displayed in the Virtual Machine Settings.


STEP 11: Click OK to save the changes.

OUTPUT:









RESULT:

Thus, the existing virtual machine was successfully configured with additional virtual hardware, and a 2 GB SCSI virtual disk was added using VMware Workstation.