

# Cucumber Report

Jul 1, 2023, 12:35:18 PM

Start : Jul 01, 12:35:17.539 PM

End : Jul 01, 12:35:17.654 PM

Duration : 0.115 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 15



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>failed_test_case</u>	0.115 s	2	0	2	0	17	0	2	15

#	Feature Name	Scenario Name
1	<u>failed_test_case</u>	<u>TC_01_customer_login_test_negative</u>
2		<u>TC_02_customer_login_test_positive</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@failed_test_case	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>failed_test_case</u>	2	0	2	0	0.115 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>failed_test_case</u>	<u>TC_01_customer_login_test_negative</u>	9	0	1	8	0.072 s
2		<u>TC_02_customer_login_test_positive</u>	8	0	1	7	0.016 s

**failed\_test\_case**

<b>FAILED</b>	<b>DURATION - 0.115 s</b>	Scenarios		Steps	
/ 12:35:17.539 PM // 12:35:17.654 PM /		Total - 2		Total - 17	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 15	

**TC\_01\_customer\_login\_test\_negative**

<div>FAILED</div> <div>DURATION - 0.072 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 12:35:17.542 PM // 12:35:17.614 PM /				
failed_test_case				
@failed_test_case				



#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to "https://www.bluerentalcars.com/"</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.CommonStepDefs  at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)  at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p>	<b>FAILED</b>	0.021 s

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)</p> <p>at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at org.junit.runner.JUnitCore.run(JUnitCore.java:137)</p> <p>at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)</p> <p>at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)</p> <p>at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)</p> <p>at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)</p> <p>at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)</p> <p>at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)</p> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)</p> <p>... 46 more Caused by: java.lang.NullPointerException</p> <p>at utilities.ConfigReader.getProperty(ConfigReader.java:25)</p> <p>at utilities.Driver.getDriver(Driver.java:33)</p> <p>at pages.GooglePage.&lt;init&gt;(GooglePage.java:11)</p>		



#	Step / Hook Details	Status	Duration		
	at stepdefinitions.CommonStepDefs.<init>(CommonStepDefs.java:13)				
2	When user clicks on login button	SKIPPED	0.000 s		
3	And user enters username and password	SKIPPED	0.015 s		
	<table><tr><td>username</td><td>password</td></tr><tr><td>sam.walker@bluerentalcars.com</td><td>c!fas_art</td></tr></table>			username	password
username	password				
sam.walker@bluerentalcars.com	c!fas_art				
4	And user clicks on login submit button	SKIPPED	0.001 s		
5	And test fails	SKIPPED	0.001 s		
6	Then verify the login is successful	SKIPPED	0.000 s		
7	When capture screenshot	SKIPPED	0.000 s		
8	And user logs out the application	SKIPPED	0.000 s		
9	And close the application	SKIPPED	0.000 s		
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s		
	java.lang.NullPointerException at utilities.ConfigReader.getProperty(ConfigReader.java:25) at utilities.Driver.getDriver(Driver.java:33) at hooks.Hooks.tearDown(Hooks.java:28)				

## TC\_02\_customer\_login\_test\_positive

FAILED	DURATION - 0.016 s		Steps Total - 8 Pass - 0 Fail - 1 Skip - 7	
/ 12:35:17.638 PM // 12:35:17.654 PM /				
failed_test_case				
@failed_test_case				

#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://www.bluerentalcars.com/"	FAILED	0.002 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.CommonStepDefs at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		

#	Step / Hook Details	Status	Duration				
	<div>at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)</div> <div>at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)</div> <div>Caused by: java.lang.reflect.InvocationTargetException</div> <div>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</div> <div>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</div> <div>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</div> <div>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</div> <div>at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)</div> <div>... 46 more</div> <div>Caused by: java.lang.NullPointerException</div> <div>at utilities.ConfigReader.getProperty(ConfigReader.java:25)</div> <div>at utilities.Driver.getDriver(Driver.java:33)</div> <div>at pages.GooglePage.&lt;init&gt;(GooglePage.java:11)</div> <div>at stepdefinitions.CommonStepDefs.&lt;init&gt;(CommonStepDefs.java:13)</div>						
2	When user clicks on login button	SKIPPED	0.001 s				
3	And user enters username and password	SKIPPED	0.001 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>sam.walker@bluerentalcars.com</td><td>c!fas_art</td></tr></table>	username	password	sam.walker@bluerentalcars.com	c!fas_art		
username	password						
sam.walker@bluerentalcars.com	c!fas_art						
4	And user clicks on login submit button	SKIPPED	0.001 s				
5	Then verify the login is successful	SKIPPED	0.001 s				
6	When capture screenshot	SKIPPED	0.001 s				
7	And user logs out the application	SKIPPED	0.001 s				
8	And close the application	SKIPPED	0.001 s				
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s				
	<div>java.lang.NullPointerException</div> <div>at utilities.ConfigReader.getProperty(ConfigReader.java:25)</div> <div>at utilities.Driver.getDriver(Driver.java:33)</div> <div>at hooks.Hooks.tearDown(Hooks.java:28)</div>						