calcgen	Calcgen Solutions Project Specifications	Page:	of		
VesselExpress					

	Prepared by:	Reviewed by:	Approved by:
Name	sushil		
Title			
Date	2019-02-21		

# **Revision Log**

Rev. No	Description of Change	Date:
01	Initial Release	2019-Feb-02



### **Calcgen Solutions**

# **Project Specifications**

Document No.: 76		

Page: of

### **VesselExpress**

#### **TABLE OF CONTENTS**

**DEFINITION** 3

PIPE AND FLANGE DATA NEEDED 5

#### COMPONENTS REQUIRED 5

ASME 2:1 Ellip. Head 5

Cylinder 5

OUTPUT REQUIRED 6

VESSEL CALCULATIONS 6

MAWP 6

Weight of Pressure Vessel (entire Weight) 6


Center of Gravity with Fluid or without fluid 6


Nozzle Schedule Table 6


An outline drawing 6

# 1.0 **Deficiencies Summary No Deficiencies were found.**

### 2.0 **DEFINITION**








#### 3.0 PIPE AND FLANGE DATA NEEDED

Pipe data should come from a pipe chart. A pipe chart like <a href="this(link">this(link</a>) needs to be available to pull the property based on the pipe and selected pipe schedule. For VesselExpress, we will only use ASME B16.5 welding neck flanges. The flange data is also available on <a href="this link">this link</a>. All classes (150, 300, 400, 600, 900, 1500 and 2500) classes of flange data shall be available. The flange dimensions should also be stored on database. The pipe and flange data do not change frequently so it should be on read only database for the users. Admins should be able to modify the information if required. Many other application need to pull these information as well.

## 4.0 **COMPONENTS REQUIRED**

ASME 2:1 Ellip. Head

Cylinder(s)



Nozzles (Built with Pipe and Flange)

Skirt (Applicable to Vertical Vessel Only)

Saddle (Applicable to Horizontal Vessel Only)

#### **5.0 OUTPUT REQUIRED**

#### **6.0 VESSEL CALCULATIONS**

Cylinder1

Calculations for Internal Pressure

Thickness of Cylindrical Shell as per UG-27

t = (P\*R)/(S\*E-0.6\*P) = (45.0\*150.0)/(17.1\*1.0 - 0.6\*45.0) = 0.395690564048498 in t = 0.395690564048498 + Corrosion Allowance = 0.395690564048498 + 0.125 = 0.520690564048498 in

**MAWP** 

Weight of Pressure Vessel (entire Weight)

Center of Gravity with Fluid or without fluid

Nozzle Schedule Table

An outline drawing

#### **AREA**

		Abbreviation	Unit
			Offic
0	km²	square kilometer	
1	m²	square meter	
2	dm²	square decimeter	
3	cm <sup>2</sup>	square centimeter	
4	mm²	square millimeter	
5	ha	hectare	
6	а	are	
7	ca	centiare	
8	mile <sup>2</sup>	square mile	
9	in²	square inch	
10	yd²	square yard	
11	ft²	square foot	

	Abbreviation	1	Unit
12	ro	rood	
13	acre	acre	
14	nautical mile <sup>2</sup>	square nautical mile	

### **TEMP**

		Abbreviation	Unit
0	°C	Celsius	
1	°F	Fahrenheit	
2	K	Kelvin	
3	°Ré	Reaumur	
4	°N	Newton	
5	°Ra	Rankine	

### **ANGLE**

		bbreviation	Unit
0	0	Degree	
1	grad(gon)	Grad	
2	Angular mil	Angular mil	
3	•	Minute of arc	
4	rad	Radian	
5	"	Second of arc	

## **DISTANCE**

		Abbreviation	Unit
0	km	kilometer	
1	m	meter	
2	dm	decimeter	
3	cm	centimeter	
4	mm	millimeter	
5	mi	mile	
6	in	inch	
7	ft	foot	
8	yd	yard	
9	nautical mile	nautical mile	

# **FREQUENCY**

		Abbreviation	Unit
0	Hz	Hertz	
1	KHz	Kilohertz	
2	MHz	Megahertz	
3	GHz	Gigahertz	

### MAX

**PIPE** 

		4	0.125	0.405	0.307	10S	0.049	0.1863
0	5	0.125	0.405	0.269	40	0.068	0.2447	
1	6	0.125	0.405	0.269	STD	0.068	0.2447	
2	7	0.250	0.540	0.410	10	0.065	0.3297	
3	8	0.250	0.540	0.410	10S	0.065	0.3297	
4	9	0.250	0.540	0.364	40	0.088	0.4248	
5	10	0.250	0.540	0.364	STD	0.088	0.4248	

# PRESSURE

		Abbreviation	Unit
0	psi	Pound Per Square Inch	
1	in Hg	Inch of Mercury	
2	mm Hg	Millimeters of Mercury	
3	ft H2O	Ftch of Mercury	
4	in H2O	Milimiters of Mercury	
5	torr	Torr	
6	atm	Atmosphere	
7	bar	Bar	
8	mbar	millibar	
9	kg / cm2	kg per square centimeter	
10	kPa	kilopascal	
11	Pa	pascal	

# WEIGHT

		Abbreviation	Unit
0	t	tonne	
1	kg	kilogram	
2	hg	hectogram	
3	g	gram	
4	dg	decigram	
5	cg	centigram	
6	mg	milligram	
7	μg	microgram	
8	carat	carat	
9	grain	grain	
10	oz (av)	ounce avoirdupois	
11	lb (av)	pound avoirdupois	
12	cwt(UK)	long hundredweight	
13	cwt(US)	short hundredweight	
14	ton(UK)	long ton	
15	ton(US)	short ton	
16	st(UK)	stone	

# SPEED

		Abbreviation	
0	km/h	kilometer per hour	
1	m/s	meter per second	
2	mph	mile per hour	

# VOLUME

		Abbreviation	Unit
0	m³	cubic meter	
1	dm³	cubic decimeter	
2	cm <sup>3</sup>	cubic centimeter	
3		liter	
4	dl	deciliter	
5	cl	centiliter	

		Abbreviation	Unit
6	ml	milliliter	
7	fl oz(UK)	fluid ounce(UK)	
8	fl oz(US)	fluid ounce(US)	
9	in³	cubic inch	
10	ft <sup>3</sup>	cubic foot	
11	yd³	cubic yard	
12	gal(UK)	gallon uk	
13	gal(US)	gallon us	
14	bbl	petroleum barrel	
15	pt(Imp)	pint(UK)	
16	pt(US fl)	fluid pint(US)	
17	pt(US dry)	dry pint(US)	