

Isometric view of a mechanical part with the following dimensions:

- Top surface: 2'-3.0" (width) x 2'-3.0" (depth)
- Left side: 2'-3.0" (width) x 2'-3.0" (depth)
- Right side: 2'-3.0" (width) x 2'-3.0" (depth)
- Bottom surface: 3'-2.2" (width) x 1'-6.0" (depth)
- Front face: 1'-2.3" (width) x 3'-9.0" (depth)

Isometric view of a mechanical part with the following dimensions:

- Top surface: 2'-3.0" (width) x 2'-3.0" (depth)
- Left side: 2'-3.0" (width) x 2'-3.0" (depth)
- Right side: 2'-3.0" (width) x 2'-3.0" (depth)
- Bottom surface: 3'-2.2" (width) x 1'-6.0" (depth)
- Front face: 1'-2.3" (width) x 3'-9.0" (depth)

Isometric view of a mechanical part with the following dimensions:

- Top surface: 2'-3.0" (width) x 2'-3.0" (depth)
- Left side: 2'-3.0" (width) x 2'-3.0" (depth)
- Right side: 2'-3.0" (width) x 2'-3.0" (depth)
- Bottom surface: 3'-2.2" (width) x 1'-6.0" (depth)
- Front face: 1'-2.3" (width) x 3'-9.0" (depth)