MODEL SUMMARY

```
Call:
glm(formula = injured ~ age + minutes_played_ths + training_load +
    prev_injuries + bmi, family = binomial(link = "logit"), data = players)

Coefficients:
                  Estimate Std. Error z value Pr(>|z|)
(Intercept)        −4.86880    1.92839  −2.525 0.011576 *
age                 0.10536    0.02909   3.622 0.000293 ***
minutes_played_ths  0.08892    0.15944   0.558 0.577064
training_load       0.30320    0.11276   2.689 0.007168 **
prev_injuries       0.51353    0.09112   5.636 1.74e−08 ***
bmi                −0.04665    0.07149  −0.653 0.513983
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(Dispersion parameter for binomial family taken to be 1)

    Null deviance: 594.71  on 619  degrees of freedom
Residual deviance: 538.55  on 614  degrees of freedom
AIC: 550.55

Number of Fisher Scoring iterations: 5
```

EXPONENTIATED COEFFICIENTS

(Intercept)	age	minutes_played_ths	training_load
0.007682541	1.111107624	1.092991656	1.354189652

prev_injuries	bmi
1.671185566	0.954416982

EXPONENTIATED CONFIDENCE INTERVALS

	2.5 %	97.5 %
(Intercept)	0.0001678374	0.3264175
age	1.0501108236	1.1772203
minutes_played_ths	0.8001617620	1.4966807
training_load	1.0873568078	1.6930455
prev_injuries	1.3990400835	2.0014109
bmi	0.8293612132	1.0981671

Analysis of Deviance Table


Model: binomial, link: logit


Response: injured


Terms added sequentially (first to last)

	Df	Deviance	Resid. Df	Resid. Dev	Pr(>Chi)	
NULL			619	594.71		
age	1	13.7770	618	580.94	0.0002058	***
minutes_played_ths	1	1.2788	617	579.66	0.2581265	
training_load	1	9.1156	616	570.54	0.0025343	**
prev_injuries	1	31.5703	615	538.97	1.924e-08	***
bmi	1	0.4259	614	538.55	0.5139981	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1


Residuals vs Fitted
Pearson Residuals
Predicted values
glm(injured ~ age + minutes_played_ths + training_load + prev_injuries + bm ...
238
546
261
6
4
2
0
−2
−3
−2
−1
0


Q−Q Residuals
|Std. Deviance resid.|
0.0
0.5
1.0
1.5
2.0
2.5
3.0
238
281
546
Theoretical Quantiles
glm(injured ~ age + minutes_played_ths + training_load + prev_injuries + bm ...


Cook's Distance
Cook's distance
Observation
0.000
0.005
0.010
0.015
0.020
0.025
0.030
0
100
200
300
400
500
600
4
72
101
169
238
260
281
447
546