DT-11853 SuperBid: FINLEY - CELIGO - NETSUITE INTEGRATION SPEC (Phase 1)

Executive Summary

This integration automates the creation and synchronization of billing transactions from Finley (source) into NetSuite using Celigo as middleware. Phase 1 is focused on Customer master data + Sales Orders + Invoices + Customer Payments/Deposits, with tax calculation executed in NetSuite and returned back to Finley.

Celigo provides:

- Field mapping & orchestration ("workflow-style" mapping rules)
- Cloud-based execution and monitoring
- Flexible change management (mapping changes without direct code changes in the ERP integration layer)

Key outcome: Standardized billing processing per country while supporting local tax requirements and ensuring traceability by transaction identifiers (External ID strategy).

Systems in Scope

System	Role
Finley (current; future "Gestor" possible)	Source of customers + billing transactions
Celigo	Middleware (orchestrates mapping, retries, monitoring)
NetSuite	Tax engine + AR accounting (SO/Invoice/Payments)

Note: A source change (Finley → Gestor) is acceptable as long as payload structure/contract remains consistent.

Scope Definition

Phase 1 – In Scope

Finley → NetSuite

- Create/Update Customers
- Create Sales Orders (as AR operational control / "pre-invoice") when required by process
- Create Invoices (fiscal sales invoice)
- Create Customer Payments and/or Customer Deposits (advance payments / guarantees)
- Allow unapplied payments (open credits) to be applied later
- Store traceability fields (auction/event/lot/project context where applicable)

NetSuite → Finley

- Return tax results (currently: VAT/IVA confirmed as the minimum)

Phase 1 – Out of Scope

- Automated cancellation flows (credit memos / voids) between systems
  Cancellation is manual in both systems in Phase 1.
- Vendor integration for Hispanic LATAM (moved to Phase 2)
- Brazilian operations (Phase 2)

Phase 2 – Future Enhancements

- Vendor creation/integration where needed (Hispanic countries)
- Settlement / payout automation
- Credit memo automation and cancellation synchronization
- Full tax/withholding return model (beyond VAT)

Confirmed Process Model

Orchestrated Processing (On-demand)

- Integration is “a demanda / on request”, not batch.
- When Finley triggers:
  - “Create/Update Customer” → create/update customer in NetSuite
  - “Create Sale/AR movement” → create SO / Invoice in NetSuite
  - “Payment event” → create payment/deposit in NetSuite (or update to apply later)

Correction Strategy

- For Sales Orders / Invoices: Finley cancels and re-creates rather than editing the same transaction.
- Customer master data: updates are expected (tax regime changes, yearly data changes, etc.)

Tax Handling

- NetSuite calculates taxes and returns the tax detail back to Finley.
- Today, only VAT/IVA is sent (confirmed).
  - CO: VAT
  - CL: VAT
  - AR: VAT
  - PE: VAT

High-Level Architecture

Finley → Celigo → NetSuite → (Tax calc) → Celigo → Finley

Celigo responsibilities:

- Validate payload
- Resolve dependencies (customer, items, classifications)
- Create/Update records in NetSuite
- Retrieve tax results
- Respond to Finley with status + tax outputs

```
                  ┌──────────────┐
                  │    FINLEY    │
                  │ (Source App) │
                  └──────────────┘
                         │
       REST API (push)   │
                         ▼
             ┌──────────────────────┐
             │       CELIGO         │
             │  Integration Hub     │
             │                      │
             │ • Validation         │
             │ • Mapping Rules      │
             │ • Entity Resolution  │
             │ • Error Handling     │
```

```
                 └──────────────────────┘
                            │
                            │
                            │ NetSuite Connector
                            ▼
                  ┌──────────────────┐
                  │     NETSUITE     │
                  │       ERP        │
                  │                  │
                  │ • Financials     │
                  │ • Tax Engine     │
                  │ • Projects       │
                  └──────────────────┘
                            │
                            │
                 VAT Result │ (Response)
                            ▼
                      ┌─────────────┐
                      │    FINLEY   │
                      │ VAT Response │
                      └─────────────┘
```

Integration Connectivity Clarification (Finley ↔ Celigo ↔ NetSuite)

Overall Connectivity Model

The integration will use Celigo as middleware, providing orchestration, validation, and data transformation between Finley (source system) and NetSuite (target ERP).

Integration Direction (Phase 1)

- **Finley → NetSuite**
  Master data and financial transactions
- **NetSuite → Finley**
  Tax calculation results (VAT/IVA only)

Integration Style

- API-based connectivity
- Near real-time, on-demand execution
- No scheduled batch processing

System Responsibilities

Finley

- Sends payloads and triggers integration events

Celigo

- Validates payload structure and data
- Applies mapping and business rules
- Resolves dependencies (entities, items, projects)
- Routes responses and manages errors

NetSuite

- System of record for accounting and tax
- Executes tax calculation and financial posting

Connectivity Channels

Finley → Celigo (Inbound)

HTTPS REST Endpoint

Finley calls a Celigo REST endpoint exposed as a secure web service.

Used for:

- Customer and Vendor creation
- Billing transactions
- Payment processing

Celigo → NetSuite

Celigo connects using a custom API NetSuite connector.

- Records are created and updated via custom APIs
- Authentication handled through NetSuite token-based access
- External IDs ensure idempotent processing

NetSuite → Celigo → Finley (Tax Response)

After NetSuite calculates tax:

Celigo returns results to Finley via:

- HTTPS REST call to a Finley endpoint (push), or
- Response payload within the same synchronous request (if supported)

Returned data includes:

- VAT/IVA amount
- Transaction reference
- Processing status2)

Triggering & Timing

The integration runs on-demand (request-driven). When a user action or business event occurs in Finley (e.g., a billing operation is ready), Finley triggers Celigo, and Celigo processes the request immediately.

- No nightly jobs or fixed batch windows are assumed for Phase 1.
- Celigo will support retries safely using External IDs for idempotency.

Endpoints (High-Level)

At minimum, the connectivity requires these logical endpoints (Celigo flows):

Inbound (Finley → Celigo):

1. Create/Update Entities (Buyer as Customer, Seller as Vendor) + identity rules.
2. Create Billing Transaction (Sales Order and/or Invoice for CL/CO OR Standalone Invoice for AR/PE).
3. Create/Update Customer Payment (applied or unapplied).

Outbound (Celigo → Finley):

4. Return Tax Result (VAT/IVA only) for the transaction created in NetSuite.

> Note: Physical endpoints may be combined depending on Celigo design, but functionally these are the integration capabilities required.

NetSuite Connectivity Method

Celigo will connect to NetSuite using native NetSuite connectors / API integration credentials (standard Celigo approach).

- Records will be created/updated using External ID as the primary match key.
- NetSuite will calculate tax using its tax engine (SuiteTax/local settings) based on:
  - Subsidiary
  - Nexus / tax setup
  - Transaction date
  - Items and customer tax attributes

Subsidiary Resolution (Event Manager)

Finley provides an Event Manager identifier in the payload. Celigo will resolve the NetSuite Subsidiary by:

1. Searching NetSuite Subsidiary records using a **custom field** configured for this integration match (e.g., “Event Manager ID”).
2. Once the subsidiary is resolved, that subsidiary becomes the context for:
   - Entity primary subsidiary validation
   - Transaction subsidiary
   - Country-based document rules (doc types, identity logic)
   - Sales Order vs Standalone Invoice rule

Response Handling (Acknowledgement + Tax Return)

After NetSuite successfully creates/updates the records:

- Celigo will return to Finley:
  - NetSuite transaction reference (internal ID and/or external ID)
  - VAT/IVA amount only (no withholdings, no other taxes)
  - Processing status (success/error)
  - Error code and message when applicable

Cancellations / Credit Notes (Clarification)

For Phase 1, cancellations and credit notes are manual in both systems (no automated reversal synchronization).

- If a document must be cancelled:
  - It is cancelled in Finley operationally.
  - It is cancelled/credited in NetSuite fiscally/accounting-wise.
- A future phase may automate reversals if required.

Key Assumptions for Connectivity

- Payloads include stable identifiers required for External ID strategy.
- Currency is sent as ISO 3-letter code and matched to NetSuite currency list.

- FX rate is always taken from NetSuite based on transaction date.
- Only VAT is returned to Finley.

⚠ IMPORTANT: Record every payload in Netsuite using a custom record, regardless of connection success, linking to the record or transaction created by the event

Key Business Rules & Constraints

Manual cancellations

- If an invoice needs to be reversed: manual cancellation/credit memo in both systems during Phase 1.

Payment vs Invoice timing

- To be validated per country, but Colombia shows daily bank uploads and later matching.

Bank Reconciliation Risk

A known problem exists when payment date differs from invoice date:

- Bank deposit date can be Day -1 while invoice is Day 0
- If NetSuite payment uses invoice date instead of actual payment date, reconciliation breaks.

This becomes an Open Decision (see Section 11).

Master Data Determination & Validation

Master Data	NetSuite Record	Primary Match Key (Idempotency)	Create if Missing?	Update Allowed?	Reject Conditions
Buyer	Customer	External ID = Finley Buyer ID	Yes	Yes (name, email, address, tax attributes)	Missing External ID, missing required name fields, entity belongs to another subsidiary
Seller	Vendor	External ID = vndr_{Seller ID}	Yes (always for traceability)	Limited (name, tax ID, address)	Missing ID or name, entity belongs to another subsidiary
Project (Auction Parent)	Project	External ID = eventProject.id	Yes	Yes (description, business unit/segment mapping)	Missing project ID
Subproject (Auction Event)	Custom Record	External ID = Event ID	Yes	Limited (description, dates)	Missing event ID

Lot (Auction Lot)	Custom Record	External ID = lotNumber + Event ID	Yes	Limited	Missing lot identifier
Items (Fees & Commissions)	Service Item	External ID = itemTypeId	No	Limited (description, tax schedule)	Missing tax mapping or revenue account
Currency	Currency List	ISO code match	No	N/A	Currency not configured in NetSuite
Subsidiary	Subsidiary	Match via Event Manager Integration ID	No	N/A	Event Manager not mapped

External ID Strategy

To guarantee idempotency and avoid duplicates:

Global Rule: every created/updated record must carry deterministic External ID derived from Finley.

Record	External ID Format	Example
Customer	CUST-{finleyCustomerId} *(or raw ID if safe)*	CUST-1575533
Sales Order	SO-{saleId}	SO-4038236
Invoice	INV-{invoiceId or saleId}	INV-4038236
Payment	PAY-{paymentId} *(or if not available, PAY-{saleId}-{seq})*	PAY-4038236-01
Customer Deposit (Guarantee)	DEP-{customerId}-{reference}	DEP-1575533-GUA-001
Project/Cost Center	PRJ-{id}	PRJ-1189437

Subsidiary Determination Mapping

Identify the correct NetSuite Subsdiary using the legal entity responsible for the auction transaction.

Source Node: sale.eventManager

Mapping Matrix

Finley tag	Example	NetSuite field	Std/Custom	Notes / rule	Minimum required (NetSuite)=
sale.eventManager.id	10	custrecord_finley_eventmanager_id (Subsidiary record)	Custom	Matching key used by Celigo to determine subsidiary	Yes

sale.eventManager.id	10	subsidiary (transaction field)	Standard	Value assigned after lookup	Yes
sale.eventManager.countryIso	AR	custrecord_finley_country_iso (Subsidiary)	Custom (optional)	Validation & audit reference	No
sale.eventManager.entityId	134114	custrecord_finley_entity_ref	Custom (optional)	Legal entity traceability	No
sale.eventManager.erpKey	s4b-erp	custrecord_finley_erp_routing	Custom (optional)	Future routing logic	No
MISSING	MISSING	subsidiary status = Active	Standard	Subsidiary must be active to accept transactions	Yes

Lookup & Assignment Logic

1. Celigo reads sale.eventManager.id
2. Celigo searches NetSuite Subsidiary where:

   custrecord_finley_eventmanager_id = eventmanager.id
3. If one match is found, assign the subsidiary to the transaction.
4. If no match, reject the transaction.
5. If multiple matches occur, stop processing (duplicate configuration).

Configuration Requirement (NetSuite)

Add a custom field to Subsidiary:

Field ID: custrecord_finley_eventmanager_id
Type: Integer / Text
Unique value per subsidiary

Populate with Finley eventManager IDs.

Validation Rules

- Mapping must exist before go-live.
- Values must be unique.
- Subsidiary must be active.
- Country validation recommended (optional control).

Traceability

Store for audit & reporting:

- EventManager.id
- eventManager.entityId

- eventManager.countryIso

Transaction Types Observed

From the operational description, NetSuite will likely represent at least:

1. **Sales Order (non-posting)** – operational AR control / “pre-invoice”
2. **Invoice (posting)** – fiscal sales invoice
3. **Customer Payment** – receipt / collection
4. **Customer Deposit** – advance / guarantee / open credit

Open: client mentioned “commission & fees” previously; if there are multiple invoice templates (e.g., liquidation / commission invoice / intermediation), we must confirm and map.

Field Mapping Matrices

Subsidiary (Determination via Event Manager)

NetSuite Field	Std/Custom	Notes / Rule	Minimum Required (NetSuite)
Subsidiary: Name	Standard	Used for reference only	No
Subsidiary: Internal ID	Standard	Returned once resolved	No
Subsidiary: custrecord_event_manager_id (or agreed custom field)	Custom	Match key: value equals Finley eventManager identifier	Yes (for matching)

Vendor (Seller) & Customer (Buyer) Mapping

Finley Tag	Example	NetSuite Field	Std/Custom	Notes / Rule	Minimum Required (NetSuite)
buyer.id / seller.id	1575533	externalId	Standard	Primary idempotency key. Buyer = Customer. Seller = Vendor (prefix vndr_).	Yes
buyer.id / seller.id	1575533	entityId	Standard	Entity display ID in NetSuite. Can mirror External ID or follow naming convention.	Yes
buyer.name / seller.name	Horacio Maximiliano Iervasi	companyName	Standard	Used when entity is **Company** (isPerson = false).	Yes (if company)

buyer.name / seller.name	Horacio Maximiliano Iervasi	firstName	Standard	Populated when entity classified as Individual. Derived from first word.	Yes (if individual)
buyer.name / seller.name	Maximiliano	middleName	Standard	Optional, derived from name parsing.	No
buyer.name / seller.name	Iervasi	lastName	Standard	Derived from name parsing rule.	Yes (if individual)
Derived from Tax Rules	true/false	isPerson	Standard	Determined using Tax ID classification logic per country.	Yes
eventManager.entityId	10	subsidiary	Standard	Resolved via custom mapping field on Subsidiary.	Yes
buyer.email	MISSING	email	Standard	Optional contact email.	No
buyer.phone	MISSING	phone	Standard	Optional contact phone.	No
static = Active	Active	status	Standard	Entities created as Active.	Yes
salesRep	MISSING	salesRep	Standard	Optional assignment if needed by finance.	No
parent	MISSING	parent	Standard	Only used if hierarchy required.	No
Seller only	Vendedor	category	Standard	Vendors must always be assigned Category = Vendedor.	Yes (Vendor only)
accountNumber	MISSING	accountNumber	Standard	Optional external account number.	No

Currency tag	USD	currency	Standard	ISO code mapped to NetSuite currency list.	Yes
terms	MISSING	terms	Standard	Payment terms (if applicable).	No
creditLimit	MISSING	creditLimit	Standard	Optional AR control.	No
event.locale.countryIso	AR	country	Standard	Used for tax and address normalization.	Yes
Derived from subsidiary	AR VAT Nexus	nexus	Standard	Determined by subsidiary tax nexus configuration.	Yes
buyer.docNumber / seller.docNumber	20288996653	BIT – Identity Document Number	Custom	Stored as Tax ID. Also used for DV split logic.	Yes
MISSING	2	BIT – Verified Digit	Custom	Stored as DV split logic	Yes
identitydoctype	CUIT	BIT – Identity Document Type	Custom	Code will be shared and allocated according to the matrix	Yes
Address1_Address Name	1209604	Address1_Address Name	Standard	Address label.	No
Address1_Addressee	JUNCAL SA	Address1_Addressee	Standard	Contact name at address.	No
Address1_line1	PJE 4 LOCAL 41 C.C. ECHESORTU Y CASAS 0 - BARRIO : C.C.ECHESORTU Y CA SIN INFORMACION	Address1_line1	Standard	Street address.	Yes
Address1_line2		Address1_line2	Standard	Optional second line.	No
Address1_city	san	Address1_city	Standard	City.	Yes
Address1_state	martin Mendoza	Address1_state	Standard	State / Province.	Yes

Address1_zipCode	5570	Address1_zipCode	Standard	Postal code.	No
Address1_country	_argentina	Address1_country	Standard	Must match NetSuite country list.	Yes
Address1_defaultBilling	TRUE	Address1_defaultBilling	Standard	Billing address flag.	Yes
Address1_defaultShipping	TRUE	Address1_defaultShipping	Standard	Shipping address flag.	Yes

Project (Parent = eventProject)

Finley Tag	Example	NetSuite Field	Std/Custom	Notes / Rule	Minimum Required (NetSuite)
sale.eventProject.id	1189437	External ID	Standard	Primary key for idempotency	Yes
sale.eventProject.desc	NARVAEZ BID - 30707001786 INTERDINAMICA S.A.	Project Name	Standard	Main project name	Yes
sale.eventProject.creationDate	2025-09-17T13:23:18	Start Date	Standard	Project start date	No
sale.eventProject.businessUnitNumber	100	Department	Standard	Department mapping, if enabled	No
sale.eventProject.businessSegmentNumber	88	Class	Standard	Class mapping, if enabled	No
sale.eventProject.businessUnitId	176	custentity_finley_business_unit_id	Custom	Store original unit ID for traceability	No
sale.eventProject.businessSegmentId	105	custentity_finley_business_segment_id	Custom	Store original segment ID for traceability	No
sale.eventProject.isIntegrated	false	custentity_finley_integrated_flag	Custom	Informational status from source	No
sale.eventProject.platformProject	true	custentity_finley_platform_project	Custom	Indicates project originated from	No

				auction platform	
sale.eventManager.entityId	134114	Subsidiary	Standard	Subsidiary resolved through Event Manager mapping	Yes
sale.eventManager.countryIso	AR	custentity_finley_country_iso	Custom	Country reference for reporting and validation	No

Custom Record (Child = Auction/Event)

Finley Tag	Example	NetSuite Field	Std/Custom	Notes / Rule	Minimum Required (NetSuite)
sale.event.id	776656	External ID	Standard	Primary key for idempotency	Yes
sale.event.description	INTERDINAMICA	Name	Standard	Auction name / display name	Yes
sale.event.id	776656	custrecord_finley_event_id	Custom	Store original Finley event ID for traceability	Yes
sale.event.description	INTERDINAMICA	custrecord_auction_description	Custom	Extended description if needed	No
sale.event.modalityId	1	custrecord_auction_modality_id	Custom	Store modality identifier from Finley	No
sale.event.endDate	2026-01-15T14:00:00.000+0000	custrecord_auction_end_date	Custom	Auction end date/time	Yes
sale.event.auctioneerId	1570891	custrecord_auctioneer_id	Custom	Auctioneer reference ID from Finley	No
sale.event.eventManagerContactEmail	null	custrecord_auction_manager_email	Custom	Optional contact email	No
sale.event.locale.acronym	es_AR	custrecord_auction_locale	Custom	Locale used in auction context	No

sale.event.locale.description	Espanhol - Argentina	custrecord_auction_locale_desc	Custom	Locale description	No
sale.event.locale.currency	ARS	custrecord_auction_currency_code	Custom	ISO currency code from payload	Yes
sale.event.city	null	custrecord_auction_city	Custom	Optional city	No
sale.event.state	null	custrecord_auction_state	Custom	Optional state/province	No
sale.eventProject.id	1189437	custrecord_auction_parent_project	Custom / List-Record	Link to Parent Project created from `eventProject`	Yes
sale.eventManager.entityId	10 or 134114	custrecord_auction_subsidiary_ref	Custom / List-Record	Related subsidiary context, resolved via Event Manager mapping	Yes
sale.offer.lotNumber	27	custrecord_auction_last_lot_reference	Custom	Optional helper field, not the primary lot relationship	No

Custom Record : Lot Traceability (1 Lot per Invoice)

NetSuite Field	Std/Custom	Notes / Rule	Minimum Required (NetSuite)
Lot Trace Record: External ID	Custom	Recommended: LOT-{saleId}-{lotNumber} or agreed key	**Yes**
Lot Number	Custom	From offer/lot identifier	**Yes**
Related Invoice	Custom	Link to Invoice	**Yes**
Related Subproject (Auction)	Custom	Link to Auction Subproject	**Yes**
Related Project (Parent)	Custom	Optional if derivable	No
Seller Vendor	Custom	Optional redundancy for reporting	No
Buyer Customer	Custom	Optional redundancy for reporting	No

Sales Order (Only for CL & CO)

Finley Tag	Example	NetSuite Field	Std/Custom	Notes / Rule	Minimum Required
sale.id	1350470	externalId	Standard	Format: **SO-{saleId}**	Yes
sale.createdAt	2026-01-26	trandate	Standard	Transaction date	Yes
sale.buyer.id	1575533	entity	Standard	Customer reference	Yes
sale.seller.id	1307093	custbody_seller_vendor	Custom	Vendor reference (Seller)	Yes
sale.eventManager.entityId	134114	subsidiary	Standard	Resolved via subsidiary mapping	Yes
sale.eventProject.id	1189437	job	Standard	Parent Project	Yes
sale.event.id	776656	custbody_auction_ref	Custom	Auction custom record reference	Yes
sale.offer.lotNumber	27	custbody_lot_reference	Custom	Link to Lot custom record	Yes
sale.event.locale.currency	ARS	currency	Standard	ISO currency mapping	Yes
sale.statusDesc	Aberto	custbody_finley_status	Custom	Optional traceability	No
sale.id	1350470	custbody_finley_sale_id	Custom	Finley transaction reference	Yes

Sales Order Line Mapping (Entries)

Finley Tag	Example	NetSuite Field	Std/Custom	Notes	Minimum Required
entries.itemTypeId	5	item	Standard	Maps to Service Item	Yes
entries.itemTypeDescription	Encargos de Administração	description	Standard	Item description	No
entries.itemValue	41400	rate	Standard	Line rate	Yes

entries.itemTotalValue	41400	amount	Standard	Calculated	Yes
derived	1	quantity	Standard	Always 1	Yes
Entries.id	2894203	custcol_finley_entry_id	Custom	Entry traceability	Yes

Invoice (Standalone for AR & PE; From SO for CL & CO)

Finley Tag	Example	NetSuite Field	Std/Custom	Notes	Minimum Required
sale.id	1350470	externalId	Standard	Format **INV-{saleId}-{entryGroupId}**	Yes
sale.createdAt	2026-01-26	trandate	Standard	Invoice date	Yes
sale.buyer.id	1575533	entity	Standard	Customer	Yes
sale.seller.id	1307093	custbody_seller_vendor	Custom	Vendor reference	Yes
sale.eventManager.entityId	134114	subsidiary	Standard	Derived from Event Manager	Yes
sale.eventProject.id	1189437	job	Standard	Parent Project	Yes
sale.event.id	776656	custbody_auction_ref	Custom	Auction reference	Yes
sale.offer.lotNumber	27	custbody_lot_reference	Custom	Lot reference	Yes
sale.event.locale.currency	ARS	currency	Standard	ISO mapping	Yes
sale.id	1350470	custbody_finley_sale_id	Custom	Finley transaction reference	Yes

Invoice Line Mapping

Finley Tag	Example	NetSuite Field	Std/Custom	Notes	Minimum Required
entries.itemTypeId	5	item	Standard	Service item mapping	Yes
entries.itemTypeDescription	Encargos de Administração	description	Standard	Line description	No

entries.itemValue	41400	rate	Standard	Fee amount	Yes
entries.itemTotalValue	41400	amount	Standard	Calculated	Yes
derived	1	quantity	Standard	Default quantity	Yes
entries.id	2894203	custcol_finley_entry_id	Custom	Entry identifier	Yes

Customer Payment (May be applied or unapplied)

Finley Tag	Example	NetSuite Field	Std/Custom	Notes	Minimum Required
entryGroups.paymentDate	2026-01-29	trandate	Standard	Payment date	Yes
sale.buyer.id	1575533	customer	Standard	Payment entity	Yes
paymentAccount.methodDescription	Depósito	paymentmethod	Standard	Payment method mapping	Yes
entryGroups.id	2894203	externalId	Standard	Format **PAY-{saleId}-{entryGroupId}**	Yes
entryGroups.id	2894203	custbody_finley_entry_group_id	Custom	Traceability	Yes
entryGroups.payee.id	134114	custbody_finley_payee	Custom	Optional reference	No

Transaction Processing Sequence (Celigo Integration Flow)

This section describes the ordered execution logic used by Celigo when processing payloads received from Finley.

The goal is to ensure:

- referential integrity
- idempotent processing
- dependency resolution
- stable transaction creation in NetSuite

All transactions must follow the sequence below.

Step-by-Step Processing Flow

Step 1: Receive Payload

Finley sends the payload containing:

- Buyer
- Seller
- Event Manager
- Event Project
- Auction Event
- Lot information
- Entries (fees / commissions)
- Payment information (optional)

Celigo validates payload structure and required fields.

If payload structure is invalid → transaction moves to **Error Queue**.

Step 2: Resolve Subsidiary (Event Manager)

Celigo reads:

`sale.eventManager.entityId`

Process:

1. Search NetSuite Subsidiary where
   custrecord_finley_entity_id = eventManager.entityId
2. Validate subsidiary is active.
3. Validate subsidiary country matches eventManager.countryIso.

If subsidiary cannot be resolved → transaction rejected.

Step 3: Resolve / Create Buyer (Customer)

Source:

`sale.buyer`

Process:

1. Search Customer by

External ID = buyer.id

2. If found → validate subsidiary.
3. If not found → create Customer.

Customer creation rules:

External ID = buyer.id
Subsidiary = transaction subsidiary
Entity type determined via Tax ID classification logic

If customer exists under another subsidiary → transaction rejected.

Step 4: Resolve / Create Seller (Vendor)

Source:

`sale.seller`

Process:

1. Search Vendor by

External ID = vndr_{seller.id}

2. If not found → create Vendor.

Vendor creation rules:

External ID = vndr_{seller.id}
Category = Vendedor

Vendor is stored for **traceability only**.

Step 5: Resolve / Create Parent Project (Auction Parent)

Source:

`sale.eventProject`

Process:

1. Search Project by

External ID = eventProject.id

2. If not found → create Project.

Project represents the Auction Parent container.

Step 6: Resolve / Create Auction

Source:

`sale.event`

Process:

1. Search Auction custom record by

External ID = event.id

2. If not found → create Auction.

Auction must reference:

- Parent Project
- Subsidiary

Step 7: Resolve / Create Lot

Source:

`sale.offer.lotNumber`

Process:

1. Search Lot custom record by

External ID = lotNumber + event.id

2. If not found → create Lot record.

Lot must reference:

- Auction
- Parent Project

Each Invoice will reference exactly **one Lot**.

Step 8: Validate / Resolve Items

Source:

`sale.entries`

Each entry represents a **fee or commission line**.

Process:

1. Identify Item by

External ID = itemTypeId

2. If item does not exist:

Create Service Item (if allowed by configuration).

3. Validate tax schedule mapping.

If item cannot be resolved → **transaction rejected**.

Step 9: Create Transaction

Transaction type depends on **country configuration**.

Country	Transaction Flow
CL	Sales Order → Invoice
CO	Sales Order → Invoice
AR	Invoice
PE	Invoice

Transaction must include:

- Customer
- Vendor (custom field)
- Project
- Auction
- Lot

Entries are created as transaction lines.

Step 10: Tax Calculation

NetSuite calculates taxes using **SuiteTax**.

Only **VAT** will be returned to Finley.

Other taxes (withholdings etc.) are not transmitted.

Step 11: Payment Processing

If payment information is present:

Create **Customer Payment**.

Payment may be:

Scenario	Behavior
Payment with invoice reference	Apply payment
Payment without invoice reference	Create **Unapplied Payment**

Payments are always linked to: Customer (Buyer)

Step 12: Send Response to Finley

Celigo returns:

- Transaction status
- NetSuite reference
- VAT amount
- Error details (if any)

Auction Participation Guarantee Handling (Customer Deposit)

To participate in an auction, bidders must submit a guarantee deposit.

This deposit represents a temporary fund held by the platform to secure participation.

If the bidder wins the auction:

- The guarantee will be applied to the final sale transaction.

If the bidder does not win:

- The guarantee may be refunded or released.

NetSuite Record Strategy

Guarantees will be created as Customer Deposit

This ensures:

- Funds are recorded before the sale
- Deposit can later be **applied to the transaction**
- Proper accounting traceability

Customer Deposit Mapping

Finley Tag	Example	NetSuite Field	Std/Custom	Notes / Rule	Minimum Required

guarantee.id	880122	externalId	Standard	Format: **DEP-{guaranteeId}**	Yes
sale.buyer.id	1575533	customer	Standard	Deposit owner	Yes
sale.eventManager.entityId	134114	subsidiary	Standard	Derived via Event Manager mapping	Yes
sale.event.locale.currency	ARS	currency	Standard	ISO currency mapping	Yes
guarantee.amount	10000	payment	Standard	Deposit amount	Yes
guarantee.date	2026-01-20	trandate	Standard	Deposit date	Yes
sale.eventProject.id	1189437	custbody_auction_parent_project	Custom	Parent project reference	Yes
sale.event.id	776656	custbody_auction_reference	Custom	Auction reference	Yes
sale.offer.lotNumber	27	custbody_lot_reference	Custom	Optional lot traceability	No
guarantee.id	880122	custbody_finley_guarantee_id	Custom	Traceability reference	Yes

Deposit Application Logic

If the bidder wins the auction, the deposit can be applied to the final transaction.

Possible application targets:

Transaction	Supported
Sales Order	Yes
Invoice	Yes

Application Flow

1. Deposit created when guarantee is received.
2. Funds remain as customer credit.
3. When the final sale transaction is generated:
   - Deposit can be applied partially or fully.
4. Remaining balance (if any) stays as credit or may be refunded.

Deposit External ID Strategy

Format:

DEP-{guaranteeId}

Example:

DEP-880122

This ensures:

- Idempotent processing
- Dafe retries
- Reconciliation with Finley

Validation Rules

Condition	Behavior
Customer not found	Create Customer first
Subsidiary not resolved	Reject transaction
Currency mismatch	Reject transaction
Deposit already exists	Update or ignore duplicate

Deposit Processing Sequence

Guarantees are processed before auction transactions.

Order of operations:

1. Resolve Subsidiary
2. Resolve/Create Customer
3. Create Customer Deposit
4. Link deposit to:
   - Auction
   - Project
5. Await future application

Open Decisions

These must be explicitly confirmed to finalize build & avoid reconciliation/fiscal issues:

OD-01 Payment Date Handling

- Finley does not currently provide a reliable “payment date”.
- Using invoice date breaks bank reconciliation in some countries.
- Options:
  - Create payments as **unapplied** and apply later when date is known
  - Add a new field in source (Finley) for payment date
  - Use bank upload as source of truth and only send “application instructions” later

OD-03 Taxes Returned to Finley

- Confirm IVA/VAT structure to send as payload in integration response

UAT Matrix

Country	Transaction Type	Scenario Description	Tax Rule / Consideration	Expected Result	Responsible Tester User	Responsible Tester Role	Electronic Document Type
All	Customer Creation	Buyer received from Finley does not exist in NetSuite	Tax ID validation per country	Customer created successfully	Finance User	AR Analyst	N/A
All	Vendor Creation	Seller received from Finley does not exist	No tax impact	Vendor created with category **Vendedor**	Finance User	AP Analyst	N/A
All	Subsidiary Resolution	Event Manager resolves subsidiary	Subsidiary country must match payload country	Correct subsidiary assigned	Finance User	Controller	N/A
All	Entity Validation	Customer exists but belongs to another subsidiary	No tax impact	Transaction rejected with error	Finance User	AR Analyst	N/A
All	Project Creation	New Auction Parent project received	No tax impact	Project created	Finance User	Finance Manager	N/A
All	Auction Creation	Auction received that does not exist	No tax impact	Auction custom record created	Operations User	Operations Manager	N/A
All	Lot Creation	Lot received that does not exist	No tax impact	Lot custom record created	Operations User	Operations Manager	N/A
CL / CO	Sales Order	Auction sale generates Sales Order	Tax calculated at Invoice stage	Sales Order created successfully	Finance User	AR Analyst	Sales Order

CL / CO	Invoice from SO	Invoice generated from Sales Order	VAT calculated by SuiteTax	Invoice created with correct VAT	Finance User	AR Analyst	Electronic Invoice
AR / PE	Standalone Invoice	Auction sale generates Invoice directly	VAT calculated	Invoice created successfully	Finance User	AR Analyst	Electronic Invoice
All	Transaction Lines	Entries block generates invoice lines	VAT applied per item	Lines created correctly	Finance User	Finance Manager	Invoice
All	Item Resolution	Entry references service item	Tax schedule applied	Item mapped successfully	Finance User	Finance Manager	N/A
All	Deposit Creation	Auction participation guarantee received	No VAT on deposit	Customer Deposit created	Finance User	AR Analyst	N/A
All	Deposit Refund	Customer does not win auction	No tax	Deposit refunded	Finance User	Finance Manager	Refund
All	Payment Unapplied	Payment received without invoice reference	No tax impact	Payment created unapplied	Finance User	AR Analyst	Payment
All	Currency Handling	Transaction currency differs from subsidiary base	FX rate from NetSuite	Transaction created with FX	Finance User	Finance Manager	Invoice
All	VAT Response	NetSuite sends VAT result to Finley	VAT only transmitted	VAT returned successfully	IT User	Integration Admin	N/A
All	Retry Idempotency	Same payload processed twice	No duplication allowed	Records updated, not duplicated	IT User	Integration Admin	N/A

All	Item Missing	Entry references item not mapped	Tax schedule missing	Transaction rejected	IT User	Integration Admin	N/A
All	Subsidiary Missing	Event Manager not mapped	N/A	Transaction rejected	IT User	Integration Admin	N/A
All	Invalid Tax ID	Buyer Tax ID invalid	Country validation	Customer creation rejected	Finance User	Controller	N/A
All	VAT Calculation	Transaction created with taxable items	VAT applied per rules	VAT calculated correctly	Finance User	Finance Manager	Invoice

UAT Coverage Map

This matrix shows which integration components are covered by each UAT scenario, helping confirm end-to-end validation.

Scenario ID	Customer	Vendor	Subsidiary	Project	Auction	Lot	Sales Order	Invoice	Deposit	Payment	Tax	Error Handling	Idempotency
UAT-01 Customer Creation	X		X									X	
UAT-02 Vendor Creation		X	X									X	
UAT-03 Subsidiary Resolution			X									X	
UAT-04	X		X									X	

Entity Other Subsidiary													
UAT-05 Project Creation			X	X									
UAT-06 Auction Creation			X	X	X								
UAT-07 Lot Creation			X	X	X	X							
UAT-08 SO Creation CL/CO	X	X	X	X	X	X	X						
UAT-09 Invoice from SO CL/CO	X	X	X	X	X	X	X	X			X		
UAT-10 Standalone Invoice AR/PE	X	X	X	X	X	X		X			X		
UAT-11 Transaction Lines							X	X			X		

UAT-12 Item Resolution							X	X			X	X	
UAT-13 Deposit Creation	X		X	X	X	X			X				
UAT-14 Deposit Refund	X		X						X				
UAT-15 Unapplied Payment	X		X							X			
UAT-16 Currency Handling	X	X	X				X	X	X	X	X		
UAT-17 VAT Response								X			X		
UAT-18 Retry Idempotency	X	X	X	X	X	X	X	X	X	X			X
UAT-19 Item							X	X			X	X	

Missing													
UAT-20 Subsidiary Missing			X				X	X	X	X		X	
UAT-21 Invalid Tax ID	X		X									X	
UAT-22 VAT Calculation	X	X	X	X	X	X		X			X		

Governance and Control

Define the operational controls required to ensure the Finley–NetSuite integration operates reliably, maintains financial integrity, and allows controlled monitoring and issue resolution.

NetSuite remains the **system of record for financial data**, while Celigo manages orchestration and monitoring of the integration flows.

Integration Responsibilities

Area	Responsible	Description
Integration Monitoring	Integration Team	Monitor Celigo flows, failures, and retries
Financial Validation	Finance Team	Validate invoices, deposits, payments, and tax results
Master Data Governance	Finance / Operations	Maintain Customers, Vendors, Items, and Projects
NetSuite Configuration	NetSuite Admin	Maintain mappings, custom fields, and subsidiary setup

Monitoring and Operational Control

Celigo will provide operational monitoring through its integration dashboard.

Key monitoring activities include:

- processing status of integration flows

- failed transactions and retry attempts
- queue backlog monitoring

The Integration Team reviews the dashboard **daily** to ensure integration continuity.

Error Management

If an integration error occurs:

1. Celigo captures the error and logs the transaction.
2. The transaction is placed in an **Exception Queue**.
3. The Integration Team investigates the issue.
4. Once resolved, the transaction can be **safely reprocessed**.

Errors may originate from:

- Missing or invalid data
- Mapping configuration issues
- NetSuite processing errors

Data Integrity Controls

The integration prevents duplicate records through **External ID idempotency rules**.

Each record created in NetSuite uses a deterministic External ID derived from Finley identifiers.

Examples:

Record	External ID Example
Customer	buyer.id
Vendor	vndr_{seller.id }
Project	eventProject.id
Auction	event.id
Invoice	INV-saleId-entryGroupId
Customer Payment	PAY-saleId-entryGroupId
Customer Deposit	DEP-guaranteeId

If the same payload is received again, the integration will update the existing record rather than create duplicates.

Financial Control

The integration enforces the following financial governance rules:

- NetSuite performs all tax calculations (SuiteTax).
- Finley receives only VAT results.
- Auction guarantees are recorded as Customer Deposits.
- Invoice payments are recorded as Customer Payments.
- Deposits may later be applied to auction invoices.

Change Management

All integration changes must follow controlled deployment procedures:

1. Configuration updates documented
2. Testing in Sandbox
3. Validation with Finance and Integration teams
4. Deployment to Production

Risk Management Matrix

Risk Description	Impact	Mitigation Strategy
Duplicate records created due to repeated payloads	Data integrity issues	External ID idempotency prevents duplicate creation
Customer or Vendor created under incorrect subsidiary	Financial reporting inconsistency	Subsidiary resolution based on Event Manager mapping with validation
Missing master data required for transaction creation	Integration failures	Auto-creation logic for Customer, Vendor, Project, Auction, and Lot
Incorrect tax calculation between systems	Financial compliance risk	NetSuite is the authoritative tax calculation engine
Payment received without invoice reference	Open balances or misapplied payments	Support for unapplied Customer Payments
Auction guarantees incorrectly recorded as revenue	Revenue misstatement	Guarantees recorded as Customer Deposits until applied
Missing item mapping for commission or fees	Transaction creation failure	Controlled item validation and mapping rules
Currency mismatch between systems	Incorrect financial values	Currency resolved using NetSuite ISO currency list
Integration failure due to high transaction volume	Processing delays	Celigo queue buffering and retry mechanism
Incorrect mapping of document types across countries	Entity classification errors	Country-based document type mapping rules

Go-Live Readiness Checklist (Phase 1)

- Customer required fields confirmed per country
- Subsidiary routing rules confirmed
- Items catalog ready + mapping locked
- Tax config validated (VAT at minimum)
- UAT executed per country
- Monitoring & exception handling configured in Celigo

Appendix A: Customer data validation in Celigo to automate field fulfillment

Customer Identity & Classification Logic

(Finley → NetSuite)

Objective

When creating or updating Customers in NetSuite, the integration must:

1. Use DocNumber (Tax ID) to determine whether the entity is an **Individual** or a **Company**, and populate the **Individual** checkbox accordingly.
2. Split the Tax ID into:
   - **BIT – Verified Digit**
   - **BIT – Identity Document Number**
3. Use docTypeId to determine and populate:
   - **BIT – Identity Document Type**

Source Fields (Finley Payload)

Finley Tag	Description
DocNumber	Tax identification number
docTypeId	Document type identifier
Country / Subs. (recommended)	Used to apply country rules

Target Fields (NetSuite Customer)

NetSuite Field	Purpose
Individual (checkbox)	Identifies person vs company
BIT – Verified Digit	Verification digit
BIT – Identity Document Number	Base ID number
BIT – Identity Document Type	Document type (List/Record)

DocNumber Normalization

Before applying business rules:

1. Trim spaces.
2. Remove formatting characters:
   - periods `.`
   - hyphens `-`
   - spaces
3. Convert to uppercase.
4. Keep only valid characters:

- digits 0–9
- letter **K** (Chile DV)

Result:

DocNumber_Normalized

Verified Digit & Identity Number Extraction

General Rule

If the document includes a verification digit:

- **Verified Digit** = last character (Doesn't apply for Peru)
- **Identity Document Number** = remaining characters

Chile (RUT/RUN)

Applies when DV is present.

Example:

Input	Identity Number	Verified Digit
12345678K	12345678	K

Colombia (NIT)

If docTypeId corresponds to **NIT** and DV is present:

Input	Identity Number	Verified Digit
900123456-7	900123456	7

Argentina (CUIT) & Peru (RUC)

If numeric length = 11:

- Verified Digit = last digit
- Identity Document Number = first 10 digits

This standardizes storage even when DV is not operationally separated.

Individual vs Company Determination

Country-specific rules apply.

Country	Identification Type	Validation Criteria	Classification	Notes
Peru	RUC (11 digits)	Prefix 10, 15, 17	Individual	Based on SUNAT structure
Peru	RUC (11 digits)	Prefix 20	Company	
Peru	DNI (8 digits)	Any valid DNI	Individual	

Colombia	Document Type	CC, CE, TI, PP	Individual	Based on document type
Colombia	Document Type	NIT	Company	Primary classification rule
Colombia	NIT	Individual NIT detected	Company (default)	Use Company if person-type indicator unavailable
Chile	RUT	Base number < 50,000,000	Individual	Based on numeric RUT base
Chile	RUT	Base number ≥ 50,000,000	Company	
Argentina	CUIT	Prefix 20, 23, 24, 25, 26, 27	Individual	
Argentina	CUIT	Prefix 30, 33, 34	Company	

Mapping docTypeId → BIT – Identity Document Type

Logic

1. Read docTypeId.
2. Search mapping table using:
   - Country + docTypeId
3. If a match is found, populate the field.
4. If not found:
   - fallback to docTypeName (if available)
   - else set UNKNOWN / OTHER
   - log for review

Processing Sequence

1. Normalize DocNumber.
2. Extract Identity Number & Verified Digit.
3. Determine Individual vs Company.
4. Map docTypeId to NetSuite list value.
5. Populate NetSuite fields.
6. Log processing outcome.

Validation & Error Handling

Validation Rules

- DocNumber must not be empty.
- Length must match expected country formats.

Exceptions

If validation fails:

- Flag record for review