Overview of file system for an OverProtServer docker container

```
/server/
    overprot/
        software/
            overprot/  **OverProt git repository**
                OverProt/
                OverProtServer/  **$SW_DIR**
                    `startup-docker.sh`  **Docker entrypoint**
                    nginx/
                        `nginx-docker.template.conf`
**$NGINX_CONF_TEMPLATE**
                        `nginx-docker.conf`  **$NGINX_CONF - generated from
template** --> shouldn't be in the software dir, because it's generated
runtime
        data/  **$ROOT_DIR** --> TODO mount host directory for persistence
            nginx/  **$NGINX_DIR**
                logs/
                    run_$START_TIME/  **$NGINX_LOG_DIR**
                        `access.log`
                        `error.log`
            logs/
                run_$START_TIME/  **$LOG_DIR**
                    gunicorn/
                        `out.txt`
                        `err.txt`
                    rq/
                        `worker_*.out.txt`
                        `worker_*.err.txt`
            running_processes/
                `*`
            jobs/
                Pending/
                Running/
                Completed/
                Failed/
                Archived/
                Deleted/
            data/ **Static data served by Nginx**
                db/
                    LAST_UPDATE.txt
                    cath_b_names_options.json
                    consensus_3d/
                        `consensus-$FAMILY.png`
                    diagrams/
                        `diagram-$FAMILY.json`
                    zip_results/
```

```
                                    `results-$FAMILY.zip`
                            families/
                                $FAMILY/
                                        `domains.csv`
                                        `domains.html`
                                        `domains.json`
                                        `domains-demo.html`
                                        `family.json`
                                        `family_info.txt`
                                        `pdbs.csv`
                                        `pdbs.html`
                                        `pdbs.json`
                                        `pdbs-demo.html`
                                        `sample.csv`
                                        `sample.html`
                                        `sample.json`
                                        `sample-demo.html`
```