


FOOD SERVICE AND SOLUTION CO.,LTD.

บริษัท ฟู้ดเซอร์วิส แอนด์ โซลูชั่น จำกัด



PRODUCT CATALOGUE



fsns.thailand



fsns-thailand



foodserviceandsolution



fsns@fsns-thailand.com

CONTENTS



ANTI-MICROBIAL HYGIENIC TOOLS



Designed for areas that require exceptionally high standards of cleanliness and due diligence in controlling bacterial contamination. Each component contains Biomaster Antibacterial Technology, which uses a silver-ion base to inhibit bacteria including MRSA, E.coli, Listeria spp and campylobacter. All components are FDA/EU approved.

P. 4



TOTAL MDX HYGIENIC TOOLS

Specifically developed to minimise the risk of foreign object contamination within the food manufacturing industry. Each component is both metal and x-ray detectable, including the filaments and resin used in brushware. The detectability of these products has been independently tested and is not affected by time, moisture, cleaning or abrasion. All components are FDA/EU approved.

P. 5



RESIN-SET DRS BRUSHWARE

The world's most effective reliable method of filament retention. Resin-Set DRS contributes to a longer product life and minimises the risk of filament loss. Food-grade stainless steel staples secure the filaments into a recessed brush back, which is then flooded with an Anti-Microbial epoxy resin to complete the Dual Retention System (DRS). All components are FDA/EU approved.

P. 6



PROFESSIONAL BRUSHWARE

Designed for use in food and beverage industry. Product in professional range available in 5 colours to help eliminate cross-contamination and promote HACCP compliance. All products are withstand upto 134°C (autoclavable and industrial dishwasher safe). All components are FDA/EU approved.

P. 7 - 11

HYGIENIC HANDLE

P. 12

ACCESSORIES

P. 13 - 15

MOP SYSTEM & CLEANING CART

P. 16 - 17

MEASURING EQUIPMENTS

P. 18 - 19

OTHER PRODUCTS & SERVICES

P. 20 - 24

CHEMICAL RESISTANCE GUIDE

P. 25

INDEX OF PRODUCTS

P. 26 - 27

FOOD SERVICE AND SOLUTION CO.,LTD.

FOOD SERVICE & SOLUTION CO.,LTD. (FSNS) is an importer and distributor for high quality cleaning tools brand Hill Brush. Hill Brush is UK base company which has been in the industry for more than 90 years. Hill Brush hygienic food grade cleaning tools are manufacture with FDA approved materials under ISO standard. Together with accreditations from reputable organization such as F.E.I.B.P, B.B.M.A, ISSA, and SOFHT, our customer can be assured all Hill Brush products are complying with international standard.

Apart from hygienic food grade cleaning tools FSNS also provide measuring equipments, and other hygiene products for food manufacturing and HORECA business in Thailand.

FSNS offers consulting and training services on food sanitation, in order to help our customers to work properly with the international hygiene standard. We can provide training at a location of your choice, with our experience and certified service team.

Hill Brush - Pioneers of Hygienic Design

Hill Brush (Salmon Hygiene Technology) is an internationally renowned brand, our product development process is focused on the end user to result in high-performance, ergonomic tools that not only support, but also improve the effectiveness of cleaning regimes.

- Various colour available for a fully colour coded, HACCP and 5S compliant solution
- UK manufactured since 1922 under a rigorous quality assurance programme
- Made from FDA/EU approved virgin materials, including rubber squeegee components
- Brushware contains stainless steel staples and does not use flagged fibres
- Injection moulding facility for complete control of product quality and design.



Salmon® Commercial Cleaning




Hill Brush - Biomaster Protected

Protection against the dangers you cannot see. Hill Brush is pioneering Anti-Microbial Brushware by integrated Biomaster Antimicrobial Additive Technology. Biomaster has develop permanent antimicrobial protection to ensures effective antimicrobial protection for the lifetime of the product, helping to keep surfaces clean and hygienic, and reduces the threat of cross-contamination.



Hill Brush - Resin-Set DRS

Hill Brush Resin-Set DRS brushware boasts a revolutionary improvement in brush filament retention known as 'Dual Retention System - DRS'. This unique approach uses both food grade stainless steel staples and anti-microbial resin to secure the turfs to the brush back. This not only prevents the accumulation of dirt and moisture in the tuft holes but also the release of filaments into the food or beverage processing environment.



Hill Brush - Colour Coding

Hill Brush has been developed into a comprehensive collection to ensure the highest standards of cleanliness and hygiene can be maintained.

The use of colour coded cleaning tools within the food industry can help

- Reducing the risk of cross-contamination
- Colour coded products help segregate food types or departments
- Prioritise and control potential hazards
- Internationally recognised
- Used at all stages of food production
- Trading benefits, through improved customer and consumer confidence
- Can be aligned with other management and QA system.

Key to Symbols

	Autoclavable		Stainless Steel Fill		Stainless Steel Body		Diameter
	Trim Length		Polypropylene Body		ABS Body		Machine Washable
	Temperature Tolerance		Nylon Body		Thermoplastic Rubber Body		Weight
	Polyester Fill		Aluminium Body		Polyethylene Body		Non Food Contact




Stiff Nail Brush

Code	Size(mm)
AMNA4	122 x 44

Removing heavy soiling from hands, fingertips.

134° 17 79° -18° PP PBT 0.45mm




Dual Stiffness Double Wing Scrub

Code	Size(mm)
AMST5	210 x 65

Removing medium-large size particles; for toughest jobs. Heavy duty tool.

134° 35/27 79° -18° PP PBT 0.6mm




Stiff Short Handled Brush

Code	Size(mm)
AMD4	254 x 72

For production lines; catering, manufacturing use.

134° 44 79° -18° PP PBT 0.6mm




Soft Glazing Brush

Code	Size(mm)
AMGL11	50 x 210

Resin-Set without stainless steel staples.

134° 50 79° -18° PP PBT 0.2mm




Stiff Deck Scrub

Code	Size(mm)
AMB770	305 x 75

For heavy soiling; medium areas; production environments.

134° 41 79° -18° PP PBT 0.6mm




Soft Flat Sweeping Brush

Code	Size(mm)
AMB849	305 x 75

Removing medium-large size particles; for toughest jobs. Heavy duty tool.

134° 57 79° -18° PP PBT 0.3mm






Ultra-Hygienic Squeegee*

Code	Size(mm)
AMPLSB60	600

Removing excess liquid. High risk areas; smooth surfaces.

134° 79° -18° PP TPR

Reinforced Polypropylene Handle

Code	Size(mm)
AMPLH3	1400 x 25 Ø

Reinforced threaded end.

134° 79° -18° PP AL 25mm




Wall Bracket System

Code	Size(mm)
AMWLBR1	206 x 75

Stowing Cleaning tools.

134° 79° -18° PP TPR




Open Plastic Dustpan

Code	Size(mm)
AMDP13	325 x 315

Removing debris.

134° 79° -18° PP




Plastic Hand Scoop

Code	Size(mm)
AMSCOOP4	90 x 170 x 260

Moving ingredients; food preparation areas.

134° 79° -18° PP



* We recommend conducting a resistance test before using this product on oily or acidic substance/surfaces, as some may cause an adverse reaction.



MDX

Stiff Nail Brush

Code	Size(mm)
NA4RESMDX	122 x 44



Removing heavy soiling from hands, fingertips.



MDX

Soft Hand Brush

Code	Size(mm)
B861RESMDX	317 x 36



For light particles; production lines.



MDX

Stiff Short Handled Brush

Code	Size(mm)
D4RESMDX	254 x 72



For production lines; catering, manufacturing use.



MDX

Stiff Long Handled Brush

Code	Size(mm)
D9RESMDX	406 x 50



For production lines; hard to reach areas; catering, manufacturing use.



MDX

Retractable Ballpoint Pen with Clip

Code	Size(mm)
D101-I01	135



Metal detectable polymer, X-Ray visible + extremely metal detectable.



Plastic Adhesive Dressings (Metal Detectable)

Code	Size(mm)
TB-035	70 x 20



Ideally suited for the food industry, both visual & metal detectable.



All MDX products have been tested in various conditions and have proved to be effective. Factors influencing detection include contaminant dimensions, orientation, material type and environment conditions. Test must be carried out on correctly calibrated detection equipment, prior to production, to determine detective properties.



RS

Stiff Bulk Tank Brush

Code	Size(mm)
D79RES	216 x 59



For cleaning tanks, vats, gullies.



RS

Stiff Short Handled Brush

Code	Size(mm)
D4RES	254 x 72



For production lines; catering, manufacturing use.



RS

Stiff Long Handled Brush

Code	Size(mm)
D9RES	406 x 50



For production lines; hard to reach areas; catering, manufacturing use.



RS

Dual Stiffness Double Wing Scrub

Code	Size(mm)
ST5RES	210 x 65



Removing medium-large size particles; for toughest jobs. Heavy duty tool.



RS

Stiff Curved Back Scrub

Code	Size(mm)
ST7RES	198 x 70



Removing medium-large size particles; cleaning around corners, conveyor belts.



RS

Stiff Round Scrub

Code	Size(mm)
ST9RES	100 x 115 Ø



For sinks, trays, cutting boards and worktops.



RS

Stiff Deck Scrub

Code	Size(mm)
B770RES	305 x 75



For very heavy soiling; medium areas; production environments.



RS

Medium Flat Sweeping Broom

Code	Size(mm)
B849RES	305 x 75



For removing small particles; dry manufacturing area.



RS

Medium Guarded Machine Brush

Code	Size(mm)
B1423RES	550 x 20; 120 Ø



For machinery blades. (White back only)



RS

Soft Hand Brush

Code	Size(mm)
B861RES	317 x 36



For light particles; production lines.



RS

Stiff Hand Brush

Code	Size(mm)
B862RES	317 x 36



For heavy particles, stubborn debris; production lines; food preparation areas.



RS

Very Soft Hand Brush

Code	Size(mm)
B863RES	317 x 36



For very light particles, powders; multi-purpose; food manufacturing.





Soft Glazing Brush

Code	Size(mm)
GL31	75 x 220



For Applying eggs, oil, butter.
Resin-set without stainless steel staples.



Stainless Steel Niche Brush

Code	Size(mm)
B1240	180 x 10



For production lines; catering,
manufacturing use.



Medium Niche Brush

Code	Size(mm)
B1241	180 x 10



For production lines; hard to reach areas;
catering, manufacturing use.



Medium Detail Brush

Code	Size(mm)
B1606	225 x 21



Removing medium-large size particles;
for toughest jobs. Heavy duty tool.



Stainless Steel Wire Scratch

Code	Size(mm)
WS65	279 x 35



Removing ingrained, burnt on deposits;
metal surfaces; grills.



Stiff Short Handled Brush

Code	Size(mm)
D4	254 x 72



For production lines; catering,
manufacturing use.



Medium Short Handled Brush

Code	Size(mm)
D7	254 x 68



Removing debris; worktops, conveyor
belts, containers, machinery.



Stiff Long Handled Brush

Code	Size(mm)
D9	406 x 50



For production lines; hard to reach areas;
catering, manufacturing use.





Dual Stiffness Double Wing Scrub

Code	Size(mm)
ST5	210 x 65



Removing medium-large size particles; for toughest jobs. Heavy duty tool.



Stiff Curved Back Scrub

Code	Size(mm)
ST7	198 x 70



Removing medium-large size particles; cleaning around corners, conveyor belts.



Stiff Grippy Scrub

Code	Size(mm)
ST8	152 x 60



Medium-large size particles; cleaning around corners; conveyor belts.



Stiff Round Scrub

Code	Size(mm)
ST9	100 x 115 Ø



For sinks, trays, cutting boards and worktops.



Medium Dish Wash Brush

Code	Size(mm)
DW1090	270 x 30



For cleaning utensils; catering use.



Stiff Hand Brush

Code	Size(mm)
B862	317 x 36



For heavy particles, stubborn debris; production lines; food preparation areas.



Medium Utility Brush

Code	Size(mm)
B884	260 x 48



Production lines, conveyor belts, utensils; preparation areas.



Medium Angle Broom

Code	Size(mm)
B1852	252 x 45



For accessing hard to reach areas. Highly agile.





Very Stiff Deck Scrub

Code	Size(mm)
B759	305 x 75



For very heavy soiling; large surface areas.



Soft Flat Sweeping Broom

Code	Size(mm)
B896	457 x 75



For small particles; large areas.



Very Stiff Deck Scrub

Code	Size(mm)
B928	230 x 50



For very heavy soiling; stairs, tight corners; small areas.



Soft Flat Sweeping Broom

Code	Size(mm)
B1731	280 x 58



For stubborn debris; small or large manufacturing areas.



Stiff Deck Scrub

Code	Size(mm)
B1745	280 x 58



For heavy soiling; small-medium size areas; catering.



Stiff Bulk Tank Brush

Code	Size(mm)
D79	216 x 59



Cleaning tanks, vats, gullies.



Medium Plastic Core Tube Brush

Code	Size(mm)
B1529/75	175 x 75 Ø



For cleaning pipes and drains. White core only.



Medium Plastic Core Tube Brush

Code	Size(mm)
B1529/115	175 x 115 Ø



For cleaning pipes and drains. White core only.



Medium Plastic Core Tube Brush

Code	Size(mm)
B1529/130	145 x 130 Ø



For cleaning pipes and drains. White core only.





**Medium Twisted-In
Stainless Steel Wire Brush**

Code	Size(mm)
T831	310 x 13 Ø

Cleaning small tube, filling parts, hard to reach areas.

134° 13 79° -18° PP PBT 0.3mm



**Medium Twisted-In
Stainless Steel Wire Brush**

Code	Size(mm)
T832	310 x 25 Ø

Cleaning small tube, filling parts, hard to reach areas.

134° 25 79° -18° PP PBT 0.4mm



**Medium Twisted-In
Stainless Steel Wire Brush**

Code	Size(mm)
T834	390 x 50 Ø

Cleaning tube, filling parts, small bottles.

134° 50 79° -18° PP PBT 0.6mm



**Flexible Handled
Medium Twisted Wire Brush**

Code	Size(mm)
T942	3000 x 25 Ø

Cleaning intricate pipework in food production environments.

134° 13 79° -18° PP PBT 0.4mm



**Flexible Handled
Medium Twisted Wire Brush**

Code	Size(mm)
T945	3000 x 75 Ø

Cleaning intricate pipework in food production environments.

134° 38 79° -18° PP PBT 0.6mm



**Medium Twisted Wire
Head Brush**

Code	Size(mm)
T961	150 x 12 Ø

Cleaning intricate pipework in food production environments.

134° 12 79° -18° PP PBT 0.3mm



**Medium Twisted Wire
Head Brush**

Code	Size(mm)
T962	150 x 20 Ø

Cleaning intricate pipework in food production environments.

134° 20 79° -18° PP PBT 0.3mm



**Medium Twisted Wire
Head Brush**

Code	Size(mm)
T964	170 x 50 Ø

Cleaning intricate pipework in food production environments.

134° 50 79° -18° PP PBT 0.3mm




Flexible Twisted Wire Handle

Code	Size(mm)
T/HAN800	800

Suitable for T961, T962, T964.

134° SS 79° -18°



Flexible Twisted Wire Handle

Code	Size(mm)
T/HAN1500	1500

Suitable for T961, T962, T964.

134° SS 79° -18°



Single Blade Ultra Hygienic Squeegee

Code	Size(mm)
B1802	300 x 50



For use on smooth surfaces.



Overmoulded Short Handle

Code	Size(mm)
B1785	173



Replacement handle for B1802.



Single Blade Ultra Hygienic Squeegee

Code	Size(mm)
PLSB40	400



For removing excess liquid in high risk areas.



Single Blade Ultra Hygienic Squeegee

Code	Size(mm)
PLSB50	500



For removing excess liquid in high risk areas.




Squeegee Cassette System

Code	Size(mm)
SQCAS4	400



For removing excess liquid in high risk areas.




Squeegee Cassette System

Code	Size(mm)
SQCAS6	600



For removing excess liquid in high risk areas.




Cassette Refill

Code	Size(mm)
CAS4	400



Replacement cassette for SQCAS4




Cassette Refill

Code	Size(mm)
CAS6	600












Replacement cassette for SQCAS6























① Lightweight Anodised Aluminium Handle

Code	Size(mm)	Colour
ALH5	1270 x 25 Ø	    
Polypropylene grip.		   PP AL 










② Threaded Anodised Aluminium Handle

Code	Size(mm)	Colour
ALH7	1360 x 25 Ø	    
Polypropylene grip.		   PP AL 










③ Anodised Aluminium Handle & Polypropylene Sleeve

Code	Size(mm)	Colour
ALH8	1550 x 25 Ø	    
Polypropylene sleeve.		   PP AL 






④ Anodised Aluminium Handle & Polypropylene Sleeve

Code	Size(mm)	Colour
ALH27	1300 x 25 Ø	    
Polypropylene sleeve.		   PP AL 






⑤ Aluminium Handle


Code	Size(mm)	Colour
ALH30	170 x 25 Ø	    
Polypropylene grip		   PP AL 

⑥ Aluminium Telescopic Handle

Code	Size(mm)	Colour
HAN1352	1300 - 4000 x 21.5 Ø	
Complete with swivel and taper connector.		   PP AL 

⑦ Plastic Angle Adaptor Connector

Code	Size(mm)	Colour
AH/CON	140 x 40	
Enables 100° angle for the ALH handle.		   PP 



Dustpan Set

Complete set of long handled plastic dustpan and broom. Patent pending self opening and closing lid conceals dirt and debris.



Hygienic Lobby Dustpan with Medium Angle Broom

Code	Size(mm)
DP7SET	260 x 300 x 190



For cleaning small areas; manufacturing lines, restaurants.



Lightweight Lobby Dustpan with Soft Brush Set

Code	Size(mm)
DP10SET	900 x 250



For cleaning small areas; manufacturing lines, restaurants.



Overmoulded Hanging System

Code	Size(mm)
WLBR1	206 x 75



Stowing cleaning tools.



Aluminium Hanging Rail Set

Code	Size(mm)
HD6	515 x 55



Stowing cleaning tools.
5 x HOLD1




Seamless Hand Scoop

Code	Size(mm)
SCOOP2	60 x 110 x 145



Moving ingredients; food preparation areas.




Seamless Hand Scoop

Code	Size(mm)
SCOOP4	90 x 170 x 260



Moving ingredients; food preparation areas.



One Piece Polypropylene Paddle

Code	Size(mm)
PADL10	1200 x 160



Mixing ingredients in cooking vats; food preparation areas.




One Piece Polypropylene Paddle with Holes

Code	Size(mm)
PADL11	1200 x 160



Mixing ingredients in cooking vats; food preparation areas.





Automatic Shoe Cover Dispenser

Dispenses shoe cover automatically over footwear when light pressure is applied to base, resulting in quick, hands-free application.
Covers fit up to size UK 13/EU 48.5.



Shoe Cover Dispenser Unit

Code	Size(mm)
AD1	130 x 210 x 410

Applying shoe covers before entering food production areas. (with 110 shoe covers)



Pack of 100 Replacement Shoe Covers

Code	Size(mm)
ADR2	-

Pack of 100 replacement shoe covers.



12L Ultra Hygienic Bucket

Code	Size(mm)
MBK15	290 x 308 Ø



Moving ingredients, cleaning chemicals.




Lid for the 12L Ultra Hygienic Bucket

Code	Size(mm)
MBK15/LID	15 x 310 Ø



Lid for MBK15




38L Ice Bucket

Code	Size(mm)
T/BU8431	400 x 440



Ice bucket



Long Handle Multi-purpose Cleaning Brush

Code	Size(mm)
T/BC6724	55 x 520



Long handle cleaning brush, suitable for hard to reach area.



Bottle Cleaning Brush

Code	Size(mm)
T/BC5701	380



Cleaning the neck and other hard to reach part of bottles, jars kettles and cups.



Bottle Cleaning Brush

Code	Size(mm)
T/BC5702	650



Cleaning the neck and other hard to reach part of bottles, jars kettles and cups.



High Temperature Cleaning Brush

Code	Size(mm)
T/BC5731	710



Design to clean high-temperature equipment fit for cleaning in tight spaces.



Ring Shaped High Temperature Cleaning Brush

Code	Size(mm)
T/BC5734	610



Fit for cleaning the bottom of high-temperature equipment.





Bio Mop

Code	Size(mm)
MOP9/200	-



Suitable with ALH handles.



12L Polypropylene Mop Bucket

Code	Size(mm)
MBK7	285 x 370



Carrying cleaning solution for mopping.



Quick Connect Extension Handle

Code	Size(mm)
T/HAN6412	1220-1830 x 51 Ø



Telescopic handle for T/FAM6421, T/FAM6422




610mm Quick Connect Frames

Code	Size(mm)
T/FAM6422	612 x 89 x 38



610mm light weight aluminium frame



610mm Microfiber Fringed Dust Mop

Code	Size(mm)
T/DM6462	711 x 229 X 13



Superfine fiber for removing dusts. Loop fringed for removing large particles.



610mm Microfiber Dust Mop

Code	Size(mm)
T/DM6472	622 x 140 X 13



Superfine fiber for removing dusts.




460mm Quick Connect Frames

Code	Size(mm)
T/FAM6421	460 x 89 x 38



460mm light weight aluminium frame




460mm Microfiber Fringed Dust Mop

Code	Size(mm)
T/DM6461	526 x 145 X 13



Superfine fiber for removing dusts. Loop fringed for removing large particles.




460mm Microfiber Dust Mop

Code	Size(mm)
T/DM6471	470 x 140 X 13



Superfine fiber for removing dusts.



460mm Microfiber Damp Mop

Code	Size(mm)
T/DM6502	470 x 140 X 13



Superfine fiber, use with small amount of water and chemical.



Universal Cleaning Cart

- An Ideal solution for collecting trash and transporting cleaning tools to effectively increase cleaning efficiency.
- Smooth surface for easy cleaning.
- Zipped waste bags assist in emptying of waste.
- 200 mm non-marking wheels and 100 mm non-marking casters enhance the maneuverability.
- A complete system solution with integrated holders for various cleaning tools to cater for your routine.

Universal Cleaning Cart

Code	Size(mm)
T/CC5011	511 X 406 X 442



33L Mop Bucket

Code	Size(mm)
T/MB5224	511 X 406 X 442



Mobilize mop bucket with anti-splash design.



Side Press Wringer

Code	Size(mm)
T/MB5225	330 x 330 x 686



Sturdy and efficient side press wringer.



33L Mop Bucket Set with Side Press Wringer

Code	Size(mm)
T/MB5226	515 x 406 x 927



Included Items

- T/MB5224
- T/MB5225



Down Press Wringer

Code	Size(mm)
T/MB5227	343 X 335 X 686



Sturdy and efficient down press wringer.



17L Dirty Water Bucket

Code	Size(mm)
T/MB5263	358 X 251 X 358



For separation of clean water and dirty water.



33L Mop Bucket Set with Down Press Wringer

Code	Size(mm)
T/MB5228	515 x 399 x 927



Included Items

- T/MB5224
- T/MB5227





BG 32



BG 43R



BG 366



BG 368

Product Code	BG 32 Infrared Thermometer	BG 43R 2 in 1 Non Contact Infrared Thermometer		BG 366 Digital Pocket Thermometer	BG 368 Digital Pocket Thermometer
Function	Infrared Scan	Infrared Scan	Probe (105mm)	Probe (125mm)	Probe (70mm)
Temperature Range	- 20 to 320°C	-33 to 220°C		- 40 to 200°C	- 40 to 200°C
Accuracy	+/- 2% of reading or +/- 2°C whichever is greater	+/- 2% of reading or +/- 2°C whichever is greater	below -5°C : +/- 1°C	+/- 1°C (-20 to 100°C), otherwise +/- 2°C	+/- 1°C (-20 to 100°C), otherwise +/- 2°C
			-5°C to 65°C : +/- 0.5°C		
			above 65°C : +/- 1% of reading		
Temperature Resolution	0.5°C	0.1°C (-9.9 to 199.9°C)		0.1°C	0.1°C
Operation Temperature	0 to 50°C	0 to 50°C		-20 to 50°C	-20 to 50°C
Emissivity	Fixed at 0.95	0.95 (default), adjustable 0.1 to 1 (step 0.01)	N/A	N/A	N/A
Distance Spot Ratio	8 : 1	2.5 : 1	N/A	N/A	N/A
Auto Power Off	yes	yes		Yes	Yes
Waterproof Rating	N/A	IP54		IP65	IP65
Battery Type	9V battery (NEDA1604) x 1	3V (CR2450) x 1		1.5V Button Cell (LR44) x 1	1.5V Button Cell (LR44) x 1
Dimension (mm)	150 x 133 x 45	166 x 45.4 x 19.7		20 x 15 x 206	20 x 15 x 152
Weight (g)	165	92		30	25
CAL	Traceable Calibration Certificate with Data				



DT 29004



DT 11048



DT 11050



DT 12214



DT 11063


Product Code	DT 29004 Freezer/Refrigerator Thermometer	DT 11048 Digital Lollipop Thermometer	DT 11050 Waterproof Lollipop Thermometer	DT 12214 Waterproof Dishwasher Thermometer	DT 11063 Jumbo Display Auto Cal Needle Probe Thermometer
Function	Dial	Probe	Probe	Probe with Dishwashing Kit	Probe
Temperature Range	- 30 to 30°C	-50 to 200°C	-40 to 155°C		- 40 to 155°C
Accuracy	+/- 1°C	+/- 0.5°C (-20 to 150°C), otherwise +/- 1%	+/- 0.5°C (-10 to 90°C), otherwise +/- 1%		+/- 0.5°C (-10 to 90°C), otherwise +/- 1%
Temperature Resolution	2°C	0.1°C	0.1°C		0.1°C
Operation Temperature	-30 to 30°C	-20 to 50°C	-20 to 50°C	-20 to 155°C (with dishwashing kit)	-20 to 50°C
Auto Power Off	yes	yes	yes		Yes
Waterproof Rating	N/A	IP67	IP67		IP56
Battery Type	N/A	1.5V Button Cell (LR44) x 1	1.5V Button Cell (LR44) x 1		1.5V Button Cell (LR44) x 1
Dimension (mm)	50 diameter	44 x 19 x 274 *Probe:200 mm	42.2 x 18 x 165.2 (with dishwashing kit : 68 x 104 x 165.2)		20 x 15 x 175
Weight (g)	17	35.4	38	71	38
CAL	Traceable Calibration Certificate with Data		Traceable Calibration Certificate with Data (+Auto calibration feature+)		

DT 13307 - Jumbo Display Thermo-Hygrometer


Function	Internal Sensor	External Sensor
Temperature Range	0 to 50°C	-50 to 70°C
Humidity Range	20 to 90%	N/A
Accuracy	+/- 1°C from -40 - 70°C	
	+/- 5% R.H. from 35 - 85% R.H. at 25°C	N/A
Temperature Resolution	0.1°C, 1% R.H.	
Operation Temperature	0 to 50°C	
Sensor	Temperature : Thermistor, Humidity : Electronic capacitance polymer film	
Battery Type	1.5V (AAA size) x 2	
Dimension (mm)	98 x 110 x 22	
Weight (g)	166	
CAL	Traceable Calibration Certificate with Data	


DT 20908 - Flash Link - USB Data Logger

Function	Internal Sensor
Temperature Range	-40 to 65°C
Humidity Range	20 to 90%
Accuracy	+/- 0.5°C from -10 - 25°C
	otherwise +/- 1°C
Temperature Resolution	0.1°C
Data Capacity	3823 data points (Data download time 2 seconds)
Operation Temperature	-20 to 50°C, 0 - 95% R.H.
Waterproof Rating	IP64 with silicon cap on
Battery Type	3.6V (CR2032) x 1
Dimension (mm)	40 x 81 x 15
Weight (g)	42
CAL	Traceable Calibration Certificate with Data



#	Time	F (C)
1	29-Aug-16 9:30:38 AM	83.6 (28.7)
2	29-Aug-16 9:31:58 AM	84.0 (28.9)
3	29-Aug-16 9:33:18 AM	84.3 (29.1)
4	29-Aug-16 9:34:38 AM	84.9 (29.4)
5	29-Aug-16 9:35:58 AM	85.6 (29.8)
6	29-Aug-16 9:37:18 AM	87.4 (30.8)
7	29-Aug-16 9:38:38 AM	87.6 (30.9)
8	29-Aug-16 9:39:58 AM	87.6 (30.9)
9	29-Aug-16 9:41:18 AM	87.6 (30.9)
10	29-Aug-16 9:42:38 AM	87.4 (30.8)
11	29-Aug-16 9:43:58 AM	87.4 (30.8)
12	29-Aug-16 9:45:18 AM	87.4 (30.8)
13	29-Aug-16 9:46:38 AM	87.4 (30.8)
14	29-Aug-16 9:47:58 AM	87.4 (30.8)
15	29-Aug-16 9:49:18 AM	87.4 (30.8)


Cooking Oil Tester
OS 2700 - Cooking Oil Tester

Function	PTC/Capacitive TPM Sensor
Temperature Range	10 to 200°C
TPM Range	0.5 to 40% (<15sec response time)
Accuracy	Temperature : +/- 1°C
	TPM +/- 2%
Resolution	Temperature : +/- 0.1°C
	TPM +/- 0.1%
Material	ABS Housing/Food-Grade Stainless Steel Probe
Operating Temperature	0 to 50°C
Waterproof Rating	IP65
Battery Type	1.5V (AAA size) x 2
Dimension (mm)	367 x 48 x 24
Weight (g)	165



DT 50013



DT 50014

Product Code	DT 50013 Quat Ammonium Test Paper	DT 50014 Chlorine Test Paper
Reference Chart	0, 100, 200, 300, 400 (ppm)	10 - 50 - 100 - 200 (ppm)
Package	3 rolls, 1 plastic dispenser, 1 colour chart	6 rolls, 1 plastic dispenser, 1 colour chart
Size of Roll (mm)	4 x 4.6	4 x 4.6




Product Code	DT 54126 TEMPDOT High Temp Labels
Response Temperature	71°C
Temperature Accuracy	+/- 1°C
Size (mm)	19 x 19
Package	12 labels/sheet x 12 sheets (total 144 labels per package)
Characteristics	Color change from white to black
Storage	Store below 26°C, do not expose to sunlight or other UV light, or heat source such as air vents, pipes or appliances.
Shelf Life	2 years, under recommended storage conditions.

Kuraflex				
Product Code	KF-ZNI	KF-XNI	KF-ZR	KF-ZO
Colour	Blue, Green, Pink, White			
Material	High quality non-woven material			
Dimension (mm)	300 x 610	300 x 340	610 x 610	300 x 610
Packaging	40 pcs/pack		30 pcs/box	60 pcs/box
Minimum Order Quantity (MOQ)	30 packs	60 packs	30 boxes	



Drying speed compared to cotton cloth



Bacteria multiplication compared to cotton cloth

	Number of bacteria(50cm ²)	
	1week	3weeks
Cotton cloth	1,600,000	18,000,000
KURAFLEX Counter Cloth	400	42,000


Journal of Antibact. Antifung. Agents Vol.4 No.9

Cotton cloth

Comparison of fabric structure E. coli adherence test on each fabric



KURAFLEX Counter Cloth



Comparison of fabric structure E. coli adherence test on each fabric



All-Purpose Cleaning Cloth				
Product Code	MN-AP-600300-45W-25QF	MN-AP-600300-45B-25QF	MN-AP-600300-45P-25QF	MN-AP-600300-45G-25QF
Colour	White	Blue	Pink	Green
Material	High quality non-woven material			
Dimension (mm)	600 x 300	600 x 300	600 x 300	600 x 300
Packaging	25 sheets/pack			
Minimum Order Quantity (MOQ)	10 packs			

Kuraflex Wipes		
Product Code	WP - 400	
Colour	Blue	
Material	High quality non-woven material with 60% Natures Ethyl alcohol	
Dimension (mm)	wipe : 250 x 150	bucket : 225 x 243 Ø
Packaging	400 wipes/bucket	
Minimum Order Quantity (MOQ)	3 buckets	



MN - Wipes		
Product Code	MN - 180	
Colour	White	
Material	High quality non-woven material with 3.25% non-ionic neutral pH detergent	
Dimension (mm)	wipe : 170 x 155	bucket : 172 x 128 Ø
Packaging	180 wipes/bucket	
Minimum Order Quantity (MOQ)	3 buckets	

Alcohol Wipes	
Product Code	DT - 50009
Colour	White
Material	Premium non-woven pad with 70% isopropyl alcohol
Dimension (mm)	wipe : 61 x 21
Packaging	200 Pcs/box
Minimum Order Quantity (MOQ)	3 boxes



Green-TEX Kitchen
ST - 2505



Green-TEX Kitchen
ST - 2506



Green-TEX Glass
ST - 2559

Microfibre Cloth			
Product Code	Green-TEX Kitchen ST - 2505	Green-TEX Kitchen ST - 2506	Green-TEX Glass ST - 2559
Material	70% polyester, 30% polyamide		
Size (mm)	38 x 38		
Weight (g)	49		
Colour	Light Blue	White	Light Blue
Washable	can be washed at 90°C and thumble-dried at 60°C without fabric softener		can be washed at 60°C and thumble-dried at 40°C without fabric softener
Minimum Order Quantity (MOQ)	10 Pcs		

OTHER PRODUCTS



Hand Soap H-1



Neutral Detergent N-3



Alcohol Sanitizer Alpet ESS

Product Name	Hand Soap H-1	Neutral Detergent N-3	Alcohol Sanitizer Alpet ESS
Composition	O-Cymen-50ol, Potassium soap, Chelating agent, Plam oil, Coloring matter	Anionic surfactant, Non-ionic surfactant, Chelating agent, Solubilizing agent, Plam oil, Diethanolamine (1.05%), Alkylbenzen sulfonic acid (12.3%), Polyoxyethylene alkyl ether (2.5%)	Natured ethyl alcohol 60% (Food grade ethanol)
Appearance/Odor	Clear green liquid with raw material odor, Fragrance free	Transparent light yellow liquid with raw material odor, Fragrance free	Transparent liquid with raw material odor
pH Value	9.0 - 11.0 / 7.0 - 9.0 (sugar content at 30°C)	6.0 - 8.0	-
Net Weight	5 kg	5 kg	3.8 L
Dilution Rate	Ready to use	Follow the instructions depend on application	Ready to use



Foaming Degreaser G-1



Degreaser G-2



Sanipaster S(L)

Product Name	Foaming Degreaser G-1	Degreaser G-2	Sanipaster S(L)
Composition	Anionic surfactant, Sodium hydroxide (1.4%), Alkaline builder, Washing adjuvant, Chelating agent, Coloring matter, Alkylbenzene sulfonic acid (2.9%), Sodium laureth sulfate (1.5%)	Anionic surfactant, Sodium hydroxide (4.5%), Washing adjuvant, Chelating agent, Alkylbenzene, Diethylene glycol monoethyl ether	Quaternary ammonium, Amphoteric surfactant, Chelating agent, Coloring agent, N-Dimethyldodecylamine-N-Oxide (10%)
Appearance/Odor	Clear blue liquid with solvent odor	Clear ivory yellow liquid with raw material odor	Transparent raddish-brown liquid with raw material odor
pH Value	12.0 - 13.5 (10-fold diluted solution) / 13.0 < (undiluted solution)	12.0 - 14.0 (10-fold diluted solution) / 13.5 < (undiluted solution)	8.5 - 10.5
Net Weight	5 kg	5 kg	5 Kg
Dilution Rate	Ready to use	Ready to use	Follow the instructions depend on application



MN-FS-250A



MN-FS-250B



MN-FS-1000A



MN-FS-1000B

Mani - Foaming Hand Soap				
Product Code	MN-FS-250A	MN-FS-250B	MN-FS-1000A	MN-FS-1000B
Aroma	Green Apple	Neutral	Green Apple	Neutral
Volume (mL)	250	250	1000	1000
Dimension (mm)	90 x 155 x 50	90 x 155 x 50	122 x 117 x 72	122 x 117 x 72



GUD - 1000



UD - 9000



UD - 450



Product Code	Automatic Dispenser GUD - 1000	Automatic Dispenser UD - 9000	Automatic Dispenser UD - 450
Dimension (mm)	147 x 101 x 268	152 x 100 x 290	105 x 99 x 225
Power Source	(4) x D-cell alkaline batteries	(4) x C-cell alkaline batteries	(4) x C-cell alkaline batteries
Installation	Wall or table top	Wall	Wall
Colour	Grey	White	White
Volume (mL)	1000	1200	450
Material	ABS, PP	ABS, PP	ABS, PP



MD - 9000



GMD - 500F




GMD - 500A




BOT - 1


BOT - 2



Product Code	Manual Dispenser MD - 9000	Manual Dispenser GMD - 500F	Manual Dispenser GMD - 500A	Foam Soap Bottle BOT - 1	Disinfectant Spray Bottle BOT - 2
Dimension (mm)	152 x 100 x 290	122 x 102 x 224	100 x 90 x 235		
Power Source	n/a	n/a	n/a		
Installation	Wall	Wall	Table top		
Colour	White	White	White		
Volume (mL)	1200	500	1000		
Material	ABS, PP, POM	ABS, PP, POM	PP		



Dimension



Installation

Automatic Paper Towel Dispenser	
Product Code	MBS - 108
Dimension (mm)	280 x 225 x 390
Power Source	4 x DC 1.5V
Sensor	Range 8 - 10 cm.
Paper Towel	Recommend : Scott 207m (Hand towel roll) *Not included
Material	ABS

Wine Away			
Wine Away is a remarkable red wine stain remover formulated to remove MOST red wine stains from carpet and fabric. It is made from fruit and vegetable extracts and has a fresh citrus scent. Wine Away also effective on coffee, blood, fruit punch, ink, and sport drink stains.			
Product Code	WA-60	WA-240	WA-360
Volume (mL)	60	240	360
Dimension (mm)	125 x 35 Ø	195 x 52 Ø	210 x 55 Ø
KEEP OUT OF REACH OF CHILDREN Caution: Do not ingest. Do not dilute or fill Wine Away bottle with any other chemical. Individuals sensitive to citrus-base products should not treat garment while wearing. Do not spray on skin.			



WA-60

WA-240

WA-360



TAKEX Keep		
Takex Keep can improve shelflife of food products without using preservative, it is also restrict degradation while transportation or even after defrost your product. Moreover, its improves food water-holding capacity and keep better texture.		
Product Code	TK/K-60	TK/K-240
Volume (mL)	60	240
Dimension (mm)	160 x 60 Ø	24 x 25 x 22



Chopping Board						
Product Code	T/CB8525-YE	T/CB8525-GR	T/CB8525-WH	T/CB8525-BL	T/CB8525-RE	T/CB8525-BR
Colour	Yellow	Green	White	Blue	Red	Brown
Material	HDPE					
Dimension (mm)	508 x 308 x 19					
Weight (g)	1500					

Services

- Product Training
- Food Safety Training
- Food Safety Inspection
- GMP & HACCP Awareness



Chemical Resistance Guide

Chemical	Concentration	Nylon	Polyester PBT	Polypropylene
Acetic Acid	100%	Poor	Fair	Fair
Acetone	100%	Good	Good	Good
Ammonia Liquid	-	Good	Do Not Use	Good
Aniline	100%	Poor	Good	Poor
Benzene	100%	Good	Good	Do Not Use
Bleaching Solution Dilute	-	Do Not Use	Good	Good
Caustic Potash	10%	Good	Good	Good
Caustic Potash	50%	Good	Poor	Good
Chlorine Water Saturated	-	Do Not Use	Do Not Use	Fair
Chloroform	100%	Do Not Use	Good	Do Not Use
Chromic Acid	10%	Poor	Good	Good
Citric Acid	10%	Poor	Good	Good
Detergent-Soaps	-	Good	Good	Good
Ethanol	96%	Fair	Good	Good
Ethylacetate	100%	Good	Good	Good
Formic Acid	98%	Do Not Use	Do Not Use	Do Not Use
Fuel Oil	-	Good	Good	Poor
Glycerin	-	Good	Good	Good
Hydrochloric Acid	30%	Do Not Use	Poor	Good
Lactic Acid	20%	Poor	Good	Good
Methyl Alcohol	100%	Good	Good	Good
Mineral Oil	-	Good	Good	Good
Nitric Acid	10%	Do Not Use	Good	Good
Nitric Acid	50%	Do Not Use	Good	Poor
Oleic Acid	100%	Good	Good	Good
Oxalic Acid	10%	Do Not Use	Good	Poor
Petrol	-	Good	Good	Do Not Use
Phosphoric Acid	85%	Do Not Use	Good	Good
Sea Water	-	Good	Good	Good
Sodium Chloride (Salt)	-	Good	Good	Good
Sodium Hydroxide	10%	Good	Do Not Use	Good
Sodium Hydroxide	50%	Good	Do Not Use	Good
Sodium Hypochloride	10%	Do Not Use	Good	Good
Stearic Acid	100%	Poor	Good	Good
Sulphuric Acid	10%	Do Not Use	Good	Good
Sulphuric Acid	100%	Do Not Use	Do Not Use	Do Not Use
Tetrachloroethylene	-	Good	Do Not Use	Do Not Use
Toluene	100%	Good	Good	Do Not Use
Trichloroethylene	-	Good	Do Not Use	Do Not Use
Turpentine	100%	Good	Good	Do Not Use
Vaseline	-	Good	Good	Good
Vegetable Oil	-	Good	Good	Good

* The above information is given on the assumption that the temperature of the chemical does not exceed 20°C.

** The above table act as a guide for using the listed chemicals as stated. Tests should always be carried out when using chemical combinations or substance not listed. We are unable to accept responsibility in respect of factors, which are outside our knowledge or control and affect the use of products. No warranty is given or is to be implied with respect to such information. Freedom under patents, copyrights and registered designs cannot be assumed.

Index of Products

ANTI-MICROBIAL		
AMB770	Stiff Deck Scrub	4
AMB849	Soft Flat Sweeping Brush	4
AMD4	Stiff Short Handle Brush	4
AMDP13	Open Plastic Dustpan	4
AMGL11	Soft Glazing Brush	4
AMNA4	Stiff Nail Brush	4
AMPLH3	Reinforce Polypropylene Handle	4
AMPLSB60	Ultra-Hygienic Squeegee	4
AMSCOOP4	Plastic Hand Scoop	4
AMST5	Dual Stiffness Double Wing Scrub	4
AMWLB1	Wall Bracket System	4
TOTAL MDX		
B861RESMDX	Soft Hand Brush	5
D4RESMDX	Stiff Short Handled Brush	5
D9RESMDX	Stiff Long Handled Brush	5
NA4RESMDX	Stiff Nail Brush	5
D101-I01	Retractable Ballpoint Pen with Clip	5
TB-035	Plastic Adhesive Dressings	5
RESIN-SET DRS		
B1423RES	Medium Guarded Machine Brush	6
B770RES	Stiff Deck Scrub	6
B849RES	Medium Flat Sweeping Broom	6
B861RES	Soft Hand Brush	6
B862RES	Stiff Hand Brush	6
B863RES	Very Soft Hand Brush	6
D4RES	Stiff Short Handled Brush	6
D79RES	Stiff Bulk Tank Brush	6
D9RES	Stiff Long Handled Brush	6
ST5RES	Dual Stiffness Double Wing Scrub	6
ST7RES	Stiff Curved Back Scrub	6
ST9RES	Stiff Round Scrub	6
PROFESSIONAL		
B759	Very Stiff Deck Scrub	9
B862	Stiff Hand Brush	8
B884	Medium Utility Brush	8
B896	Soft Flat Sweeping Broom	9
B928	Very Stiff Deck Scrub	9
B1240	Stainless Steel Niche Brush	7
B1241	Medium Niche Brush	7
B1529/75	Medium Plastic Core Tube Brush	9
B1529/115	Medium Plastic Core Tube Brush	9
B1529/130	Medium Plastic Core Tube Brush	9
B1606	Medium Detail Brush	7
B1731	Soft Flat Sweeping Broom	9
B1745	Stiff Deck Scrub	9
B1785	Overmoulded Short Handle	11
B1802	Single Blade Ultra Hygienic Squeegee	11
B1852	Medium Angle Broom	8
CAS4	Cassette Refill, 400mm	11
CAS6	Cassette Refill, 600mm	11
D4	Stiff Short Handled Brush	7
D7	Medium Short Handled Brush	7
D79	Stiff Bulk Tank Brush	9
D9	Stiff Long Handled Brush	7
DW1090	Medium Dish Wash Brush	8
GL31	Soft Glazing Brush	7

PROFESSIONAL		
PLSB40	Single Blade Squeegee, 400mm	11
PLSB50	Single Blade Squeegee, 500mm	11
ST5	Dual Stiffness Double Wing Scrub	8
ST7	Stiff Curved Back Scrub	8
ST8	Stiff Grippy Scrub	8
ST9	Stiff Round Scrub	8
SQCAS4	Squeegee Cassette System, 400mm	11
SQCAS6	Squeegee Cassette System, 600mm	11
T831	Medium Twisted-In Stainless Steel Wire Brush	10
T832	Medium Twisted-In Stainless Steel Wire Brush	10
T834	Medium Twisted-In Stainless Steel Wire Brush	10
T942	Flexible Handled Medium Twisted Brush	10
T945	Flexible Handled Medium Twisted Brush	10
T961	Medium Twisted Wire Head Brush	10
T962	Medium Twisted Wire Head Brush	10
T964	Medium Twisted Wire Head Brush	10
T/HAN800	Flexible Twisted Wire Handle	10
T/HAN1500	Flexible Twisted Wire Handle	10
WS65	Stainless Steel Wire Scratch	7
HYGIENE HANDLES		
ALH27	Anodised Aluminium Handle & Polypropylene Sleeve	12
ALH30	Aluminium Handle	12
ALH5	Lightweight Anodised Aluminium Handle	12
ALH7	Threaded Anodised Aluminium Handle	12
ALH8	Anodised Aluminium Handle & Polypropylene Sleeve	12
HAN1352	Aluminium Telescopic Handle	12
AH/CON	Plastic Angle Adaptor Connector	12
ACCESSORIES		
AD1	Shoe Cover Dispenser Unit	15
ADR2	Pack of 100 Replacement Shoe Cover	15
DP1	Plastic Dustpan	13
DP7SET	Hygienic Lobby Dustpan with Medium Angle Broom	14
DP10SET	Lightweight Lobby Dustpan with Soft Brush Set	14
DP13	Open Plastic Dustpan	13
FLPSC3	Flexible Plastic Scraper	13
HD6	Aluminium Hanging Rail Set	14
MBK15	12L Ultra Hygienic Bucket	15
MBK15/LID	Lid for 12L Ultra Hygienic Bucket	15
MSC1	Stainless Steel Blade & Aluminium Handle	13
MSC22	Flexible Stainless Steel Scraper	13
MSC3	Stainless Steel hand Scraper	13
MSC3/38	Stainless Steel Hand Scraper	13
PAD10	One Piece Polypropylene Paddle	14
PAD11	One Piece Polypropylene Paddle with Holes	14
PSC2	Plastic Hand Scraper	13
PSC5	Heat Resistant Plastic Hand Scraper	13
SCOOP2	Seamless Hand Scoop	14
SCOOP4	Seamless Hand Scoop	14

ACCESSORIES		
T/BC5701	Bottle Cleaning Brush	15
T/BC5702	Bottle Cleaning Brush	15
T/BC5731	High Temperature Cleaning Brush	15
T/BC5734	High Temperature Cleaning Brush	15
T/BC6724	Long Handle Multi-Purpose Cleaning Brush	15
T/BU8431	38L Ice Bucket	15
WLB1	Overmoulded Hanging System	14
MOP SYSTEM & CLEANING CART		
MBK7	12L Polypropylene Mop Bucket	16
MOP9/200	Bio Mop	16
T/DM6461	460mm Microfiber Fringer Dust Mop	16
T/DM6462	610mm Microfiber Fringer Dust Mop	16
T/DM6471	460mm Microfiber Dust Mop	16
T/DM6472	610mm Microfiber Dust Mop	16
T/DM6502	460mm Microfiber Damp Mop	16
T/FAM6421	460mm Quick Connect Frames	16
T/FAM6422	610mm Quick Connect Frames	16
T/HAN6412	Quick Connect Extension Handle	16
T/CC5011	Universal Clening Cart	17
T/MB5224	33L Mop Bucket	17
T/MB5225	Side Press Wringer	17
T/MB5226	33L Mop Bucket Set with Side Press Wringer	17
T/MB5227	Down Press Wringer	17
T/MB5228	33L Mop Bucket Set with Down Press Wringer	17
T/MB5263	17L Dirty Water Bucket	17
MEASURING EQUIPMENTS		
BG32	Infrared Thermometer	18
BG366	Digital Pocket Thermometer	18
BG368	Digital Pocket Thermometer	18
BG43R	2 in 1 Non Contact Infrared Thermometer	18
DT11050	Waterproof Lollipop Thermometer	18
DT11063	Jumbo Display Auto Cal Needle Probe Thermometer	18
DT11048	Digital Lollipop Thermometer	18
DT12214	Waterproof Dishwasher Thermometer	18
DT13307	Jumbo Display Thermo-Hygrometer	19
DT20908	Flash Link - USB Data Logger	19
DT29004	Freezer/Refrigerator Thermometer	18
OS2700	Cooking Oil Tester	19
OTHER PRODUCTS		
DT50009	Alcohol Wipes	21
DT50013	Quat Ammonium Test Paper	20
DT50014	Chlorine Test Paper	20
DT54126	TempDot High Temp Labels	20
KF	Kuraflex	20
MN-AP	All-Purpose Cleaning Cloth	21
WP-400	Kuraflex Wipes	21
MN-180	MN Wipes	21
ST-2505	Microfibre Cloth, Green-Tex Kitchen, Light Blue	21
ST-2506	Microfibre Cloth, Green-Tex Kitchen, White	21
ST-2559	Microfibre Cloth, Green-Tex Glass, Light Blue	21
H-1	Hand Soap H-1	22

OTHER PRODUCTS		
N-3	Neutral Detergent N-3	22
ALPET ESS	Alcohol Sanitizer Alpet Ess	22
G-1	Foaming Degreaser G-1	22
G-2	Degreaser G-2	22
S(L)	Sanipaster S(L)	22
MN-FS	Mani Foaming Hand Soap	22

OTHER PRODUCTS		
GUD-1000	Automatic Dispenser	23
UD-9000	Automatic Dispenser	23
UD-450	Automatic Dispenser	23
MD-9000	Manual Dispenser	23
GMD-500F	Manual Dispenser	23
GMD-500A	Manual Dispenser	23

OTHER PRODUCTS		
BOT-1	Foam Soap Bottle	23
BOT-2	Disinfectant Spray Bottle	23
MBS-108	Automatic Paper Towel Dispenser	23
WA	Wine Away	24
TK/K	Takex Keep	24
T/CB8525	Chopping Board	24

Hygienic Shadow Boards



Benefits of Shadow Boards

- Compact, hygienic design
- Easy to clean
- Customisable items, size and design
- Easy to understand and recognisable

How to Order?

- Choose your items
- Complete enquiry form
- Artwork created and sent to you for approval
- Payment terms agreed
- Shadow boards created



World of Food Safety Product and Service



www.fsns-thailand.com

FOOD
Service & Solution

29 Soi Chalaemnit, Bangkorlaem,
Bangkok 10120 Thailand

T + 66 (0) 83 - 839 - 2929

T + 66 (0) 81 - 615 - 2621

F + 66 (0) 2 - 688 - 5755

E contact@fsns-thailand.com