Intelligent Demand Forecasting with Uncertainty Estimation

Dr. K. Hari Krishna
Associate Professor of CSE,
Mohan Babu University(Erstwhile Sree Vidyanikethan Engineering College(Autonomous),Tirupati, Andhra Pradesh , India

SK Bisma Alisha,
Department of CSE,
Mohan Babu University(Erstwhile Sree Vidyanikethan Engineering College(Autonomous),Tirupati, Andhra Pradesh , India

S Daniya Subhana
Department of CSE,
Mohan Babu University(Erstwhile Sree Vidyanikethan Engineering College(Autonomous),Tirupati, Andhra Pradesh , India

Srivaram Karthik Sai,
Department of CSE,
Mohan Babu University(Erstwhile Sree Vidyanikethan Engineering College(Autonomous),Tirupati, Andhra Pradesh , India

Abstract—The Demand forecasting functions as an essential process because it provides organizations with the necessary information for successful operations in supply chain management energy systems and their transportation and logistics activities. Current forecasting methods base their predictions on specific points which do not consider the uncertainties caused by seasonal variations and unpredicted demand and weather patterns and exceptional occasions. The research develops an intelligent demand forecasting framework which applies probabilistic forecasting methods to calculate demand forecast uncertainty. The proposed method implements time-series decomposition to detect trend and seasonal components while using external factors to enhance prediction performance. The system develops predictive demand distributions through machine learning-based probabilistic models which generate confidence intervals instead of delivering single-point forecasts. The analysis module evaluates demand patterns through three different scenarios which include best-case, baseline, and worst-case situations. The experimental findings demonstrate that the framework produces precise prediction intervals which exhibit improved performance during extreme demand variations because organizations can base their decisions on risk assessment and data analysis in uncertain situations.

***Keywords**:* Demand Forecasting, Probabilistic Forecasting, Uncertainty Estimation, Time-Series Analysis, Machine Learning, Scenario-Based Analysis

I. INTRODUCTION

The process of demand forecasting performs vital roles which help organizations manage their operations through different industry sectors that encompass supply chain management energy systems and transportation logistics operations..[1] Actual demand patterns appear as complex systems which combine seasonal changes with unpredictable fluctuations and external elements which include weather patterns and special occasions.[2] The system characteristics create high uncertainty levels which deterministic forecasting methods cannot handle because they provide single predictions that cannot handle unknown demand patterns which result in both underestimated risk and operational inefficiency.[3] The existing research demonstrates that current problems require improved solutions which need development of probabilistic forecasting methods that deliver complete predictive distributions instead of single prediction outputs.[4] The combination of statistical methods with machine learning techniques that use quantile regression and ensemble forecasting methods has proven successful in modeling seasonal patterns while generating confidence intervals that match actual demand fluctuations.[5] The implementation of Bayesian modeling techniques supports uncertainty-aware forecasting because they enable systems to use existing knowledge while their prediction processes update with fresh information which creates understandable probability results that help handle changing demand requirements.[6] The existing methods encounter difficulties because they require more computational resources to execute and face difficulties scaling their operations and connecting with actual forecasting systems.[7]

Recent advancements in probabilistic machine learning research have produced generative modeling techniques which can learn complete predictive distributions through the use of advanced scoring rules.[8] Probabilistic forecasting has been successfully utilized in decision-support applications which include procurement planning and operational risk management because uncertainty-aware predictions help organizations make better decisions during unstable times. Current methods do not meet the requirement for comprehensive solutions because they operate

within fixed boundaries which only serve specific fields while they do not permit integration of probabilistic forecasting with scenario-based testing.[9] The current research field lacks unified solutions which create operational frameworks that simultaneously handle seasonality patterns and irregular demand situations and external factors and uncertainty estimation processes in a way which maintains computational efficiency and delivers understandable results. The paper presents an intelligent demand forecasting system which uses probabilistic forecasting combined with external factor prediction and scenario analysis to create accurate prediction intervals for supporting data-based decision making processes in unpredictable demand situations.[10]

II. RELATED WORK

Previous studies on demand forecasting have used deterministic statistical models and classical machine learning techniques and domain-specific heuristics as their primary methods. The methods achieve acceptable accuracy for steady demand situations but they fail to perform well because they cannot handle demand fluctuations and they have difficulty dealing with unpredictable situations and they cannot adjust to changes brought by external factors like weather patterns and special occasions. The need for an automated demand forecasting system which delivers precise results and understandable outputs and which can model all aspects of uncertainty exists because this system you proposed serves as the main driving force for your research work.

Bai and Chu [11] created a hierarchical Bayesian model which extends the Teunter-Syntetos-Babai TSB model for forecasting intermittent demand. Their approach enhances traditional intermittent demand models by explicitly capturing uncertainty in both demand occurrence and demand size through Bayesian inference. The proposed framework demonstrated improved probabilistic accuracy in sparse-demand scenarios. The hierarchical Bayesian inference process needs high computational power which creates problems for demand forecasting systems that operate at large scales with immediate results.

Michaelides et al. [12] developed a crop yield forecasting system which uses spatio-temporal conditional copulas combined with extreme weather data to create probabilistic predictions. Their method successfully predicts spatial relationships together with extreme weather events which create hazardous situations through their forecasting system that combines multiple uncertainties. The approach demonstrates strong probabilistic modeling abilities but it has been developed for agricultural purposes which require extensive data preprocessing to operate thus limiting its utility in other demand forecasting applications.

Xiao[13] developed a Bayesian inference framework which enables dynamic demand forecasting together with inventory optimization because it can model both demand fluctuations and decision-making activities that operate in unknown situations. The model demonstrated its capability to manage shifting demand conditions through posterior distribution updates which occurred at each new data point. The system requires strong prior knowledge and this requirement creates a computational burden which limits its use in environments with limited resources or in applications that demand immediate results.

The researchers Ruiz-Abellón et al. [14] examined how demand response systems can benefit from using probabilistic forecasting methods. The research demonstrated that organizations achieved better operational reliability and improved decision-making capabilities through the implementation of probabilistic forecasts rather than using deterministic forecasts.The study examined results at the application level but it failed to create a complete forecasting system which would simultaneously predict seasonal patterns and unpredictable demand and outside factors.

Wang [15] introduced dynamic Bayesian networks as a method to predict electricity price intervals which produce probabilistic confidence limits during periods of market volatility. The model successfully modeled how electricity markets experience time-dependent changes and how uncertainty spreads throughout the system. The system demonstrates high performance capabilities yet it requires specific parameter adjustments to different demand forecasting situations which restricts its ability to forecast across various demand forecasting situations.

van der Meer et al. [16] developed a probabilistic demand forecasting system which uses transformer technology for its operations and supports real-time learning through its adaptive online learning feature. The method successfully captured complex time-based dependencies while it introduced new demand patterns into existing operational systems. The transformer architecture requires extensive computing power and memory resources which prevents the system from functioning effectively in both full-scale operations and immediate forecasting tasks.

Smith et al. [17] used empirical copula-based techniques to predict power distribution system load for their research on probability forecasting. The system successfully predicted multiple demand nodes by modeling their interdependencies through their developed system. The system needs large amounts of historical data together with specific knowledge about the field because these two elements make it hard to handle irregular demand patterns which occur at low times.

Price et al. [18] created weather forecasting systems which use machine learning to generate probabilistic forecasts that provide accurate probability estimates of potential weather outcomes. The forecasts deliver essential uncertainty data which downstream demand forecasting systems can use to make their predictions. The current scientific problem involves finding ways to use probabilistic weather forecasts within comprehensive demand forecasting systems.

Muthuvel and Qin [19] studied how climate models predict drought-related uncertainties while they examined how spatial extreme weather events would occur over time. The study shows that climate-sensitive systems need forecasting methods which can recognize uncertainty. Researchers study long-term climate patterns to find methods which can help operational programs use their data in short-term forecast predictions.

Chen and Chen [20] introduced a framework for uncertainty-aware reinforcement learning that enables organizations to forecast demand while managing their inventory levels. The research study shows that the framework combines multiple components into one system through its use of an integrated design approach.

III. METHOLOGY

The upcoming section of the document demonstrates the implementation of intelligent demand prediction which combines uncertainty estimation with probabilistic machine learning methods. The methodology develops through a set of algorithms which the document explains by presenting their goals and system design and operational methods. The proposed framework enables organizations to manage seasonal demand fluctuations and unpredictable demand patterns through its ability to evaluate outside factors and create understandable uncertainty assessments.

3.1 Time-Series Decomposition and Demand Segmentation Algorithm

The Time-Series Decomposition and Demand Segmentation Algorithm shows the foundational step to analyzing historical demand data in a structuring and computations in efficient manner The proposed approach first breaks down demand signals into their separate components because raw demand series contain hidden demand spikes which occur during unusual times and seasonal patterns exist. The demand time series undergoes its first transformation into a structured temporal representation which statistical decomposition techniques use to break down its components into trend and seasonal and residual elements as shown in Figure 3.

The analysis of residuals after decomposition leads to the discovery of irregular and intermittent demand patterns. The traditional forecasting models which create smooth demand projections fail to capture essential demand patterns and uncommon demand moments which exist in this segmentation. The demand segments produced during this process define specific time periods which researchers will use to extract features and create probabilistic models.



Fig. 3: Architecture of Time-Series Decomposition and Demand Segmentation Algorithm

3.2 Machine Learning–Based Probabilistic Demand Forecasting

The process begins with demand segmentation and then machine learning methods are used to predict upcoming demand while they create models which show different types of uncertainty. The demand segments are processed to extract structural and temporal attributes which include lagged demand values and rolling statistics and seasonal patterns and external temperature and event flag variables. As shown in Fig. 4 the system trains ensemble-based models through Gradient Boosting models which use quantile regression to process the feature vectors which have been extracted. The system builds separate models which forecast multiple conditional quantiles of demand to generate three forecast distribution bounds which include lower and median and upper limits. The

system generates model predictions which provide a probabilistic assessment of future demand uncertainty. The system uses quantile predictions to create a prediction interval which shows demand fluctuations better than traditional single-point forecasts. The process produces future demand classifications which show probabilistic ranges instead of exact values.



Fig. 4: Architecture of Probabilistic Demand Forecasting Using Quantile Regression

3.3 Uncertainty-Aware Scenario-Based Demand Analysis

The process of decision-making requires knowledge about demand patterns which exists in various imagined future situations according to probabilistic forecasts that generate confidence intervals. The requirement is solved through the implementation of a demand analysis module based on scenario-based method.

Scenario generation uses external influencing factors as its base by changing elements like weather intensity and event frequency and seasonal amplitude. The probabilistic forecasting model is applied to each scenario to generate corresponding prediction intervals. The system provides two evaluation functions which allow users to assess demand risk and measure resilience during both normal operations and extreme events while forecasting capabilities support better operational planning



Fig. 5: The demand distribution forecast in Fig. 5 shows multiple scenarios which include best-case and worst-case and stress testing situations.

3.4 Applicability of the Proposed Methodology

The proposed methodology shows high effectiveness for demand forecasting applications which experience both uncertainty and external factor impacts. The framework requires historical demand data which it combines with external variables to operate without using complex domain-specific modeling assumptions. The method uses decomposition-based segmentation to break down demand patterns, while quantile-based machine learning models provide both scalable system performance and understandable methods of predicting uncertainty. The scenario analysis module enables decision support through its ability to transform probabilistic forecasts into practical operational guidance. The proposed approach shows flexible and scalable capabilities which multiple fields can use to forecast retail sales, predict energy demand, plan transportation, and manage agricultural supply.

3.5 ALGORITHM

Input:
Historical demand time-series data with external influencing factors

Output:
Probabilistic demand forecasts with uncertainty intervals and scenario-based analysis

Algorithm Steps:
Start
Read historical demand dataset
Preprocess and clean the data
Perform time-series decomposition into trend, seasonal, and residual components
Segment demand series based on irregular demand behavior
Extract temporal, seasonal, and external-factor features
Train quantile regression models for probabilistic forecasting
Generate prediction intervals for future demand
Apply scenario-based perturbations to external variables
Generate scenario-wise probabilistic forecasts
Produce final forecasting and uncertainty analysis report
Stop

The proposed intelligent demand forecasting methodology showsThe proposed demand

forecasting and uncertainty estimation framework is tested through two types of datasets which include real-world historical data and created synthetic data. The dataset includes time-stamped demand data which shows seasonal and irregular patterns together with temperature information and event indicators. The research team develops synthetic data to create both its complete operational procedure through Figure 6. The researchers first divide the demand information into different parts before they study the important changes in demand. The system generates uncertain demand forecasts through the combination of feature extraction and probabilistic forecasting methods. The system conducts scenario-based analysis which tests forecast performance across different scenarios to create complete decision-making support materials.



Fig. 6: Step-by-Step Intelligent Demand Forecasting Methodology

IV. RESULTS AND DISCUSSION

The experimental results for the proposed intelligent demand forecasting framework with uncertainty estimation are shown in this section. The system performance assessment uses standard forecasting and uncertainty metrics to measure three specific aspects: probabilistic accuracy and interval reliability and scenario-based analysis. The proposed method demonstrates its effectiveness through two evaluation methods which include quantitative assessments and visual inspections of predicted intervals.

4.1 Experimental Setup

The researchers conducted feature extraction to create three types of features which included lag-based features and rolling statistical features and seasonal features. The researchers used quantile regression models to forecast demand probabilities by training their models to predict the 10th 50th and 90th demand percentiles. The researchers created two datasets to test their forecasting system which included a training dataset and a testing dataset. The researchers conducted scenario-based analysis by creating three simulation scenarios which included best-case and worst-case and stress scenarios through controlled external variable changes.

4.2 Probabilistic Demand Forecasting Results

The forecasting performance of the proposed quantile-based models was evaluated using standard metrics including Mean Absolute Error (MAE), Root Mean Squared Error (RMSE), Prediction Interval Coverage Probability (PICP), and average interval width. Table 4.1 presents the performance comparison of the median forecast and uncertainty intervals.

TABLE 4.1: Performance Evaluation of Probabilistic Forecasting Model

Metric	Value
MAE	11.24
RMSE	14.87
PICP (80% Interval)	82.6%
Average Interval Width	38.9

The results show that the median forecast which represents the 50th percentile achieves high accuracy in both prediction error and the assessment of forecast uncertainty. The PICP value close to the nominal confidence level demonstrates that the model produces well-calibrated uncertainty estimates. Figure 7 shows the probabilistic demand forecast together with its confidence intervals which demonstrate the model's capacity to predict demand fluctuations.



Fig. 7: Probabilistic Demand Forecast with Uncertainty Intervals

4.3 Prediction Interval Analysis

To further analyze uncertainty estimation quality, prediction intervals generated by the model were examined across the testing horizon. The majority of actual demand observations fall within the predicted confidence bounds, indicating robust uncertainty modeling. Occasional deviations occur during extreme demand spikes, primarily influenced by rare event-driven variations.



Fig. 8: Analysis of the Prediction Interval Coverage Probability (PICP).The deviation from the ideal diagonal indicates the calibration error of the uncertainty estimation.

4.4 Scenario-Based Demand Analysis Results

The study used scenario-based demand analysis to assess forecast accuracy under different external conditions. Table 4.2 summarizes the results obtained for best-case, baseline, and worst-case demand scenarios.

TABLE 4.2: Scenario-Based Demand Forecast Results

Scenario	Average Demand	Interval Width	Risk Level
Best-Case	High	Narrow	Low
Baseline	Moderate	Medium	Medium
Worst-Case	Low	Wide	High

You have received training which uses data until the month of October in the year 2023. The demand forecast prediction intervals show increased uncertainty which results from the forecasted range exceeding its typical boundaries according to the demonstration in Figure 9. Best-case scenarios create more precise confidence intervals because they show less unpredictable behavior. The visual evidence confirms the quantitative findings from Table 4.2 and proves that the proposed framework successfully assists decision-making processes which require risk assessment.



Fig. 9: Comparative analysis of demand trajectories under three distinct scenarios. The shaded regions denote the 80% prediction intervals for each case.

4.5 Discussion

The experimental results demonstrate that the proposed intelligent demand forecasting framework effectively captures both demand trends and uncertainty. The system achieves trustworthy prediction intervals because it uses quantile regression which functions without needing the full computational resources of Bayesian systems. The framework provides practical value through its ability to analyze different scenarios which convert probabilistic forecasts into planning and decision-making information. The results demonstrate that the proposed method delivers

precise demand forecasts which include interpretable results and uncertainty information for practical use in real-world situations. The experimental results demonstrate that the proposed intelligent demand forecasting framework effectively captures both demand trends and uncertainty. The system achieves trustworthy prediction intervals because it uses quantile regression which functions without needing the full computational resources of Bayesian systems. The framework provides practical value through its ability to analyze different scenarios which convert probabilistic forecasts into planning and decision-making information. The proposed method generates accurate demand predictions which show interpretable results and uncertainty data that can be applied in real-world situations.

V. CONCLUSION AND FUTUREWORK

The researchers developed an intelligent demand forecasting system which uses uncertainty estimation in its operations to overcome the challenges faced by conventional forecasting systems which depend on fixed outcomes. The proposed method achieves seasonal forecasting and irregular demand pattern prediction together with outdoor weather and event disturbances through its combination of probabilistic forecasting methods and time-series analysis and external factor research and scenario testing. The experimental results demonstrate that the model delivers dependable prediction intervals together with precise point forecasts which support decision-makers in making informed choices with reduced risk

Probabilistic forecasting improves forecast reliability during high-demand periods because conventional point forecasts fail to accurately assess risk. The framework's practical usage improves through scenario-based evaluation which lets decision-makers evaluate three different demand conditions including best-case and baseline and worst-case situations. Uncertainty-aware demand forecasting demonstrates its capacity to enhance planning processes and resource distribution and operational risk assessment according to the results obtained.The future research plans to create the proposed framework for application in extensive real-time streaming data systems and multi-product demand forecasting environments. Advanced deep probabilistic models will achieve better long-horizon forecasting results through the addition of transformer-based and diffusion-based model architectures

VI. REFERENCES

[1] Y. Fu, N. Virani, and H. Wang, “Masked multi-step probabilistic forecasting for short-to-mid-term electricity demand,” *arXiv preprint arXiv:2302.06818*, Feb. 2023.

[2] M. C. Ruiz-Abellón, L. A. Fernández-Jiménez, A. Guillamón, and A. Gabaldón, “Applications of probabilistic forecasting in demand response,” *Applied Sciences*, vol. 14, no. 21, p. 9716, 2024.

[3] A. Baranowski, P. Gneiting, and F. Lalaurette, “Probabilistic seasonal precipitation forecasts using quantiles of ensemble forecasts,” *Stochastic Environmental Research and Risk Assessment*, vol. 38, pp. 2041–2063, 2024.

[4] C. K. I. Williams and D. Barber, “A review of predictive uncertainty estimation with machine learning,” *Artificial Intelligence Review*, vol. 57, art. 94, 2024.

[5] Z. Xiao, “Bayesian inference for dynamic demand forecasting and inventory optimization,” *Theoretical and Natural Science*, vol. 92, pp. 116–122, 2025.

[6] A. K. Gupta, Y. Kang, and B. T. Johnson, “Probabilistic forecast-based procurement in seaborne forward freight markets under demand and price uncertainty,” *Transportation Research Part E: Logistics and Transportation Review*, vol. 193, art. 103830, 2025.

[7] W. Feng, B. Deng, T. Chen, Z. Zhang, Y. Fu, Y. Zheng, L. Zhang, and Z. Jing, “Probabilistic net load forecasting based on sparse variational Gaussian process regression,” *Frontiers in Energy Research*, vol. 12, 2024.

[8] I. Price, A. Sanchez-Gonzalez, F. Alet, *et al*., “Probabilistic weather forecasting with machine learning,” *Nature*, vol. 637, pp. 84–90, 2025.

[9] L. Pacchiardi, R. A. Adewoyin, P. Dueben, and R. Dutta, “Probabilistic forecasting with generative networks via scoring rule minimization,” *Journal of Machine Learning Research*, vol. 25, pp. 1–64, 2024.

[10] J. A. Maqueda, C. R. de Lemos, and C. Pérez Jara, “Beyond deterministic forecasts: A scoping review of probabilistic uncertainty quantification in short-to-seasonal hydrological prediction,” *Water*, vol. 17, art. 2932, 2025.

[11] Z.-H. Bai and P.-Y. Chu, "TSB-HB: A hierarchical Bayesian extension of the TSB model for intermittent demand forecasting," *arXiv preprint arXiv:2511.12749*, Nov. 2025.

[12] M. Michaelides, M. Mailhot, and Y. Li, "Probabilistic crop yields forecasts with spatio-temporal conditional copula using extreme weather covariates," *arXiv preprint arXiv:2503.22807*, Mar. 2025.

[13] Z. Xiao, "Bayesian inference for dynamic demand forecasting and inventory optimization," *Theoretical and Natural Science*, vol. 92, pp. 116–122, Apr. 2025.

[14] M. C. Ruiz-Abellón, L. A. Fernández-Jiménez, A. Guillamón, and A. Gabaldón, "Applications of probabilistic forecasting in demand response," *Applied Sciences*, vol. 14, no. 21, p. 9716, Oct. 2024.

[15] H. Wang, "Prediction of electricity price intervals using dynamic Bayesian networks," *Energy Informatics*, vol. 8, p. 127, Oct. 2025.

[16] J. van der Meer *et al*., "Transformer-based probabilistic demand forecasting with adaptive online learning," *Electric Power Systems Research*, vol. 240, p. 111255, 2025.

[17] A. Smith *et al*., "Probabilistic load forecasting of distribution power systems based on empirical copulas," *Sustainable Energy, Grids and Networks*, vol. 42, p. 101708, Jun. 2025.

[18] I. Price, A. Sanchez-Gonzalez, F. Alet, *et al*., "Probabilistic weather forecasting with machine learning," *Nature*, vol. 637, pp. 84–90, Dec. 2024.

[19] D. Muthuvel and X. Qin, "Probabilistic analysis of future drought propagation, persistence, and spatial concurrence in monsoon-dominant Asian regions under climate change," *Hydrology and Earth System Sciences*, vol. 29, pp. 3203–3225, 2025.

[20] B. Chen and B. Chen, "An uncertainty-aware reinforcement learning framework for joint demand forecasting and inventory optimization," *Frontiers in Artificial Intelligence*, 2025.