EECE 2160 – Embedded Design: Enabling Robotics

Homework #3

Assigned: Sat., Oct. 12, 2024. Due Sun., Oct. 20, at 11:59pm on Canvas

5 Problems 100 points total

Show your work!

Problem 1. (30 points, 10 points each)


Design a circuit that will tell whether a given month has 31 days in it. The month is specified by a 4-bit input $A_{3:0}$. For example, if the inputs are 0001, the month is January, if the inputs are 1100 the month is December. The circuit output Y should be HIGH only when the month specified by the inputs has 31 days in it.

- a. Draw the truth table
- b. Draw the simplified equation
- c. Draw the circuit diagram using the simplified equation

Hints:

Use a Karnaugh Map for simplification

Take advantage of "don't cares," see lecture 4 slide 32 - 34.





Problem 2. (20 points, 10 points each)

Design 4-bit left and right rotators. There should be a 2-bit input named *roamt* that determines how many bits to rotate.

- a. 4-bit left rotator: sketch a schematic of your design
- b. 4-bit right rotator: sketch a schematic of your design


Hint: look at design of left and right shifters






Problem 3. (10 points total, 5 points each)


a. For the following waveforms, sketch the output Q of a D-Latch:



b. For the following waveforms, sketch the output Q of a D-Flip-Flop



Problem 4. (20 points) Consider this Moore-type Finite State Machine represented by the state transition diagram below.




Use binary encodings

- a. (8 points) Write the following:
 - i. State encoding table
 - ii. State transition table (using state and input encodings)
- b. (2 points) Write the output table (using state and output encodings)
- c. (2 points) Write Boolean equations for (simplification optional):
 - i. The next state logic
 - ii. The output logic
- d. (8 points) Sketch a schematic (circuit diagram) of the Finite State Machine.


| A. | | | d. | (8 | poin | ts) S |
|----|----|----|----|----|------|-------|
| Ĺ | ٠. | د | ٨ | R | ر ا | ه ۱ |
| | ٥, | Sz | | | ٦, | عر |
| | O | O | O | × | 0 | 0 |
| | 0 | 0 | ١ | × | O | 1 |
| | 0 | ι | × | ٥ | O | 0 |
| | O | 1 | × | | ١ | 0 |
| | 1 | 0 | X | × | 0 | 0 |

| ii. | | |
|-----|---------|----------|
| | 5-levle | coubling |
| | 50 | 00 |
| | કા | 0 1 |
| | SZ | UD |
| | | |



| 3. | _ | ^ | 6 | |
|----|----|---------------|---|--|
| | >, | Sz | Q | |
| | G | \mathcal{O} | 0 | |
| | O | l | O | |
| | 1 | O | 1 | |
| | | | | |

Problem 5. (20 points total, 10 points each) Design a sequential logic circuit to implement the following state diagram of a Mealy-type Finite State Machine.



a. Fill-in the state table (table has more rows than needed)

| Current State | Input | Next State | Output |
|---------------|-------|------------|---------------|
| Q | X | Q* | Y |
| 0 | G | 6 | |
| • | | t | \mathcal{O} |
| | 0 | \ | 0 |
| | C | Ò | C |
| | | | |
| | | | |

b. Draw the schematic diagram of the circuit.

