

Visit Id: R7982851

Sample Source: BAPTIST-COVID

Name: MR SUHAS BANSHIWALA

Age: 30 Year(s)

Gender: M

Contact No.: 0

UHID: 2952510889882

Referring Dr.:

Registered: 22/04/2021 11:55

Reported: 22/04/2021 18:05

Report Status: Final

MOLECULAR BIOLOGY

Test Name	Test Result	Biological Reference Range	Sample
2019 Novel Corona Virus Real Time PCR			
*Sample Type	Nasopharyngeal / Oropharyngeal		
*COVID-19 E Gene	NEGATIVE		
*COVID-19 RdRp Gene	NEGATIVE		
*COVID-19 N Gene	NEGATIVE		
*Sample Quality Check(RNase-P/MS2)	PASSED		
*Interpretation	NEGATIVE FOR SARS-CoV-2		

COMMENT:

1. Testing for SARS-CoV-2 was performed on a commercial ICMR approved RT-PCR kit/ US FDA EUA/CE IVD approved kits.
2. Negative results do not preclude SARS-CoV-2 and should not be used as the sole basis for patient management decisions. Kindly repeat test after 48 to 72 hrs if clinically suspected.
3. Viral nucleic acid may persist in vivo independent of virus viability. Detection of the analyte target does not indicate that the viruses are infectious or are the causative agents of symptoms.
4. False negative results may be attributable to improper sample collections, improper transport, treatment, PCR inhibitors, etc.
5. The results of this test pertain to the sample received.
6. As per ICMR guidelines, the contact and test details of all patients undergoing COVID-19 testing need to be uploaded on the ICMR reporting portal and the same will be accessed by stakeholders including IDSP, MoHFW for timely initiation of contact tracing and appropriate control measures.
7. ICMR ID of Neuberg Anand Reference Laboratory, Bangalore - NEUBE001
8. Ct Values stated above may be influenced by pre-analytical factors including sample type, sample collection, testing kit used and between testing laboratories, and are not indicative of severity of disease or disease progression. It is recommended that these values should not be used in therapeutic or patient management related decisions.

----- End of MOLECULAR BIOLOGY Report -----

Reviewed By
Dr Divya C

Divya.C

Dr. Divya C
Microbiologist
Reported On 22/04/2021 18:05
KMC NO. - 64524