



**Bassett Adult School**  
Career Training Center

Water Technology

# Wastewater Treatment



Shabbir Basrai





# Contents

<b>1</b>	<b>Why Treat Wastewater?</b> .....	<b>13</b>
1.1	Definition of Wastewater	13
1.2	Why Treat Wastewater	13
1.3	Benefits of Treating Wastewater	13
<b>2</b>	<b>Regulations</b> .....	<b>15</b>
2.1	Regulations Related to Wastewater Treatment	15
2.1.1	Treated Wastewater - NPDES Permit .....	15
2.1.2	Influent Wastewater - National Pretreatment Program .....	15
2.2	Sewage Sludge/Biosolids Regulations	16
2.3	Air Quality Regulations	17
2.4	Regulations Related to Operations and Maintenance	17
2.4.1	Operator Certification .....	17
2.4.2	Worker Safety .....	22
<b>3</b>	<b>Elements of Wastewater Treatment</b> .....	<b>23</b>
3.1	Generation	23
3.2	Collections	23
3.3	Treatment	24
3.3.1	Liquid Phase Treatment .....	24
3.3.2	Treatment of Wastewater Solids .....	24

<b>3.4</b>	<b>Disposal or Reuse</b>	<b>26</b>
<b>4</b>	<b>Constituents Properties and Analysis</b>	<b>27</b>
<b>4.1</b>	<b>Wastewater Constituents</b>	<b>27</b>
4.1.1	Organics	27
4.1.2	Solids	29
4.1.3	Nutrients	31
<b>4.2</b>	<b>Wastewater Properties and Parameters</b>	<b>33</b>
4.2.1	pH	33
4.2.2	Oxidation Reduction Potential (ORP)	34
4.2.3	Chlorine Residual	35
4.2.4	Alkalinity	35
4.2.5	Dissolved Oxygen	36
4.2.6	Microbiological testing and monitoring	36
4.2.7	Specific Gravity	38
<b>4.3</b>	<b>Wastewater Sampling</b>	<b>39</b>
4.3.1	Sampling Methods	39
4.3.2	Data Reporting	40
<b>4.4</b>	<b>Laboratory Analysis</b>	<b>41</b>
4.4.1	BOD Analysis	41
4.4.2	Wastewater solids	42
4.4.3	Bacteriological Enumeration	46
<b>5</b>	<b>Collections</b>	<b>75</b>
<b>5.1</b>	<b>Wastewater Collection Piping</b>	<b>75</b>
<b>5.2</b>	<b>Sanitary Sewer Systems</b>	<b>75</b>
5.2.1	Storm-water systems	75
5.2.2	Combined sewer systems	75
<b>5.3</b>	<b>Collections Systems Basics</b>	<b>76</b>
<b>5.4</b>	<b>Collections Related Operational Issues</b>	<b>76</b>
5.4.1	Infiltration	77
5.4.2	Inflow	77
5.4.3	Odors	77
5.4.4	Fats, Oils and Grease (FOG)	77
<b>6</b>	<b>Preliminary Treatment</b>	<b>83</b>
<b>6.1</b>	<b>Process Elements of Preliminary Treatment</b>	<b>83</b>
6.1.1	Screening	83
6.1.2	Grinding and Shredding	84

6.1.3	Flow Measurement	84
6.1.4	Grit Removal	87
6.1.5	Flow Control	88
6.1.6	Pre-aeration	88
6.1.7	Flow Equalization	89
<b>7</b>	<b>Primary Treatment</b>	<b>103</b>
<b>7.1</b>	<b>Clarifier Zones</b>	<b>105</b>
7.1.1	Inlet Zone	105
7.1.2	Settling Zone	105
7.1.3	Sludge Zone	105
7.1.4	Skimming Zone	106
7.1.5	Outlet Zone	107
<b>7.2</b>	<b>Sludge Pumping</b>	<b>109</b>
<b>7.3</b>	<b>Design Parameters</b>	<b>109</b>
<b>7.4</b>	<b>Advance primary treatment (APT)</b>	<b>109</b>
7.4.1	Background	109
7.4.2	Process/mechanism	110
<b>8</b>	<b>Introduction to Secondary Treatment</b>	<b>123</b>
<b>8.1</b>	<b>Fixed film system</b>	<b>123</b>
<b>8.2</b>	<b>Suspended Growth System</b>	<b>124</b>
<b>8.3</b>	<b>Pond System</b>	<b>124</b>
<b>9</b>	<b>Trickling Filters</b>	<b>125</b>
<b>9.1</b>	<b>Theoretical Background</b>	<b>125</b>
<b>9.2</b>	<b>Trickling Filter Recirculation</b>	<b>126</b>
<b>9.3</b>	<b>Operation of Multiple Trickling Filters</b>	<b>127</b>
<b>9.4</b>	<b>Parameters for monitoring and operating trickling filters</b>	<b>127</b>
<b>9.5</b>	<b>Classifying Trickling Filters</b>	<b>127</b>
9.5.1	Low-rate filter	127
9.5.2	High-rate filter	127
9.5.3	Roughing filter	128
<b>9.6</b>	<b>Trickling Filter Operational Issues</b>	<b>128</b>
9.6.1	Ponding	128
9.6.2	Odors	128
9.6.3	Trickling Filter Flies - Psychoda	128
9.6.4	Cold weather problems	128

<b>10</b>	<b>Stabilization Ponds</b>	<b>139</b>
<b>10.1</b>	<b>Advantages of ponds</b>	<b>139</b>
<b>10.2</b>	<b>Disadvantages of ponds</b>	<b>139</b>
<b>10.3</b>	<b>Types of Ponds</b>	<b>139</b>
10.3.1	Anaerobic Ponds	139
10.3.2	Facultative Ponds	140
10.3.3	Aerobic Stabilization Ponds	140
<b>10.4</b>	<b>Ponds Operations and Maintenance</b>	<b>142</b>
<b>11</b>	<b>Activated Sludge</b>	<b>163</b>
<b>11.1</b>	<b>Process overview</b>	<b>163</b>
<b>11.2</b>	<b>Process parameters</b>	<b>164</b>
11.2.1	Dissolved oxygen (DO)	164
11.2.2	pH	164
11.2.3	Temperature	164
11.2.4	Oxygen uptake rate (OUR) and specific oxygen uptake rate (SOUR)	164
11.2.5	Food to Mass ratio (F:M)	165
11.2.6	Sludge age	165
11.2.7	Sludge settleability	165
<b>11.3</b>	<b>Microbiology</b>	<b>166</b>
<b>11.4</b>	<b>Activated sludge process control</b>	<b>168</b>
11.4.1	Controlling waste activated sludge (WAS) pumping rate	168
11.4.2	Controlling the return activated sludge (RAS) rate	169
<b>11.5</b>	<b>Process trouble shooting</b>	<b>170</b>
<b>11.6</b>	<b>Process modifications</b>	<b>173</b>
11.6.1	Conventional activated sludge process	173
11.6.2	Conventional step feed process	173
11.6.3	Contact stabilization	174
11.6.4	Pure oxygen system	175
11.6.5	Sequencing batch reactors	176
11.6.6	Extended aeration	177
11.6.7	Krauss process	178
<b>12</b>	<b>Nutrient Removal</b>	<b>191</b>
<b>12.1</b>	<b>Importance of removing nutrients</b>	<b>191</b>
<b>12.2</b>	<b>Nitrogen Removal</b>	<b>191</b>
12.2.1	Nitrogen Removal Methods	192

<b>12.3</b>	<b>Phosphorous removal</b>	<b>200</b>
12.3.1	Phosphorous removal methods . . . . .	200
<b>13</b>	<b>Solids Treatment Overview . . . . .</b>	<b>215</b>
<b>13.1</b>	<b>Why do we need to treat wastewater solids?</b>	<b>215</b>
<b>13.2</b>	<b>Sludge thickening</b>	<b>215</b>
<b>13.3</b>	<b>Sludge Stabilization</b>	<b>216</b>
<b>13.4</b>	<b>Sludge Dewatering</b>	<b>216</b>
<b>14</b>	<b>Biosolids Regulations . . . . .</b>	<b>217</b>
<b>14.1</b>	<b>Biosolids Definition</b>	<b>217</b>
<b>14.2</b>	<b>Biosolids Use/Disposal Methods</b>	<b>217</b>
<b>14.3</b>	<b>Biosolids Regulations</b>	<b>217</b>
<b>14.4</b>	<b>Title 40 CFR Part 503 Requirements</b>	<b>218</b>
14.4.1	Pollutant concentration limits . . . . .	218
14.4.2	Pathogen reduction . . . . .	218
14.4.3	Vector attraction reduction . . . . .	219
<b>15</b>	<b>Sludge Thickening . . . . .</b>	<b>225</b>
<b>15.1</b>	<b>Advantages of sludge thickening</b>	<b>225</b>
<b>15.2</b>	<b>Sludge thickening methods</b>	<b>225</b>
<b>15.3</b>	<b>Gravity thickener</b>	<b>225</b>
15.3.1	Principles of gravity thickener operations . . . . .	226
15.3.2	Elements of a gravity thickener . . . . .	227
15.3.3	Gravity thickener operational parameters . . . . .	227
<b>15.4</b>	<b>Dissolved air floatation thickener (DAFT)</b>	<b>227</b>
15.4.1	Principles of DAFT operations . . . . .	228
15.4.2	Elements of a DAFT . . . . .	229
15.4.3	DAFT operational parameters . . . . .	229
<b>16</b>	<b>Solids Stabilization - Digestion . . . . .</b>	<b>235</b>
<b>16.1</b>	<b>Digester design</b>	<b>236</b>
<b>16.2</b>	<b>Types of anaerobic digestion systems</b>	<b>236</b>
<b>16.3</b>	<b>Digestion parameters and control</b>	<b>239</b>
16.3.1	Digestion temperature . . . . .	239
16.3.2	Digestion mixing . . . . .	239
16.3.3	Digestion feed . . . . .	239
16.3.4	Volatile solids breakdown . . . . .	240

16.3.5	Digester pH and alkalinity	241
16.3.6	Digester pH control	242
16.3.7	Digester gas production	242
16.3.8	Digester failure	243
16.3.9	Digester toxicity issues	243
16.3.10	Nutrients and trace constituents requirement	243
<b>16.4</b>	<b>Digester safety</b>	<b>243</b>
<b>17</b>	<b>Solids Dewatering</b>	<b>257</b>
<b>17.1</b>	<b>Belt Filter Press</b>	<b>257</b>
17.1.1	Principles of belt filter press operations	258
17.1.2	Elements of the belt filter press	259
17.1.3	Belt press operational parameters	260
<b>17.2</b>	<b>Centrifuge</b>	<b>260</b>
17.2.1	Principles of centrifuge operations	260
17.2.2	Elements of the Centrifuge	261
17.2.3	Centrifuge operational parameters	262
<b>18</b>	<b>Disinfection</b>	<b>265</b>
<b>18.1</b>	<b>Background</b>	<b>265</b>
<b>18.2</b>	<b>Chlorination</b>	<b>266</b>
18.2.1	Chlorine properties	266
18.2.2	Chlorine storage and safety	267
18.2.3	Forms of chlorine	268
18.2.4	Chlorine reactions related to disinfection	268
18.2.5	Chlorine disinfection process	269
18.2.6	Factors affecting chlorine disinfection	269
18.2.7	Chlorine Application	269
18.2.8	Chlorination Byproducts	270
18.2.9	Chloroamination	271
18.2.10	Chlorine dosing terms	273
18.2.11	Chlorine dosing problems	273
<b>19</b>	<b>Odor Control</b>	<b>297</b>
<b>19.1</b>	<b>Background</b>	<b>297</b>
<b>19.2</b>	<b>Drivers for Odor Control</b>	<b>297</b>
<b>19.3</b>	<b>Odor Causing Compounds</b>	<b>298</b>
<b>19.4</b>	<b>Theory of Odor Control</b>	<b>298</b>
19.4.1	Hydrogen Sulfide	300
19.4.2	Ammonia	300



<b>19.5</b>	<b>Odor Control Technologies</b>	<b>300</b>
<b>19.6</b>	<b>Liquid Phase Odor Control Methods</b>	<b>300</b>
<b>19.7</b>	<b>Vapor Phase Odor Control Methods</b>	<b>304</b>
19.7.1	Common Vapor Phase Odor Control Methods . . . . .	304
<b>20</b>	<b>Wastewater Chemicals . . . . .</b>	<b>315</b>
<b>20.1</b>	<b>Wastewater treatment chemicals - by use/category</b>	<b>316</b>
<b>20.2</b>	<b>Wastewater treatment chemicals - by use/category</b>	<b>317</b>
20.2.1	Polymers in wastewater treatment . . . . .	317
<b>20.3</b>	<b>Chemical dosing math problems</b>	<b>318</b>
20.3.1	lbs chemicals needed given flow and dosing rate . . . . .	318
20.3.2	Chemical batching and dilution . . . . .	318
<b>21</b>	<b>Pumping Efficiencies and Costs . . . . .</b>	<b>325</b>
<b>21.1</b>	<b>Glossary of Pump Calculations Terms</b>	<b>325</b>
<b>21.2</b>	<b>Pumping Rate Calculations</b>	<b>328</b>
<b>21.3</b>	<b>Power Requirements for Pumping</b>	<b>329</b>
<b>21.4</b>	<b>Summary of conversions and formulas</b>	<b>330</b>
<b>21.5</b>	<b>Practice Problems</b>	<b>333</b>
<b>22</b>	<b>Water Math . . . . .</b>	<b>347</b>
<b>22.1</b>	<b>Fractions</b>	<b>347</b>
<b>22.2</b>	<b>Ratio</b>	<b>348</b>
<b>22.3</b>	<b>Proportion</b>	<b>348</b>
<b>22.4</b>	<b>Decimals &amp; Powers of Ten</b>	<b>350</b>
<b>22.5</b>	<b>Rounding and Significant Digits</b>	<b>350</b>
<b>22.6</b>	<b>Averages</b>	<b>352</b>
<b>22.7</b>	<b>Working with Percent</b>	<b>352</b>
22.7.1	Percentage Concentrations . . . . .	353
<b>22.8</b>	<b>Area &amp; Volume</b>	<b>354</b>
<b>22.9</b>	<b>Flow and Velocity</b>	<b>356</b>
<b>22.10</b>	<b>Concentration</b>	<b>357</b>
<b>22.11</b>	<b>Density</b>	<b>357</b>
<b>22.12</b>	<b>Specific Gravity</b>	<b>357</b>
<b>22.13</b>	<b>Detention Time</b>	<b>358</b>
<b>22.14</b>	<b>Unit Conversions</b>	<b>358</b>

<b>22.15 Pounds Formula</b>	<b>360</b>
22.15.1 Example Problems . . . . .	361
<b>22.16 Process Removal Efficiency Calculations</b>	<b>361</b>
<b>22.17 Pounds Formula</b>	<b>363</b>
<b>22.18 Chemicals Related Math Problems</b>	<b>364</b>
22.18.1 Chemical Dosing . . . . .	364
22.18.2 Chemical Dilution . . . . .	365
<b>22.19 Preliminary Treatment</b>	<b>366</b>
<b>22.20 Preliminary Treatment Math Problems</b>	<b>366</b>
22.20.1 Channel Velocity and Flow Rate . . . . .	366
22.20.2 Grit Removal Rates . . . . .	367
<b>22.21 Primary Treatment</b>	<b>367</b>
22.21.1 Hydraulic or Surface Loading Rate . . . . .	367
22.21.2 Detention Time . . . . .	367
22.21.3 Weir Overflow Rate . . . . .	368
22.21.4 Removal Efficiency . . . . .	368
22.21.5 Solids Removal . . . . .	369
<b>22.22 Trickling Filter Calculations</b>	<b>370</b>
22.22.1 Hydraulic or surface loading . . . . .	370
22.22.2 BOD and TSS Removal . . . . .	370
22.22.3 Organic Loading . . . . .	370
22.22.4 Recirculation Ratio . . . . .	371
<b>22.23 Stabilization Pond Calculations</b>	<b>371</b>
22.23.1 Pond Area . . . . .	371
22.23.2 Solids Loading Rate . . . . .	371
22.23.3 Organic Loading Rate . . . . .	372
22.23.4 Detention time . . . . .	372
22.23.5 Hydraulic Loading Rate . . . . .	372
<b>22.24 Activated Sludge Calculations</b>	<b>373</b>
22.24.1 Mean Cell Residence Time . . . . .	373
22.24.2 F:M (Food to Microorganism Ratio) . . . . .	374
22.24.3 Sludge Volume Index (SVI) . . . . .	375
22.24.4 Sample Math Problems . . . . .	376
<b>22.25 Solids Thickening Calculations</b>	<b>377</b>
<b>22.26 Digester Calculations</b>	<b>378</b>
22.26.1 Sludge Pumping . . . . .	378
22.26.2 Sludge Blending . . . . .	378
22.26.3 Digester VS or Organic Loading . . . . .	379

22.26.4 Total volatile solids (VS) reduction . . . . .	380
<b>22.27 Dewatering math problems</b>	<b>380</b>
22.27.1 Calculation of solids recovery . . . . .	381
22.27.2 Calculation of dewatered cake volume . . . . .	381
22.27.3 Hauling cost impact due to solids content change . . . . .	381
<b>23 Wastewater Treatment - Future . . . . .</b>	<b>475</b>
<b>23.1 Water Resource Recovery Facility - WRRF</b>	<b>475</b>
23.1.1 Water . . . . .	475
23.1.2 Energy . . . . .	476
23.1.3 Nutrients . . . . .	476
<b>23.2 Challenges to WRRF</b>	<b>476</b>
23.2.1 Constituents of Emerging Concern . . . . .	476
23.2.2 Decentralized and Distributed Systems . . . . .	477
23.2.3 Climate Change . . . . .	477
<b>24 Wastewater Treatment - Careers . . . . .</b>	<b>479</b>
<b>25 Glossary . . . . .</b>	<b>481</b>





# 1. Why Treat Wastewater?

## 1.1 Definition of Wastewater

Wastewater is human-polluted water from home and industries. This includes water from:

- Flushing toilets and urinals - blackwater.
- Bathing, showering, and washing clothes and dishes - greywater.
- Commercial and industrial activities.
- ...and often included is stormwater which contain pollutants washed off from inhabited areas - roads, parking lots, and rooftops.

## 1.2 Why Treat Wastewater

Although nature has an inherent capability to breakdown pollutants, given the large quantity generated from human activities, there is a need for centralized wastewater treatment plants to treat wastewater before releasing it back to the environment. Wastewater from homes, businesses, and industries are collected in sewers for delivery to the treatment plant and subsequently discharged to a water body like a lake, river or ocean, or land, or reused.

Wastewater treatment is designed to remove:

- organic matter
- inorganic pollutants including plant nutrients - nitrogen and phosphorous
- pathogenic (disease causing) organisms

## 1.3 Benefits of Treating Wastewater

Wastewater treatment protects:

- The environment

- Human health

Specifically, wastewater treatment allows for the following:

**1. Mitigates deterioration of the receiving waters' ecosystem**

The discharge of inadequately treated wastewater will cause oxygen levels in the receiving waters to be depleted, due to:

- Wastewater containing nitrogen and phosphorus based pollutants (plant nutrients) entering a water body such as a lake or river will promote plant and algae growth which will seriously impact its normal aquatic life including fish through a process similar to the following:
  - Nutrient promote algae bloom
  - Algae bloom prevent sunlight to the native plant species below the water's surface causing native plants to die
  - The organic material from the dead plants and algae promote growth of aerobic bacteria which will consume the dissolved oxygen in the water resulting in oxygen depletion.
  - The natural aquatic life including fish, frogs, and turtles will not be able to survive under oxygen depleted conditions and will die or leave that zone.
- Other organic material present in wastewater will similarly promote growth of aerobic bacteria, intensifying the eutrophication of the receiving waters.

Thus, proper treatment of wastewater will prevent **eutrophication** - which is the depletion of dissolved oxygen of the receiving water, consequently impacting/destroying its normal aquatic life.

**2. Removal of other harmful pollutants**

Organic and inorganic pollutants, including metals such as mercury, lead, cadmium, chromium and arsenic can have acute and chronic toxic effects on aquatic species and wildlife including migratory birds, are removed during the wastewater treatment process.

**3. Removal of pathogens**

Wastewater treatment removes parasites and disease-causing pathogens including bacteria and viruses for:

- People to continue enjoying recreational activities in the receiving bodies of waters such as lakes and rivers
- Preventing the contamination of fish and other consumable products obtained from the waters
- Allow the water body to remain as the source of potable water

**4. Reclaim water for recycle or reuse**

Besides protecting human health and the environment, wastewater treatment paves way for establishing the reuse or recycle of treated wastewater. This benefit is particularly important for densely populated areas with limited access to fresh water supplies.