

Forensic Report - Fingerprint Comparison

Fingerprint Analysis Workstation - Version 2.3

Report generated at: 2026-05-24 15:09:07

Lab disclaimer: This report contains statistical software outputs and must not be used as sole identity evidence.

Audit Trail

Case Reference: -

Operator: -

SHA-256 (Reference file):
cd22f87c92a9af937ae7f7eb8dee83ebbb48bd029c22ad06265c6a6a498a8645

SHA-256 (Query file):
cd22f87c92a9af937ae7f7eb8dee83ebbb48bd029c22ad06265c6a6a498a8645

Methodology Summary

Grayscale conversion, size normalization, CLAHE, optional denoising, Otsu/adaptive binarization, multi-orientation Gabor ridge enhancement, thinning, minutiae extraction (ending/bifurcation) with filtering, and one-to-one constrained matching by distance/angle/type. For partial-print verification, the query minutiae are searched with translation and small rotation inside the reference frame.

Recorded Run Parameters

Parameter	Value
border_margin	12
min_distance	14
min_contrast	20


min_angle_diff	12
denoise_method	fastNlMeans
fast_denoise_h	10
gauss_ksize	3
original_zoom	100
partial_zoom	100
partial_shift_x	0
partial_shift_y	0
apply_preview_scale	True
auto_scale_normalization	True
auto_scale_factor_applied	1.0
MATCH_DISTANCE_THRESHOLD	15
MATCH_ANGLE_THRESHOLD_DEG	35
PARTIAL_VERIFY_SEARCH_RADIUS	80
PARTIAL_VERIFY_STEP_PX	10

Pipeline Images


Reference Processing Pipeline

Stats: Binary white pixels: 49554 | Gabor white pixels: 6137 | Skeleton white pixels: 4161 | Filtered minutiae: 179


Preprocessed Binary



Quality Heatmap



Singular Points




Ridge Enhancement (Gabor)



Skeleton




Minutiae Visualization




Query Processing Pipeline

Stats: Binary white pixels: 49554 | Gabor white pixels: 6137 | Skeleton white pixels: 4161 | Filtered minutiae: 179


Preprocessed Binary



Quality Heatmap



Singular Points




Ridge Enhancement (Gabor)



Skeleton




Minutiae Visualization



Aligned Match Visualization

Match Overlay



Final Skeletons Used for Matching

Reference Skeleton



Query Skeleton



Archive PNG files: `original_skeleton.png`, `partial_skeleton.png` in report folder.

Partial-to-Reference Alignment

Approximate alignment: $dx=0$ $dy=0$ $rot=0.0$ deg. Baseline matches: 179, final matches: 179, gain: 0, score delta: +0.00.

Green: matched reference points | Orange: matched partial points after alignment.

Statistical Comparison Results

Reference minutiae count: 179

Query minutiae count: 179

One-to-one matched pairs: 179

Match score (query-based): 100.00%

Fused Score: 100.00%

Combined verdict: Forensic match confirmed (very high confidence)

Decision mode: fused-default

Fusion Components - Minutiae: 100.00% | MCC: 100.00% | ORB: 0.00%

Score explanation: 179 / 179 = matched pairs divided by total extracted query minutiae. This is not area coverage.

Dice score: 100.00%

Forensic tier: Tier A - High statistical similarity under configured thresholds

This system reports statistical metrics for fingerprint representation comparison under recorded parameters. It must not be used as sole identity proof and requires qualified expert review and lab SOP.

Internal status: HIGH MATCH