



Candidate Report: training3QAX6E-4CX

Check out Codility training tasks

Test Name:

Summary

Review (0)

Timeline

Tasks summary

| Task | Time spent | Score |
|---------------------------|------------|-------|
| PermMissingElem Java 8 | 1 min | 100% |

Total score

100%

Tasks Details

| | | | | | |
|------|--|------------|-------------|-------------|------|
| Easy | 1. PermMissingElem | Task Score | Correctness | Performance | |
| | Find the missing element in a given permutation. | | 100% | 100% | 100% |

Task description

An array A consisting of N different integers is given. The array contains integers in the range [1..(N + 1)], which means that exactly one element is missing.

Your goal is to find that missing element.

Write a function:

```
class Solution { public int solution(int[] A); }
```

that, given an array A, returns the value of the missing element.

For example, given array A such that:

```
A[0] = 2
A[1] = 3
A[2] = 1
A[3] = 5
```

the function should return 4, as it is the missing element.

Write an **efficient** algorithm for the following assumptions:


- N is an integer within the range [0..100,000];
- the elements of A are all distinct;
- each element of array A is an integer within the range [1..(N + 1)].

Copyright 2009–2020 by Codility Limited. All Rights Reserved. Unauthorized copying, publication or disclosure prohibited.

Solution

| | | |
|----------------------------|-----------------|---|
| Programming language used: | Java 8 | |
| Total time used: | 1 minutes | ? |
| Effective time used: | 1 minutes | ? |
| Notes: | not defined yet | |

Task timeline



Code: 14:58:40 UTC, java, final, score: 100

show code in pop-up

```
1 // you can also use imports, for example:
2 // import java.util.*;
3
4 // you can write to stdout for debugging purposes, e.g.
5 // System.out.println("this is a debug message");
6
7 class Solution {
8     public int solution(int[] A) {
```

```

9          // write your code in Java SE 8
10         int total = 0,result = 0, length = A.length
11         int goalTotal = 0,i;
12
13         for(i=0;i<A.length; i++){
14             goalTotal +=(i+1);
15             total+=A[i];
16         }
17
18         goalTotal +=i+1;
19         result = goalTotal - total;
20         return result;
21     }
22 }

```

Analysis summary

The solution obtained perfect score.

Analysis ?

Detected time complexity: **$O(N)$ or $O(N * \log(N))$**

| expand all | Example tests |
|---|-------------------|
| ▶ example example test | ✓ OK |
| expand all | Correctness tests |
| ▶ empty_and_single empty list and single element | ✓ OK |
| ▶ missing_first_or_last the first or the last element is missing | ✓ OK |
| ▶ single single element | ✓ OK |
| ▶ double two elements | ✓ OK |
| ▶ simple simple test | ✓ OK |
| expand all | Performance tests |
| ▶ medium1 medium test, length = ~10,000 | ✓ OK |
| ▶ medium2 medium test, length = ~10,000 | ✓ OK |
| ▶ large_range range sequence, length = ~100,000 | ✓ OK |
| ▶ large1 large test, length = ~100,000 | ✓ OK |
| ▶ large2 large test, length = ~100,000 | ✓ OK |

The PDF version of this report that may be downloaded on top of this site may contain sensitive data including personal information. For security purposes, we recommend you remove it from your system once reviewed.