
## **Chapter 6: Mathematical Models**

0.999 5(2 + 2)Figure 6.1: Mathematical models are just math ways of talking about natural phenomena. The last thing we will cover about Excel is how to select a trendline type and what that actually means. It would be better to phrase that as "how to select the correct mathematical model".

Mathematical modeling is the process of using math to represent real-world phenomena. The reason the second terminology is better is because it correctly expresses the thinking that you must do to select a correct model. Before we jump into the different types of mathematical models (and

associated trendlines) that you are expected to learn, we need to have a quick word on thinking.

- P LEARNING GOALS -The emphasis of this chapter will be on thinking. You need to think before you choose a model type. We will also learn how to: Explain what a model is and how it is used • Recognize how to identify a linear, power, or exponential function • Identify whether an equation represents a linear, power, or exponential model Determine the physical meaning and units of parameters of a linear, power, and exponential



mathematical equation that describes the phenomena. Almost all mathematical models will have the following characteristics: • They will take the form of an equation y = something with an x, m, and b. • *y* and *x* are variables of interest.

• m is the "slope". This will intuitively make sense to you for linear models but you need to keep in

• b is a constant (keep in mind sometimes it is 0 or 1 meaning it might be invisible)

**Linear Models** 

10

-20

-30

-40

mind that the interpretation of slope with the other models will be slightly different.

Linear models are straight lines and take on the form of the equation: y = mx + bExample of Linear Model 40 30 20

9 10 11 12 13 14 15 16 17 18 19 20 21

-50 Positive Slope —Negative Slope

**Example of Linear Model - Hooke's Law** 

Figure 6.3: An example of what linear models look like when plotted

recall that F is the force deforming the spring, x is the distance it deforms, and k is a spring constant which is a characteristic of the spring (meaning it does *not* change). We can trust that this law is true so let's go ahead and determine what the units of k should be. **Stop & Think** Remember from our units chapter that we can use dimensional analysis to determine the units of ksince we know that for this equation to be true, the dimensions on each side of the equal sign must be equal. It follows that the units must be equal on each side as well. I'll be honest, I tell you what the units are for k below. You will only be cheating yourself if you skip this quick brain workout. Question 6.1: Units of kBased on Hooke's Law and using dimensional analysis, what should the SI units of k be? (Let Fhave units of Newtons, and x have units of meters). (A) M(B) m/N(C) N \* m(D) N(E) N/mHopefully you actually tried this on your own and found that the SI units for k are N/m. If you google search "buying springs" you can see that this specification is always listed for springs that are for

sale. It may be in US units (lbs/in ...gross) but you get the idea.

0.5

7

6

5

2

1

0

Force, F (N) 3 5

Spring Constant Experimental Data


Spring 1Spring 2 Figure 6.4: Load up the Excel file you saved with this chart. Now, let's return to the Excel worksheet we were working on in the previous chapter. When we left off, we had a chart with two series plotted on it (we called them Spring 1 and Spring 2).

Displacement, x (m)

1.5

2

2



Trendline Options Exponential Linear Logarithmic Polynomial Order Period 2 Average Trendline Name Linear (Spring 1 Automatic Custom

**Step 6)** Yes! Check the "Set Intercept" box and make sure that the value is 0. The b = 0 in Hooke's Law so we should set the intercept = 0. Any deviation from that in our mathematical model will be from measurement errors, it would not be representing actual physical phenomena! **Step 7)** Click the "Display Equation on the chart" and "Display R-squared value on chart" options. Then close the "Format Trendline" menu. Now you can see the mathematical equation displayed on the graph! Notice that the equation is y = 3.1485x. The equation is giving us k, the spring constant! In this case, we can say that the spring constant is:  $k \approx 3.1$ Question 6.2: What about spring 2? Follow the exact same process for the spring 2 data in the Excel spreadsheet. What is the spring constant for spring 2? Hint: make sure that you set the y-intercept = 0 so that you get the same answer I did! Also, round to 1 decimal place. It doesn't make sense to include those non-significant figures. There is no way our measurements had that much precision. Video 1: How to add a trendline to an Excel data series A quick video recap of this process is provided above in video 1. **Power Model** Example of Power Model 1200

8

9

10

Other examples of power models in engineering include but are not limited to: • Kinetic Energy:  $KE = 1/2mv^2$ • Ideal gas law:  $V = \frac{nRT}{P}$ 

- Figure 6.11: It is hard to breathe up there or so I am told. But not just because of all the poop. The "standard" pressure at sea level is 101,325 Pascals. The reason standard is in quotes is because realistically it varies with the weather, temperature, etc. but that is the number scientists commonly use to calculate things. Furthermore, it is known that atmospheric pressure, if you could
- Atmospheric pressure on the top of Mount Elbert You can validate for yourself with a quick google search that this is a pretty accurate model! **Question 6.4: Atmospheric pressure in Fort Collins**

function. Think Twice, Model Once There is an old saying in carpentry that you should measure twice and cut once. The idea is that you can't un-cut a piece of wood so you better be sure you are cutting it correctly. While this analogy doesn't perfectly translate to mathematical modeling (you could technically re-run the model), the reality is that once you choose your model and think it is good enough, it is unlikely you will rescrutinize it.

the real world. Again, returning to Hooke's Law from the previous chapter, we saw that as we increase the force stretching a spring, the spring will stretch linearly proportional to the force applied. That means if we double the force, the distance the spring will stretch will double. We can intuitively understand this because we have all played with springs, and we can also see this reflected in the

Let's look at Hooke's Law again: F = kx

We know that these are springs and that they should obey Hooke's Law so we can use Excel to add a linear trendline which will effectively mathematically model these equations. How to add a Trendline

The process for adding a trendline is identical regardless of the mathematical model being used.

also very similar to adding a legend or other chart element so this should be easy for you.

Excel will put little circles around all the data points in the series (figure 6.5)


Spring Constant Experimental Data

Let's see how to add a trendline to our spring data and start with the spring 1 data. The process is

**Step 0)** Think! What are we mathematically modeling? What type of trendline will we need to use?

Step 1) Click on one of the data points for the spring 1 dataset. You can click on any of them within

the graph and you should notice that they are all selected. You can tell they are selected because



Spring 1

here that you can change the trendline type if you need to.

an intercept?

Format Trendline

Display Equation on chart

Display R-squared value on chart

Figure 6.7: Format Trendline Options

Trendline Options 

T

Spring 2

Figure 6.6: What your chart should look like after you add the linear trendline to the spring 1 dataset.

**Step 4)** We have the trendline, but we are still missing the mathematical model that represents the line. To get the model, you need to double-click on the actual trendline itself. That will bring up the

"Format Trendline" options (a menu should pop up similar to the one to the left in figure 6.7). It is

Step 5) THINK AGAIN. We know this mathematical model should be linear so we don't need to

change that. But should we set the intercept? Does that make sense in this case? Recall: F = kx

and y = mx + b. See what I am getting at here? Notice how in Hooke's Law we are assuming that

before the spring has mass added to it, we are expecting it to stretch 0 meters. Does that sound like

····· Linear (Spring 1)

Forecast 0.0 Forward period Backward 0.0 period: 0.0 Set Intercept

Power models are swoopy lines and take the form of the equation:  $v = bx^m$ 1000 800 600 400 200 0 3 1 2 4 5 6 7 Figure 6.8: Example of two different power models. The blue line has a positive "slope" (m value) and the orange line has a "negative" slope. There are a few interesting things to note about power models: • When m is positive, the power model has a value of 0 at x=0• When m is negative, the power model has a value of  $\infty$  at x=0**Example of a Power Model - Volume of a Sphere** There are many examples of power models in engineering but perhaps the one that you are the most familiar with might be geometric functions. For example, consider the volume of a sphere.  $V = 4/3\pi r^3$ in this particular example, V and r are the variables and correspond to the volume and radius of the sphere respectively,  $4/3\pi$  is the constant, and 3 (the three in the exponent) is the slope. We can see that if we double the radius, we do not double the volume of the sphere, we increase it by 8 times! If r = 1,  $V = 4/3\pi$ If r = 2,  $V = 4/3\pi(2^3) = 32/3\pi$ Fun Fact

This is the reason why insects are small and you don't see human-sized ants running around. Since

a little more complicated than just straight diffusion but the fact is, geometry limits their size. If an ant was two times bigger, it would have about 8 times more volume which is much more difficult to

diffuse oxygen!

insects "breathe" by diffusing oxygen through their shell they do not scale up nicely. Technically, it is

• Conversely, when m is negative, the model is asymptotic to 0 at large positive values of x. This scenario is called **exponential decay**. Example of Exponential Model 400000 350000 300000 250000 200000 150000 100000 50000 0 10 Figure 6.10: Examples of exponential models. The blue line has a positive m, the orange line has a negative m. **Example of an Exponential Model - Atmospheric Pressure** 

Plugging in everything we know to solve m:  $89166 = 101325e^{1000m}$ Solving for *m*:

Image 1 courtesy of Pixabay, under Pixabay Licence. Image 2 courtesy of Pixabay, under Pixabay Licence.

required. **Image Citations:** 

- provide existing plans, decreases by about 12% for every 1,000m that you go up. Intuitively, you can see that this is an example of exponential decay! Furthermore, with a little cleverness, we can create a mathematical model and guess what the pressure should be in Fort Collins, CO (elevation 5,003 ftfeet) and on the top of Mount Elbert, the highest peak in Colorado (elevation 14,439 ft or 4,041 m). Question 6.3: Unit practice The elevation of Fort Collins is listed at 5, 003 ft. Take a minute to take out a piece of paper, look at your conversion sheet, and convert this elevation to meters. This is a good brain workout review! Don't skip it! Looking at our model: • We know that b = 101325 because that is the pressure at sea level in Pa and the b is the value of what we are modeling before the decay. We know y is our pressure in Pascals and x is the distance above sea level in meters. • We know that at x = 1000, y is 12% less than at sea level. We can use this to figure out what m is equal to! 12% of 101325 is 12159. That means that y(1000) = 101325 - 12159 = 89166. This implies that the pressure at 1000 meters is 89166 Pascals. Make sure you can follow this logic!  $y = 101325e^{\frac{\ln(0.00)}{1000}x}$  and we can use this to calculate the expected atmospheric pressure on the top
- **Exponential Model** Exponential models are also swoopy (and hence the reason you need to think to make sure you don't confuse it for a power model!) and take on the form of the equation:  $v = be^{mx}$ Keep in mind that the e in this equation refers to the mathematical constant, the base of the natural logarithm. There are a couple of other interesting things to note about exponential models: • The value b is the value at the start of the exponential growth (or decay). The m is called the rate of growth. • When m is positive, the model is asymptotic to 0 for large negative values of x. This scenario is called exponential growth.

Figure 6.9: Don't worry about him growing to the size of a person anytime soon. Worry about him going extinct.

Identifying the units in this equation is a lot easier. We know that \pi is a dimensionless number, so

the only dimensions are on  $V(L^3)$  and on the other  $r^3(L*L*L=L^3)$  which checks out.

- - Using the mathematical model we just developed for atmospheric pressure, what is the

 $m = \ln(0.88)/1000$ Now our mathematical model becomes: of Mount Elbert! x = 4401 $y = 101325e^{\frac{\ln(0.88)}{1000}4401} = 57727Pa$ 

predicted atmospheric pressure in Fort Collins, Colorado? **End of Chapter Items** Personal Reflection - Chapter 5 required. personal reflection.

What did you think of this chapter? Does anything stand out as exceptionally good? Anything

This is a completely anonymous submission. The professor will be able to see the responses but the responses will not be attributed to an author. Your participation is cover Excel. Did you learn anything new? Do you need to do some more practice? Do some **Request for Feedback - Chapter 5** This is a completely anonymous submission. The professor will be able to see the responses but the responses will not be attributed to an author. Your participation is that you would like to see differently? Any feedback is appreciated. Image 3 courtesy of Samuel Bechara, used with personal permission. Image 4 courtesy of Samuel Bechara, used with personal permission. Image 5 courtesy of Samuel Bechara, used with personal permission. Image 6 courtesy of Samuel Bechara, used with personal permission.

What do you think about the content of this chapter? This was the last chapter in which we will

Image 7 courtesy of Samuel Bechara, used with personal permission. Image 8 courtesy of Samuel Bechara, used with personal permission. Image 9 courtesy of Pixabay, under Pixabay Licence. Image 10 courtesy of Pixabay, under pixabay Licence.