

Vector and RasterSpatial Data Formats

Warthog Information Services

Created by Stefan Freelan

Horizontal units are in <u>feet and meters</u> (<u>UTM Z10-N, NAD-83 and SPCS Wa-S, NAD-83 HARN)</u>

Formatted: Font: +Body (Montserrat)

Formatted: Font: 12 pt, Not Bold

Formatted: Font: 12 pt, Not Bold, Italic

Formatted: Font: 12 pt Formatted: Font: 12 pt, Bold


Formatted: Font: 12 pt

Formatted: Font: 12 pt

Introduction

The spatial data used in GIS comes in two basic categories: Vector data Raster data. In addition, TINs, while technically a type of vector data, are sometimes classified separately.

<u>Vector</u> data layers are made up of <u>points</u>, <u>lines</u> or <u>polygons</u> rep features. These features are typically grouped thematically (e.g., INFORMACION SERVICE Formatted: Font: 12 pt and kept in a separate file from the stream lines and zoning polygons are stored separately from census block polygons). Vector data is commonly used for discrete features such as cities, state boundaries, roads, streams, bus stops, sample sites, etc. Each individual feature in a vector data set has corresponding record or row of attributes stored in an attribute table.






Polygons: Islands and Lakes

Lines: Roads

Polygons: Islands and Lakes

Lines: Roads

Polygons: Islands and Lakes Lines: Roads



Points: Airports

GIS software allows for different layers of spatial data to overlay based on spatial reference information. Later in the training we will learn how the spatial reference system in GIS works. For now, we provide a number of examples of spatial data overlay to introduce you to spatial data functionality in GIS. Please see the vector data overlay on the following page as an example of that.



Vector Data Overlay: Polygons, Lines and Points


Raster data layers contain a series of cells (or pixels) that completely cover the spatial extent, not unlike a large checkerboard. A common raster data format is called a *Grid* (referring to the grid-like nature of the cells as laid out next to one another). Each cell in a raster dataset has a numeric value which can be used to indicate a generalized value of landscape phenomena that occurs across that cell's location on the landscape. Generally, raster data is used for phenomena that change gradually but continuously across the surface of the earth (referred to as 'continuous' data as opposed to discrete features) such as elevation, rainfall, slope, etc.




Raster <u>data:</u> <u>Elevation surface <u>overlaying hillshade.</u></u>

Raster <u>data:</u> <u>Elevation surface</u>
<u>overlaying hillshade.</u>

Raster data resolution and detail are controlled by cell-size, a raster with





Hillshade raster (10m cell-size).

Hillshade raster (3ft cell-size).

Imagery (e.g. air photos, satellite imagery and scanned maps) is also raster data. With imagery, the cell values are used to specify a particular color or shade of gray (based on a numerical list of colors). Scanned maps are another form of imagery data.





Air photo imagery

Scanned map imagery

A TIN (Triangulated Irregular Network) is a method of storing continuous data, typically for elevation. Technically, a TIN is a type of vector data (triangles made up of lines connecting points of elevation) but they function similar to a raster surface. TINs are often used for 3D visualization and analysis, TINs can have a higher resolution in areas where a surface is highly variable and a lower resolution in areas that are less variable.


Formatted: Font: 12 pt

Formatted: Font: +Body (Montserrat), 12 pt, Font

color: Text 1

Formatted: Font: 12 pt





Exercise Learning Objectives

- Introduction to Vector Data
- Introduction to Raster Data
- Introduction to TIN Data

Step 1: Open the ArcGIS Pro Project

Overview

Start this exercise by opening the **SpatialData.aprx** ArcGIS PRO project file from the **Spatial_Data** folder in your Course Data folder.

Formatted: Font: Bold

Formatted: Font: Bold


Formatted: Font: Bold

Introduction to Geoprocessing—ArcGIS Pro

© Stefan Freelan, WarthoglS. Updated March 2021.

Instructions

- Open ArcGIS Pro on your computer (from the Start Menu/All Programs/ArcGIS, or search "ArcGIS" in the Windows search bar) - (logging in to your user account if required).
- From the bottom of the ArcGIS Pro opening page, select *Open another* project to browse through that project folder.



Formatted: Font: Not Bold, Italic

<u>Prowse in CourseFiles, open the Spatial Data folder and double-click on SpatialData.aprx to open the SpatialData project.</u>



Step 2: Introduction to Vector Data Layers


<u>Overview</u>

In this step of the exercise we explore vector data in the context of an ArcGIS Proproject.


Instructions

> Your project file opens with the Vector Data map view active. None of the layers are yet turned on in this active view.

Formatted: Font: Bold
Formatted: Font: Bold
Formatted: Font: Bold, Not Italic
Formatted: Font: Bold
Formatted: Font: Italic
Formatted: Font: Bold
Formatted: Font: Bold
Formatted: Font: Italic



>—In the map Contents pane on the left, check (to make visible) the
SanJuanIslands_Polygons and the SanJuanLakes_Polygons vector layers.
These are both polygon vector layers. The features in polygon vector layers
are enclosed areas and can be used for areal measurements (i.e. acres, square miles, hectares, etc.).




From the Map tab of the ribbon, click on the Explore tool and click on any of the polygon features visible in the map. A pop-up will emerge showing you the attribute details of the feature you clicked on. Each feature in a vector dataset has a record of attributes in a table. The pop-up draws from the feature layer's attribute table.


Formatted: Font: Not Italic

Formatted: Font: Not Italic

Formatted: Font color: Custom Color(RGB(34,136,73))



➤ In the map Contents pane right-click on the SanJuanIslands_Polygons layer and click on Attribute Table. This opens the attribute table for SanJuanIslands_Polygons. At the bottom left of the attribute table is the number of records in the table (1,047). This record count in a vector feature layer's attribute table is always the same as the number of vector features in the feature layer. There are 1,047 island polygons in the SanJuanIslands_Polygons dataset.




There are two more vector feature layers in the Vector Data map view. One is a line feature layer (SanJuanRoads Lines) and the other is a point feature layer (SanJuanAirports Points). Turn them both On in the map Contents pane to make them visible in the map view.

Formatted: Font: Not Italic

Formatted: Font color: Auto

Formatted: Font color: Auto

Formatted: Font: Bold, Not Italic



➤ Take a couple of minutes on your own and explore these layers. Click on either a road feature or an airport feature to see a pop-up of attributes. Right-click on either layer and open their attribute table to see the data associated with the features in either layer. Use the Explore tool to pan and zoom within the Vector Data map view.


Step 2: Introduction to Raster Data Layers

<u>Overview</u>


In this step of the exercise we explore raster data in the context of an ArcGIS Proproject

Instructions

- > Click the Raster Data tab (above the map display) to activate the Raster Data map view.
- ➤ The Raster Data map view opens with **Elevation_10m_Raster** turned on. This raster is a 10-meter cell size elevation raster of San Juan Island. Each cell in this raster has an elevation value in meters. Each cell's elevation value is generalized across 100 square meters of area.




➤ In the Contents pane to the left of the map view, uncheck the elevation raster to make it non-visible, and check the **Hillshade_10m_Raster** to make it visible in your Raster Data map view.




- —This hillshade raster was generated from the elevation raster. It is also a 10-meter cell size raster, but the values stored with each cell are not elevation values, they are grey scale values (more like imagery) that are generated to show topographic relief.
- Return to your Contents pane and check on the **Elevation_10m_Raster**, while leaving the **Hillshade_10m_Raster** checked on. We set a slight transparency on the elevation data to see elevation and topographic relief together in the map view. This is a common technique in shaded relief mapping, and it provides topographic context for elevation data values.

Formatted: Font color: Auto



Return to your Contents pane and uncheck the **Rasters (10m)** group layer to turn off all of the 10-meter raster data, and check the **Rasters (3ft)** group layer to turn on the 3-ft cell size raster data.



Raster data spatial resolution is controlled by cell-size, because each grid cell in a raster only gets one value for the entire area of that cell. Take elevation as an example: a 10-meter raster has one value for a 100 square meter area (one cell); a 3-foot raster would have over 100 cells, each with its own elevation value for the same area.


Note: Often (but not always), elevation raster datasets use the same units of measure for elevation data as they do for their (horizontal) spatial reference system. The 10-meter elevation dataset we have provided originated with USGS, and they use NAD 1983 UTM for their spatial reference system, which is in meters. The elevation units for the 10-meter DEM are also in meters.

The 3-foot elevation dataset we have provided originated with the Washington State Department of Natural Resources and they use NAD 1983 HARN WA State Plane for their reference system, which is in feet. The elevation units for the 3-foot DEM are also in feet,

Formatted: Font color: Custom Color(RGB(34,136,73))


In the left side of the Map tab of the ribbon, in the Navigate group find Bookmarks.


Click on the drop-down arrow for Bookmarks and select the Raster Resolution bookmark.



- This is a zoomed in map view with the Raster (3ft) group layer On. This is high-resolution elevation data overlaying a hillshade generated from the high-resolution elevation data.
- ➤ To compare resolution, uncheck to turn Off the Elevation_10m_Raster in the Raster (10m) group layer and uncheck to turn Off the Elevation_3ft_Raster in the Raster (3ft) group layer, Both of the hillshade rasters remain visible.

 Now, toggle Raster (10m) group layer On and Off and you can see clearly how much more topographic relief is visible at the 3-foot cell size.





Formatted: Font color: Text 1

Formatted: Font color: Text 1


Formatted: Font: Bold, Font color: Text 1

Formatted: Font color: Text 1

Formatted: Font color: Text 1

Formatted: Font color: Text 1

➤ In the map Contents pane, uncheck both the Raster (10m) and the Raster (3ft) group layers to turn them off. The World Imagery (1m) raster layer should now be visible in your map view.



This is also a raster <u>cell-based</u> layer, the values for this raster represent colors and not landscape data values. The resolution of this imagery is a 1-meter or better cell size.

- From the Map tab of the ribbon, in the Navigate group open the Bookmarks drop-down menu.
- Select the Lake Imagery bookmark to get a better sense of the resolution of the imagery.

Formatted: Font: Italic

Formatted: Font: Not Italic

Formatted: Font: Not Italic

Formatted: Font: Not Italic

Formatted: Font: Not Italic



Note: The dock to the west of the pond is a good indicator of the resolution of the data.

— Explore rasters on you own for a few minutes inside the Raster Data map view. Feel free to use the Explore tool to pan and zoom in and out, and to check individual cell values in the pop-up window. Toggle layers On and Off to see differences at different zoom levels.

Step 4: Introduction to TIN data

<u>Overview</u>

In this step of the exercise we will explore TIN data

.


<u>Instructions</u>

- Click the <u>TIN Data</u> map view tab.
- The TIN Data map view opens with a TIN elevation surface of San Juan Island visible. Note the units of Elevation_TIN are in meters.

Formatted: Font: Not Italic

Formatted: Font: Not Bold, Italic


Formatted: Font: Not Italic



A TIN is made up a 'network' of irregularly sized triangles.

- On the Map ribbon, click on the Explore tool move to your map view and click on the Elevation_TIN in the map. A pop-up will emerge showing you the surface details for the location where you clicked.
- The elevation value in the pop-up is interpolated from the elevations of the The elevation
 value in the pop-up is interpolated from the elevations of the points of the triangles. This interpolation means that you can get an elevation estimate for any location on the map. A TIN does not have cells and is not limited by cell size / resolution.

Formatted: Font: Not Italic
Formatted: Font: Not Italic
Formatted: Font: Not Italic
Formatted: Font: Bold
Formatted: Font: Not Italic
Formatted: Font: Not Italic



- The elevation, slope and aspect of each triangulated polygon area are generated automatically in ArcGIS PRO as part of the TIN.
- Explore the TIN data on you own for a few minutes from the TIN Data map view. Feel free to use the Explore tool to pan and zoom in and out, and to check individual triangulated area values in the pop-up window.



© Stefan Freelan 2015-2021. All rights reserved.

COPYRIGHT

Unauthorized reproduction, distribution, or transmission, in whole or in part, is an infringement of copyright. No form of reproduction, including electronic or mechanical copying or transmitting of files is permitted. No form of modification, derivative works, distribution or re-distribution is permitted. This manual was created by Stefan Freelan and is used by permission by Warthog Information Services, LLP.

DATA

Data associated with this manual may be archived and/or reproduced for use by the individual participant attending the Warthog GIS Training Workshop only. Additional reproduction and distribution are prohibited.

DISCLAIMER

This material is intended for educational purposes only, to be used by a single individual participant in conjunction with a GIS Training Workshop led by Stefan Freelan and/or Warthog Information Services, LLP.

This manual is written for use with ESRI's ArcGIS Pro software, however, it is neither produced nor endorsed by ESRI. All rights reserved by Stefan Freelan.

Information contained in this manual is deemed to be accurate at the time of production, however, given the changing and evolving nature of GIS software some sections may now be out of date. The content is subject to change without notice. No warranty or guarantee is made regarding the accuracy or completeness of the information provided.

