faktor

Faktor / VS Code & JetBrains

Work, inspect and finish deliberately.

A complete editor design: task capture, scoped permissions, candidate review, evidence, recovery and durable outcomes.

Interactive editor design

Switch the host, theme and flow state, or use the controls inside the tool view.

> Local design prototype. No executable starts, repository changes, model requests, permissions or SCM actions occur here. Proposed controls and current-source differences are documented below.

Editor

VS Code

Host theme

Dark

Flow state

Evidence pending

routing-service — Visual Studio Code

DESIGN PROTOTYPE / ILLUSTRATIVE TASK

PROJECT / ROUTING-SERVICE

- routing-service
  - src
    - auth
      - session.rs
      - session_test.rs
  - tests
  - Cargo.toml
  - README.md

session.rs session_test.rs

routing-service › src › auth › session.rs

```rust
use crate::auth::RefreshToken;

pub fn rotate_session(token: RefreshToken) {
    // Candidate change / illustrative code
    validate_session(&token);
    reject_replayed_token(&token);

    // Required concurrent-refresh result is missing
    let next = issue_rotated_token(&token);
    preserve_active_session(&token, &next);
    record_rotation(&next);
}
```

TERMINAL / ILLUSTRATIVE OUTPUT

```
Required test: replay rejection / passed
Compatibility: active sessions / passed
Concurrent refresh result / missing
Completion remains pending.
```

Faktor

Settings

Work | Inspect | History

Plan | Agents | Evidence | Diff

Completion pending

Two required criteria passed. One required result is missing.

✓ Reject token replay

Required test result / passed

✓ Preserve active sessions

Compatibility check / passed

◇ Concurrent refresh yields one valid result

Required result / missing

Candidate	candidate-08 / illustrative
Integration	Not started
Final basis	Not available

Review changed files | Open criteria

Evidence references

Replay test result

Session compatibility result

Concurrent-refresh result not recorded

routing-service / candidate workspace — Evidence pending

Completion remains pending.

Next design state → | Reset specimen | **Complete editor asset kit ↓** | Complete UI/UX PDF ↓

Host-specific design

Familiar in each editor.

Area	VS Code	JetBrains
Placement	Movable view/container and webview. Current source has Chat and Inspect disclosure.	Right-anchored Faktor tool window with Work / Inspect / History.
Shared navigation	A proposed Work / Inspect / History shell, including a visible History addition.	Retains the existing top-level views and makes their content more coherent.
Finish choice	Hierarchical finish levels already exist.	Current independent checkboxes become a proposed common four-level selector.
Diff review	Proposed native side-by-side diff adapter.	Proposed native DiffManager adapter.
Typography and theme	Inherit VS Code font, editor settings, focus and semantic tokens.	Inherit JetBrains UI font, editor settings and native theme.
Native confirmation	Keep exact-path service-start confirmation and fail-closed checks.	Keep exact-path service-start confirmation and fail-closed checks.

Thirty-six specified screens

The complete flow, beyond the hero.

01

Capture and preserve the task.

Project readiness, binary discovery, native start consent, typed task criteria, context attachments and captured finish choices.

02

Work with bounded authority.

Named current work, stop conditions and target/reason/scope permission review. No blanket grant is implied.

03

Inspect the evaluated candidate.

Plan, agents, all evidence references, review/verification, changed files and matching verified/landed identities.

04

Recover coherently.

Ambiguous submission, reconnect, malformed durable frame, unavailable proof, missing cost and SCM blockers retain useful state.


05

Record the outcome.


History separates conversation completion, engineering acceptance, integration, requested steps, final basis and recorded cost.

Reproduction in both themes

Native layout specimens.



VS CODE / LIGHT / COMPOSER



JETBRAINS / LIGHT / COMPOSER

The complete kit contains 56 native SVG and PNG screen assets: 14 core states × 2 hosts × 2 themes. The standalone specification maps 36 screens, 34 states and 16 end-to-end flows to the current source and proposed work.

Keyboard and recovery

Small details that keep the work usable.

Condition	Interaction contract
Keyboard	Roving main tabs, visible focus, Ctrl/Cmd + Enter scoped to the composer, Escape for confirmation recovery.
Narrow pane	Wrap paths and key/value rows, stack composer actions, move only secondary controls to accessible overflow.
Async refresh	Retain item identity and coherent snapshot; do not steal focus or skip an unprocessed durable frame.
Submission	One admitted logical request; keep the captured draft, finish and context when the response is ambiguous.
Unavailable information	Show unavailable proof/cost explicitly. Unavailable cost is not zero.
Diagnostics	Mask credentials; copied support details are redacted.

Implementation handoff

Build the shared contract in native adapters.

The source study distinguishes presentation refinements, UI work using existing backend support, new host integrations and backend extensions. The artifact is a complete design and handoff, not a claim that these extension changes are deployed.

Download the complete specification

Runtime and editor setup

faktor

An engineering agent for changes you can inspect.

Source & documentation ↗

Identity & downloads

Research & prior edition

An independent Bel Consulting product.
Also in the family: KiwiCaptcha · Kiwi CI