
Introduction

- Type of artificial intelligence model
- Designed to understand, generate, and manipulate natural language text
- Trained on large (text) datasets
- Can perform various language tasks like translation, summarization, text generation, ...
- Capabilities improved dramatically in the last years
- Based on Deep Learning, specifically Transformers



LLM History




History: ELIZA

- 1960s Eliza chatbot
- simple pattern recognition
- pretending "conversation"

```
Welcome to
                    EEEEEE LL
                                    IIII
                                          ZZZZZZZ
                                                     AAAAA
                    EE
                                     II
                                              ZZ
                                                   AA
                                                        AA
                    EFFEE
                            LL
                                            ZZZ
                                                   AAAAAA
                                                   AA
                                                        AA
                    EEEEEE DIDITIL
                                    TITI
                                          7.7.7.7.7.7.
                                                   AA
                                                        AA
 Eliza is a mock Rogerian psychotherapist.
 The original program was described by Joseph Weizenbaum in 1966.
 This implementation by Norbert Landsteiner 2005.
ELIZA: Is something troubling you ?
      Men are all alike.
ELIZA: What is the connection, do you suppose ?
YOU:
      They're always bugging us about something or other.
ELIZA: Can you think of a specific example ?
      Well, my boyfriend made me come here.
YOU:
ELIZA: Is it important to you that your boyfriend made you come here ?
      He says I'm depressed much of the time.
ELIZA: I am sorry to hear that you are depressed.
YOU:
      It's true. I am unhappy.
ELIZA: Can you explain what made you unhappy ?
YOU:
```


History: Transformers

- paper "Attention is all you need" from Google team (Vaswani, et. al.)
- encoder and decoder
- multiple stacked layers of self-attention
- multi-head attention allows to focus on different parts of input simultaneously



Source: https://machinelearningmastery.com/the-transformer-model/

Deep Learning



Introduction

- process of breaking down a sequence of text into individual units
- typical units: words, subwords
- units called tokens
- different approaches
 - word tokenization
 - sentence tokenization
 - subword tokenization

Word Tokenization

Sample Text

The quick brown fox jumps over the lazy dog.

Tokens

The quick brown fox jumps over the lazy dog.

Sentence Tokenization

Sample Text


The quick brown fox jumps over the lazy dog.

Tokens

The quick brown fox jumps over the lazy dog.

Word Tokenization and Embedding

- fundamental step in NLP
- first step of all NLP tasks




<u>Tokenization</u>

Sentence Tokenization and Embedding


- fundamental step in NLP
- first step of all NLP tasks

Text


The quick brown fox jumps over the lazy dog.



Sub-word Tokenization



Difference to Classical Models



Classical ML-models

Large Language Model


LLM Tasks

- LLMs can cover all NLP-tasks
- Text Generation
 - Writing assistance, story generation

Translation
Conversational Agents
Chatbots, virtual assistants


Text summarization

• • •




Source: https://huggingface.co/models

Model Performance, more Capabilities




Training Process



How to improve LLM-Output

Prompt Engineering, RAG, Finetuning



Available Providers & Models







ANTHROP\C

- GPT-4o
- GPT-4o mini
- o1-preview / mini
- GPT-4 (Turbo)
- GPT-3.5 Turbo

- Gemini-1.5 Pro
- Gemini-1.5 Flash
- Grok-2
- Claude 3.5 Sonnet

Proprietary / closed source



Llama 3.1 family



Mistral 8x7b

open source/open weight

LLM Benchmarks

| Rank* (UB) | Rank (StyleCtrl) | Model | Arena Score | 95% CI 🔺 | Votes 🔺 | Organization A | License A | Knowledge Cutoff |
|------------|---------------------|----------------------------------|----------------|----------|---------|----------------|-------------|---------------------|
| 1 | 4 | Gemini-Exp-1114 | 1344 | +7/-7 | 6446 | Google | Proprietary | Unknown |
| 1 | 1 | ChatGPT-40-latest(2024-09-03). | 1340 | +3/-3 | 42225 | OpenAI | Proprietary | 2023/10 |
| 3 | 1 | ol-preview | 1333 | +4/-4 | 26268 | OpenAI | Proprietary | 2023/10 |
| 4 | 5 | ol-mini | 1308 | +4/-3 | 28953 | OpenAI | Proprietary | 2023/10 |
| 4 | 4 | Gemini-1.5-Pro-002 | 1301 | +4/-4 | 23856 | Google | Proprietary | Unknown |
| 6 | 9 | Grok-2-08-13 | 1290 | +3/-3 | 47908 | xAI | Proprietary | 2024/3 |
| 6 | 11 | Yi-Lightning | 1287 | +4/-4 | 27114 | 01 AI | Proprietary | Unknown |
| 7 | 4 | GPT-40-2024-05-13 | 1285 | +2/-2 | 108575 | OpenAI | Proprietary | 2023/10 |
| 7 | 3 | Claude35Sonnet(20241022) | 1283 | +4/-4 | 26047 | Anthropic | Proprietary | 2024/4 |
| 10 | 16 | GLM-4-Plus | 1275 | +3/-4 | 25601 | Zhipu AI | Proprietary | Unknown |
| 10 | 18 | GPT40-mini-2024-07-18 | 1272 | +3/-3 | 48407 | OpenAI | Proprietary | 2023/10 |
| 10 | 18 | Gemini-1.5-Flash-992 | 1272 | +4/-4 | 18112 | Google | Proprietary | Unknown |
| 10 | 26 | Llama-3.1-Nemotron-70B-Instruct | 1269 | +6/-5 | 7263 | Nvidia | Llama 3.1 | 2023/12 |
| 10 | 7 | Meta-Llama-3.1-405B-Instruct-fp8 | 1267 | +4/-3 | 48804 | Meta | Llama 3.1 | 2023/12 |

Source: https://lmarena.ai/, Snapshot 2024-11-18

Practical Coding: First LLM Interaction

1. **API Key Setup**





https://platform.openai.com/api-keys https://console.groq.com/keys

Package Installation



LLM Use Python Script



3.

Message Types

System Message

- defines how the model should react
- personality, behavior, and limitations throughout conversation
- works like role-play
- Example: "You are a helpful AI assistant designed to provide accurate, concise, and polite responses"
- not seen by user

User Message

- user input
- could be a request, inquiry, or command

Al Message

- corresponds to model response
- different properties,
- mainly "content" relevant
- more information on input and output tokens available, ...

Message Types: Example Customer Support

System Message

Example:

"You are a helpful customer support assistant for an online electronics store. Your role is to provide polite and clear responses, assist customers with product inquiries, shipping information, and troubleshooting. Never provide financial or legal advice. If you're unsure about something, kindly ask the customer to contact support for further assistance."

User Message

"Hi, I need help tracking my order. I ordered a laptop last week, and I haven't received a shipping confirmation yet."

Al Message

Message Types: Example Movie Critic

System Message

Example:

"You are a distinguished film critic with a passion for analyzing movies shown in cinemas. Your responses should be insightful, emphasizing cinematic techniques, character development, themes, and direction. Maintain a professional tone with a flair for the artistic. Avoid colloquial or overly casual language. "

User Message


"Hey, I just saw Oppenheimer and, honestly, it felt kinda long. Why does everyone think it's so great? Can you break it down?"

Al Message

Exercise: Photosynthesis

Go to OpenAI playground

set up system, and user message



Photosynthesis



Persona: 11 year old

Background: school presentation

LLM-Parameters

Temperature

- controls randomness in the process
- 0...model very focused, deterministic result (repeatedly same response)
- 1...increased randomness, broader distribution of tokens is selected; allows for more creative and unexpected outputs

Top p

- controls the probability to consider the next token
- E.g. top-p = 0.9: cumulative probability of tokens which add up to 90% and chooses smallest set of tokens

Max Tokens


- number of tokens to return
- limit due to cost reasons

Exercise: Photosynthesis

Go to OpenAI playground

set up system, and user message

check impact of temperature, top p, max tokens




Photosynthesis




Persona: 11 year old

Background: school presentation


LLM-Parameters



Model Selection



Model Selection: Cost vs. Utilization



Batch Size

Introduction

Artificial Narrow Intelligence (ANI)

- Designed for a specific task
- Limited to scope to well-defined taskspecific applications

Artificial General Linguistic Intelligence (AGLI)


- Advanced general capabilities specifically in language understanding and generation
- Examples: GPT-4,
 Claude, Gemini, Llama,
 Mistral

Artificial General Intelligence (AGI)

- Al systems with ability to understand, learn, and apply knowledge across broad range of tasks
- Targets all cognitive tasks, generalize knowledge

Al Hype Cycle

Hype Cycle for Artificial Intelligence, 2024



Source: https://xplain-data.de/gartner-ai-hype-cycle-2024/

Gartner.

Using Local LLMs: OpenWebUI

