

# How Do Household Energy Transitions Work?\*

Jill Baumgartner (Co-PI)<sup>1</sup>      Sam Harper (Co-PI)<sup>1</sup>  
Chris Barrington-Leigh<sup>1</sup>      Collin Brehmer<sup>2</sup>      Ellison M. Carter<sup>2</sup>  
Xiaoying Li<sup>2</sup>      Brian E. Robinson<sup>1</sup>      Guofeng Shen<sup>3</sup>  
Talía J. Sternbach<sup>1</sup>      Shu Tao<sup>3</sup>      Kaibing Xue<sup>4</sup>      Wenlu Yuan<sup>1</sup>  
Xiang Zhang<sup>1</sup>      Yuanxun Zhang<sup>4</sup>

2024-10-15

## Table of contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
1.1	Subheading . . . . .	2
1.1.1	Sub-subheading . . . . .	2
1.1.2	Mediation analyses for blood pressure . . . . .	3

---

\*Affiliations [1] McGill Univeristy; [2] Colorado State University; [3] Peking University; [4] University of the Chinese Academy of Sciences

# 1 Introduction

China is deploying an ambitious policy to transition up to 70% of households in northern China from residential coal heating to electric or gas “clean” space heating, including a large-scale roll out across rural and peri-urban Beijing, referred to in this document as China’s Coal Ban and Heat Pump (CBHP) subsidy policy. To meet this target the Beijing municipal government announced a two-pronged program that designates coal-restricted areas and simultaneously offers subsidies to night-time electricity rates and for the purchase and installation of electric-powered heat pumps to replace traditional coal-heating stoves. The policy was piloted in 2015 and, starting in 2016, was rolled out on a village-by-village basis. The variability in when the policy was applied to each village allowed us to treat the roll-out of the program as a quasi-randomized intervention and evaluate its impacts on air quality and health. Household air pollution is a well-established risk factor for adverse health outcomes over the entire lifecourse, yet there is no consensus that clean energy interventions can improve these health outcomes based on evidence from randomized trials (Lai et al. 2024). Households may be differentially affected by the CBHP due to factors such as financial constraints and user preferences, and there is uncertainty about whether and how the policy may affect indoor and outdoor air pollution, as well as heating behaviors and health outcomes.

## 1.1 Subheading

### 1.1.1 Sub-subheading

### 1.1.2 Mediation analyses for blood pressure

Table 1 shows the cohort-time treatment effects for the mediation model for blood pressure.

Lai PS, Lam NL, Gallery B, Lee AG, Adair-Rohani H, Alexander D, et al. 2024. Household Air Pollution Interventions to Improve Health in Low- and Middle-Income Countries: An Official American Thoracic Society Research Statement. *American Journal of Respiratory and Critical Care Medicine* 209:909–927; doi:[10.1164/rccm.202402-0398ST](https://doi.org/10.1164/rccm.202402-0398ST).

Table 1: Heterogenous treatment effects for blood pressure mediation model.

		Adjusted Total Effect		CDE Mediated By:					
Cohort	Time	ATT <sup>a</sup>	(95% CI)	Indoor PM		Indoor Temp		PM + Temp	
				ATT <sup>b</sup>	(95% CI)	ATT <sup>b</sup>	(95% CI)	ATT <sup>b</sup>	(95% CI)
Brachial SBP									
2019	2019	-2.16	(-5.0, 0.7)	-1.67	(-4.7, 1.3)	-1.17	(-4.1, 1.8)	-0.63	(-3.7, 2.5)
2019	2021	-1.54	(-4.0, 1.0)	-0.86	(-3.6, 1.9)	-0.13	(-2.7, 2.5)	0.56	(-2.4, 3.5)
2020	2021	-1.45	(-5.2, 2.3)	-0.68	(-4.6, 3.2)	-0.01	(-3.6, 3.6)	0.83	(-3.2, 4.9)
2021	2021	2.28	(-0.5, 5.1)	2.48	(-0.8, 5.8)	1.55	(-2.1, 5.2)	1.76	(-2.2, 5.7)
Central SBP									
2019	2019	-1.81	(-4.4, 0.8)	-1.21	(-4.1, 1.7)	-0.83	(-3.6, 1.9)	-0.19	(-3.2, 2.8)
2019	2021	-1.82	(-4.3, 0.7)	-1.05	(-3.9, 1.8)	-0.47	(-2.8, 1.9)	0.31	(-2.5, 3.1)
2020	2021	-1.85	(-5.2, 1.5)	-1.12	(-4.7, 2.5)	-0.52	(-3.9, 2.8)	0.28	(-3.6, 4.2)
2021	2021	2.15	(-1.0, 5.3)	2.32	(-1.2, 5.9)	1.37	(-2.1, 4.8)	1.57	(-2.2, 5.3)
Brachial DBP									
2019	2019	-2.51	(-4.5, -0.6)	-2.03	(-4.2, 0.2)	-2.01	(-3.9, -0.1)	-1.47	(-3.6, 0.7)
2019	2021	-2.34	(-3.9, -0.7)	-1.71	(-3.8, 0.4)	-1.74	(-3.2, -0.3)	-1.08	(-3.0, 0.9)
2020	2021	0.08	(-1.7, 1.8)	0.23	(-1.6, 2.1)	0.92	(-1.0, 2.8)	1.12	(-1.0, 3.2)
2021	2021	0.73	(-0.5, 1.9)	1.08	(-0.7, 2.8)	0.11	(-1.3, 1.5)	0.47	(-1.4, 2.3)
Central DBP									
2019	2019	-2.54	(-4.4, -0.7)	-1.97	(-4.2, 0.2)	-2.26	(-4.1, -0.4)	-1.62	(-3.8, 0.5)
2019	2021	-2.45	(-4.0, -0.9)	-1.72	(-3.8, 0.4)	-2.05	(-3.5, -0.6)	-1.29	(-3.3, 0.7)
2020	2021	0.08	(-1.7, 1.9)	0.23	(-1.7, 2.2)	0.94	(-1.0, 2.9)	1.14	(-1.0, 3.3)
2021	2021	1.12	(0.0, 2.2)	1.51	(-0.1, 3.2)	0.48	(-0.8, 1.8)	0.88	(-0.9, 2.7)

Note: Results combined across 30 multiply-imputed datasets. ATT = Average Treatment Effect on the Treated, CDE = Controlled Direct Effect, DBP = Diastolic blood pressure, SBP = Systolic blood pressure.

<sup>a</sup> Adjusted for age, sex, waist circumference, smoking, alcohol consumption, and use of blood pressure medication.

<sup>b</sup> Mediators were set to the mean value for untreated participants at baseline.