OMUNIM JEWELLERY SOFTWARE

Complete RFID Solution

For Jewellery Showroom

Showroom Operations · Stock Tally · Anti-Theft Security

Customer Proposal · October 2026

1. Executive Summary

This document presents Omunim's complete RFID solution for jewellery showrooms — one integrated system covering three pillars: smart showroom operations, RFID stock tally, and anti-theft security.

Instead of scanning items one by one with a barcode reader, RFID (Radio Frequency Identification) reads many tagged jewellery items together using radio waves — no line of sight required. The result: stock counting that used to take days now takes minutes, missing pieces are identified by exact item code, and tagged jewellery cannot leave the showroom without authorisation.

- **Pillar 1 – Smart Showroom:** every jewellery item tagged and mapped in Omunim software at the counter.
- **Pillar 2 – Stock Tally:** mobile-based bulk scanning that compares physical stock with software stock and reports Found, Missing and Extra items.
- **Pillar 3 – Anti-Theft:** RFID security gate at the showroom exit that detects and identifies tagged items moving out without billing.

2. Why RFID Instead of Barcode

Barcode tags served jewellery retail well, but they demand optical, one-by-one, line-of-sight scanning. RFID removes all three constraints:

Feature	Barcode Tag	RFID Tag
Technology	Optical scanning	Radio frequency
Reading	One by one, line of sight	Many tags simultaneously
Speed	Slower	Faster
Manual scanning	Required for every item	Not always required
Stock tally	Item-by-item counting	Bulk scanning
Missing-item detection	Difficult	Easy — exact item codes
Security gate	Limited	Possible with identification

In short — Key message: *Barcode = scan each item. RFID = read many items together.*

3. Pillar 1 – Smart Showroom (Tagging & Mapping)

Every RFID journey starts at the counter: the jewellery item is tagged, and the tag's RFID number is mapped to the item in Omunim software. This mapping is the foundation for both stock tally and security — without it, a tag is just a sticker.

3.1 Tag options

Tag Type	Description	Mapping Method	Best For
One-time-use tail tag	Jewellery RFID label with tail that ties to the piece; designed for permanent tagging	Automatic — mapped during printing	High-volume showrooms that want the fastest tagging
Reusable PVC tag	Hard PVC coin/disc tag; can be reused across items	Manual — desktop reader or handheld scanner	Showrooms that already own tags or want flexibility
AM + RFID tag	Combines RFID identification with AM anti-theft technology	Automatic via printer	Showrooms wanting stock management + security in one tag

3.2 Mapping workflows

- **Automatic (TSC T820 RFID printer):** item is entered in software → printer prints the tail tag → RFID number is mapped automatically during printing → tag is attached to the jewellery. Fastest route, least manual work.
- **Manual – desktop reader:** create/select the item in software → place the reusable tag on the desktop reader → reader detects the RFID number → save the mapping. Ideal for a fixed counter.
- **Manual – Seuic AUTO Touch 2:** select the item → scan the tag with the handheld → RFID number detected → map and save. Portable and wireless — covers showroom and stockroom.

Recommendation: **one-time tail tags → TSC T820 printer; reusable PVC tags → desktop reader or Seuic AUTO Touch 2.**

4. Pillar 2 – RFID Stock Tally

RFID stock tally verifies physical stock against the stock recorded in Omunim software — in a fraction of the time manual counting takes.

4.1 How it works

- Tags are mapped to jewellery items (Pillar 1).
- Staff opens Stock Tally in the Omunim mobile app and starts the RFID scan.
- The reader picks up many tags at once as staff walks the showroom.
- Software compares physical stock with software stock.
- Result: Available (found) items, Missing items (by exact code), and Extra/unexpected items.

4.2 Example result

Software stock: 500 items → physical scan finds 497 → system reports the 3 missing item codes from their RFID mapping. No register-hunting, no recounting the whole tray.

4.3 Recommended tally discipline

Frequency	Scope	Method
Daily	High-value counter / new arrivals	Quick handheld scan
Weekly	Section-wise (rings, necklaces, etc.)	Mobile app tally
Monthly	Full showroom + stockroom	Complete RFID tally with report

- **Faster physical verification;**
- **multiple items read together;**
- **missing items identified by code;**
- **extra/unexpected items flagged;**
- **accuracy improves month after month.**

5. Pillar 3 – Anti-Theft Security

The RFID security gate stands at the showroom exit and watches every tagged item that passes through.

5.1 How it works

- Jewellery carries its mapped RFID tag.
- Customer or staff moves toward the exit with the item.
- The gate detects the RFID tag automatically.
- The system identifies the exact item and checks its billing/authorisation status.
- Unbilled or unauthorised movement triggers an immediate alert for verification.

5.2 Gate options

Feature	RFID Security Gate	AM + RFID Security Gate
RFID detection	Yes	Yes
Item identification	Yes	Yes
AM anti-theft layer	No	Yes
Security layers	RFID	AM + RFID (dual)
Recommended for	RFID-focused monitoring	Enhanced, high-value showroom security

Pair AM + RFID gates with AM + RFID tags for the full dual-layer setup.

6. Complete Hardware Bill of Materials

All hardware below is tested with Omunim Jewellery Software. Quantities are indicative for a single showroom and are finalised after a site survey.

#	Hardware	Purpose	Works With
1	One-time-use RFID tail tags	Permanent jewellery tagging	TSC T820 printer
2	Reusable PVC RFID tags	Re-tagging / flexible use	Desktop reader / Seuic AUTO Touch 2
3	AM + RFID tags	Tag + anti-theft in	TSC T820 printer +

		one	AM+RFID gate
4	TSC T820 RFID printer	Tag printing with automatic mapping	One-time / AM+RFID tags
5	RFID desktop reader	Fixed-counter manual mapping	Reusable PVC tags
6	Seuic AUTO Touch 2 handheld	Portable mapping + mobile stock tally	Reusable tags; showroom & stockroom
7	RFID security gate	Exit monitoring with item identification	All mapped RFID tags
8	AM + RFID security gate	Dual-layer exit security	AM + RFID tags

7. Software Capabilities (Omunim)

- **Tag mapping register:** every RFID number linked to item code, with tag-type tracking.
- **Mobile stock tally:** start scan, bulk read, instant Found / Missing / Extra report.
- **Missing-item report:** exact item codes, last seen location, value summary.
- **Gate alert log:** every exit detection recorded with item details and timestamp.
- **User roles:** counter staff, manager and auditor views with controlled access.
- **Existing modules unaffected:** billing, stock, udhaar, orders and reports continue as usual — RFID adds a layer, it does not replace anything.

8. Implementation Roadmap

Phase	Duration	Activities	Outcome
1 – Tag & map	Weeks 1–2	Hardware install; item master cleanup; tagging + mapping of live stock	100% of showroom stock RFID-mapped
2 – Tally rollout	Weeks 3–4	Staff training on mobile tally; first full RFID stock tally; missing-item SOP	Tally time cut drastically; first verified report

3 – Security gate	Weeks 5–6	Gate installation & calibration; alert SOP training; go-live	Exit fully monitored; dual verification active

9. Commercials

Pricing is quoted after the site survey, based on showroom size, tag volumes and gate choice. Indicative structure:

Component	Pricing Basis	Price
RFID tags (all types)	Per tag, volume slabs	To be quoted
TSC T820 RFID printer	Per unit	To be quoted
RFID desktop reader	Per unit	To be quoted (+ GST)
Seuic AUTO Touch 2	Per unit	To be quoted
RFID / AM+RFID security gate	Per gate pair, incl. installation	To be quoted
Omunim RFID software module	Per showroom / annual	To be quoted
Implementation & training	Fixed, per site	To be quoted

10. Training, Support & Warranty

- **On-site training** for counter staff (tagging & mapping), managers (tally & reports) and security staff (gate SOP).
- **Hardware warranty** as per manufacturer terms; Omunim coordinates replacement support.
- **Software support** in Hindi and English, by phone and WhatsApp.
- **Annual health check:** tag read-rate audit and gate calibration review.

11. Next Steps

- Site survey of the showroom (half day).
- Tag-volume estimate and hardware quotation.

- Pilot: tag + map one section, run the first RFID tally.
- Full rollout per the roadmap above.

Prepared by Omunim Jewellery Software — October 2026