



उत्तर रेलवे
Western Railway

SABARMATI LOCO SHED
MECHANICAL
IC SCHEDULE FORM WAG-9HC
UNDER FRAME SECTION

Loco No.: 32649 Arr. Date: 14-02-25 Dep. Date: 11-03-2025
Name of Supervisor: Sh. Ketan R. Vaghela - SSE Shift: 8/17 h Name of Mechanic: -

Sr. No	DESCRIPTION (CBC schedule as per G-76)	CBC-1	CBC-2	Checked by
1	CBC No. (Make & Yr)	FASP 6-19	FASP 5-19	ISHWARI
2	Check for any crack by MPT test of CBC Assly Items	MPT Checked by Lab -		Chaitanya
	CBC coupler body	Checked OK	Checked OK	
	Knuckle	New fitted	New fitted	
	Knuckle Pin (Dia new-41.28 mm, cond-38.00 mm)	41.00	41.00	
	Clevis	Checked OK	Checked OK	
	Clevis Pin (Dia new-38.00 mm, cond-36.00 mm)	37.80	37.76	
Coupler Head				
3	Check tell-tail of the coupler head after coupling	Checked OK	Checked OK	
4	Check cotter pin is installed.	Checked OK	Checked OK	
5	Visual check for external damage, condition of wear plate on shank. (Std-6.00 mm & Cond-1.00 mm)	5.75	5.75	
6	Check gap between coupler head and knuckle with condemning limit gauge. If wear out is not acceptable replace knuckle etc., as advised in the maintenance manual.	Checked OK	Checked OK	
7	Check by inspector contour gauge (knuckle profile gauge, go gauge). Gauge no-2	Checked OK	Checked OK	
8	Check wear & stretch of knuckle by using knuckle nose wear & stretch limit gauge Gauge no-3	Checked OK	Checked OK	Sh. K. Vaghela
9	Check distortion of the coupler head by using aligning wing limit gauge	Checked OK	Checked OK	ISHWARI
10	Checking wear & distortion of coupler head using vertical height aligning wing pocket & guard arm gauge (no-go gauge) Gauge no-1	Checked OK	Checked OK	
11	Checking vertical height alignment & guard arm of coupler in new condition using vertical height alignment wing pocket & guard arm gauge (go gauge) Gauge no-1	Checked OK	Checked OK	
12	Check working of CBC & Anti creep test	Checked OK	Checked OK	
13	Check condition & proper working of CBC operating handle	Checked OK	Checked OK	
14	Check for any crack and damage in Yoke & draft gear	Checked OK	Checked OK	
Supporting device				
15	Visual check for external damage.	Checked OK	Checked OK	
16	Tighten the M16 nut & check height 165.0±1 mm both sides near the bolts.	Checked OK	Checked OK	
17	Check free lateral movement of CBC shank.	Checked OK	Checked OK	
18	Striker wear plate (new-8.00mm & Cond-2.00 mm)	7.60	7.60	
19	CBC height (std-1105 mm & Min-1030 mm)	1067	1064	

Check sheet for Transition screw coupling (MPMI No.25 Rev.00 RDSO Drg.No.SKDL-2894.)

Sr. No	DESCRIPTION	TSC-1	TSC-2	Checked by
1	screw coupling Make & Sr. No.	SKDL 2495	SKDL 2495	ISHWARI
2	Check for any crackness by DPT/MPT test	DPT / MPT	by Lab -	Chaitanya
3	Checking for any damage of thread & operating handle	Checked OK	Checked OK	ISHWARI

4	Checking of long & short shackle by Go-No go gauge (long Shackle New-43.0mm cond-39.5mm Short shackle New-28.0mm Cond-25.0mm)	Checked OK 42.50 27.29	Checked OK 42.77 27.18	SHEEL 2/2012 Ishwar
5	Check for any damage of thread & operating handle of screw coupling	Checked OK	Checked OK	
6	Check the full operation of screw coupling	Checked OK	Checked OK	
7	Check condition of lock washer	Attended	Attended	

UST

Sr. No	Axle Box Examination										Checked by			
1	Remove earth cable.													
	Axle box No.-1	Checked	Axle box No.--6		Checked					CE-				
	Axle box No.--7	OK	Axle box No.--12		OK					Aditya				
2	Axle Box cover to remove.Remove lock ring. Clean grease from surface. Check any damaged/abnormality										Checked OK Remad Clean Checked OK		HE- Aditya	
3	UST to check by Lab personel. <i>Lab-22-02-25 by JSSinha & HE-23-02-25 by PKB</i>													
		1	2	3	4	5	6	7	8	9	10	11	12	
	Axle no.	TG 07-13	TG 30-14		TG 15-11		TG 5452		TG 6014		TG 6503			
	Brg. Make	NBC	SFF		NBC		NBC		SFF		NBC			
3 (A)	Axle box old grease to remove fresh grease to fill													

3 (A)	Axle box old grease to remove fresh grease to fill, old grease sample to lab test for metal content.	Grease sample taken	Vatva
3 (B)	'O' ring to change	Greasey done	
3 (C)	Axle box cover bolts M-16x45 to torque on 100 NM.	Checked	
	• Clamping plate bolts M-20x50 to torque on 330 NM	Torque done	CE- Aditya
	• Inspection cover bolts M-12x35 to torqued on 85 NM	Torque done	Aditya
	• Erathing plate screw M-10x30 to torqued on 47 NM	Torque done	HE-
4	Axle box greasing to do (as per SMI 246/TC 129 during UST)	Torque done	
5	Insure all bolts of axle box back cover are tightened.	Greasey done	
6	Temp. 25°C above ambient while in HHP Amb.+56°C	Hand done	
7	Greasing for axle box every 2.5 lakh KM or 18 month of service (As per TC-0034 Shell Gadus S5 V 42 p 2.5 to be use.)	Checked OK Shell Gadus 06 Kg Grease used	
8	MSU greasing Clean Grease nipple. Remove grease nipple NDE Side Greasing to do. (Servoplex- SHC120 as per SMI 307 Point no A(vii)) Fit Grease nipple.	Clean Remove NDE Side Greasy done SHC 120 04 Kg Grease used	Zenifer m-17 madhusudan

9	Wheel distance to measure:-							Checked by
	Wheel No.	1	2	3	4	5	6	
	Wheel Dist.	1596.02	1596.02	1596.45	1596.20	1596.12	1596.38	

Any abnormality noticed during sch. and action taken

All Wheel Ser. Provided. - AS per Diag. Tech.

Same TM Gearcase fitted. All wheel Recived From Vatva.

Sign of JE/SSE

Sign of Tech

QAG - UF (Out of Course)

Loco No. :- 32649

Sch. :- IC

Date :- 14-02-25 to 14-03-25

Reason :- Due to All wheel Diameters less.

Cab ① CP no ② Aclathan Ring Damage and wheel no ② Inner Spring Dislocated and wheel no ⑦ Axle Guide Link Spheri block Crack.

Action Taken :-

All wheel Ser. provided Received From Vatva.

Some TM Gear Gears Fitted.

CP no ② Aclathan Ring RTV Pasted. w. no ② Inner Spring locked and. w. no ⑦ Axle Guide Link Spheri block checked Found Normal.



JE/SSE

QR/UF/F/02
WHEEL CHANGING INFORMATION

To
Laboratory (QAG-LAB)
Record Room (QAG-MI)

Date :- 12-03-25

Following Axle Nos. fitted on the loco

32649/IC

Sr. No.	Axle No.	Type of Axle	Remark
01	TG 07-13	NBC	All Wheel Scr. Provided Received From Vahy 22-02-25
02	" 30-14	SKF	" "
03	" 15-11	NBC	" "
04	" 5456	"	" "
05	" 6014	SKF	" "
06	" 6503	NBC	" "

T.T. Done on date : 10-03-25 (Dark Dia less)

Wheel dia. CE : 1044.35 - mm

HE : 1044.28 - mm

CE - 22-02-25 by JSinta & HE - 23-02-25 by PKB

JE/SSE(M)UF
QAG-UF