Analysis Data Reviewer's Guide

Study BAY 3427080/ IA

ADRG Template Version 2019-07-23

Analysis Data Reviewer's Guide

Contents

1. Introduction 3
1.1 Purpose 3
1.3 Study Data Standards and Dictionary Inventory 3
1.4 Source Data Used for Analysis Dataset Creation 3
2. Protocol Description 4
2.1 Protocol Number and Title 4
2.2 Protocol Design in Relation to ADaM Concepts 4
3. Analysis Considerations Related to Multiple Analysis Datasets 7
3.1 Core Variables 7
3.2 Treatment Variables 10
3.3 Subject Issues that Require Special Analysis Rules 11
3.4 Use of Visit Windowing, Unscheduled Visits, and Record Selection 11
3.5 Imputation/Derivation Methods 12
4. Analysis Data Creation and Processing Issues 12
4.1 Split Datasets 12
4.2 Data Dependencies 12
4.3 Intermediate Datasets 13
5. Analysis Dataset Descriptions 14
5.1 Overview 14
5.2 Analysis Datasets 14
5.2.1 ADSL - Subject-Level Analysis Dataset 16
6. Data Conformance Summary 17
6.1 Conformance Inputs 17
6.2 Issues Summary 18
7. Submission of Programs 22

1. Introduction

1.1 Purpose

This document provides context for the analysis datasets and terminology that benefit from additional explanation beyond the Data Definition document (define.xml) for an individual study. In addition, this document provides a summary of ADaM conformance findings.

1.2 Acronyms

Acronym	Translation
GIAD	Global Integrated Analysis Database
eCRF	Electronic Case Report Form
SAP	Statistical Analysis Plan

1.3 Study Data Standards and Dictionary Inventory

Standard or Dictionary	Versions Used
SDTM	•SDTM 1.4 •SDTMIG 3.2
SDTM Controlled Terminology	CDISC SDTM Controlled Terminology, 2023-06-30 (for Pinnacle 21 validation)
ADaM	•ADaM v2.1 •ADaM-IG v1.1
ADaM Controlled Terminology	CDISC ADaM Controlled Terminology, 2023-06-30 (for Pinnacle 21 validation)
Data Definitions	Define-XML v2.0
Medical Events Dictionary	MedDRA 26.1
Other standards (optional)	WHO-DD 2023SEP

1.4 Source Data Used for Analysis Dataset Creation

The Integrated Analysis Database (GIAD) are derived from the pooled SDTM+ datasets. Additional variables and observations needed for the integrated analyses were derived and added to the integrated ADS.

The SDTM+ data are the operational acquisition database and are based on the CDISC/SDTM IG definitions. The data are referred to as SDTM+ because more variables are available than the SDTM specifications define. Additionally, variables of the SDTM supplemental datasets are transposed and added to the appropriate domain dataset.

The following figure shows the data flow form different study SDTM+ to the GIAD and creation of integrated analysis TLFs, define.xml, and XPT-files.



2. Protocol Description

2.1 Protocol Number and Title

Protocol Number: BAY 3427080/ IA

Protocol Title: Integrated data for efficacy and safety (including data from studies for efficacy: 21651, 21652; including data from Studies for safety: 21686, 21651, 21652, 21810)

2.2 Protocol Design in Relation to ADaM Concepts

The integrated analysis of safety and CCDS/labeling include 1 phase 2b study(SWTICH-1) and 3 phase 3 studies (OASIS 1-3). In the selected Phase 2b and 3 studies, elinzanetant was administered using the same formulation (soft gel capsules) and the same total dose (120 mg) per day.

Table 2–1: Studies included in the integrated analysis

Study number / acronym	Phase	Study Population /Indication	Study design and description
21686/ SWITCH-1	2b	Post-menopausal women aged 40-65 with VMS	Randomized, double-blind, placebo-controlled, dose range finding, adaptive randomization design study in women with troublesome PM VMS / Soft gel capsule 40, 80, 120, 160 mg. **Primary Objectives:** • To evaluate the efficacy of once daily doses of 40 mg, 80 mg, 120 mg and 160 mg elinzanetant, compared with placebo, in reducing the frequency and severity of hot flashes. • To assess the safety and tolerability of once daily doses of 40 mg, 80 mg, 120 mg and 160 mg elinzanetant, compared with placebo, in participants with post-menopausal symptoms. **Treatment and dose:** Elinzanetant 40 mg, 80 mg, 120 mg, 160 mg, Placebo **Treatment duration**: 12 weeks
21651/ OASIS 1	3	Post-menopausal women aged 40-65 with VMS	Double-blind, randomized, placebo-controlled multicenter study to investigate efficacy and safety of elinzanetant for the treatment of VMS over 26 weeks in postmenopausal women. **Primary objective:** To evaluate the efficacy of elinzanetant for the treatment of VMS associated with the menopause **Treatment and dose:** Elinzanetant 120 mg, Placebo **Treatment duration**: 26 weeks
21652/ OASIS 2	3	Post-menopausal women aged 40-65 with VMS	Double-blind, randomized, placebo-controlled multicenter study to investigate efficacy and safety of elinzanetant for the treatment of VMS over 26 weeks in postmenopausal women. **Primary objective**: To evaluate the efficacy of elinzanetant for the treatment of VMS associated with the menopause **Treatment and dose:** Elinzanetant 120 mg, Placebo **Treatment duration**: 26 weeks
21810/ OASIS 3	3	Post-menopausal women aged 40-65 with VMS	Double-blind, randomized, placebo-controlled multicenter study to investigate efficacy and safety of elinzanetant for the treatment of VMS over 52 weeks in postmenopausal women **Primary objective:** To evaluate the efficacy of elinzanetant for the treatment of VMS associated with the menopause **Treatment and dose:** Elinzanetant 120 mg, Placebo **Treatment duration**: 52 weeks

An overview of the individual study designs is provided in Figure 2–1. Each row represents one treatment arm within the studies. The study names are given next to the corresponding design.

Figure 2–1: Overview of treatment phases in studies



* Only these treatment arms will be included in the IA for safety.

The IA of efficacy include pivotal studies OASIS 1 and 2 only. In the selected studies, elinzanetant was administered using the same formulation (soft gel capsules), the same dose (120 mg), same duration and study design. An overview of the individual study designs can be found in Table 2-2 and Figure 2-2

Table 2–2: Studies included in the integrated analysis

Study number / acronym	Phase	Study Population /Indication	Study design and description
21651/ OASIS 1	3	Post-menopausal women aged 40-65 with VMS	Double-blind, randomized, placebo-controlled multicenter study to investigate efficacy and safety of elinzanetant for the treatment of vasomotor symptoms over 26 weeks in postmenopausal women. **Primary objective:** To evaluate the efficacy of elinzanetant for the treatment of VMS associated with the menopause **Treatment and dose:** Elinzanetant 120 mg, Placebo **Treatment duration:** 26 weeks

21652/ OA-SIS 2	3	Post-menopausal women aged 40-65 with VMS	Double-blind, randomized, placebo-controlled multicenter study to investigate efficacy and safety of elinzanetant for the treatment of vasomotor symptoms over 26 weeks in postmenopausal women. **Primary objective:** To evaluate the efficacy of elinzanetant for the treatment of VMS associated with the menopause **Treatment and dose:** Elinzanetant 120 mg, Placebo Treatment duration: 26 weeks

Figure 2-2: Overview of treatment phases in studies



3. Analysis Considerations Related to Multiple Analysis Datasets

3.1 Core Variables

Core variables are those that are represented across all/most analysis datasets.

Variable Name	Variable Description
ADSNAME	Dataset Name
STUDYID	Study Identifier
USUBJID	Unique Subject Identifier
SUBJID	Subject Identifier for the Study
UASR	Unique Subject Identifier/Age/Sex/Race
RASR	Randomization Number/Age/Sex/Race
SAFFL	Safety Population Flag
FASFL	Full Analysis Set Population Flag
ENRLFL	Enrolled Population Flag
RANDFL	Randomized Population Flag

Variable Name	Variable Description
COMPLFL	Completers Population Flag
SCRNFLFL	Screen-Failure Flag
DTHFL	Subject Death Flag
TR01SDT	Date of First Exposure in Period 01
TR02SDT	Date of First Exposure in Period 02
TR01STM	Time of First Exposure in Period 01
TR02STM	Time of First Exposure in Period 02
TR01SDTM	Datetime of First Exposure in Period 01
TR02SDTM	Datetime of First Exposure in Period 02
TR01EDT	Date of Last Exposure in Period 01
TR02EDT	Date of Last Exposure in Period 02
TR01ETM	Time of Last Exposure in Period 01
TR02ETM	Time of Last Exposure in Period 02
TR01EDTM	Datetime of Last Exposure in Period 01
TR02EDTM	Datetime of Last Exposure in Period 02
TRTSDT	Date of First Exposure to Treatment
TRTEDT	Date of Last Exposure to Treatment
SITEID	Study Site Identifier
INVNAM	Investigator Name
AGE	Age
AGEU	Age Units
AGEGR1N	Pooled Age Group 01 (N)
AGEGR1	Pooled Age Group 01
SEX	Sex
RACE	Race
ASR	Age/Sex/Race
ETHNIC	Ethnicity

Variable Name	Variable Description
ARMCD	Planned Arm Code
ARM	Description of Planned Arm
ACTARM	Description of Actual Arm
ACTARMCD	Actual Arm Code
TRT01PN	Planned Treatment for Period 01 (N)
TRT01P	Planned Treatment for Period 01
TRT02PN	Planned Treatment for Period 02 (N)
TRT02P	Planned Treatment for Period 02
TRT01AN	Actual Treatment for Period 01 (N)
TRT01A	Actual Treatment for Period 01
TRT02AN	Actual Treatment for Period 01 (N)
TRT02A	Actual Treatment for Period 02
COUNTRY	Country/Region
RANDNO	Randomization Number
REGION1N	Geographic Region 01 (N)
REGION1	Geographic Region 01
BMIGR1N	Body Mass Index Group (kg/m2) 1 (N)
BMIGR1	Body Mass Index Group (kg/m2) 1
SMOKHXN	Smoking History (N)
SMOKHX	Smoking History
PH1SDT	Phase 01 Start Date
PH2SDT	Phase 02 Start Date
PH1EDT	Phase 01 End Date
PH2EDT	Phase 02 End Date
BREASTN	Breastfeeding women (N)
BREAST	Breastfeeding women
EGFRGR1N	Baseline eGFR (mL/min/1.73m2) cat. 1 (N)

Variable Name	Variable Description
EGFRGR1	Baseline eGFR (mL/min/1.73m2) cat. 1
HEPATIC	Hepatic impairment
PREGNANT	Pregnant women
SASR	Subject Identifier/Age/Sex/Race
RFSTDTC	Subject Reference Start Date/Time
RFENDTC	Subject Reference End Date/Time
RFXSTDTC	Date/Time of First Study Treatment
RFXENDTC	Date/Time of Last Study Treatment
RFICDTC	Date/Time of Informed Consent
RFPENDTC	Date/Time of End of Participation
DTHDTC	Date/Time of Death
INVID	Investigator Identifier
BRTHDTC	Date/Time of Birth
RACE1	Race 1
RACE2	Race 2
RACE3	Race 3
RACE4	Race 4
RACE5	Race 5
RACEOR1	Original Race 1
RACEOR2	Original Race 2
RACEOR3	Original Race 3
RACEOR4	Original Race 4
RACEOR5	Original Race 5
RACEOR6	Original Race 6

3.2 Treatment Variables

ARM versus TRTxxP

Are the values of ARM equivalent in meaning to values of TRTxxP?

The relationship is

ARM	TRT01P	TRT02P
Elinzanetant 120mg	BAY 3427080 120 mg SD	
Placebo	Placebo	
Placebo - Elinzanetant 120mg	Placebo	BAY 3427080 120 mg SD

ACTARM versus TRTxxA

If TRTxxA is used, then are the values of ACTARM equivalent in meaning to values of TRTxxA?

The relationship is

ACTARM	TRT01A	TRT02A
Elinzanetant 120mg	BAY 3427080 120 mg SD	
Placebo	Placebo	
Placebo - Elinzanetant 120mg	Placebo	BAY 3427080 120 mg SD

Use of ADaM Treatment Variables in Analysis

Are both planned and actual treatment variables used in analysis?

Yes

Use of ADaM Treatment Grouping Variables in Analysis

Are both planned and actual treatment grouping variables used in analysis?

Yes

3.3 Subject Issues that Require Special Analysis Rules

Not applicable.

3.4 Use of Visit Windowing, Unscheduled Visits, and Record Selection

Was windowing used in one or more analysis datasets?

Derivation information for analysis visit values can be found in other documentation such as the Statistical Analysis Plan, program files, etc.

Were unscheduled visits used in any analyses?

Yes, unscheduled visits are used in all ADLB/ADVS post-baseline analysis tables.

3.5 Imputation/Derivation Methods

If date imputation was performed, were there rules that were used in multiple analysis datasets?

Yes, event start date is imputed in ADAE and ADCM with same imputation rules. Below is an overview, for details please refer to SAP section 4.2



4. Analysis Data Creation and Processing Issues

4.1 Split Datasets

No dataset is split.

4.2 Data Dependencies



4.3 Intermediate Datasets

No intermediate datasets

4.4 Variable Conventions

4.4.1 Numeric representation of SDTM character variables in ADS datasets

As Bayer assigns numeric values to CDISC controlled terminology for ease of programming, these may appear as extended values in the controlled terminology section of the define.xml. The character version of these codes may be part of the controlled terminology and therefore are not extended values, even when indicated as such.

4.4.2 Variable Source Information

Source of AVALC on the variable level and value level is considered Derived in all cases. Refer to related –ORRES and –STRESC variables for further information regarding source.

5. Analysis Dataset Descriptions

5.1 Overview

Are data for screen failures, including data for run-in screening (for example, SDTM values of ARMCD='SCRNFAIL', or 'NOTASSGN') included in ADaM datasets? Yes

Dataset	Dataset Label
ADDS	Disposition Analysis Dataset
ADSL	Subject-Level Analysis Dataset

Are data taken from an ongoing study?

No

Do the analysis datasets support all statistical analysis plan-specified objectives?

Yes

5.2 Analysis Datasets

Dataset - Dataset Label	Class	Effi-cacy	Safety	Baseline or other subject charac-teristics	PK/PD	Pri-mary Objec-tive	Structure
ADSL - Subject-Level Analysis Dataset	SUBJECT LEVEL ANALYSIS DATASET	X	X	X			One record per subject
ADAE - Adverse Events Analysis Dataset	OCCUR-RENCE DATA STRUC-TURE	X	X				One record per subject per each AE recorded in SDTM AE do-main

Dataset - Dataset Label	Class	Effi-cacy	Safety	Baseline or other subject charac-teristics	PK/PD	Pri-mary Objec-tive	Structure
ADCM - Con-comitant Medica-tions Analysis Da-taset	OCCUR-RENCE DATA STRUC-TURE		X				One record per recorded medication occurrence or constant-dosing interval per sub-ject recorded in SDTM CM do-main
ADDS - Disposi-tion Analysis Da-taset	ADAM OTHER	X	X				One record per disposition status or proto-col milestone per subject
ADEX - Exposure Analysis Dataset	BASIC DATA STRUC-TURE	X	X				One or more records per sub-ject per analysis pa-rameter
ADLB - Labora-tory Analysis Da-taset	BASIC DATA STRUC-TURE		X				One or more records per sub-ject per analysis parameter
ADMH - Medical History Analysis Dataset	OCCUR-RENCE DATA STRUC-TURE	X	X				One record per medical history event per sub-ject recorded in SDTM MH do-main
ADQS - Question-naire Analysis Da-taset	BASIC DATA STRUC-TURE	X					One or more records per sub-ject per analysis parameter

Dataset - Dataset Label	Class	Effi-cacy	Safety	Baseline or other subject charac-teristics	PK/PD	Pri-mary Objec-tive	Structure
ADQSHFSS - Questionnaire HFDD and SS Analysis Data	BASIC DATA STRUC-TURE	X					One or more records per sub-ject per analysis parameter
ADRP - Repro-ductive System Findings ADS	BASIC DATA STRUC-TURE		X				One or more records per sub-ject per analysis parameter
ADSE - Subject Elements Analysis Dataset	ADAM OTHER						One record per actual Element per subject rec-orded in SDTM SE domain
ADSV - Subject Visits	ADAM OTHER	X	X				One record per actual visit per subject recorded in SDTM SV domain
ADTTE - Time-To-Event Analy-sis Dataset	BASIC DATA STRUC-TURE		X				One record per subject per parameter
ADVS - Vital Signs Analysis Dataset	BASIC DATA STRUC-TURE		X				One or more records per sub-ject per analysis parameter

5.2.1 ADSL - Subject-Level Analysis Dataset

The subject level dataset ADSL contains required ADaM variables for demographics, treatment and pop-ulation flags.

6. Data Conformance Summary

6.1 Conformance Inputs

Specify the software name and version for the analysis datasets

Pinnacle 21 Enterprise version 5.4.0

Specify the version of the validation rules (i.e. CDISC, FDA) for the analysis datasets

Validation Engine version FDA 2304.3

Specify the software name and version for the define.xml

Pinnacle 21 Enterprise version 5.4.0

Specify the version of the validation rules (i.e. CDISC, FDA) for the define.xml

Validation Engine version FDA 2304.3

6.2 Issues Summary

Check ID	Diagnostic Message	Dataset	Count (Issue Rate)	Explanation
AD0149B	Inconsistent value for AVALC	ADQS	1889 (0.46%)	This is due to questionnaire design, both positive and negative change are documented in questionnaire and collected in AVALC, but AVAL holds the absolute change value of AVALC in the dataset. For example, AVAL=1, AVALC= 'a I sleep somewhat more than usual.' AVAL=1, AVALC= 'b I sleep somewhat less than usual.'
AD0223	Calculation issue: CHG != AVAL - BASE	ADQSHFSS	2 (< 0.1%)	Data rounding issue and they are equal up to 3 decimals as shown: AVAL: ['2.63121693', '2.54886621'] BASE: ['2.63150747', '2.54839466'] CHG: ['-0.00029054', '0.00047155']
AD0282A	Analysis severity ASEVN value is null	ADAE	1 (< 0.1%)	Data as collected. USUBJID: ['21651440011010']
AD0282A	Analysis severity ASEV value is null	ADAE	1 (< 0.1%)	Data as collected. USUBJID: ['21651440011010']
AD9999	Dataset FORMATS not validated	FORMATS	1 (100.00%)	Dataset containing formats used in analysis datasets and displays. Validation not applicable.
CT2002	RACE value not found in 'Race' extensible codelist	ADAE	7 (0.23%)	The extensible codelist is extended to include sponsor controlled terminology: Codelist Term: MULTIPLE

Check ID	Diagnostic Message	Dataset	Count (Issue Rate)	Explanation
CT2002	RACE value not found in 'Race' extensible codelist	ADCM	31 (0.34%)	The extensible codelist is extended to include sponsor controlled terminology: Codelist Term: MULTIPLE
CT2002	RACE value not found in 'Race' extensible codelist	ADDS	208 (0.83%)	The extensible codelist is extended to include sponsor controlled terminology: Codelist Term: MULTIPLE
CT2002	RACE value not found in 'Race' extensible codelist	ADEX	193 (0.43%)	The extensible codelist is extended to include sponsor controlled terminology: Codelist Term: MULTIPLE
CT2002	RACE value not found in 'Race' extensible codelist	ADLB	2783 (0.31%)	The extensible codelist is extended to include sponsor controlled terminology: Codelist Term: MULTIPLE
CT2002	RACE value not found in 'Race' extensible codelist	ADMH	43 (0.44%)	The extensible codelist is extended to include sponsor controlled terminology: Codelist Term: MULTIPLE
CT2002	RACE value not found in 'Race' extensible codelist	ADQS	3838 (0.48%)	The extensible codelist is extended to include sponsor controlled terminology: Codelist Term: MULTIPLE

Check ID	Diagnostic Message	Dataset	Count (Issue Rate)	Explanation
CT2002	RACE value not found in 'Race' extensible codelist	ADQSHFSS	7576 (0.44%)	The extensible codelist is extended to include sponsor controlled terminology: Codelist Term: MULTIPLE
CT2002	RACE value not found in 'Race' extensible codelist	ADRP	17 (0.38%)	The extensible codelist is extended to include sponsor controlled terminology: Codelist Term: MULTIPLE
CT2002	RACE value not found in 'Race' extensible codelist	ADSE	18 (0.37%)	The extensible codelist is extended to include sponsor controlled terminology: Codelist Term: MULTIPLE
CT2002	RACE value not found in 'Race' extensible codelist	ADSL	51 (0.98%)	The extensible codelist is extended to include sponsor controlled terminology: Codelist Term: MULTIPLE
CT2002	RACE value not found in 'Race' extensible codelist	ADSV	51 (0.33%)	The extensible codelist is extended to include sponsor controlled terminology: Codelist Term: MULTIPLE
CT2002	RACE value not found in 'Race' extensible codelist	ADTTE	42 (0.36%)	The extensible codelist is extended to include sponsor controlled terminology: Codelist Term: MULTIPLE

Check ID	Diagnostic Message	Dataset	Count (Issue Rate)	Explanation
CT2002	RACE value not found in 'Race' extensible codelist	ADVS	329 (0.26%)	The extensible codelist is extended to include sponsor controlled terminology: Codelist Term: MULTIPLE

7. Submission of Programs

Program files are available upon request.