Elinzanetant IA

Analysis Datasets Programming Specifications

Authors: **Study Statistician** Meng-Ru Cheng

Study Statistical Analyst Petri Pulkkinen

Version: 1.0

Date: 01Mar2024

Clinical Study Phase: 3

Table of contents

1. ADS Specification **3**
2. ADSL **4**
3. ADAE **12**
4. ADCM **18**
5. ADDS **32**
6. ADEX **35**
7. ADLB **40**
8. ADMH **47**
9. ADQS **49**
10. ADQSHFSS **60**
11. ADRP **64**
12. ADSE **66**
13. ADSV **69**
14. ADTTE **71**
15. ADVS **74**
16. ADS Specification Document Approval Form **78**

1. ADS Specification

2. ADSL

Variable level documentation

Dataset: ADSL

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
ACTARM	Description of Actual Arm (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	DM.ACTARM
ACTARMCD	Actual Arm Code (SDTM)	C (SDTM)	20. (SDTM)	YARMCD (SDTM)	DM.ACTARMCD
ADSNAME	Dataset Name	C	8.	X_ADS2N	Name of the analysis data set. Must be available in X_ADS2N-codelist.
AGE	Age (SDTM)	N (SDTM)	3. (SDTM)		DM.AGE
AGEGR1N	Pooled Age Group 1 (N)	N	2.	X_AGE2GP	Categorized age:agegr1n <40 years, 40-49 years , 50-59 years, 60-65 years, >65 years.
AGEU	Age Units (SDTM)	C (SDTM)	6. (SDTM)	(SDTM)	DM.AGEU
ARM	Description of Planned Arm (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	DM.ARM
ARMCD	Planned Arm Code (SDTM)	C (SDTM)	20. (SDTM)	YARMCD (SDTM)	DM.ARMCD
ASR	Age/Sex/Race	C	8.		Derived from AGE, SEX, RACE: A=Asian; B=Black; W=White; AI=American Indian or Alaska Native; NH=Native Hawaiian or other Pacific Islander; MUL=Multiple; NR=Not reported; OT=Other;
BMIBL	Baseline Body Mass Index (kg/m2)	N	8.1		Derived from ADVS.AVAL where ABLFL='Y' and PARAMCD='BMI'
BMIGR1N	Body Mass Index Group (kg/m2) 1 (N)	N	17.8	Z_BMIGRP	Categorized BMI:<18.5, 18.5 to <25.0, 25.0 to <30, >= 30.0 kg/m2, Missing.
BREASTN	Breastfeeding women (N)	N	2.	NY	This information is needed for Standard exposure Tables for the RMP. Since this information is not collected in any of these studies this variable is set to 'NOT APPLICABLE' for all subjects.
COMPLFL	Completers Population Flag	C	1.	X_NY	Y if subject has completed Treatment and FUP phase. Otherwise set to N
COUNTRY	Country/Region (SDTM)	C (SDTM)	3. (SDTM)	COUNTRY	DM.COUNTRY
DCSREAS	Reason for Discontinuation from Study	C	200.		Derived from DS.DSDECOD when DS.DSCAT NE 'PROTOCOL MILESTONE' and DS.EPOCH not equal to 'SCREENING' andDS.dsdecod NOT IN ('COMPLETED','SCREEN FAILURE') and DS.DSSCAT not equal to 'INFORMED CONSENT' andDS.DSSUBDEC not in ('CONTINUE WITH SCHEDULED VISITS/ PROCEDURES' 'CONTINUE WITH PHONE CONTACTS REPLACING SITE VISITS').
DTHDT	Date of Death	N	DATE9.		Derived from DM.DTHDTC if all date parts (month, day, year) are given. Otherwise missing (blank).
DTHFL	Subject Death Flag (SDTM)	C (SDTM)	2. (SDTM)	(SDTM)	DM.DTHFL
EDULEVEL	Education Level	C	200.		Derived from SC.SCORRES where SC.SCTESTCD='EDULEVEL'.

Variable level documentation

Dataset: ADSL

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
EGFRGR1N	Baseline eGFR (mL/min/1.73m2) cat. 1 (N)	N	2.	Z_EGFRGR	Derived by using B_EGFRN. Using the following ranges: < 25, 25 -< 45, 45 -< 60 and >= 60 mL/min/1.73m2
ENRLFL	Enrolled Population Flag	C	1.	X_NY	Derived. Set to "Y" if subject has observation in DS with dscat EQ "PROTOCOL MILESTONE" AND dsdecod EQ "INFORMED CONSENT OBTAINED" AND dsscat EQ "INFORMED CONSENT" AND NOT missing(DSSTDTC), otherwise set to "N".
ETHNIC	Ethnicity (SDTM)	C (SDTM)	25. (SDTM)	(SDTM)	DM.ETHNIC
EXNYOVLN	Did Subject Take Any Study Medicat.? (N)	N	3.	NY	Derived. Set to 1 if any EX.EXSTDTC is not missing and epoch is not 'RUN-IN', otherwise set to 0.
FASFL	Full Analysis Set Population Flag	C	1.	X_NY	Full Analysis Set (FAS) is defined as all randomized subjects
HEIGHTBL	Baseline Height (cm)	N	8.2		Derived from ADVS.AVAL where ABLFL='Y' and PARAMCD='HEIGHT'
HEPATIC	Hepatic impairment	C	2.	X_NY	Hepatic impairment is defined via SMQ hepatic disorders (excl. sub-SMQs Liver related investigations, signs and symptoms and Liver-related coagulation and bleeding disturbances)
INVNAM	Investigator Name (SDTM)	C (SDTM)	200. (SDTM)		DM.INVNAM
LVDT	Date of Last Visit	N	DATE9.		Derived using DS.DSSTDTC where DSCAT EQ "PROTOCOL MILESTONE" AND DSDECOD EQ "DATE OF LAST VISIT"
PH1EDT	Phase 1 End Date	N	DATE9.		OASIS-1&2: first day of drug 2 intake - 1 day (based on eCRF entry) if participants stayed in the study for at least 12 weeks and received the part two drug. For participants who have not received the part two drug due to early discontinuation of randomized treatment or study withdrawal: 1) set to week 12 assessment date or the post treatment phase end date, whichever is earlier, for participants who agreed to complete the assessments until week 12 or 2) study drug discontinuation date or EoT assessment date, whichever is later, for participants who decided to go to the follow up period or withdraw from the study. OASIS-3: end date of week 12 assessment -1 day is used. If week 12 assessment date is not available, end of treatment assessment date or date of last exposure to randomized treatment or end date of treatment period (non-completers), whichever is later, is used. SWITCH-1: date of last exposure to randomized treatment is used. All studies: For randomized but not treated subject use randomization date
PH1SDT	Phase 1 Start Date	N	DATE9.		Date of first exposure to treatment is used. If subject is randomized but not treated, then date of randomization is used.

Variable level documentation

Dataset: ADSL

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
PH2EDT	Phase 2 End Date	N	DATE9.		OASIS-1&2: end of treatment period date is used for participants who completed the study. For participants who discontinue from treatment/study prematurely during the second phase the study discontinuation date or EoT assessment date, whichever is later, is used. OASIS-3: date of last exposure to randomized treatment is used for participants who completed the study. For participants who discontinue from treatment/study prematurely during the second phase, end of treatment visit date or date of last exposure to randomized treatment or end date of treatment period, whichever is later, is used.
PH2SDT	Phase 2 Start Date	N	DATE9.		OASIS-1&2: the first day of part 2 drug intake (identified based on the eCRF entry) is used. OASIS-3: phase 1 end date +1 is used in case week 12 assessment exist. SWITCH-1 does not have phase 2 as planned duration of randomized treatment is 12 weeks
PREGNANT	Pregnant women	C	2.	X_NY	Pregnant women are identified based on information through the urine test in the laboratory data or pelvic ultrasound performed during the treatment phase
RACE	Race (SDTM)	C (SDTM)	50. (SDTM)	(SDTM)	DM.RACE
RANDDT	Date of Randomization	N	DATE9.		Derived from DS.DSSTDTC where DSDECOD='RANDOMIZED' if all date parts (month, day, year) are given. Otherwise missing (blank).
RANDFL	Randomized Population Flag	C	1.	X_NY	Derived. Set to "Y" if subject was randomized and has a randomization number (DS.DSDECOD="RANDOMIZED" and SUPPDS.RANDNO is not null). Otherwise set to "N".
RANDNO	Randomization Number (SDTM)	N (SDTM)	6. (SDTM)		DS.RANDNO(DSCAT EQ 'PROTOCOL MILESTONE' AND DSDECOD EQ 'RANDOMIZED')
RASR	Randomization Number/Age/Sex/Race	C	20.		Derived from RANDNO, AGE, SEX, RACE: A=Asian; B=Black; W=White; AI=American Indian or Alaska Native; NH=Native Hawaiian or other Pacific Islander; MUL=Multiple; NR=Not reported; OT=Other;
REGION1N	Geographic Region 1 (N)	N	2.	X_REGION	Categorized country: North America, the rest of the world.
RFENDT	Reference End Date	N	DATE9.		Derived from DM.RFENDTC, if all date parts (month, day, year) are given. Otherwise missing (blank).
RFICDT	Date of Informed Consent	N	DATE9.		Derived from DM.RFICDTC, if all date parts (month, day, year) are given. Otherwise missing (blank).
RFPENDT	End of Participation Date	N	DATE9.		Derived from DM.RFPENDTC, if all date parts (month, day, year) are given. Otherwise missing (blank).

Variable level documentation

Dataset: ADSL

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
RFSTDT	Reference Start Date	N	DATE9.		Derived from DM.RFSTDTC if all date parts (month, day, year) are given. Otherwise missing (blank).
RFXENDT	Last Study Treatment Date	N	DATE9.		Derived from DM.RFXENDTC if all date parts (month, day, year) are given. Otherwise missing (blank).
RFXSTDT	First Study Treatment Date	N	DATE9.		Derived from DM.RFXSTDTC if all date parts (month, day, year) are given. Otherwise missing (blank).
SAFFL	Safety Population Flag	C	1.	X_NY	Safety Analysis Set is defined as all participants who receive at least one dose of study drug.
SASR	Subject Identifier/Age/Sex/Race	C	40.		Derived from SUBJID, AGE, SEX, RACE: A=Asian; B=Black; W=White; AI=American Indian or Alaska Native; NH=Native Hawaiian or other Pacific Islander; MUL=Multiple; NR=Not reported; OT=Other;
SCRNFLFL	Screen-Failure Flag	C	1.	X_NY	Derived. Set to "Y" if the subject was a screen failure (DM.ARMCD is "SCRNFAIL"). Otherwise set to "N".
SEX	Sex (SDTM)	C (SDTM)	20. (SDTM)	(SDTM)	DM.SEX
SITEID	Study Site Identifier (SDTM)	C (SDTM)	10. (SDTM)		DM.SITEID
SMOKHXN	Smoking History (N)	N	3.	NCF	Derived from SU.SUNCF where SUCAT='TOBACCO'. Priority would be 'Current' > 'Former' > 'Never'.
STUDYID	Study Identifier (SDTM)	C (SDTM)	10. (SDTM)		DM.STUDYID
SUBJID	Subject Identifier for the Study (SDTM)	C (SDTM)	9. (SDTM)		DM.SUBJID
TR01EDT	Date of Last Exposure in Period 01	N	DATE9.		In trial designs where multiple treatments are given, variables for each set of treatment dates must be defined as TR01EDT, TR02EDT, etc. In trial designs with only one treatment period only TRT01EDT should be populated. Derived from EX.EXENDTC for active treatment.
TR01EDTM	Datetime of Last Exposure in Period 01	N	DATETIME.		In trial designs where multiple treatments are given, variables for each set of treatment dates must be defined as TR01EDTM, TR02EDTM, etc. In trial designs with only one treatment period only TR01EDTM should be populated. Derived from EX.EXENDTC for active treatment.
TR01ETM	Time of Last Exposure in Period 01	N	TIME5.		In trial designs where multiple treatments are given, variables for each set of treatment dates must be defined as TR01ETM, TR02ETM, etc. In trial designs with only one treatment period only TRT01ETM should be populated. Derived from time portion of EX.EXENDTC for active treatment.

Variable level documentation

Dataset: ADSL

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
TR01SDT	Date of First Exposure in Period 01	N	DATE9.		In trial designs where multiple treatments are given, variables for each set of treatment dates must be defined as TR01SDT, TR02SDT, etc. In trial designs with only one treatment period only TRT01SDT should be populated. Derived from EX.EXSTDTC for active treatment.
TR01SDTM	Datetime of First Exposure in Period 01	N	DATETIME.		In trial designs where multiple treatments are given, variables for each set of treatment dates must be defined as TR01SDTM, TR02SDTM, etc. In trial designs with only one treatment period only TR01SDTM should be populated. Derived from EX.ESTNDTC for active treatment.
TR01STM	Time of First Exposure in Period 01	N	TIME5.		In trial designs where multiple treatments are given, variables for each set of treatment dates must be defined as TR01STM, TR02STM, etc. In trial designs with only one treatment period only TRT01STM should be populated. Derived from the time portion of EX.EXSTDTC for active treatment.
TR02EDT	Date of Last Exposure in Period 02	N	DATE9.		In trial designs where multiple treatments are given, variables for each set of treatment dates must be defined as TR01EDT, TR02EDT, etc. In trial designs with only one treatment period only TRT01EDT should be populated. Derived from EX.EXENDTC for active treatment.
TR02EDTM	Datetime of Last Exposure in Period 02	N	DATETIME.		In trial designs where multiple treatments are given, variables for each set of treatment dates must be defined as TR01EDTM, TR02EDTM, etc. In trial designs with only one treatment period only TR01EDTM should be populated. Derived from EX.EXENDTC for active treatment.
TR02ETM	Time of Last Exposure in Period 02	N	TIME5.		In trial designs where multiple treatments are given, variables for each set of treatment dates must be defined as TR01ETM, TR02ETM, etc. In trial designs with only one treatment period only TRT01ETM should be populated. Derived from time portion of EX.EXENDTC for active treatment.
TR02SDT	Date of First Exposure in Period 02	N	DATE9.		In trial designs where multiple treatments are given, variables for each set of treatment dates must be defined as TR01SDT, TR02SDT, etc. In trial designs with only one treatment period only TRT01SDT should be populated. Derived from EX.EXSTDTC for active treatment.

Variable level documentation

Dataset: ADSL

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
TR02SDTM	Datetime of First Exposure in Period 02	N	DATETIME.		In trial designs where multiple treatments are given, variables for each set of treatment dates must be defined as TR01SDTM, TR02SDTM, etc. In trial designs with only one treatment period only TR01SDTM should be populated. Derived from EX.ESTNDTC for active treatment.
TR02STM	Time of First Exposure in Period 02	N	TIME5.		In trial designs where multiple treatments are given, variables for each set of treatment dates must be defined as TR01STM, TR02STM, etc. In trial designs with only one treatment period only TRT01STM should be populated. Derived from the time portion of EX.EXSTDTC for active treatment.
TRT01AN	Actual Treatment for Period 01 (N)	N	7.	Z_TRT	Numeric derivation based on the subjects elements from SE domain. The treatment code is generated through the element code (ETCD) and the provided codelist Z_TRT. TRTxxAN should be mapped one-to-one mapping to TRTxxA within a study.
TRT01PN	Planned Treatment for Period 01 (N)	N	7.	Z_TRT	Numeric derivation based on the value of ARMCD for each respective period mapped via project specific informat Z_TRT. TRTxxPN should be mapped one-to-one mapping to TRTxxP within a study.
TRT02AN	Actual Treatment for Period 02 (N)	N	7.	Z_TRT	Numeric derivation based on the subjects elements from SP.SE. The treatment code is generated through the element code (ETCD) and the provided codelist Z_TRT. TRTxxAN should be mapped one-to-one mapping to TRTxxA within a study.
TRT02PN	Planned Treatment for Period 02 (N)	N	7.	Z_TRT	Numeric derivation based on the value of ARMCD for each respective period mapped via project specific informat Z_TRT. TRTxxPN should be mapped one-to-one mapping to TRTxxP within a study.
TRTEDT	Date of Last Exposure to Treatment	N	DATE9.		Derived from last EX.EXENDTC. If the date is not available and subject has a record with DS.EPOCH="TREATMENT" and DS.DSSCAT is missing, the last day of drug intake from eDiary will be used.
TRTSDT	Date of First Exposure to Treatment	N	DATE9.		Derived from the very first EX.EXSTDTC if all date parts (month, day, year) are given and EPOCH is not RUN-IN. Otherwise missing (blank).
UASR	Unique Subject Identifier/Age/Sex/Race	C	40.		Derived from USUBJID, AGE, SEX, RACE: A=Asian; B=Black; W=White; AI=American Indian or Alaska Native; NH=Native Hawaiian or other Pacific Islander; MUL=Multiple; NR=Not reported; OT=Other;

Variable level documentation

Dataset: ADSL

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
USUBJID	Unique Subject Identifier (SDTM)	C (SDTM)	20. (SDTM)		DM.USUBJID
WEIGHTBL	Baseline Weight (kg)	N	8.2		Derived from ADVS.AVAL where ABLFL='Y' and PARAMCD='WEIGHT'.

End of table

3. ADAE

Variable level documentation

Dataset: ADAE

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
ADSNAME	Dataset Name	C	8.	X_ADS2N	Name of the analysis data set. Must be available in X_ADS2N-codelist.
AEACN	Action Taken with Study Treatment (SDTM)	C (SDTM)	20. (SDTM)	(SDTM)	AE.AEACN
AEACNOTH	Other Action Taken (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	AE.AEACNOTH
AEBDSYCD	Body System or Organ Class Code (SDTM)	N (SDTM)	8. (SDTM)	(SDTM)	AE.AEBDSYCD
AEBODSYS	Body System or Organ Class (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	AE.AEBODSYS
AECONTRT	Concomitant or Additional Trtmnt Given (SDTM)	C (SDTM)	2. (SDTM)	(SDTM)	AE.AECONTRT
AEDECOD	Dictionary-Derived Term (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	AE.AEDECOD
AEENDTC	End Date/Time of Adverse Event (SDTM)	C (SDTM)	19. (SDTM)	(SDTM)	AE.AEENDTC
AEENDY	Study Day of End of Adverse Event (SDTM)	N (SDTM)	8. (SDTM)		AE.AEENDY
AEENRF	End Relative to Reference Period (SDTM)	C (SDTM)	15. (SDTM)	(SDTM)	AE.AEENRF
AEEPRELI	Epi/Pandemic Related Indicator (SDTM)	C (SDTM)	2. (SDTM)	(SDTM)	AE.AEEPRELI
AEGRPID	Group ID (SDTM)	C (SDTM)	200. (SDTM)		AE.AEGRPID
AEHLGT	High Level Group Term (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	AE.AEHLGT
AEHLGTCD	High Level Group Term Code (SDTM)	N (SDTM)	8. (SDTM)	(SDTM)	AE.AEHLGTCD
AEHLT	High Level Term (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	AE.AEHLT
AEHLTCD	High Level Term Code (SDTM)	N (SDTM)	8. (SDTM)	(SDTM)	AE.AEHLTCD
AELLT	Lowest Level Term (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	AE.AELLT
AELLTCD	Lowest Level Term Code (SDTM)	N (SDTM)	8. (SDTM)	(SDTM)	AE.AELLTCD
AEMODIFY	Modified Reported Term (SDTM)	C (SDTM)	200. (SDTM)		AE.AEMODIFY
AENDT	Analysis End Date	N	DATE9.		Derived from AE.AEENDTC. Missing end dates are imputed by replacing the missing information on the day and month of the event with the last day of the month and the last month of the year.
AENDTF	Analysis End Date Imputation Flag	C	1.	DATEFL	If AENDT is imputed, the following rules apply: If year is imputed set to 'Y', otherwise if month is imputed set to 'M', otherwise if day is imputed set to 'D'. If nothing was imputed keep empty.
AENDY	Analysis End Relative Day	N	8.		Calculated as the number of days from reference start date to AENDT.
AEOUT	Outcome of Adverse Event (SDTM)	C (SDTM)	40. (SDTM)	(SDTM)	AE.AEOUT
AEPTCD	Preferred Term Code (SDTM)	N (SDTM)	8. (SDTM)	(SDTM)	AE.AEPTCD
AEREL	Causality (SDTM)	C (SDTM)	2. (SDTM)	(SDTM)	AE.AEREL
AERELDTL	Causality Study Treatment Details (SDTM)	C (SDTM)	200. (SDTM)		AE.AERELDTL
AERELPR	Causality to Protocol Procedure (SDTM)	C (SDTM)	2. (SDTM)	(SDTM)	AE.AERELPR
AESCONG	Congenital Anomaly or Birth Defect (SDTM)	C (SDTM)	2. (SDTM)	(SDTM)	AE.AESCONG
AESDISAB	Persist or Signif Disability/Incapacity (SDTM)	C (SDTM)	2. (SDTM)	(SDTM)	AE.AESDISAB

Variable level documentation

Dataset: ADAE

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
AESDTH	Results in Death (SDTM)	C (SDTM)	2. (SDTM)	(SDTM)	AE.AESDTH
AESEQ	Sequence Number (SDTM)	N (SDTM)	8. (SDTM)		AE.AESEQ
AESER	Serious Event (SDTM)	C (SDTM)	2. (SDTM)	(SDTM)	AE.AESER
AESEV	Severity/Intensity (SDTM)	C (SDTM)	20. (SDTM)	(SDTM)	AE.AESEV
AESHOSP	Requires or Prolongs Hospitalization (SDTM)	C (SDTM)	2. (SDTM)	(SDTM)	AE.AESHOSP
AESLIFE	Is Life Threatening (SDTM)	C (SDTM)	2. (SDTM)	(SDTM)	AE.AESLIFE
AESMIE	Other Medically Important Serious Event (SDTM)	C (SDTM)	2. (SDTM)	(SDTM)	AE.AESMIE
AESOC	Primary System Organ Class (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	AE.AESOC
AESOCCD	Primary System Organ Class Code (SDTM)	N (SDTM)	8. (SDTM)	(SDTM)	AE.AESOCCD
AESONGFU	SAE Ongoing at Entry in FU Study (SDTM)	C (SDTM)	2. (SDTM)	(SDTM)	AE.AESONGFU
AESPID	Sponsor-Defined Identifier (SDTM)	C (SDTM)	200. (SDTM)		AE.AESPID
AESREAS	All Reasons for Seriousness	C	200.		Concatenation of labels from AE.AESCONG, AE.AESDISAB, AE.AESDTH, AE.AESHOSP, AE.AESLIFE, AE.AESMIE and AE.AESONGFU (with comma), if variable contains Y.
AESSINY	Adverse Event of Special Interest (SDTM)	C (SDTM)	2. (SDTM)	(SDTM)	AE.AESSINY
AESTDTC	Start Date/Time of Adverse Event (SDTM)	C (SDTM)	19. (SDTM)	(SDTM)	AE.AESTDTC
AESTDY	Study Day of Start of Adverse Event (SDTM)	N (SDTM)	8. (SDTM)		AE.AESTDY
AESTRF	Start Relative to Reference Period (SDTM)	C (SDTM)	15. (SDTM)	(SDTM)	AE.AESTRF
AETERM	Reported Term for the Adverse Event (SDTM)	C (SDTM)	200. (SDTM)		AE.AETERM
AETERMCV	Clarified Verbatim (SDTM)	C (SDTM)	200. (SDTM)		AE.AETERMCV
AETRTEM	Treatment Emergent Flag (SDTM)	C (SDTM)	2. (SDTM)	(SDTM)	AE.AETRTEM
APHASE	Phase	C	200.		Set 'Week 1-12' or 'Week 13-52' based on the Adverse event start date and treatment phase start and end date from ADSL.
ASEQ	Analysis Sequence Number	N	8.		Calculated sequence number starting with 1 and increasing by 1 within a subject in sort order of ASTDT, AENDT, AETERM and AESEQ.
ASEVN	Analysis Severity/Intensity (N)	N	3.	X_ASEV	Derived from AE.AESEV. Set 1 if Mild, 2 if Moderate and 3 if Severe.
ASSINY	Analysis AE of Special Interest	C	1.	X_Y	Derived. Set to 'Y' if the following AEs are included: 1. Potential AESI - Liver event, 2.Somnolence or fatigue, 3. Phototoxicity, 4. Post-menopausal uterine bleeding.

Variable level documentation

Dataset: ADAE

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
ASTDT	Analysis Start Date	N	DATE9.		Derived from AE.AESTDTC. Incomplete dates will be imputed using the following rules: If the active treatment start date falls within imputation range, incomplete AE start date will be imputed as the active treatment start date. If the active treatment start date does not fall within the imputation range, and the placebo treatment start date falls within the imputation range, an incomplete AE start date is imputed as the placebo treatment start date. Otherwise, the partially missing AE start date will be imputed to the earliest date of the imputation range. Completely missing start date will not be imputed.
ASTDTF	Analysis Start Date Imputation Flag	C	1.	DATEFL	If ASTDT is imputed, the following rules apply: If year is imputed set to 'Y', otherwise if month is imputed set to 'M', otherwise if day is imputed set to 'D'. If nothing was imputed keep empty.
ASTDY	Analysis Start Relative Day	N	8.		Calculated as the number of days from reference start date to ASTDT.
CQ01CD	Customized Query 01 Code	N	8.	Z_CQNAM	Set equal to '1', if AESI: Any condition potentially triggering close liver observation: SMQ Cholestasis and jaundice of hepatic organ SMQ Drug related hepatic disorders - severe events only SMQ Liver related investigations, signs and symptoms SMQ Liver-related coagulation and bleeding disturbances , included in this CQ. In addition, include AESIs ticked at AE-CRF.
CQ02CD	Customized Query 02 Code	N	8.	Z_CQNAM	Set equal to '2', if A) Somnolence MLG: PT Somnolence PT Hypersomnia B) Fatigue (MGL Decreased general strength and energy) PT Asthenia PT Decreased activity PT Fatigue PT Fatigue management PT Mental fatigue PT Physical deconditioning PT Sluggisheness In addition to MLGs above, include PT Sleep disorder due to general medical condition, hypersomnia type, included in this CQ.
CQ03CD	Customized Query 03 Code	N	8.	Z_CQNAM	Set equal to '3', if BMQ Photosensitivity reactions, included in this CQ.

Variable level documentation

Dataset: ADAE

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
CQ04CD	Customized Query 04 Code	N	8.	Z_CQNAM	Set equal to '4', if MLG Female genital tract bleeding PT Abnormal uterine bleeding PT Abnormal withdrawal bleeding PT Cervix haematoma uterine PT Cervix haemorrhage uterine PT Coital bleeding PT Haematocoele female PT Haematosalpinx PT Haemorrhagic ovarian cyst PT Ovarian haematoma PT Ovarian haemorrhage PT postmenopausal haemorrhage PT Uterine haematoma PT Uterine haemorrhage PT Vaginal haematoma PT Vaginal haemorrhage PT Vulval haematoma PT Vulval haematoma evacuation PT Vaginal haemorrhage PT Withdrawal bleed PT Unexpected vaginal bleeding on hormonal IUD, included in this CQ.
CQ05CD	Customized Query 05 Code	N	8.	Z_CQNAM	The customized query (CQ) name or name of the AE of special interest category based on a grouping of MedDRA terms. Would be blank for terms that are not in the CQ. Derivation is described in SAP 5.1 Coding conditions applicable for AESIs and also in TLF specification as footnotes: cq01cd for Potential AESI - Liver event, cq02cd for Somnolence or fatigue, cq03cd for Phototoxicity, cq04cd for Post-menopausal uterine bleeding, cq05cd for Abuse potential, cq06cd for Accidents and injuries, cq07cd for Postural hypotension, falls, black outs, syncope, dizziness, ataxia, fractures.
CQ06CD	Customized Query 06 Code	N	8.	Z_CQNAM	The customized query (CQ) name or name of the AE of special interest category based on a grouping of MedDRA terms. Would be blank for terms that are not in the CQ. Derivation is described in SAP 5.1 Coding conditions applicable for AESIs and also in TLF specification as footnotes: cq01cd for Potential AESI - Liver event, cq02cd for Somnolence or fatigue, cq03cd for Phototoxicity, cq04cd for Post-menopausal uterine bleeding, cq05cd for Abuse potential, cq06cd for Accidents and injuries, cq07cd for Postural hypotension, falls, black outs, syncope, dizziness, ataxia, fractures.

Variable level documentation

Dataset: ADAE

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
CQ07CD	Customized Query 07 Code	N	8.	Z_CQNAM	The customized query (CQ) name or name of the AE of special interest category based on a grouping of MedDRA terms. Would be blank for terms that are not in the CQ. Derivation is described in SAP 5.1 Coding conditions applicable for AESIs and also in TLF specification as footnotes: cq01cd for Potential AESI - Liver event, cq02cd for Somnolence or fatigue, cq03cd for Phototoxicity, cq04cd for Post-menopausal uterine bleeding, cq05cd for Abuse potential, cq06cd for Accidents and injuries, cq07cd for Postural hypotension, falls, black outs, syncope, dizziness, ataxia, fractures.
EPOCH	Epoch (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	AE.EPOCH
POSTFL	Post-treatment Flag	C	1.	X_Y	Post-treatment adverse events are defined as all adverse events starting after the date of the last treatment + 14 days.
PREFL	Pre-treatment Flag	C	1.	X_Y	Derived. If ASTDT < ADSL.TRTSDT then populate PREFL with a 'Y'.
STUDYID	Study Identifier (SDTM)	C (SDTM)	10. (SDTM)		AE.STUDYID
TRTEMFL	Treatment Emergent Analysis Flag	C	1.	X_Y	Derived. Set to 'Y' if any adverse event occurring or worsening on or after the date of the first dose of study drug up to 14 days after the date of the last dose of study drug.
USUBJID	Unique Subject Identifier (SDTM)	C (SDTM)	20. (SDTM)		AE.USUBJID

End of table

4. ADCM

Variable level documentation

Dataset: ADCM

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
ADSNAME	Dataset Name	C	8.	X_ADS2N	Name of the analysis data set. Must be available in X_ADS2N-codelist.
AENDT	Analysis End Date	N	DATE9.		Derived from CM.CMENDTC. Missing end dates are imputed by replacing the missing information on the day and month of the event with the last day of the month and the last month of the year.
AENDTF	Analysis End Date Imputation Flag	C	1.	DATEFL	If AENDT is imputed, the following rules apply: If year is imputed set to Y, otherwise if month is imputed set to M, otherwise if day is imputed set to D. If nothing was imputed keep empty.
AENDY	Analysis End Relative Day	N	8.		Derived from randomization date until AENDT.
ASEQ	Analysis Sequence Number	N	8.		Calculated sequence number starting with 1 and increasing by 1 within a subject in sort order of CMCAT, ASTDT, CMENRTPT, AENDT, CMTRT and CMSEQ.
ASTDT	Analysis Start Date	N	DATE9.		Derived from CM.CMSTDTC. Incomplete dates will be imputed using the following rules: If the active treatment start date falls within imputation range, incomplete CM start date will be imputed as the active treatment start date. If the active treatment start date does not fall within the imputation range, and the placebo treatment start date falls within the imputation range, an incomplete CM start date is imputed as the placebo treatment start date. Otherwise, the partially missing CM start date will be imputed to the earliest date of the imputation range. Completely missing start date will not be imputed.
ASTDTF	Analysis Start Date Imputation Flag	C	1.	DATEFL	If ASTDT is imputed, the following rules apply: If year is imputed set to Y, otherwise if month is imputed set to M, otherwise if day is imputed set to D. If nothing was imputed keep empty.
ASTDY	Analysis Start Relative Day	N	8.		Derived from randomization date until ASTDT.
CMATC01	ATC Code 01	C	5.	ATC	ATC code merged from ATC dictionary. One Concomitant medication can be linked with multiple ATC codes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMATC02	ATC Code 02	C	5.	ATC	ATC code merged from ATC dictionary. One Concomitant medication can be linked with multiple ATC codes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMATC03	ATC Code 03	C	5.	ATC	ATC code merged from ATC dictionary. One Concomitant medication can be linked with multiple ATC codes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.

Variable level documentation

Dataset: ADCM

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
CMATC04	ATC Code 04	C	5.	ATC	ATC code merged from ATC dictionary. One Concomitant medication can be linked with multiple ATC codes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMATC05	ATC Code 05	C	5.	ATC	ATC code merged from ATC dictionary. One Concomitant medication can be linked with multiple ATC codes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMATC06	ATC Code 06	C	5.	ATC	ATC code merged from ATC dictionary. One Concomitant medication can be linked with multiple ATC codes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMATC07	ATC Code 07	C	5.	ATC	ATC code merged from ATC dictionary. One Concomitant medication can be linked with multiple ATC codes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMATC08	ATC Code 08	C	5.	ATC	ATC code merged from ATC dictionary. One Concomitant medication can be linked with multiple ATC codes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMATC09	ATC Code 09	C	5.	ATC	ATC code merged from ATC dictionary. One Concomitant medication can be linked with multiple ATC codes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMATC10	ATC Code 10	C	5.	ATC	ATC code merged from ATC dictionary. One Concomitant medication can be linked with multiple ATC codes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMATC11	ATC Code 11	C	5.	ATC	ATC code merged from ATC dictionary. One Concomitant medication can be linked with multiple ATC codes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMATC12	ATC Code 12	C	5.	ATC	ATC code merged from ATC dictionary. One Concomitant medication can be linked with multiple ATC codes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMATC13	ATC Code 13	C	5.	ATC	ATC code merged from ATC dictionary. One Concomitant medication can be linked with multiple ATC codes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMATC14	ATC Code 14	C	5.	ATC	ATC code merged from ATC dictionary. One Concomitant medication can be linked with multiple ATC codes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.

Variable level documentation

Dataset: ADCM

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
CMATC15	ATC Code 15	C	5.	ATC	ATC code merged from ATC dictionary. One Concomitant medication can be linked with multiple ATC codes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMATC16	ATC Code 16	C	5.	ATC	ATC code merged from ATC dictionary. One Concomitant medication can be linked with multiple ATC codes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMATC17	ATC Code 17	C	5.	ATC	ATC code merged from ATC dictionary. One Concomitant medication can be linked with multiple ATC codes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMCAT	Category for Medication (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	CM.CMCAT
CMCL01	ATC Class 01	C	1.	ATC	First character of ATC code representing anatomical main class. One Concomitant medication can be linked with multiple ATC classes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMCL02	ATC Class 02	C	1.	ATC	First character of ATC code representing anatomical main class. One Concomitant medication can be linked with multiple ATC classes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMCL03	ATC Class 03	C	1.	ATC	First character of ATC code representing anatomical main class. One Concomitant medication can be linked with multiple ATC classes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMCL04	ATC Class 04	C	1.	ATC	First character of ATC code representing anatomical main class. One Concomitant medication can be linked with multiple ATC classes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMCL05	ATC Class 05	C	1.	ATC	First character of ATC code representing anatomical main class. One Concomitant medication can be linked with multiple ATC classes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMCL06	ATC Class 06	C	1.	ATC	First character of ATC code representing anatomical main class. One Concomitant medication can be linked with multiple ATC classes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMCL07	ATC Class 07	C	1.	ATC	First character of ATC code representing anatomical main class. One Concomitant medication can be linked with multiple ATC classes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMCL08	ATC Class 08	C	1.	ATC	First character of ATC code representing anatomical main class. One Concomitant medication can be linked with multiple ATC classes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.

Variable level documentation

Dataset: ADCM

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
CMCL09	ATC Class 09	C	1.	ATC	First character of ATC code representing anatomical main class. One Concomitant medication can be linked with multiple ATC classes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMCL10	ATC Class 10	C	1.	ATC	First character of ATC code representing anatomical main class. One Concomitant medication can be linked with multiple ATC classes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMCL11	ATC Class 11	C	1.	ATC	First character of ATC code representing anatomical main class. One Concomitant medication can be linked with multiple ATC classes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMCL12	ATC Class 12	C	1.	ATC	First character of ATC code representing anatomical main class. One Concomitant medication can be linked with multiple ATC classes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMCL13	ATC Class 13	C	1.	ATC	First character of ATC code representing anatomical main class. One Concomitant medication can be linked with multiple ATC classes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMCL14	ATC Class 14	C	1.	ATC	First character of ATC code representing anatomical main class. One Concomitant medication can be linked with multiple ATC classes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMCL15	ATC Class 15	C	1.	ATC	First character of ATC code representing anatomical main class. One Concomitant medication can be linked with multiple ATC classes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMCL16	ATC Class 16	C	1.	ATC	First character of ATC code representing anatomical main class. One Concomitant medication can be linked with multiple ATC classes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMCL17	ATC Class 17	C	1.	ATC	First character of ATC code representing anatomical main class. One Concomitant medication can be linked with multiple ATC classes by SUPPCM.CMDRECNO and SUPPCM.CMDSEQ1.
CMDECOD	Standardized Medication Name (SDTM)	C (SDTM)	200. (SDTM)		CM.CMDECOD
CMENRTPT	End Relative to Reference Time Point (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	CM.CMENRTPT
CMOCCUR	CM Occurrence (SDTM)	C (SDTM)	2. (SDTM)	(SDTM)	CM.CMOCCUR
CMSCL01	ATC Subclass 01	C	3.	ATC	First three characters of ATC code representing ATC subclass (pharmacological/therapeutic properties). Populated in case the length of the ATC code is at least 3 characters long, otherwise left blank.

Variable level documentation

Dataset: ADCM

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
CMSCL02	ATC Subclass 02	C	3.	ATC	First three characters of ATC code representing ATC subclass (pharmacological/therapeutic properties). Populated in case the length of the ATC code is at least 3 characters long, otherwise left blank.
CMSCL03	ATC Subclass 03	C	3.	ATC	First three characters of ATC code representing ATC subclass (pharmacological/therapeutic properties). Populated in case the length of the ATC code is at least 3 characters long, otherwise left blank.
CMSCL04	ATC Subclass 04	C	3.	ATC	First three characters of ATC code representing ATC subclass (pharmacological/therapeutic properties). Populated in case the length of the ATC code is at least 3 characters long, otherwise left blank.
CMSCL05	ATC Subclass 05	C	3.	ATC	First three characters of ATC code representing ATC subclass (pharmacological/therapeutic properties). Populated in case the length of the ATC code is at least 3 characters long, otherwise left blank.
CMSCL06	ATC Subclass 06	C	3.	ATC	First three characters of ATC code representing ATC subclass (pharmacological/therapeutic properties). Populated in case the length of the ATC code is at least 3 characters long, otherwise left blank.
CMSCL07	ATC Subclass 07	C	3.	ATC	First three characters of ATC code representing ATC subclass (pharmacological/therapeutic properties). Populated in case the length of the ATC code is at least 3 characters long, otherwise left blank.
CMSCL08	ATC Subclass 08	C	3.	ATC	First three characters of ATC code representing ATC subclass (pharmacological/therapeutic properties). Populated in case the length of the ATC code is at least 3 characters long, otherwise left blank.
CMSCL09	ATC Subclass 09	C	3.	ATC	First three characters of ATC code representing ATC subclass (pharmacological/therapeutic properties). Populated in case the length of the ATC code is at least 3 characters long, otherwise left blank.
CMSCL10	ATC Subclass 10	C	3.	ATC	First three characters of ATC code representing ATC subclass (pharmacological/therapeutic properties). Populated in case the length of the ATC code is at least 3 characters long, otherwise left blank.
CMSCL11	ATC Subclass 11	C	3.	ATC	First three characters of ATC code representing ATC subclass (pharmacological/therapeutic properties). Populated in case the length of the ATC code is at least 3 characters long, otherwise left blank.
CMSCL12	ATC Subclass 12	C	3.	ATC	First three characters of ATC code representing ATC subclass (pharmacological/therapeutic properties). Populated in case the length of the ATC code is at least 3 characters long, otherwise left blank.

Variable level documentation

Dataset: ADCM

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
CMSCL13	ATC Subclass 13	C	3.	ATC	First three characters of ATC code representing ATC subclass (pharmacological/therapeutic properties). Populated in case the length of the ATC code is at least 3 characters long, otherwise left blank.
CMSCL14	ATC Subclass 14	C	3.	ATC	First three characters of ATC code representing ATC subclass (pharmacological/therapeutic properties). Populated in case the length of the ATC code is at least 3 characters long, otherwise left blank.
CMSCL15	ATC Subclass 15	C	3.	ATC	First three characters of ATC code representing ATC subclass (pharmacological/therapeutic properties). Populated in case the length of the ATC code is at least 3 characters long, otherwise left blank.
CMSCL16	ATC Subclass 16	C	3.	ATC	First three characters of ATC code representing ATC subclass (pharmacological/therapeutic properties). Populated in case the length of the ATC code is at least 3 characters long, otherwise left blank.
CMSCL17	ATC Subclass 17	C	3.	ATC	First three characters of ATC code representing ATC subclass (pharmacological/therapeutic properties). Populated in case the length of the ATC code is at least 3 characters long, otherwise left blank.
CMSEQ	Sequence Number (SDTM)	N (SDTM)	8. (SDTM)		CM.CMSEQ
CMTRT	Reported Name of Drug, Med, or Therapy (SDTM)	C (SDTM)	200. (SDTM)		CM.CMTRT
FUPFL	Follow-up Flag	C	1.	X_Y	Derived. Set to 'Y' if start of medication is after last study drug intake.
ICE01FL	Intercurrent event flag	C	1.	X_Y	Derived. Set to 'Y' if PROHIBFL='Y' and CM start occurred from randomization day up to and including day 82.
ICEENWK	ICE end week	N	8.		Only filled for records with ICE01FL = 'Y'. Contains the number of the last week flagged for the intercurrent event. First the end date of impact on efficacy is calculated as AENDY plus impact duration from preliminary list of prohibited concomitant medication in OASIS-1 and OASIS-2 SAPs section 6.5.3. If this end date occurs on and after the 3rd day of the week, the respective week will be flagged. If the end date for the impact on efficacy occurs on the 1st or 2nd day of the week, the respective week should not be flagged and only the previous week will be flagged. If intake of CM is ongoing, the value will be missing.

Variable level documentation

Dataset: ADCM

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
ICESTWK	ICE start week	N	8.		Only filled for intercurrent events (ICE) (records with ICE01FL = 'Y'). The value is derived from ASTDY and contains the number of the first week flagged for the ICE. If the ICE occurs on day 1, then ICESTWK=0. Otherwise, if the ICE occurs on or before the 5th day of the week, it will be flagged for the respective week. If the ICE occurs on the 6th or 7th day of the week, it will be flagged from the following week.
ONTR01FL	On Treatment Period 01 Flag	C	1.	X_Y	Derived. For SWITCH-1, OASIS1, 2, set to Y if (PH01SDT <= ASTDT <= min(PH01EDT, TRTEDT)) or (ASTDT < PH01SDT and (PH01SDT <= AENDT or missing(AENDT))), else set to missing. For OASIS3, set to Y if (PH01SDT <= ASTDT <= PH1SDT + 83) or (ASTDT < PH01SDT and (PH01SDT <= AENDT or missing(AENDT))), else set to missing.
ONTR02FL	On Treatment Period 02 Flag	C	1.	X_Y	Derived. For SWITCH-1, OASIS1, 2, set to Y if (PH02SDT <= ASTDT <= min(PH02EDT, TRTEDT)) or (ASTDT < PH02SDT and (PH02SDT <= AENDT or missing(AENDT))), else set to missing. For OASIS3, set to Y if (PH1SDT + 84 <= ASTDT <= min(PH2EDT, TRTEDT)) OR (ASTDT < min(PH1SDT + 84, TRTEDT) AND (PH1SDT + 84 <= AENDT OR MISSING(AENDT))), else set to missing.
ONTR03FL	On Treatment Period 03 Flag	C	1.	X_Y	Derived. For SWITCH-1, OASIS1, 2, ONTR03FL = ONTR02FL. For OASIS3, if ASTDT > PH1SDT + 181 THEN ONTR03FL = '', ELSE ONTR03FL = ONTR02FL.
PREFL	Pre-treatment Flag	C	1.	X_Y	Derived. Set to 'Y' if Medication taken before start of the study drug intake, (regardless of when it ended).
PROHIBFL	Prohibited med. affecting efficacy flag	C	1.	X_Y	Derived. Set to 'Y' if any prohibited concomitant medication as defined in the protocol were used that influence efficacy. Please refer to OASIS-1 and OASIS-2 SAPs section 6.5.3 (Intake of prohibited concomitant medication having impact on efficacy) for more details.
STUDYID	Study Identifier (SDTM)	C (SDTM)	10. (SDTM)		CM.STUDYID
S_NAME01	Substance Name 01	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping

Variable level documentation

Dataset: ADCM

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
S_NAME02	Substance Name 02	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME03	Substance Name 03	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME04	Substance Name 04	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME05	Substance Name 05	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME06	Substance Name 06	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME07	Substance Name 07	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME08	Substance Name 08	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME09	Substance Name 09	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping

Variable level documentation

Dataset: ADCM

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
S_NAME10	Substance Name 10	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME11	Substance Name 11	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME12	Substance Name 12	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME13	Substance Name 13	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME14	Substance Name 14	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME15	Substance Name 15	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME16	Substance Name 16	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME17	Substance Name 17	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping

Variable level documentation

Dataset: ADCM

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
S_NAME18	Substance Name 18	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME19	Substance Name 19	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME20	Substance Name 20	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME21	Substance Name 21	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME22	Substance Name 22	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME23	Substance Name 23	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME24	Substance Name 24	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME25	Substance Name 25	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping

Variable level documentation

Dataset: ADCM

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
S_NAME26	Substance Name 26	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME27	Substance Name 27	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME28	Substance Name 28	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME29	Substance Name 29	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME30	Substance Name 30	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME31	Substance Name 31	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME32	Substance Name 32	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME33	Substance Name 33	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping

Variable level documentation

Dataset: ADCM

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
S_NAME34	Substance Name 34	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME35	Substance Name 35	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME36	Substance Name 36	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME37	Substance Name 37	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME38	Substance Name 38	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME39	Substance Name 39	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME40	Substance Name 40	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
S_NAME41	Substance Name 41	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping

Variable level documentation

Dataset: ADCM

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
S_NAME42	Substance Name 42	C	200.		Derived from distinct value of WHO-DD dataset WHODD_BNA_ING_DD_DDA_DD variable BASE_SUB_NAME by using SUPPCM.CMDRECNO. Base substance name of the appropriate Bayer Drug Grouping
USUBJID	Unique Subject Identifier (SDTM)	C (SDTM)	20. (SDTM)		CM.USUBJID
VMSFL	VMS treatment affecting efficacy flag	C	1.	X_Y	Derived. Set to 'Y' if any VMS treatment as defined in the protocol were used that influence efficacy. Please refer to OASIS 1 and OASIS 2 SAPs section 6.5.2 (Permanent discontinuation of randomized treatment) for more details.

End of table

5. ADDS

Variable level documentation

Dataset: ADDS

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
ADSNAME	Dataset Name	C	8.	X_ADS2N	Name of the analysis data set. Must be available in X_ADS2N-codelist
APHASE	Phase	C	200.		Treatment phase like 'Week 1-12' and 'Week 13-26' are determined based on the exposure start/ end date and treatment phase start and end date from ADSL, as per study schema.
ASEQ	Analysis Sequence Number	N	8.		Calculated sequence number starting with 1 and increasing by 1 within a subject in sort order of ASTDT, DSCAT, DSSCAT, EPOCH, DSDECOD, DSTERM and DSSEQ.
ASTDT	Analysis Start Date	N	DATE9.		If the subjects undergo a treatment phase and the subcategory for the disposition event is not "INFORMED CONSENT," then the ASTDT value will be equal to ADSL.TRTEDT. Otherwise, the ASTDT value will be the same as DS.DSSTDTC in Date 9 format.
ASTDY	Analysis Start Relative Day	N	8.		Calculated as the number of days from Randomization date(ADSL.RANDDT) to ASTDT.
DSCAT	Category for Disposition Event (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	DS.DSCAT
DSDECOD	Standardized Disposition Term (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	DS.DSDECOD
DSNEXT	Next Epoch (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	DS.DSNEXT
DSSCAT	Subcategory for Disposition Event (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	DS.DSSCAT
DSSEQ	Sequence Number (SDTM)	N (SDTM)	8. (SDTM)		DS.DSSEQ
DSSUBDEC	Subject Decision How to Proceed (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	DS.DSSUBDEC
DSTERM	Reported Term for the Disposition Event (SDTM)	C (SDTM)	200. (SDTM)		DS.DSTERM
EPOCH	Epoch (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	DS.EPOCH
ICE01FL	Intercurrent event flag	C	1.	X_Y	Set to 'Y' if a subject is randomized and permanently discontinued from study drug on or before day 82; otherwise set to missing.
ICEREAS	Intercurrent event reason	C	200.		Set to ADDS.DSDECOD in proper case where ADDS.ICE01FL is "Y"
ICESREAS	Intercurrent event sub category	C	200.		If ICE01FL = 'Y' and subjects who received alternative VMS medication while on Treatment or after end of treatment ICESREAS= 'For participants who initiate alternative VMS treatment', otherwise if ICE01FL = 'Y' and no alternative medication was taken after treatment start then ICESREAS= 'For participants who remained untreated/on background therapy'.

Variable level documentation

Dataset: ADDS

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
ICESTWK	ICE start week	N	8.		If the ICE occurs on or before the 5th day of the week, it will be populated from the respective week If the ICE occurs on the 6th or 7th day of the week, it will be populated from the following week. If subject discontinue on day 1 then ICESTWK = 0. For example, if the participant permanently discontinues from the randomized drug on the 2nd day of week 4, then ICESTWK = 4. If the discontinuation from the randomized drug occurs on the 6th day of week 4, then ICESTWK = 5.
STUDYID	Study Identifier (SDTM)	C (SDTM)	10. (SDTM)		DS.STUDYID
USUBJID	Unique Subject Identifier (SDTM)	C (SDTM)	20. (SDTM)		DS.USUBJID

End of table

6. ADEX

Variable level documentation

Dataset: ADEX

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
ADSNAME	Dataset Name	C	8.	X_ADS2N	Name of the analysis data set. Must be available in X_ADS2N-codelist.
AENDT	Analysis End Date	N	DATE9.		Derived from treatment end date if PARAMCD="TRT" or PARAMCD ="DURWDR" or PARAMCD="DURWGR" or PARAMCD="DURW".
AENDTF	Analysis End Date Imputation Flag	C	1.	DATEFL	If AENDT is imputed, the following rules apply: If year is imputed set to Y, otherwise if month is imputed set to M, otherwise if day is imputed set to D. If nothing was imputed keep empty.
AENDY	Analysis End Relative Day	N	8.		Calculated as the number of days from reference start date in ADSL to AENDT.
AENTM	Analysis End Time	N	TIME5.		Derived from the time portion of ADEX.EXENDTC and imputation rules defined in SAP.
APERIOD	Period	N	8.		Set to 1 for first drug period, set to 2 for second drug period, set to missing for RUN-IN epoch.
APHASE	Phase	C	200.		Treatment phase like 'Week 1-12' and 'Week 13-26' are determined based on the exposure start/ end date and treatment phase start and end date from ADSL, as per study schema. Treatment phase like 'Week 1-52' and 'Overall' are determined based on the day of first study drug intake up to and including the day of last study drug intake. For SWITCH-1, OASIS1 and OASIS2, treatment phase like 'Week 1-26' are determined based on the day of first study drug intake up to and including the day of last study drug intake. For OASIS3, treatment phase like 'Week 1-26' are determined based on the day of first study drug intake up to day 182.
ASEQ	Analysis Sequence Number	N	8.		Calculated sequence number starting with 1 and increasing by 1 within a subject in sort order of PARAMCD, APHASE and ASTDT
ASTDT	Analysis Start Date	N	DATE9.		Derived from EX.EXSTDTC for collected data when PARAMCD="TRT"; set to treatment start date when PARAMCD ="DURWDR" or PARAMCD="DURWGR" or PARAMCD="DURW"; else for intercurrent event parameters, set to the date of temporary interruption starting to impact efficacy.
ASTDTF	Analysis Start Date Imputation Flag	C	1.	DATEFL	If ASTDT is imputed, the following rules apply: If year is imputed set to Y, otherwise if month is imputed set to M, otherwise if day is imputed set to D. If nothing was imputed keep empty.
ASTDY	Analysis Start Relative Day	N	8.		Calculated as the number of days from randomization date to ASTDT.
ASTTM	Analysis Start Time	N	TIME5.		Derived from the time portion of ADEX.EXSTDTC and imputation rules defined in SAP.
AVAL	Analysis Value	N	17.8		Derived from EX.EXDOSE where PARAMCD = 'TRT' and Contains calculation results for PARAMCD not equal to 'TRT'.
AVALC	Analysis Value (C)	C	200.		Derived; contains calculation results for PARAM about intercurrent event.

Variable level documentation

Dataset: ADEX

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
AVALCA1N	Analysis Value Category 1 (N)	N	8.	Z_EXAVC	For PARAMCD=COMPLPRC, categorized AVAL: < 80%,>= 80 to 120%,> 120%; for PARAMCD=DURWCRF and DURWDRY, APHASE=Overall, categorized AVAL: < 4 weeks, 4 - < 12 weeks, 12 - < 23 weeks, 23 - < 52 weeks, >= 52 weeks.
EPOCH	Epoch (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	EX.EPOCH
EXSEQ	Sequence Number (SDTM)	N (SDTM)	8. (SDTM)		EX.EXSEQ
ICE01FL	Intercurrent event flag	C	1.	X_Y	Derived. Set to 'Y' when the temporary treatment interruption occurred, otherwise blank.
ICEREAS	Intercurrent event reason	C	200.		Concatenate all the unique EC.ECADJ within the week window alphabetically and separate by comma; If no EC.ECADJ is available, set to "< 5/7 DAYS", "< 80% COMPLIANCE" or "< 80% Compliance and < 5/7 days" whichever apply.
PARAMCD	Parameter Code	C	8.	X_EXPAR	For records taken over from SDTM.EX, PARAMCD is populated with 'TRT'. For other derived parameters, use the relevant term from global codelist.
PARAMTYP	Parameter Type	C	20.		If a new parameter is calculated, then populate as "DERIVED"; otherwise blank.
PARCAT1	Parameter Category 1	C	200.		Derived based on the source data of the parameters. If from CRF then set to 'by eCRF', otherwise if from eDiary data set to 'by eDiary'.
PARCAT2	Parameter Category 2	C	200.		Derived from ADEX.PARAMCD and ADEX.TRTAN. If PARAMCD in ("CMPCRFDR", "CMPCRFGR", "CMPDRYDR", "CMPDRYGR", "DURWDR", "DURWGR") and non-missing TRTAN, Set to 'by study drug'; PARAMCD in ("CMPCRFDR", "CMPCRFGR", "CMPDRYDR", "CMPDRYGR", "DURWDR", "DURWGR") and missing TRTAN, Set to 'by treatment group'; Otherwise set to missing.
PARCAT3	Parameter Category 3	C	200.		Derived based on the purpose of the parameters. If for efficacy analysis purpose then set to 'Efficacy', otherwise if for safety analysis purpose set to 'Safety'.
STUDYID	Study Identifier (SDTM)	C (SDTM)	10. (SDTM)		EX.STUDYID
TRTAN	Actual Treatment (N)	N	7.	Z_TRTAN	Derived based on ADSL.TRT01AN, ADSL.TRT02AN and APHASE if PARAMCD in ("DURWDR", "DURWGR", "DURW", 'COMPLPRC', 'COMPLPRC', 'TOTDOSE').
USUBJID	Unique Subject Identifier (SDTM)	C (SDTM)	20. (SDTM)		EX.USUBJID

End of table

Analysis value level documentation

ADS Data Set name: ADEX

Parameter	Parameter Code	Derivation Description	Derivation Type
Actual Daily Dose (mg)	ACDLYDS	For SWITCH-1, OASIS 1, 2 and 3, calculated as total amount of dose (from eDiary) / duration of treatment (in days, from CRF).	
Actual Daily Dose (mg) by eCRF	ACDDCRF	For OASIS 1 and OASIS 2, calculated as total amount of dose (from CRF) / duration of treatment (in days, from CRF).	
Actual Daily Dose (mg) by eDiary	ACDDDRY	For OASIS 1 and OASIS 2, calculated as total amount of dose (from eDiary) / duration of treatment (in days, from CRF).	
Compliance (%)	COMPLPRC	For SWITCH-1, calculated per study drug as 100 * number of capsules taken (from eDiary) / (treatment duration from CRF* 4) during the relevant window. For OASIS 1, 2 and 3, calculated per study drug as 100 * number of capsules taken (from eDiary) / (treatment duration from CRF* 2) during the relevant window.	
Compliance (%) by eCRF	CMPCRFGR	For OASIS 1 and OASIS 2, calculated per study drug as 100 * number of capsules taken (from CRF) / (treatment duration from CRF* 2) during the relevant window.	
Compliance (%) by eDiary	CMPDRYGR	For OASIS 1 and OASIS 2 study, calculated per study drug as 100 * number of capsules taken (from eDiary) / (treatment duration from CRF* 2) during the relevant window.	
Duration of Treatment (weeks)	DURW	For SWITCH-1, OASIS 1, 2 and 3, calculated per study drug the number of days from the day of first study drug intake up to and including the day of last study drug intake. For OASIS 1 and 2, Week 1-12 represents the placebo controlled period of the study and Week 13-26 represents the period at which all participants are treated with elinzanetant. For OASIS 3, Week 1-12 is defined from start of study treatment until (T3 visit date -1) and Week 13-52 as T3 visit date onwards until end of study treatment intake. Week 1-26 is defined from start of study treatment until day 182.	
Duration of Trt (weeks) by study drug	DURWDR	For OASIS 1 and OASIS 2, calculated per study drug as the number of weeks from the day of first study drug intake up to and including the day of last study drug intake for overall window. For Week 1-12, the treatment duration ends on the end of treatment phase 1, or on the day of last study drug intake, whatever is earlier. For Week 13-26, the treatment duration starts on the first day of treatment phase 2.	
Duration of Trt (weeks) by trt group	DURWGR	For OASIS 1 and OASIS 2, calculated per treatment group as the number of weeks from the day of first study drug intake up to and including the day of last study drug intake for overall window. For Week 1-12, the treatment duration ends on the end of treatment phase 1, or on the day of last study drug intake, whatever is earlier. For Week 13-26, the treatment duration starts on the first day of treatment phase 2.	

Analysis value level documentation

ADS Data Set name: ADEX

Parameter	Parameter Code	Derivation Description	Derivation Type
Total Amount of Dose (mg)	TOTDOSE	For SWITCH-1, OASIS 1, 2 and 3, sum up amount of dose (from eDiary) during the relevant duration of treatment.	
Total Dose (mg) by eCRF	TOTDSCRF	For OASIS 1 and OASIS 2, sum up amount of dose (from CRF) during the relevant duration of treatment.	
Total Dose (mg) by eDiary	TOTDSDRY	For OASIS 1 and OASIS 2, sum up amount of dose (from eDiary) during the relevant duration of treatment.	
Treatment taken < 80% during weeks 1-12 OR treatment taken on < 5/7 days during either week 11 or 12	TRTINW12	For OASIS 1 and OASIS 2, based on the ePRO diary data, if treatment was taken less than 5 out of 7 days during any 7-consecutive days of day 71-84 or 100 * Number of capsules taken / 168 < 80% during day 1-84, set to Y; else set to N.	
Treatment taken < 80% during weeks 1-4 OR treatment taken on < 5/7 days during either week 3 or 4	TRTINW4	For OASIS 1 and OASIS 2, based on the ePRO diary data, if treatment was taken less than 5 out of 7 days during any 7-consecutive days of day 15-28 or 100 * Number of capsules taken / 56 < 80% during day 1-28, set to Y; else set to N.	
Treatment taken < 80% during weeks 1-8 OR treatment taken on < 5/7 days during either week 7 or 8	TRTINW8	For OASIS 1 and OASIS 2, based on the ePRO diary data, if treatment was taken less than 5 out of 7 days during any 7-consecutive days of day 43-56 or 100 * Number of capsules taken / 112 < 80% during day 1-56, set to Y; else set to N.	
Treatment taken on < 5/7 days during week 1	TRTINW1	For OASIS 1 and OASIS 2, based on the ePRO diary data, if treatment was taken less than 5 out of 7 days during day 2-8, set to Y; else set to N.	

End of table

7. ADLB

Variable level documentation

Dataset: ADLB

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
ABLFL	Baseline Record Flag	C	1.	X_Y	Set to 'Y' for the latest available valid measurement at or before the start-of-treatment(for treated subjects) / randomization date (for randomized but not treated subjects). If the last observation available prior to randomization is the measurement from the Screening Visit, this would be used as the baseline value excluding unscheduled measurements.
ADSNAME	Dataset Name	C	8.	X_ADS2N	Name of the analysis data set. Must be available in X_ADS2N-codelist.
ADT	Analysis Date	N	DATE9.		Derived from LB.LBDTC date part. Missing start dates are imputed by replacing the missing information on the day and month of the event with the first day of the month and the first month of the year.
ADY	Analysis Relative Day	N	8.		Derived based on ADT and randomization date plus 1.
ANL01FL	Analysis Flag 01	C	1.	X_Y	Set to Y where any of the following is true: 1)Any CRIT flag is set to Y and the visit is unscheduled and the original visit is not a baseline visit and ADY > 1; 2)Visit is baseline or a scheduled post-baseline visit (in case of duplicate records by same parameter and analysis visit, only first is flagged) 3) Measurement is flagged as treatment emergent. For EOT visit, flagged for subjects of OASIS studies who took any Elinzanetant and prematurely discontinued study drug, for FU visit is flagged for subjects who took any Elinzanetant.
ANL02FL	Analysis Flag 02	C	1.	X_Y	Set to Y where any of the following is true: 1)Double-blind/phase 1 scheduled visits; 2)FU visit; 3) EOT visit happened in Phase 1.
ANL03FL	Analysis Flag 03	C	1.	X_Y	Set to Y where Scheduled visits at open label/phase 2 for subjects who switch from placebo to Elinzanetant or ABLFL=Y 2)Visit is an EOT/FU visit if happened after PH2SDT

Variable level documentation

Dataset: ADLB

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
ANL04FL	Analysis Flag 04	C	1.	X_Y	Post-baseline measurements by week 1-12, Set to Y where all of the following are true: 1) For SWITCH-1, all measurements after first treatment dose date 2) For OASIS-1/2 a) all measurements after first treatment dose date but before or at PH2SDT b) if missing PH2SDT, all measurements after first treatment dose date 3) For OASIS-3 subjects with visit "week 12/14" available: all measurements after TRTSDT but before or at "week 12/14" visit date. For OASIS-3 subjects (non-completers) with visit "week 12/14" NOT available: a) If no scheduled visit after visit "week 12/14" available (except "End of Treatment"/ "Follow-up"), all measurements after TRTSDT b) if "week 12/14" visit is missing but visit "week 16/18" is available, then measurements after TRTSDT but before "week 16/18" visit date are included. All studies: measurements at TRTSDT but not treated as baseline (according to visit) are included.
ANL05FL	Analysis Flag 05	C	1.	X_Y	Set to Y for switchers from OASIS-1/2 where both of the following are true: 1)Actual arm is "Placebo - Elinzanetant 120mg" 2) visit happened in phase 2
ANL06FL	Analysis Flag 06	C	1.	X_Y	Flagging post-baseline measurements by week 1-26. Set to Y when ANL07FL is Y for SWITCH- and, OASIS-1/2. For OASIS-3 set Y when ANL07FL is Y and day of measurement is before or at study day 182.
ANL07FL	Analysis Flag 07	C	1.	X_Y	Set to Y where either of the following is true: 1)For OASIS-1/2: a) If start Phase 1 with EZN, all visits after first treatment dose date; b) If start Phase 1 with Placebo and gone to Phase 2, visit is in Phase 2 and analysis date is after Phase 2 start date 2)Study is SWITCH-1 or OASIS-3 and analysis date is after treatment start date
ANRHI	Analysis Normal Range Upper Limit	N	17.8		Copied from LB.LBSTNRHI.
ANRIND	Analysis Reference Range Indicator	C	10.		Derive based on ADLB.AVAL and ADLB.ANRLO/ANRHI, if AAVAL in-between ANRLO and ANRHI then set 'NORMAL', if AVAL greater than ANRHI then set 'HIGH' if AVAL less than ANRLO then set 'LOW'. Otherwise set to LB.LBNRIND.
ANRLO	Analysis Normal Range Lower Limit	N	17.8		Copied from LB.LBSTNRLO.
ASEQ	Analysis Sequence Number	N	8.		Calculated sequence number starting with 1 and increasing by 1 within a subject in sort order of PARCAT1, PARAMN, AVISITN, ADT, ATM and LBSEQ.
ATM	Analysis Time	N	TIME5.		Derived from time portion of LB.LBDTC.

Variable level documentation

Dataset: ADLB

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
AVAL	Analysis Value	N	17.8		Derived from LB.LBSTRESN and LB.LBSTRESC. For laboratory values with '<' sign, half the value of the LB.LBSTRESC will be used for analysis. For values with '>' sign, the LB.LBSTRESC will be used for analysis.
AVALC	Analysis Value (C)	C	200.		Derived from AVAL and LB.LBSTRESC
AVISITN	Analysis Visit (N)	N	8.	Z_AVISIT	Derived from LB.VISITNUM. Remap Screening visit to baseline if used as baseline, for derived parameter set avisitn as 600020 (post-baseline). For collected baseline safety data, if the date is after randomization date, set to 'Unscheduled'. Otherwise based on Z_AVISIT.
BASE	Baseline Value	N	17.8		Derived from ADLB.AVAL by ADLB.USUBJID and ADLB.PARAMCD where ADLB.ABLFL='Y'.
CHG	Change from Baseline	N	17.8		Derived as AVAL-BASE, available for baseline and post-baseline records. Otherwise set to missing.
CRIT1	Analysis Criterion 1	C	200.		Set to '>=20 x ULN' if AVAL is greater than or equal to 20 times Normal Range Upper Limit.
CRIT10	Analysis Criterion 10	C	200.		Set to '<3x ULN' if AVAL is less than 3 times Normal Range Upper Limit.
CRIT10FL	Criterion 10 Evaluation Result Flag	C	1.	X_NY	Set to 'Y' if aval is less than 3 times Normal Range Upper Limit.
CRIT11	Analysis Criterion 11	C	200.		Set to '>=1.5' if aval is greater than or equal to 1.5.
CRIT11FL	Criterion 11 Evaluation Result Flag	C	1.	X_NY	Set to 'Y' if aval is greater than or equal to 1.5.
CRIT12	Analysis Criterion 12	C	200.		Set to '>=2' if aval is greater than or equal to 2.
CRIT12FL	Criterion 12 Evaluation Result Flag	C	1.	X_NY	Set to 'Y' if aval is greater than or equal to 2.
CRIT13	Analysis Criterion 13	C	200.		Set to '>=2 x BL' if aval is greater than or equal to 2 times Baseline.
CRIT13FL	Criterion 13 Evaluation Result Flag	C	1.	X_NY	Set to 'Y' if aval is greater than or equal to 2 times Baseline.
CRIT14	Analysis Criterion 14	C	200.		Set to '>=3 x BL' if aval is greater than or equal to 3 times Baseline.
CRIT14FL	Criterion 14 Evaluation Result Flag	C	1.	X_NY	Set to 'Y' if aval is greater than or equal to 3 times Baseline.
CRIT15	Analysis Criterion 15	C	200.		Set to '>=5 x BL' if aval is greater than or equal to 5 times Baseline.
CRIT15FL	Criterion 15 Evaluation Result Flag	C	1.	X_NY	Set to 'Y' if aval is greater than or equal to 5 times Baseline.
CRIT1FL	Criterion 1 Evaluation Result Flag	C	1.	X_NY	Set to 'Y' if AVAL is greater than or equal to 20 times Normal Range Upper Limit.
CRIT2	Analysis Criterion 2	C	200.		Set to '>=10 x ULN' if AVAL is greater than or equal to 10 times Normal Range Upper Limit.
CRIT2FL	Criterion 2 Evaluation Result Flag	C	1.	X_NY	Set to 'Y' if AVAL is greater than or equal to 10 times Normal Range Upper Limit.
CRIT3	Analysis Criterion 3	C	200.		Set to '>=8x ULN' if AVAL is greater than or equal to 8 times Normal Range Upper Limit.

Variable level documentation

Dataset: ADLB

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
CRIT3FL	Criterion 3 Evaluation Result Flag	C	1.	X_NY	Set to 'Y' if AVAL is greater than or equal to 8 times Normal Range Upper Limit.
CRIT4	Analysis Criterion 4	C	200.		Set to '>=5x ULN' if AVAL is greater than or equal to 5 times Normal Range Upper Limit.
CRIT4FL	Criterion 4 Evaluation Result Flag	C	1.	X_NY	Set to 'Y' if AVAL is greater than or equal to 5 times Normal Range Upper Limit.
CRIT5	Analysis Criterion 5	C	200.		Set to '>=3x ULN' if AVAL is greater than or equal to 3 times Normal Range Upper Limit.
CRIT5FL	Criterion 5 Evaluation Result Flag	C	1.	X_NY	Set to 'Y' if AVAL is greater than or equal to 3 times Normal Range Upper Limit.
CRIT6	Analysis Criterion 6	C	200.		Set to '>=2x ULN' if AVAL is greater than or equal to 2 times Normal Range Upper Limit.
CRIT6FL	Criterion 6 Evaluation Result Flag	C	1.	X_NY	Set to 'Y' if AVAL is greater than or equal to 2 times Normal Range Upper Limit.
CRIT7	Analysis Criterion 7	C	200.		Set to '>=1.5x ULN' if AVAL is greater than or equal to 1.5 times Normal Range Upper Limit.
CRIT7FL	Criterion 7 Evaluation Result Flag	C	1.	X_NY	Set to 'Y' if AVAL is greater than or equal to 1.5 times Normal Range Upper Limit.
CRIT8	Analysis Criterion 8	C	200.		Set to '>=1x ULN' if AVAL is greater than or equal to 1 times Normal Range Upper Limit.
CRIT8FL	Criterion 8 Evaluation Result Flag	C	1.	X_NY	Set to 'Y' if AVAL is greater than or equal to 1 times Normal Range Upper Limit.
CRIT9	Analysis Criterion 9	C	200.		Set to '<2x ULN' if aval is less than 2 times Normal Range Upper Limit.
CRIT9FL	Criterion 9 Evaluation Result Flag	C	1.	X_NY	Set to 'Y' if aval is less than 2 times Normal Range Upper Limit.
LBSEQ	Sequence Number (SDTM)	N (SDTM)	8.1 (SDTM)		LB.LBSEQ
LBSTAT	Completion Status (SDTM)	C (SDTM)	8. (SDTM)	(SDTM)	LB.LBSTAT
PARAMCD	Parameter Code	C	8.	X_LBPAR	New code based on combination of LB.LBTEST/ LB.LBTESTCD, LB.LBSTRESU, LB.LBSPEC, LB.LBMETHOD and any other variables needed for unique description.
PARAMN	Parameter (N)	N	8.	X_LBPARN	Numeric representation of PARAMCD based on combination LB.LBTEST/ LB.LBTESTCD, LB.LBSTRESU, LB.LBSPEC, LB.LBMETHOD and any other variables needed for unique description.
PARAMTYP	Parameter Type	C	20.		If a new parameter is calculated, then populate as "DERIVED"; otherwise blank.
PARCAT1	Parameter Category 1	C	200.		Derived from LB.LBCAT.

Variable level documentation

Dataset: ADLB

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
PARCAT2	Parameter Category 2	C	200.		Derived from LB.LBSCAT. Keep PARCAT2 blank if LBSCAT eq 'CLOSE LIVER OBSERVATION'
STUDYID	Study Identifier (SDTM)	C (SDTM)	10. (SDTM)		LB.STUDYID
TRTEFL1	Treatment Emergent Analysis Flag 01	C	1.		SWITCH-1: Post-baseline measurements up to TRTEDT+14; OASIS-1/2: 1) Subjects who started open-label phase: post-baseline, excluding measurements after the start day of open-label phase, 2) Subjects who did not start open label: post-baseline measurements up to TRTEDT+14. OASIS-3: 1) Subjects not discontinuing before visit "week 12/14": post-baseline, excluding measurements after visit "week 12/14" 2) Subjects who discontinued before week 12: post-baseline measurements up to day 84 or the day of TRTEDT+14.
TRTEFL2	Treatment Emergent Analysis Flag 02	C	1.		OASIS-1/2 switchers, measurements after PH2SDT and up to TRTEDT+14.
TRTEMFL	Treatment Emergent Analysis Flag	C	1.		Derived Treatment Emergent of laboratory data. Set to 'Y' if ADLB.ANRIND worsening on or after the date of the first dose of study drug up to 14 days after the date of the last dose of study drug.
USUBJID	Unique Subject Identifier (SDTM)	C (SDTM)	20. (SDTM)		LB.USUBJID
VISIT	Visit Name (SDTM)	C (SDTM)	200. (SDTM)		LB.VISIT
VISITNUM	Visit Number (SDTM)	N (SDTM)	11.4 (SDTM)		LB.VISITNUM

End of table
Analysis value level documentation

ADS Data Set name: ADLB

Parameter	Parameter Code	Derivation Description	Derivation Type
>=3xULN of ALT or AST and >=2xULN Total bilirubin	CCRIT2	Set AVALC eq 'Y' if ALT or AST 3 times greater than or equal to Normal Range Upper Limit and Total bilirubin 2 times greater than or equal to Normal Range Upper Limit Otherwise Set 'N'.	
>=3xULN of ALT or AST followed by >=2xULN Total bilirubin (within 30 days afterwards)	CCRIT3	Set AVALC eq 'Y' if ALT or AST 3 times greater than or equal to Normal Range Upper Limit and Total bilirubin 2 times greater than or equal to Normal Range Upper Limit within 30 days afterwards. Otherwise Set 'N'.	
>=8xULN of ALT or AST	CCRIT6	Set AVALC eq 'Y' if ALT or AST 8 times greater than or equal to Normal Range Upper Limit Otherwise Set 'N'.	
>=2xBL of ALP and >=2xBL Total bilirubin	CCRIT13	Set AVALC eq 'Y' if ALP 3 times Baseline value and Total bilirubin 2 times Baseline value Otherwise Set 'N'.	

Analysis value level documentation

ADS Data Set name: ADLB

Parameter	Parameter Code	Derivation Description	Derivation Type
>=2xBL of ALT or AST and >=2xBL Total bilirubin	CCRIT12	Set AVALC eq 'Y' if ALT or AST 2 times greater than or equal to Baseline value and Total bilirubin 2 times greater than or equal to Baseline value Otherwise Set 'N'.	
>=2xULN of ALP and >=2xULN Total bilirubin	CCRIT8	Set AVALC eq 'Y' if ALP 2 times greater than or equal to Normal Range Upper Limit and Total bilirubin 2 times greater than or equal to Normal Range Upper Limit Otherwise Set 'N'.	
>=3xBL of ALT or AST	CCRIT10	Set AVALC eq 'Y' if ALT or AST 3 times greater than or equal to Baseline value Otherwise Set 'N'.	
>=3xBL of ALT or AST and >=2xBL Total bilirubin	CCRIT9	Set AVALC eq 'Y' if ALT or AST 3 times greater than or equal to Baseline value and Total bilirubin 2 times greater than or equal to Baseline value Otherwise Set 'N'.	
>=3xULN of ALT or AST and >=1.5 INR	CCRIT4	Set AVALC eq 'Y' if ALT or AST 3 times greater than or equal to Normal Range Upper Limit and INR greater than or equal to 1.5 Otherwise Set 'N'	
>=3xULN of ALT or AST and >=1.5xULN Total bilirubin	CCRIT1	Set AVALC eq 'Y' if ALT or AST 3 times greater than or equal to Normal Range Upper Limit and Total bilirubin 1.5 times greater than or equal to Normal Range Upper Limit Otherwise Set 'N'.	
>=3xULN of ALT or AST with appearance of clinical signs/symptoms*	CCRIT7	Set AVALC eq 'Y' if ALT or AST 3 times greater than or equal to Normal Range Upper Limit and with appearance of clinical signs/symptoms* in CE.CETERM. Otherwise Set 'N'.	
>=5xBL of ALT or AST	CCRIT11	Set AVALC eq 'Y' if ALT or AST 5 times greater than or equal to Baseline value Otherwise Set 'N'.	
>=5xULN of ALT or AST for more than 2 weeks	CCRIT5	Set AVALC eq 'Y' if ALT or AST 5 times greater than or equal to Normal Range Upper Limit for more than 2 weeks.	

End of table

8. ADMH

Variable level documentation

Dataset: ADMH

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
ADSNAME	Dataset Name	C	8.	X_ADS2N	Name of the analysis data set. Must be available in X_ADS2N-codelist.
AENDT	Analysis End Date	N	DATE9.		Derived from MH.MHENDTC. Incomplete or missing dates are not imputed.
ASEQ	Analysis Sequence Number	N	8.		Calculated sequence number starting with 1 and increasing by 1 within a subject in sort order of MHSEQ.
ASTDT	Analysis Start Date	N	DATE9.		Derived from MH.MHSTDTC. Incomplete or missing dates are not imputed.
MHBODSYS	Body System or Organ Class (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	MH.MHBODSYS
MHCAT	Category for Medical History (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	MH.MHCAT
MHDECOD	Dictionary-Derived Term (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	MH.MHDECOD
MHENRTPT	End Relative to Reference Time Point (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	MH.MHENRTPT
MHOCCUR	Medical History Occurrence (SDTM)	C (SDTM)	2. (SDTM)	(SDTM)	MH.MHOCCUR
MHSEQ	Sequence Number (SDTM)	N (SDTM)	8. (SDTM)		MH.MHSEQ
MHSPID	Sponsor-Defined Identifier (SDTM)	C (SDTM)	200. (SDTM)		MH.MHSPID
MHSTDTC	Start Date/Time of Medical History Event (SDTM)	C (SDTM)	19. (SDTM)	(SDTM)	MH.MHSTDTC
MHTERM	Reported Term for the Medical History (SDTM)	C (SDTM)	200. (SDTM)		MH.MHTERM
STUDYID	Study Identifier (SDTM)	C (SDTM)	10. (SDTM)		MH.STUDYID
USUBJID	Unique Subject Identifier (SDTM)	C (SDTM)	20. (SDTM)		MH.USUBJID

End of table

9. ADQS

Variable level documentation

Dataset: ADQS

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
ABLFL	Baseline Record Flag	C	1.	X_Y	Flag last observation before treatment for all derived values and one non-derived value EQVAS score in "EQ-5D-5L" category.
ADSNAME	Dataset Name	C	8.	X_ADS2N	Name of the analysis data set. Must be available in X_ADS2N-codelist.
ADT	Analysis Date	N	DATE9.		Derived from QS.QSDTC.
ADY	Analysis Relative Day	N	8.		Derived based on ADT and randomization date plus 1.
ANL01FL	Analysis Flag 01	C	1.	X_Y	Set to 'Y' if record is on or after the week of permanent discontinuation of randomized treatment (ADDS.ICESTWK when ADDS.ICE01FL='Y') until week 12.
ANL02FL	Analysis Flag 02	C	1.	X_Y	Set to 'Y' if record is on the same week of temporary treatment interruption (ADEX.PARAMCD is 'TRTINW1', 'TRTINW4', 'TRTINW8' or 'TRTINW12' when ADEX.ICE01FL='Y').
ANL03FL	Analysis Flag 03	C	1.	X_Y	Set to 'Y' if record is during the effective period for intake of prohibited concomitant medication having impact on efficacy. The start and end of period can be identified by ADCM.ICESTWK and ADCM.ICEENWK when ADCM.ICE01FL='Y'.
ANL04FL	Analysis Flag 04	C	1.	X_Y	For PROMIS, MENQOL, PGI, BDI, ISI and EQ-5D-5L, set to 'Y' if record is the highest priority day of the week window of each AVISITN and need to be displayed in descriptive table. For non-derived PARAMCD in C-SSRS BASELINE/SCREENING category, set to 'Y' for the last available records with outcome value is not 'INCOMPLETE'. For non-derived PARAMCD in C-SSRS SINCE LAST VISIT category, set to 'Y' for the first available records with outcome value is not 'INCOMPLETE'. For PARAMCD in HISTORY OF MENOPAUSE HORMONE THERAPY BAYER V1.0, set to 'Y' for the last available record.
ANL05FL	Analysis Flag 05	C	1.	X_Y	Set to 'Y' if record is during the effective period for intake of VMS treatment having impact on efficacy. The start and end of period can be identified by ADCM.ICESTWK and ADCM.ICEENWK when ADCM.ICE01FL='Y'.
ASEQ	Analysis Sequence Number	N	8.		Calculated sequence number starting with 1 and increasing by 1 within a subject in sort order of PARCAT1, PARCAT2, PARAMCD, ADT, AVISITN and QSSEQ.
ATM	Analysis Time	N	TIME5.		Derived from time portion of QS.QSDTC.
ATPTN	Analysis Timepoint (N)	N	8.	X_TPTLN	Derived. Based on QS.QSEVINT/QSEVINTX.
AVAL	Analysis Value	N	17.8		Derived from QS.QSSTRESN for records for non-derived parameters; for derived parameters, refer to AVAL metadata.

Variable level documentation

Dataset: ADQS

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
AVALC	Analysis Value (C)	C	200.		Derived based on the description information obtained from QS.QSORRES for non-derived parameters. Set to null for derived parameters.
AVALCA1N	Analysis Value Category 1 (N)	N	8.	Z_QSAVC	Derived categorized total score of BDI-II when PARCAT1= 'BECK DEPRESSION INVENTORY (BDI)', 0-13: none to minimal depression, 14-19: mild depression, 20-28: moderate depression, 29-63: severe depression. Derived categorized total score of ISI when PARCAT1= 'ISI', 0-7: No insomnia, 8-14: Subthreshold insomnia, 15-21: Clinical insomnia (moderate severity), 22-28: Clinical insomnia (severe).
AVISITN	Analysis Visit (N)	N	8.	Z_AVISIT	AVISITN will be assigned based on highest ADY priority of the week window.
BASE	Baseline Value	N	17.8		Derived from ADQS.AVAL by ADQS.USUBJID and ADQS.PARAMCD where ADQS.ABLFL="Y".
CHG	Change from Baseline	N	17.8		Derived as AVAL-BASE, available for baseline and post-baseline records. Otherwise set to missing.
DTYPE	Derivation Type	C	20.	DTYPE	Set to 'LOCF' if record is week 4 duplicated from week 2 or week 3. Set 'COPY' if records is scheduled week duplicated from follow-up record or follow-up record duplicated from record closest to target follow-up date.
ICEDSRS	Reason for permanent discontinuation	C	200.		Reason for permanent discontinuation of randomized treatment from ADDS.ICEREAS.
ICEINTRS	Reason for temp treatment interruption	C	200.		Reason for temporary treatment interruption from ADEX.ICEREAS.
PARAMCD	Parameter Code	C	8.	Z_QSTST	For non-derived parameters, set to QS.QSTESTCD; for Columbia-Suicide Severity Rating Scale parameters and derived parameters, assign based on attached format.
PARAMTYP	Parameter Type	C	20.		If a new parameter is calculated, then populate as "DERIVED"; otherwise blank.
PARCAT1	Parameter Category 1	C	200.		Derived from QS.QSCAT for all the records.
PARCAT2	Parameter Category 2	C	200.		Derived from QS.QSSCAT for all the records.
PCHG	Percent Change from Baseline	N	17.8		Derived as (AVAL-BASE)*100/BASE, available for baseline and post-baseline records. Otherwise set to missing.
QSEVAL	Evaluator (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	QS.QSEVAL
QSEVALID	Evaluator Identifier (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	QS.QSEVALID
QSEVINTX	Evaluation Interval Text (SDTM)	C (SDTM)	100. (SDTM)	(SDTM)	QS.QSEVINTX
QSEVLINT	Evaluation Interval (SDTM)	C (SDTM)	19. (SDTM)	(SDTM)	QS.QSEVLINT
QSGRPID	Group ID (SDTM)	C (SDTM)	200. (SDTM)		QS.QSGRPID
QSSEQ	Sequence Number (SDTM)	N (SDTM)	8. (SDTM)		QS.QSSEQ
QSSTAT	Completion Status (SDTM)	C (SDTM)	8. (SDTM)	(SDTM)	QS.QSSTAT
STUDYID	Study Identifier (SDTM)	C (SDTM)	10. (SDTM)		QS.STUDYID

Variable level documentation

Dataset: ADQS

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
USUBJID	Unique Subject Identifier (SDTM)	C (SDTM)	20. (SDTM)		QS.USUBJID

End of table
Analysis value level documentation

ADS Data Set name: ADQS

Parameter	Parameter Code	Derivation Description	Derivation Type
Accomplishing Less than I Used to	MENB107	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Aches in Back of Neck or Head	MENB115	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Aching in Muscles and Joints	MENB112	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Agitation	BDIB111	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Anxiety/Depression	EQ5D0205	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
	EQ5D0205	Week 4 record duplicated from week 2 or week 3 collected record.	LOCF
Avoiding Intimacy	MENB129	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Being Impatient with Other People	MENB109	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Change in Frequency of Moderate-Severe Hot Flashes	PGVB104	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Change in Severity of Hot Flashes	PGVB105	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Change in Your Sleep Problems	PGVB106	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Changes in Appearance/Texture Skin	MENB122	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Changes in Appetite	BDIB118	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Changes in Sleeping Pattern	BDIB116	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY

Analysis value level documentation

ADS Data Set name: ADQS

Parameter	Parameter Code	Derivation Description	Derivation Type
Concentration Difficulty	BDIB119	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Converted score of accomplishing less than I used to	MENB807	Converted score of item 7 (Accomplishing less than I used to).	
Converted score of aches in back of neck or head	MENB815	Converted score of item 15 (Aches in back of neck or head).	
Converted score of aching in muscles and joints	MENB812	Converted score of item 12 (Aching in muscles and joints).	
Converted score of avoiding intimacy	MENB829	Converted score of item 29 (Avoiding intimacy).	
Converted score of being impatient with other people	MENB809	Converted score of item 9 (Being impatient with other people).	
Converted score of changes in appearance/texture skin	MENB822	Converted score of item 22 (Changes in appearance/texture skin).	
Converted score of decrease in my sexual desire	MENB827	Converted score of item 27 (Decrease in my sexual desire).	
Converted score of decrease in physical strength	MENB816	Converted score of item 16 (Decrease in physical strength).	
Converted score of decrease in stamina	MENB817	Converted score of item 17 (Decrease in stamina).	
Converted score of difficulty sleeping	MENB814	Converted score of item 14 (Difficulty sleeping).	
Converted score of dissatisfaction with personal life	MENB804	Converted score of item 4 (Dissatisfaction with personal life).	
Converted score of dry skin	MENB819	Converted score of item 19 (Dry skin).	
Converted score of feeling anxious or nervous	MENB805	Converted score of item 5 (Feeling anxious or nervous).	
Converted score of feeling bloated	MENB823	Converted score of item 23 (Feeling bloated).	
Converted score of feeling depressed, down or blue	MENB808	Converted score of item 8 (Feeling depressed, down or blue).	
Converted score of feeling tired or worn out	MENB813	Converted score of item 13 (Feeling tired or worn out).	
Converted score of feelings of wanting to be alone	MENB810	Converted score of item 10 (Feelings of wanting to be alone).	
Converted score of flatulence (wind) or gas pains	MENB811	Converted score of item 11 (Flatulence (wind) or gas pains).	
Converted score of frequent urination	MENB825	Converted score of item 25 (Frequent urination).	
Converted score of hot flushes or flashes	MENB801	Converted score of item 1 (Hot flushes or flashes).	
Converted score of increased facial hair	MENB821	Converted score of item 21 (Increased facial hair).	
Converted score of involuntary urination laughing	MENB826	Converted score of item 26 (Involuntary urination laughing).	
Converted score of lack of energy	MENB818	Converted score of item 18 (Lack of energy).	
Converted score of low backache	MENB824	Converted score of item 24 (Low backache).	
Converted score of night sweats	MENB802	Converted score of item 2 (Night sweats).	
Converted score of poor memory	MENB806	Converted score of item 6 (Poor memory).	
Converted score of sweating	MENB803	Converted score of item 3 (Sweating).	
Converted score of vaginal dryness	MENB828	Converted score of item 28 (Vaginal dryness).	
Converted score of weight gain	MENB820	Converted score of item 20 (Weight gain).	
Crying	BDIB110	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Decrease in Physical Strength	MENB116	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Decrease in Stamina	MENB117	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY

Analysis value level documentation

ADS Data Set name: ADQS

Parameter	Parameter Code	Derivation Description	Derivation Type
Decrease in my Sexual Desire	MENB127	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Difficulty Falling Asleep	ISIB0101	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Difficulty Sleeping	MENB114	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Difficulty Staying Asleep	ISIB0102	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Dissatisfaction With Personal Life	MENB104	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Domain score of MENQOL - Physical	MENB997	Mean of converted score in Physical domain for items 11 to 26 of MENQOL.	
Domain score of MENQOL - Psychosocial	MENB996	Mean of converted score in Psychosocial domain for items 4 to 10 of MENQOL.	
Domain score of MENQOL - Sexual	MENB998	Mean of converted score in Sexual domain for items 27 to 29 of MENQOL.	
Domain score of MENQOL - Vasomotor	MENB995	Mean of converted score in Vasomotor domain for items 1 to 3 of MENQOL.	
Dry Skin	MENB119	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
EQ VAS Score	EQ5D0206	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
	EQ5D0206	Week 4 record duplicated from week 2 or week 3 collected record.	LOCF
Feeling Anxious or Nervous	MENB105	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Feeling Bloated	MENB123	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Feeling Depressed, Down or Blue	MENB108	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Feeling Tired or Worn Out	MENB113	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Feelings of Wanting to be Alone	MENB110	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Flatulence (Wind) or Gas Pains	MENB111	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Frequent Urination	MENB125	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Guilty Feelings	BDIB105	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Had Moderate-Severe Hot Flashes	PGVB101	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY

Analysis value level documentation

ADS Data Set name: ADQS

Parameter	Parameter Code	Derivation Description	Derivation Type
	PGVB101	Week 4 record duplicated from week 2 or week 3 collected record.	LOCF
Hot Flushes or Flashes	MENB101	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
How Dis/satisfied w/Sleep Pattern	ISIB0104	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
I Got Enough Sleep	PSDSB107	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
	PSDSB107	Week 4 record duplicated from week 2 or week 3 collected record.	LOCF
I Had Difficulty Falling Asleep	PSDSB104	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
	PSDSB104	Week 4 record duplicated from week 2 or week 3 collected record.	LOCF
I Had Trouble Sleeping	PSDSB106	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
	PSDSB106	Week 4 record duplicated from week 2 or week 3 collected record.	LOCF
I Had Trouble Staying Asleep	PSDSB105	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
	PSDSB105	Week 4 record duplicated from week 2 or week 3 collected record.	LOCF
I Was Satisfied With My Sleep	PSDSB102	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
	PSDSB102	Week 4 record duplicated from week 2 or week 3 collected record.	LOCF
Increased Facial Hair	MENB121	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Indecisiveness	BDIB113	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Involuntary Urination Laughing	MENB126	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Irritability	BDIB117	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Lack of Energy	MENB118	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Loss of Energy	BDIB115	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Loss of Interest	BDIB112	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Loss of Interest in Sex	BDIB121	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY

Analysis value level documentation

ADS Data Set name: ADQS

Parameter	Parameter Code	Derivation Description	Derivation Type
Loss of Pleasure	BDIB104	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Low Backache	MENB124	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Mobility	EQ5D0201	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
	EQ5D0201	Week 4 record duplicated from week 2 or week 3 collected record.	LOCF
My Sleep Quality Was	PSDSB108	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
	PSDSB108	Week 4 record duplicated from week 2 or week 3 collected record.	LOCF
My Sleep Was Refreshing	PSDSB103	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
	PSDSB103	Week 4 record duplicated from week 2 or week 3 collected record.	LOCF
My Sleep Was Restless	PSDSB101	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
	PSDSB101	Week 4 record duplicated from week 2 or week 3 collected record.	LOCF
Night Sweats	MENB102	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Pain/Discomfort	EQ5D0204	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
	EQ5D0204	Week 4 record duplicated from week 2 or week 3 collected record.	LOCF
Past Failure	BDIB103	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Pessimism	BDIB102	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Poor Memory	MENB106	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Problem Waking Too Early Morning	ISIB0103	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Punishment Feelings	BDIB106	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Sadness	BDIB101	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Self-Care	EQ5D0202	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
	EQ5D0202	Week 4 record duplicated from week 2 or week 3 collected record.	LOCF

Analysis value level documentation

ADS Data Set name: ADQS

Parameter	Parameter Code	Derivation Description	Derivation Type
Self-Criticalness	BDIB108	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Self-Dislike	BDIB107	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Severity of Any Sleep Problems	PGVB103	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
	PGVB103	Week 4 record duplicated from week 2 or week 3 collected record.	LOCF
Severity of Your Hot Flashes	PGVB102	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
	PGVB102	Week 4 record duplicated from week 2 or week 3 collected record.	LOCF
Sleep Problem Interfere Function	ISIB0105	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Suicidal Thoughts or Wishes	BDIB109	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Sweating	MENB103	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Think Sleeping Problem Impairing	ISIB0106	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Tiredness or Fatigue	BDIB120	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Total Score	BDIB122	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Total T-score of PROMIS Sleep Disturbance Short Form 8b	PSDSB999	Total T-score of PROMIS Sleep Disturbance Short Form 8b.	
Total raw score of PROMIS Sleep Disturbance Short Form 8b	PSDSB998	Total raw score of PROMIS Sleep Disturbance Short Form 8b.	
Total score of Beck Depression Inventory (BDI-II)	BDIB999	Total score of all questions in Beck depression inventory (BDI-II).	
Total score of Insomnia Severity Index (ISI)	ISIB0999	Total score of all questions in Insomnia Severity Index (ISI).	
Total score of Menopause Specific Quality of Life Scale (MENQOL)	MENB999	Aggregated mean of four domain scores in Vasomotor, Psychosocial, Physical and Sexual of MENQOL.	
Usual Activities	EQ5D0203	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
	EQ5D0203	Week 4 record duplicated from week 2 or week 3 collected record.	LOCF
Vaginal Dryness	MENB128	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Weight Gain	MENB120	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Worried About Sleep Problem	ISIB0107	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY

Analysis value level documentation

ADS Data Set name: ADQS

Parameter	Parameter Code	Derivation Description	Derivation Type
Worthlessness	BDIB114	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes Flatulence (Wind) or Gas Pains	MENB111A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Accomplishing Less Used to	MENB107A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Aches in Back of Neck or Head	MENB115A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Aching in Muscles and Joints	MENB112A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Avoiding Intimacy	MENB129A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Being Impatient Other People	MENB109A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Changes in Appearance of Skin	MENB122A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Decrease in Physical Strength	MENB116A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Decrease in Stamina	MENB117A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Decrease in my Sexual Desire	MENB127A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Difficulty Sleeping	MENB114A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Dissatisfaction Personal Life	MENB104A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Dry Skin	MENB119A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Feeling Anxious or Nervous	MENB105A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Feeling Bloated	MENB123A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Feeling Depressed/Down/Blue	MENB108A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Feeling Tired or Worn Out	MENB113A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY

Analysis value level documentation

ADS Data Set name: ADQS

Parameter	Parameter Code	Derivation Description	Derivation Type
Yes, Feelings Wanting to be Alone	MENB110A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Frequent Urination	MENB125A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Hot Flushes or Flashes	MENB101A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Increased Facial Hair	MENB121A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Involuntary Urination Laughing	MENB126A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Lack of Energy	MENB118A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Low Backache	MENB124A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Night Sweats	MENB102A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Poor Memory	MENB106A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Sweating	MENB103A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Vaginal Dryness	MENB128A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY
Yes, Weight Gain	MENB120A	Scheduled week record duplicated from follow-up collected record, or follow-up record duplicated from collected record closest to target follow-up date.	COPY

End of table

10. ADQSHFSS

Variable level documentation

Dataset: ADQSHFSS

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
ABLFL	Baseline Record Flag	C	1.	X_Y	For derived-parameter non-missing baseline record, set to Y.
ADSNAME	Dataset Name	C	8.	X_ADS2N	Name of the analysis data set. Must be available in X_ADS2N-codelist.
ADT	Analysis Date	N	DATE9.		Derived from QS.QSDTC for non-derived parameters; Set to theoretical end diary date of the analysis week for derived parameters.
ADY	Analysis Relative Day	N	8.		Derived based on ADT and randomization date.
ANL01FL	Analysis Flag 01	C	1.	X_Y	Set to 'Y' if record is on or after the week of permanent discontinuation of randomized treatment (ADDS.ICESTWK when ADDS.ICE01FL='Y') until week 12.
ANL02FL	Analysis Flag 02	C	1.	X_Y	Set to 'Y' if record is on the same week of temporary treatment interruption (ADEX.PARAMCD is 'TRTINW1', 'TRTINW4', 'TRTINW8' or 'TRTINW12' when ADEX.ICE01FL='Y').
ANL03FL	Analysis Flag 03	C	1.	X_Y	Set to 'Y' if record is during the effective period for intake of prohibited concomitant medication having impact on efficacy. The start and end of period can be identified by ADCM.ICESTWK and ADCM.ICEENWK when ADCM.ICE01FL='Y'.
ANL04FL	Analysis Flag 04	C	1.	X_Y	When PARAMTYP='DERIVED' and AVAL is not missing, set to 'Y' if it's a follow-up week or a scheduled week containing any day info on or before last dosing date.
ANL05FL	Analysis Flag 05	C	1.	X_Y	Set to 'Y' if record is during the effective period for intake of VMS treatment having impact on efficacy. The start and end of period can be identified by ADCM.ICESTWK and ADCM.ICEENWK when ADCM.ICE01FL='Y'.
ASEQ	Analysis Sequence Number	N	8.		Calculated sequence number starting with 1 and increasing by 1 within a subject in sort order of PARCAT1, ATPTN, PARAMCD, AVISITN, ADT and QSSEQ.
ATM	Analysis Time	N	TIME5.		Derived from time portion of QS.QSDTC.
ATPTN	Analysis Timepoint (N)	N	8.	X_TPTLN	Derived. Based on QS.QSEVINTX if QSCAT= 'SLEEPINESS SCALE V1.0'; based on QS.QSSCAT if QSCAT= 'TWICE DAILY HOT FLASH DIARY V2.0'.
AVAL	Analysis Value	N	17.8		Derived based on QS.QSORRES for non-derived parameters; for derived parameters, refer to AVAL metadata.
AVALC	Analysis Value (C)	C	200.		Derived based on QS.QSORRES for non-derived parameters.
AVISITN	Analysis Visit (N)	N	8.	Z_AVISIT	AVISITN will be assigned based on week window for derived parameters.
BASE	Baseline Value	N	17.8		Derived from ADQSHFSS.AVAL by ADQSHFSS.USUBJID and ADQSHFSS.PARAMCD where ADQSHFSS.ABLFL='Y'.
CHG	Change from Baseline	N	17.8		Derived as AVAL-BASE, available for baseline and post-baseline records. Otherwise set to missing.

Variable level documentation

Dataset: ADQSHFSS

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
CRIT1	Analysis Criterion 1	C	200.		Set to "At least 50% reduction in mean daily frequency" for mean daily frequency of moderate to severe hot flashes (PARAMCD=HFDB998).
CRIT1FL	Criterion 1 Evaluation Result Flag	C	1.	X_NY	For baseline and post-baseline records of mean daily frequency of moderate to severe hot flashes (PARAMCD=HFDB998), set to "Y" if CRIT1 is met; set to "N" if CRIT1 is not met but AVAL and BASE are not missing; otherwise set to blank.
ICEDSRS	Reason for permanent discontinuation	C	200.		Reason for permanent discontinuation of randomized treatment from ADDS.ICEREAS.
ICEINTRS	Reason for temp treatment interruption	C	200.		Reason for temporary treatment interruption from ADEX.ICEREAS.
PARAMCD	Parameter Code	C	8.	Z_QSTST	For non-derived parameters, set to QS.QSTESTCD; for derived parameters, assign based on attached format.
PARAMTYP	Parameter Type	C	20.		If a new parameter is calculated, then populate as "DERIVED"; otherwise blank.
PARCAT1	Parameter Category 1	C	200.		Derived from QS.QSCAT for all the records.
PCHG	Percent Change from Baseline	N	17.8		Derived as (AVAL-BASE)*100/BASE, available for baseline and post-baseline records. Otherwise set to missing.
QSSEQ	Sequence Number (SDTM)	N (SDTM)	8. (SDTM)		QS.QSSEQ
STUDYID	Study Identifier (SDTM)	C (SDTM)	10. (SDTM)		QS.STUDYID
USUBJID	Unique Subject Identifier (SDTM)	C (SDTM)	20. (SDTM)		QS.USUBJID

End of table
Analysis value level documentation

ADS Data Set name: ADQSHFSS

Parameter	Parameter Code	Derivation Description	Derivation Type
Mean daily frequency of mild, moderate and severe hot flashes	HFDB997	Total number of mild, moderate, and severe HF during the week window / total number of available days with data during the week window (available diary days should be at least 11 out of 14 for baseline, and at least 5 out of 7 for treatment week).	
Mean daily frequency of moderate to severe hot flashes	HFDB998	Total number of moderate to severe HF during the week window/ total number of available days with data during the week window (available diary days should be at least 11 out of 14 for baseline, and at least 5 out of 7 for treatment week).	

Analysis value level documentation

ADS Data Set name: ADQSHFSS

Parameter	Parameter Code	Derivation Description	Derivation Type
Mean daily severity of moderate to severe hot flashes	HFDB999	For baseline: First calculate daily value for the available days as [(2 x number of moderate HF) + (3 x number of severe HF)] / (total number of moderate and severe hot flashes on that day). When no HF are reported for a particular day, set to 0. Then calculate the mean daily value by averaging the daily severity of HF of the available days during the week window. For post-baseline: First calculate daily value for the available days as [(1 x number of mild HF) + (2 x number of moderate HF) + (3 x number of severe HF)] / (total number of mild, moderate and severe hot flashes on that day). When no HF are reported for a particular day, set to 0. Then calculate the mean daily value by averaging the daily severity of HF of the available days during the week window (available diary days should be at least 11 out of 14 for baseline, and at least 5 out of 7 for treatment week).	
Mean daily sleepiness afternoon score	SLSB0997	Average afternoon item scores during the week window (available diary days should be at least 11 out of 14 for baseline, and at least 5 out of 7 for treatment week).	
Mean daily sleepiness evening score	SLSB0998	Average evening item scores during the week window (available diary days should be at least 11 out of 14 for baseline, and at least 5 out of 7 for treatment week).	
Mean daily sleepiness morning score	SLSB0996	Average morning item score during the week window (available diary days should be at least 11 out of 14 for baseline, and at least 5 out of 7 for treatment week).	
Mean daily sleepiness total score	SLSB0999	First calculate daily value by averaging daily individual item scores (i.e., morning, afternoon and evening scores); Then calculate the mean daily value by averaging the daily value of the available days during the week window (available diary days should be at least 11 out of 14 for baseline, and at least 5 out of 7 for treatment week).	
Mean frequency of nighttime awakening	HFDB995	Total number of nighttime awakenings during the week window/ total number of available days during the week window (available diary days should be at least 11 out of 14 for baseline, and at least 5 out of 7 for treatment week).	
Proportion of days with quite a bit or very much sleep disturbance	HFDB996	Number of days with sleep disturbance due to HF rated as 'quite a bit' or 'very much' during the week window/ total number of available days with morning data during the week window (available diary days should be at least 11 out of 14 for baseline, and at least 5 out of 7 for treatment week).	

End of table

11. ADRP

Variable level documentation

Dataset: ADRP

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
ADSNAME	Dataset Name	C	8.	X_ADS2N	Name of the analysis data set. Must be available in X_ADS2N-codelist.
ADT	Analysis Date	N	DATE9.		Derived from RP.RPDTC.
ASEQ	Analysis Sequence Number	N	8.		Calculated sequence number starting with 1 and increasing by 1 within a subject in sort order of PARAMCD, AVISITN, ADT and RPSEQ.
AVAL	Analysis Value	N	17.8		Derived from RP.RPSTRESN.
AVALC	Analysis Value (C)	C	200.		Derived from RP.RPSTRESC.
AVISITN	Analysis Visit (N)	N	8.	Z_AVISIT	Derived from RP.VISITNUM.
PARAMCD	Parameter Code	C	8.	X_RPPAR	Derived from RP.RPTESTCD.
RPSEQ	Sequence Number (SDTM)	N (SDTM)	8. (SDTM)		RP.RPSEQ
STUDYID	Study Identifier (SDTM)	C (SDTM)	10. (SDTM)		RP.STUDYID
USUBJID	Unique Subject Identifier (SDTM)	C (SDTM)	20. (SDTM)		RP.USUBJID

End of table

12. ADSE

Variable level documentation

Dataset: ADSE

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
ADSNAME	Dataset Name	C	8.	X_ADS2N	Name of the analysis data set
AENDT	Analysis End Date	N	DATE9.		Derived from ADSE.SEENDTC. If date parts are missing, imputation rules as defined in SAP are to be applied.
AENDTF	Analysis End Date Imputation Flag	C	1.	DATEFL	If AENDT is imputed, the following rules apply: If year is imputed set to Y, otherwise if month is imputed set to M, otherwise if day is imputed set to D. If nothing was imputed keep empty.
AENDTM	Analysis End Datetime	N	DATETIME.		Derived from SE.SEENDTC considering the imputation rules defined in SAP.
AENTM	Analysis End Time	N	TIME5.		Derived from the time portion of ADSE.SEENDTC and imputation rules defined in SAP.
AENTMF	Analysis End Time Imputation Flag	C	1.	TIMEFL	If AENTM is imputed, the following rules apply: If hour is imputed set to H, otherwise if minute is imputed set to M, otherwise if second is imputed set to S. If nothing was imputed keep empty.
APERIOD	Period	N	8.		Derivation of treatment analysis period based on study
ASEQ	Analysis Sequence Number	N	8.		Calculated sequence number starting with 1 and increasing by 1 within a subject in sort order of key variables.
ASTDT	Analysis Start Date	N	DATE9.		Derived from ADSE.SESTDTC. If date parts are missing, imputation rules as defined in SAP are to be applied.
ASTDTF	Analysis Start Date Imputation Flag	C	1.	DATEFL	If ASTDT is imputed, the following rules apply: If year is imputed set to Y, otherwise if month is imputed set to M, otherwise if day is imputed set to D. If nothing was imputed keep empty.
ASTDTM	Analysis Start Datetime	N	DATETIME.		Source and imputation rules have to be defined in SAP.
ASTTM	Analysis Start Time	N	TIME5.		Derived from the time portion of ADSE.SESTDTC and imputation rules defined in SAP.
ASTTMF	Analysis Start Time Imputation Flag	C	1.	TIMEFL	If ASTTM is imputed, the following rules apply: If hour is imputed set to H, otherwise if minute is imputed set to M, otherwise if second is imputed set to S. If nothing was imputed keep empty.
ELEMENT	Description of Element (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	SE.ELEMENT
EPOCH	Epoch (SDTM)	C (SDTM)	200. (SDTM)	(SDTM)	SE.EPOCH
ETCD	Element Code (SDTM)	C (SDTM)	8. (SDTM)	YETCD (SDTM)	SE.ETCD
SEENDTC	End Date/Time of Element (SDTM)	C (SDTM)	19. (SDTM)	(SDTM)	SE.SEENDTC
SESEQ	Sequence Number (SDTM)	N (SDTM)	8. (SDTM)		SE.SESEQ
SESTDTC	Start Date/Time of Element (SDTM)	C (SDTM)	19. (SDTM)	(SDTM)	SE.SESTDTC
SEUPDES	Description of Unplanned Element (SDTM)	C (SDTM)	200. (SDTM)		SE.SEUPDES
STUDYID	Study Identifier (SDTM)	C (SDTM)	10. (SDTM)		SE.STUDYID
TAETORD	Planned Order of Element within Arm (SDTM)	N (SDTM)	3. (SDTM)		SE.TAETORD

Variable level documentation

Dataset: ADSE

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
USUBJID	Unique Subject Identifier (SDTM)	C (SDTM)	20. (SDTM)		SE.USUBJID

End of table

13. ADSV

Variable level documentation

Dataset: ADSV

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
ADSNAME	Dataset Name	C	8.	X_ADS2N	Name of the analysis data set
AENDT	Analysis End Date	N	DATE9.		Derived from SV.SVENDTC.
ANL01FL	Analysis Flag 01	C	1.	X_Y	Set to Y for all scheduled visits, if duplicated records exist for the same visit, for visit before baseline the last record is flagged, for visit after baseline the first record is flagged. For EOT visit flagged for subjects of OASIS studies who took any Elinzanetant and prematurely discontinued study drug, for FU visit is flagged for subjects who took any Elinzanetant.
ANL02FL	Analysis Flag 02	C	1.	X_Y	Set to Y where any of the following is true: 1) Double-blind phase scheduled visits; 2) FU visit; 3) EOT visit happened in Phase 1.
ANL03FL	Analysis Flag 03	C	1.	X_Y	Set to Y where 1) Scheduled visits at open label/phase 2 for subjects who switch from placebo to Elinzanetant or ABLFL=Y; 2) Visit is an Eot/FU visit if happened after PH2SDT
ASTDT	Analysis Start Date	N	DATE9.		Derived from SV.SVSTDTC.
AVISITN	Analysis Visit (N)	N	8.	Z_AVISIT	Derived from SV.VISITNUM and SV.VISIT. Remapped based on Z_AVISIT.
STUDYID	Study Identifier (SDTM)	C (SDTM)	10. (SDTM)		SV.STUDYID
SVOCCUR	Occurrence (SDTM)	C (SDTM)	2. (SDTM)	(SDTM)	SV.SVOCCUR
SVPRESP	Pre-specified (SDTM)	C (SDTM)	2. (SDTM)	(SDTM)	SV.SVPRESP
SVSEQ	Sequence Number (SDTM)	N (SDTM)	8. (SDTM)		SV.SVSEQ
USUBJID	Unique Subject Identifier (SDTM)	C (SDTM)	20. (SDTM)		SV.USUBJID

End of table

14. ADTTE

Variable level documentation

Dataset: ADTTE

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
ADSNAME	Dataset Name	C	8.	X_ADS2N	Name of the analysis data set. Must be available in X_ADS2N-codelist.
ADT	Analysis Date	N	DATE9.		Event or censoring date.
ASEQ	Analysis Sequence Number	N	8.		Calculated sequence number starting with 1 and increasing by 1 within a subject in sort order of PARAMCD, ADT.
AVAL	Analysis Value	N	17.8		Numeric analysis value described by PARAMCD.
AVISITN	Analysis Visit (N)	N	8.	Z_AVISIT	Assigned per time interval: 121 means time to Week 12, 600000 means from week 12 to end study, 700000 means from study start to study end.
CNSR	Censor	N	8.		Set to 0 if an event of interest is observed; 1 if no event by observed window.
EVNTDESC	Event or Censoring Description	C	200.		Describes the event of interest, or censoring reason for the subject within the parameter.
PARAMCD	Parameter Code	C	8.	Z_TTE	Assign to derived parameters based on attached format.
PARAMTYP	Parameter Type	C	20.		If a new parameter is calculated, then populate as "DERIVED"; otherwise blank.
SRCDOM	Source Data	C	8.		The name of the SDTM domain (or dataset) or analysis dataset that relates to the analysis variable (e.g., AVAL).
SRCSEQ	Source Sequence Number	N	8.		The sequence number --SEQ or ASEQ of the row (in the domain or dataset identified by SRCDOM) that relates to the analysis variable.
SRCVAR	Source Variable	C	8.		The name of the column (in the domain or dataset identified by SRCDOM) that relates to the analysis variable.
STARTDT	Time-to-Event Origin Date for Subject	N	DATE9.		Set to randomization date.
STUDYID	Study Identifier (SDTM)	C (SDTM)	10. (SDTM)		DM.STUDYID
USUBJID	Unique Subject Identifier (SDTM)	C (SDTM)	20. (SDTM)		DM.USUBJID

End of table
Analysis value level documentation

ADS Data Set name: ADTTE

Parameter	Parameter Code	Derivation Description	Derivation Type
Time to ALP >= 3xULN (Days)	T2ALP	Calculated as days from randomization to first occurrence of ALP>=3xULN; If no such an increase is observed, the observation is censored at the last visit date (if missing use end of participation date).If a participant does not have any post-baseline data, she will be censored at baseline.	

Analysis value level documentation

ADS Data Set name: ADTTE

Parameter	Parameter Code	Derivation Description	Derivation Type
Time to ALT >= 3xULN (Days)	T2ALT	Calculated as days from randomization to first occurrence of ALT>=3xULN; If no such an increase is observed, the observation is censored at the last visit date (if missing use end of participation date).If a participant does not have any post-baseline data, she will be censored at baseline.	
Time to first intake of prohibited concomitant medication having impact on efficacy (Weeks)	T2FPCM	Calculated as weeks from randomization to first intake of prohibited concomitant medication having impact on efficacy; If event did not occur by day 84, the participant will be censored at week 12 or at the time of dropping out of the study,whichever occurs earlier.	
Time to permanent discontinuation of randomized treatment (Weeks)	T2DISC	Calculated as weeks from randomization to permanent discontinuation of randomized treatment; If event did not occur by day 84, the participant will be censored at week 12;For randomized but not treated subject, she had an event on randomization (week 0).	

End of table

15. ADVS

Variable level documentation

Dataset: ADVS

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
ABLFL	Baseline Record Flag	C	1.	X_Y	Set to 'Y' for the latest available valid measurement at or before the start-of-treatment(for treated subjects) / randomization date (for randomized but not treated subjects). If the last observation available prior to randomization is the measurement from the Screening Visit, this would be used as the baseline value excluding unscheduled measurements.
ADSNAME	Dataset Name	C	8.	X_ADS2N	Name of the analysis data set. Must be available in X_ADS2N-codelist.
ADT	Analysis Date	N	DATE9.		Derived from VS.VSDTC.
ADY	Analysis Relative Day	N	8.		Derived based on ADT and randomization date plus 1.
ANL01FL	Analysis Flag 01	C	1.	X_Y	Set to Y for all scheduled visits, if duplicated records exist for the same visit, for visit before baseline the last record is flagged, for visit after baseline the first record is flagged. For EOT visit flagged for subjects of OASIS studies who took any Elinzanetant and prematurely discontinued study drug, for FU visit is flagged for subjects who took any Elinzanetant.
ANL02FL	Analysis Flag 02	C	1.	X_Y	Set to Y where any of the following is true: 1)Double-blind/phase 1 scheduled visits; 2)FU visit; 3) Eot visit happened in Phase 1.
ANL03FL	Analysis Flag 03	C	1.	X_Y	Set to Y where Scheduled visits at open label/phase 2 for subjects who switch from placebo to Elinzanetant or ABLFL=Y 2)Visit is an Eot/FU visit if happened after PH2SDT
ANL04FL	Analysis Flag 04	C	1.	X_Y	Post-baseline measurements by week 1-12, Set to Y where all of the following are true: 1) For SWITCH-1, all measurements after first treatment dose date 2) For OASIS-1/2 a) all measurements after first treatment dose date but before or at PH2SDT b) if missing PH2SDT, all measurements after first treatment dose date 3) For OASIS-3 subjects with visit "week 12/14" available: all measurements after TRTSDT but before or at "week 12/14" visit date. For OASIS-3 subjects (non-completers) with visit "week 12/14" NOT available: a) If no scheduled visit after visit "week 12/14" available (except "End of Treatment"/ "Follow-up"), all measurements after TRTSDT b) if "week 12/14" visit is missing but visit "week 16/18" is available, then measurements after TRTSDT but before "week 16/18" visit date are included. All studies: measurements at TRTSDT but not treated as baseline (according to visit) are included.
ANL05FL	Analysis Flag 05	C	1.	X_Y	Set to Y for switchers from OASIS-1/2 where both of the following are true: 1)Actual arm is "Placebo - Elinzanetant 120mg" 2)visit happened in phase 2
ANL06FL	Analysis Flag 06	C	1.	X_Y	Flagging post-baseline measurements by week 1-26. Set to Y when ANL07FL is Y for SWITCH- and, OASIS-1/2. For OASIS-3 set Y when ANL07FL is Y and day of measurement is before or at study day 182.

Variable level documentation

Dataset: ADVS

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
ANL07FL	Analysis Flag 07	C	1.	X_Y	Set to Y where either of the following is true: 1)For OASIS-1/2: a) If start Phase 1 with EZN, all visits after first treatment dose date; b) If start Phase 1 with Placebo and gone to Phase 2, visit is in Phase 2 and analysis date is after Phase 2 start date 2)Study is SWITCH-1 or OASIS-3 and analysis date is after treatment start date
ASEQ	Analysis Sequence Number	N	8.		Calculated sequence number starting with 1 and increasing by 1 within a subject in sort order of PARAMCD, AVISITN, ADT and VSSEQ.
AVAL	Analysis Value	N	17.8		Derived from VS.VSSTRESN.
AVALC	Analysis Value (C)	C	200.		Derived character string mapping from AVAL if both are present on a given record. In this case, the mapping must be one-to-one between AVAL and AVALC. Otherwise, if only AVALC is needed to describe the analysis value, will be taken from VS.VSSTRESC for records coming directly from SDTM. On a given record, it is permissible for AVAL, AVALC, or both to be null. AVAL is required if AVALC is not present, since either AVAL or AVALC must be present in the dataset. May also be calculated based on an algorithm or statistical method as dictated by analysis needs.
AVISITN	Analysis Visit (N)	N	8.	Z_AVISIT	Derived from VS.VISITNUM. Remap Screening visit to baseline for baseline records otherwise based on Z_AVISIT.
BASE	Baseline Value	N	17.8		Derived from ADVS.AVAL by ADVS.USUBJID and ADVS.PARAMCD where ADVS.ABLFL='Y'
CHG	Change from Baseline	N	17.8		Derived as AVAL-BASE, available for baseline and post-baseline records. Otherwise set to missing.
CRIT1	Analysis Criterion 1	C	200.		CRIT1: MAX POST BASELINE VALUE DURING PHASE 1; CRIT2: MAX POST BASELINE VALUE DURING PHASE 2; CRIT3: MAX POST BASELINE VALUE WEEK 1-26; CRIT4: MAX POST BASELINE VALUE WEEK 1-52.
CRIT1FL	Criterion 1 Evaluation Result Flag	C	1.	X_NY	Flag which should be populated with "Y" when the criterion has been met.
CRIT2	Analysis Criterion 2	C	200.		CRIT1: MAX POST BASELINE VALUE DURING PHASE 1; CRIT2: MAX POST BASELINE VALUE DURING PHASE 2; CRIT3: MAX POST BASELINE VALUE WEEK 1-26; CRIT4: MAX POST BASELINE VALUE WEEK 1-52.
CRIT2FL	Criterion 2 Evaluation Result Flag	C	1.	X_NY	Flag which should be populated with "Y" when the criterion has been met.
CRIT3	Analysis Criterion 3	C	200.		CRIT1: MAX POST BASELINE VALUE DURING PHASE 1; CRIT2: MAX POST BASELINE VALUE DURING PHASE 2; CRIT3: MAX POST BASELINE VALUE WEEK 1-26; CRIT4: MAX POST BASELINE VALUE WEEK 1-52.
CRIT3FL	Criterion 3 Evaluation Result Flag	C	1.	X_NY	Flag which should be populated with "Y" when the criterion has been met.
CRIT4	Analysis Criterion 4	C	200.		CRIT1: MAX POST BASELINE VALUE DURING PHASE 1; CRIT2: MAX POST BASELINE VALUE DURING PHASE 2; CRIT3: MAX POST BASELINE VALUE WEEK 1-26; CRIT4: MAX POST BASELINE VALUE WEEK 1-52.

Variable level documentation

Dataset: ADVS

Variable Name	Variable Label	Type	Length	Format Codelist / Controlled Terms	Source / Computational Method
CRIT4FL	Criterion 4 Evaluation Result Flag	C	1.	X_NY	Flag which should be populated with "Y" when the criterion has been met.
PARAMCD	Parameter Code	C	8.	Z_VSPAR	New code based on combination of VS.VSTESTCD/ VS.VSTEST, VS.VSSTRESU and any other variables needed for unique description.
STUDYID	Study Identifier (SDTM)	C (SDTM)	10. (SDTM)		VS.STUDYID
USUBJID	Unique Subject Identifier (SDTM)	C (SDTM)	20. (SDTM)		VS.USUBJID
VSSEQ	Sequence Number (SDTM)	N (SDTM)	8. (SDTM)		VS.VSSEQ
VSSTAT	Completion Status (SDTM)	C (SDTM)	8. (SDTM)	(SDTM)	VS.VSSTAT

End of table

16. ADS Specification Document Approval Form

Study Protocol Title:	Elinzanetant IA
Study Protocol Identifier including Version No. and Date	NA
ADS Specification Document Version and Date	1.0 (01Mar2024)

I have read and approve the ADS Specifications referred above.

	Name	Signature and Date
Authors :		
Study Statistical Analyst	Petri Pulkkinen	DocuSigned by: Petri Pulkkinen Signer Name: Petri Pulkkinen Signing Reason: I approve this document Signing Time: 3/1/2024 | 9:15:17 AM PST B19F10573AB3498FA4CEF7D47B6B61D7
Study Statistician	Meng-Ru Cheng	DocuSigned by: Meng-Ru Cheng Signer Name: Meng-Ru Cheng Signing Reason: I have reviewed this document Signing Time: 3/1/2024 | 9:41:52 PM CET F228798AA6B34BD9A7F09551F054B10F

DocuSign

Certificate Of Completion

Envelope Id: 7BE0FDA7E24D4B91AF07AC1893B43154
Status: Completed
Subject: Please approve ADS specs: bay3427080_ia_main001_ads_specification_v1
Source Envelope:
Document Pages: 78
Signatures: 2
Certificate Pages: 4
Initials: 0
AutoNav: Enabled
EnvelopeId Stamping: Disabled
Time Zone: (UTC-08:00) Pacific Time (US & Canada)

Envelope Originator:
Petri Pulkkinen
Bayer CFR Part XI RDP
Account ID: 542449503
Leverkusen, NRW 51368
petri.pulkkinen@bayer.com
IP Address: 212.64.228.97

Record Tracking

Status: Original
3/1/2024 9:08:22 AM

Holder: Petri Pulkkinen
petri.pulkkinen@bayer.com

Location: DocuSign

Signer Events	Signature	Timestamp
Meng-Ru Cheng meng-ru.cheng@bayer.com Bayer PROD CFR Part XI Security Level: Email, Account Authentication (Required)	Meng-Ru Cheng Signature Adoption: Pre-selected Style Signature ID: F228798A-A6B3-4BD9-A7F0-9551F054B10F Using IP Address: 161.69.92.11 With Signing Authentication via DocuSign password With Signing Reasons (on each tab): I have reviewed this document	Sent: 3/1/2024 9:08:26 AM Viewed: 3/1/2024 12:39:45 PM Signed: 3/1/2024 12:41:56 PM
Electronic Record and Signature Disclosure: Accepted: 3/1/2024 12:39:45 PM ID: b53dd1bf-4c1f-45cf-bb8e-58ea104a5e3a		
Petri Pulkkinen petri.pulkkinen@bayer.com Security Level: Email, Account Authentication (Required)	Petri Pulkkinen Signature Adoption: Pre-selected Style Signature ID: B19F1057-3AB3-498F-A4CE-F7D47B6B61D7 Using IP Address: 161.69.67.19 With Signing Authentication via DocuSign password With Signing Reasons (on each tab): I approve this document	Sent: 3/1/2024 9:08:26 AM Viewed: 3/1/2024 9:13:47 AM Signed: 3/1/2024 9:15:45 AM
Electronic Record and Signature Disclosure: Not Offered via DocuSign		

In Person Signer Events	Signature	Timestamp

Editor Delivery Events	Status	Timestamp

Agent Delivery Events	Status	Timestamp

Intermediary Delivery Events	Status	Timestamp

Certified Delivery Events	Status	Timestamp

Carbon Copy Events	Status	Timestamp

Witness Events	Signature	Timestamp

Notary Events	Signature	Timestamp

Envelope Summary Events	Status	Timestamps
Envelope Sent	Hashed/Encrypted	3/1/2024 9:08:26 AM
Certified Delivered	Security Checked	3/1/2024 9:13:47 AM
Signing Complete	Security Checked	3/1/2024 9:15:45 AM
Completed	Security Checked	3/1/2024 12:41:56 PM

Payment Events	Status	Timestamps

Electronic Record and Signature Disclosure

Electronic Signatures – Privacy statement

Bayer AG (hereinafter "us" or "we") wishes to inform you about **processing of your personal data in the context of Electronic Signatures**. Your personal data will be processed when you use the technical platform DocuSign Digital Transaction Management Platform ("DocuSign Website") and as part of electronically signing or approving a document. DocuSign Inc., United States of America, provides the technical platform. For respective data processing, please refer to the privacy statement from DocuSign Inc. available on the DocuSign Website. The Privacy Statement at hand informs about the personal data processed by Bayer AG as part of electronically signing or approving a document.

The **purpose for which we collect and process your personal data** is the handling of electronic signatures. This includes signing and approving of documents as well as legally required retention and archiving of signed documents. The **legal bases** for this processing are Art. 6(1)(b) and (c) General Data Protection Regulation.

The personal data, which we process, are **identifying information** like your name, e-mail address and contact details, and **document management and signature related information** like date of signature, history of document-related actions (e.g. review, sign and IP address). Furthermore, the electronically signed documents may contain **personal data of any type** that is not directly related to the electronic signature process.

Access to your personal data will be given to our departments, which are involved in processing of electronic signatures. This may involve departments from other Bayer affiliates within and beyond Europe. Your personal data may also be provided to service contractors supporting our electronic signature processes. Such service contractors are carefully selected and regularly monitored by us. They will only process personal data in accordance with our instructions and on basis of appropriate data processing agreements.

Your personal data may be transferred to and processed in a country outside the European Economic Area for which the European Commission has not decided that it ensures an adequate level of data protection. In such cases, we will set up appropriate protection measures as required by GDPR. For example, we generally will apply the so-called "standard data protection clauses" adopted by the European Commission. You can obtain a copy from us on request. Alternative protection measures may be implemented as well.

Your personal data will be **retained and archived** according to legally required retention and archiving periods applicable to business related files. Your personal data will then be deleted if there are no other legal reasons to further processing.

You have the right to request information from us about your personal data, access to and rectification or erasure of personal data or restriction of processing concerning your

personal data or to object to processing as well as the right to data portability. You also have the right to lodge a complaint with the data protection supervisory authority.

For any questions, you may have with respect to data privacy, please contact digitalsignature@bayer.com.

Last updated: April 08, 2020.