Table of contents

10.2.1.1 Screening failures.....2
Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening.....3

10.2.1.1 Screening failures

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140011001/52/F/B	11JAN2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
140011002/48/F/B	11JAN2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
140011003/51/F/B	19JAN2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
	19JAN2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	19JAN2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
140011005/52/F/B	17JAN2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
140011006/55/F/B	19JAN2023	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
140011007/51/F/B	26JAN2023	LOST TO FOLLOW-UP			
140011008/53/F/B	26JAN2023	LOST TO FOLLOW-UP			
140011009/57/F/B	02FEB2023	SCREEN FAILURE	EXCLUSION	At screening a suicidal ideation in the past 6 months (as indicated by 'Yes' on item 4 or item 5 of the suicidal ideation section of the eC-SSRS) or suicidal behavior (see protocol version 2.0)	YES
140011010/59/F/B	06MAR2023	SUBJECT DECISION			

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140011011/58/F/B	06FEB2023	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
140011012/56/F/B	07FEB2023	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
140011013/56/F/B	09FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140011014/56/F/W	21MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140011015/58/F/B	27MAR2023	SUBJECT DECISION			
140011016/58/F/B	08MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
140011017/59/F/B	14MAR2023	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
	14MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140031001/46/F/B	02FEB2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	02FEB2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140031004/60/F/B	21JUN2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
140031005/65/F/B	21JUN2022	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
	21JUN2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
	21JUN2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	21JUN2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
140031006/57/F/B	25JUL2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
	25JUL2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140031007/50/F/W	17OCT2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140031008/62/F/B	17OCT2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140031009/51/F/W	09NOV2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
140031012/65/F/B	08MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	08MAR2023	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
140031013/58/F/B	13JAN2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
	13JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	13JAN2023	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
140031014/48/F/MUL	15FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	15FEB2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
	15FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140031016/54/F/W	25APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140031017/46/F/W	26APR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
140051003/50/F/B	25APR2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140051004/43/F/W	18MAY2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140051005/54/F/W	08JUL2022	SUBJECT DECISION			
140051006/61/F/B	02SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	02SEP2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
140051008/58/F/W	08MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140051009/56/F/B	27MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140051010/51/F/B	16FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	16FEB2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140051011/57/F/W	17JAN2023	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
140051012/51/F/B	07MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	07MAR2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140061001/64/F/B	04OCT2021	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	04OCT2021	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
140061002/63/F/B	28SEP2021	SUBJECT DECISION			

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140061003/51/F/W	22NOV2021	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
	22NOV2021	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
140061004/49/F/W	02MAY2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
140061005/61/F/W	11APR2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	11APR2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	11APR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
140061006/59/F/B	03MAY2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140061007/52/F/B	07JUL2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	07JUL2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140061008/55/F/B	02AUG2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	02AUG2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
140061009/59/F/B	19SEP2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
	19SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140061010/60/F/B	19SEP2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140061011/56/F/W	10OCT2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	10OCT2022	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
	10OCT2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
	10OCT2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140061012/57/F/W	22NOV2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140061013/55/F/NH	17NOV2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
140061014/47/F/W	29NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140061016/52/F/W	30MAR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES
	30MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140061017/50/F/B	09FEB2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140091001/58/F/W	02DEC2021	SCREEN FAILURE	EXCLUSION	Current or previous history of any malignancy (except basal and squamous cell skin tumours).	YES
140091003/56/F/W	27SEP2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140091004/52/F/MUL	27SEP2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
	27SEP2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140091005/46/F/B	10JAN2023	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
140091006/59/F/W	03JAN2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	03JAN2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
	03JAN2023	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
	03JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140091007/63/F/W	03JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	03JAN2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140091008/54/F/MUL	18JAN2023	SCREEN FAILURE	EXCLUSION	Current or history (except complete remission for 5 years or more) of any malignancy (except basal and squamous cell skin tumours). Women receiving adjuvant endocrine (see protocol version 3.0)	YES
	18JAN2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140091009/51/F/W	09FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140091010/55/F/W	26APR2023	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
140161004/54/F/B	13MAY2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140161006/56/F/B	13MAY2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140161007/53/F/B	10MAY2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
140161008/49/F/MUL	11MAY2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140161009/53/F/W	10MAY2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140161014/57/F/B	12OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140171001/62/F/B	29SEP2021	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140171002/53/F/B	06OCT2021	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	06OCT2021	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES
140171003/51/F/B	06DEC2021	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140171005/58/F/B	13OCT2021	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	13OCT2021	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140171006/63/F/W	09MAY2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140171007/50/F/B	09MAY2022	SCREEN FAILURE	EXCLUSION	At screening a suicidal ideation in the past 6 months (as indicated by 'Yes' on item 4 or item 5 of the suicidal ideation section of the eC-SSRS) or suicidal behavior (see protocol version 2.0)	YES
	09MAY2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140171009/64/F/B	16JUN2022	LOST TO FOLLOW-UP	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	16JUN2022	LOST TO FOLLOW-UP	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	16JUN2022	LOST TO FOLLOW-UP	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140181001/56/F/W	06DEC2021	SUBJECT DECISION			
140181002/60/F/W	24NOV2021	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
140181003/58/F/W	08DEC2021	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
	08DEC2021	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140181005/63/F/W	15MAR2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140181006/48/F/W	03JAN2022	SCREEN FAILURE	EXCLUSION	A history of untreated hyperthyroidism or hypothyroidism. Treated hypothyroidism with normal thyroid function test results during screening and a stable (for >= 3 months (see protocol version 2.0)	YES
140181007/55/F/W	17FEB2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140181009/46/F/W	07FEB2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 2.0)	NO
	07FEB2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES
140181010/59/F/W	20APR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
140181011/51/F/W	18APR2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
140181012/50/F/W	31MAY2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140181013/47/F/A	17MAY2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	17MAY2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
140181014/62/F/W	24JUN2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
140181015/51/F/W	02AUG2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140181016/54/F/W	16JUN2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
	16JUN2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
140181017/54/F/W	08SEP2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140181018/54/F/W	17OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140181019/52/F/W	10OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140181020/60/F/W	01SEP2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140181021/52/F/B	01SEP2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140181022/63/F/B	01NOV2022	SUBJECT DECISION			
140181023/64/F/B	22SEP2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	22SEP2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
140181024/41/F/W	07NOV2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
140181026/65/F/W	13OCT2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140181027/50/F/W	13DEC2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140181028/50/F/NR	06JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	06JAN2023	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
140181030/54/F/W	03FEB2023	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	03FEB2023	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
140181031/52/F/W	26APR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
140181033/57/F/W	09MAR2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
140191001/57/F/B	20SEP2021	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
	20SEP2021	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140191002/56/F/W	08NOV2021	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	08NOV2021	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES
140191003/50/F/W	19OCT2021	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
	19OCT2021	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 2.0)	NO
140191004/53/F/W	08NOV2021	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	08NOV2021	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140191006/65/F/W	13DEC2021	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
	13DEC2021	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140191008/52/F/W	11APR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	11APR2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
140191009/52/F/W	08FEB2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140191010/53/F/W	11JUL2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
140191011/45/F/W	08AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	08AUG2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
140191014/53/F/W	18OCT2022	SCREEN FAILURE	EXCLUSION	A history of untreated hyperthyroidism or hypothyroidism. Treated hypothyroidism with normal thyroid function test results during screening and a stable (for >= 3 months (see protocol version 2.0)	YES
	18OCT2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140191015/51/F/W	05OCT2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	05OCT2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140191016/54/F/W	28NOV2022	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 2.0)	NO
140191017/49/F/W	13DEC2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140191018/46/F/W	28DEC2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140201001/50/F/B	31JAN2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 2.0)	NO
	31JAN2022	SCREEN FAILURE	EXCLUSION	A history of untreated hyperthyroidism or hypothyroidism. Treated hypothyroidism with normal thyroid function test results during screening and a stable (for >= 3 months (see protocol version 2.0)	YES
140201003/63/F/B	30MAR2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140251001/50/F/B	07JAN2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
	07JAN2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 2.0)	NO
140251002/52/F/W	15FEB2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
140251003/59/F/W	21JAN2022	SCREEN FAILURE	EXCLUSION	Concurrent (or within 2 months prior to signing of ICF) participation in a clinical study with an investigational medicinal product (including medical devices).	YES
140251004/56/F/B	29DEC2021	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
	29DEC2021	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	29DEC2021	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
140251005/59/F/B	15FEB2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	15FEB2022	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
	15FEB2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140251006/51/F/B	01APR2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
140251007/58/F/W	18MAR2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
	18MAR2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES
140251009/57/F/B	25AUG2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140251010/57/F/B	22SEP2022	SUBJECT DECISION			
140251012/53/F/NR	22AUG2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140251013/59/F/W	29AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140251014/57/F/W	12SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140251015/52/F/W	13OCT2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140251016/47/F/B	30SEP2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
140251017/53/F/B	14OCT2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	14OCT2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
140251018/55/F/B	27DEC2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	27DEC2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140251019/56/F/W	06FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140251020/53/F/W	17FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
140251021/52/F/B	29MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140301001/54/F/W	09MAR2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140301002/53/F/B	31MAR2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
140301003/54/F/W	21MAR2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140301004/55/F/B	24FEB2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	24FEB2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140301005/54/F/W	28FEB2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140301006/55/F/B	25MAY2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140301007/55/F/B	13FEB2023	WITHDRAWAL BY SUBJECT			
140301008/52/F/B	20FEB2023	WITHDRAWAL BY SUBJECT			

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140301009/62/F/W	02JUN2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140301010/59/F/W	01SEP2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140301011/53/F/W	19DEC2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140301012/61/F/B	16JAN2023	NON-COMPLIANCE WITH STUDY DEVICE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140301013/51/F/W	05JAN2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140301014/63/F/W	27DEC2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140301015/54/F/B	15NOV2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140301016/51/F/W	18JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140301018/48/F/W	16JAN2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
140301019/46/F/W	12JAN2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	12JAN2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
140301021/59/F/W	19JAN2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
140301022/58/F/B	13FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140301023/54/F/B	30JAN2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140301024/55/F/W	27MAR2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140301025/57/F/B	31JAN2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
140301026/60/F/W	22MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140301027/57/F/W	09FEB2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140301028/50/F/B	15FEB2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
140301029/56/F/W	06MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140301030/59/F/B	02MAR2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140301032/51/F/W	06MAR2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	06MAR2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140361001/51/F/B	24JAN2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140361002/56/F/.	26JAN2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
	26JAN2022	SCREEN FAILURE	EXCLUSION	Concurrent (or within 2 months prior to signing of ICF) participation in a clinical study with an investigational medicinal product (including medical devices).	YES
	26JAN2022	SCREEN FAILURE	EXCLUSION	Any active ongoing condition that could cause difficulty in interpreting VMS such as: infection that could cause pyrexia, pheochromocytoma, carcinoid syndrome.	YES
	26JAN2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
	26JAN2022	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
	26JAN2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
	26JAN2022	SCREEN FAILURE	EXCLUSION	Known hypersensitivity to elinzanetant or any of the excipients in the formulation.	YES
	26JAN2022	SCREEN FAILURE	EXCLUSION	Current or previous history of any malignancy (except basal and squamous cell skin tumours).	YES
	26JAN2022	SCREEN FAILURE	EXCLUSION	Dependent on the investigator, the contract research organisation(s) or Sponsor for education or employment (e.g. family members, employees, people who receive grants/education).	YES
	26JAN2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
	26JAN2022	SCREEN FAILURE	EXCLUSION	Any unexplained post-menopausal bleeding.	YES
	26JAN2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	26JAN2022	SCREEN FAILURE	EXCLUSION	A history of untreated hyperthyroidism or hypothyroidism. Treated hypothyroidism with normal thyroid function test results during screening and a stable (for >= 3 months (see protocol version 2.0)	YES
	26JAN2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
	26JAN2022	SCREEN FAILURE	EXCLUSION	Renal impairment greater than moderate (i.e. estimated glomerular filtration rate < 30 mL/min) at screening	YES
	26JAN2022	SCREEN FAILURE	EXCLUSION	Clinically relevant drug or alcohol abuse within 12 months of signing of informed consent. Clinically relevant alcohol or drug abuse is behavior that meets the DSM-5 (see protocol version 2.0)	YES
	26JAN2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	26JAN2022	SCREEN FAILURE	EXCLUSION	At screening a suicidal ideation in the past 6 months (as indicated by 'Yes' on item 4 or item 5 of the suicidal ideation section of the eC-SSRS) or suicidal behavior (see protocol version 2.0)	YES
	26JAN2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
	26JAN2022	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES
	26JAN2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140371003/53/F/W	22JUN2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140371005/52/F/W	25JUL2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140371006/56/F/B	23JUN2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	23JUN2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
140371007/50/F/MUL	05JUL2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140371008/51/F/W	03AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	03AUG2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
140371009/61/F/W	30AUG2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140371011/56/F/NR	15SEP2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140371015/51/F/NR	19SEP2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140371016/55/F/W	12AUG2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
	12AUG2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	12AUG2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
	12AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140371018/59/F/W	24AUG2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
140371021/55/F/W	27OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140371022/52/F/W	23AUG2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	23AUG2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
140371023/56/F/MUL	28NOV2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140371025/55/F/W	27SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140371026/54/F/W	19SEP2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
	19SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140371028/49/F/A	25OCT2022	WITHDRAWAL BY SUBJECT			
140371031/52/F/NR	19DEC2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
	19DEC2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140371032/57/F/B	03JAN2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140371034/62/F/W	23FEB2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	23FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140371037/51/F/W	22FEB2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	22FEB2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
	22FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140371039/52/F/W	15MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	15MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140401001/55/F/W	30JUN2022	WITHDRAWAL BY SUBJECT			
140401002/55/F/W	23NOV2021	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
	23NOV2021	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
140401004/65/F/W	10NOV2021	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140401005/52/F/W	14JUL2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	14JUL2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140401006/50/F/W	14JUL2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140401007/52/F/W	19SEP2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140401008/58/F/W	24AUG2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
	24AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140401009/58/F/A	02NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140401012/60/F/W	23NOV2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	23NOV2022	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 2.0)	NO
140401013/53/F/W	17NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140401014/63/F/W	27DEC2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140401015/54/F/W	01FEB2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140401016/63/F/W	27FEB2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140401019/52/F/W	14FEB2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	14FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	14FEB2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
140401020/52/F/W	14MAR2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	14MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140431001/55/F/W	23FEB2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
140431002/63/F/W	24MAY2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140431003/56/F/W	28APR2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140431006/41/F/B	20APR2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140431007/61/F/B	30AUG2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140431008/56/F/B	28APR2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
	28APR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140431009/46/F/W	02MAY2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	02MAY2022	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES
140431010/64/F/B	14JUL2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
140431011/58/F/B	25MAY2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140431012/62/F/W	01JUL2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140431013/61/F/B	11JUL2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
140431014/52/F/B	17JUN2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
	17JUN2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
140431015/58/F/W	01JUL2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
140431016/51/F/W	22JUL2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	22JUL2022	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES
140431017/47/F/W	19AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140431018/57/F/B	21JUL2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	21JUL2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
	21JUL2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140431019/58/F/B	19JUL2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
140431020/58/F/W	22JUL2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
140431021/54/F/W	18AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140431022/63/F/B	25JUL2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140431023/54/F/W	23SEP2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	23SEP2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140431024/61/F/MUL	02AUG2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
140431025/49/F/W	08SEP2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	08SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140431026/50/F/W	15AUG2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	15AUG2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
140431027/54/F/W	15SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140431029/64/F/W	22SEP2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140431030/50/F/W	26OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140431031/55/F/W	02DEC2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140431032/53/F/W	04OCT2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
	04OCT2022	SCREEN FAILURE	EXCLUSION	Clinically relevant drug or alcohol abuse within 12 months of signing of informed consent. Clinically relevant alcohol or drug abuse is behavior that meets the DSM-5 (see protocol version 2.0)	YES
	04OCT2022	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
	04OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	04OCT2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140431034/46/F/W	26OCT2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140431035/48/F/B	15DEC2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	15DEC2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	15DEC2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140431036/54/F/W	29DEC2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	29DEC2022	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES
140431038/62/F/W	22FEB2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
140431039/42/F/W	16MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140431040/56/F/W	27JAN2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140431041/61/F/W	16FEB2023	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140431042/48/F/W	03MAR2023	SUBJECT DECISION			
140431043/55/F/W	29MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140431044/50/F/W	21APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140431045/62/F/W	06MAR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES
140431046/51/F/W	27FEB2023	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES
140431047/51/F/B	06MAR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
140431048/48/F/W	08MAR2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
	08MAR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
	08MAR2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140461001/61/F/W	19OCT2021	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140461002/65/F/W	08SEP2021	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140461004/59/F/W	08OCT2021	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES
140461005/51/F/W	02DEC2021	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140461006/52/F/B	06DEC2021	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES
140461008/56/F/W	28MAR2022	SUBJECT DECISION			
140461009/53/F/B	08APR2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140461010/60/F/W	19APR2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140461011/51/F/W	12MAY2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
	12MAY2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140461012/59/F/W	26MAY2022	SUBJECT DECISION			
140461015/52/F/W	16DEC2022	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
140461016/59/F/W	04JAN2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140461017/53/F/B	16DEC2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
140461018/59/F/W	15DEC2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
140461019/56/F/B	17FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140461020/57/F/W	27JAN2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140461021/59/F/W	10MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140461022/50/F/W	31JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140461023/60/F/W	08FEB2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140461024/48/F/W	21MAR2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	21MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140471002/63/F/W	08FEB2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
140471004/54/F/W	02DEC2021	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
140471006/56/F/W	06MAY2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140471008/56/F/W	02JUN2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140471009/48/F/A	31MAY2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140471010/51/F/W	05AUG2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140471012/53/F/W	26OCT2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
	26OCT2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140471013/63/F/W	12AUG2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
140471015/53/F/W	17OCT2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	17OCT2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140471016/54/F/W	19SEP2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140471017/51/F/W	07NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140471018/52/F/B	29DEC2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	29DEC2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
140471019/50/F/W	23DEC2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140471020/47/F/B	15FEB2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140471021/61/F/W	24FEB2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140471023/51/F/B	15FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	15FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140471024/52/F/B	16MAR2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
	16MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140471025/53/F/W	31MAR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
140471026/58/F/W	30MAR2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
140471027/57/F/W	08MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140471028/52/F/W	03FEB2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140471029/54/F/W	10MAR2023	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
140471031/45/F/W	13MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140471032/57/F/W	10APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140471033/56/F/B	24MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140491001/63/F/B	15JUN2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140491002/64/F/B	10MAR2022	SCREEN FAILURE	EXCLUSION	Current or previous history of any malignancy (except basal and squamous cell skin tumours).	YES
	10MAR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140491003/60/F/B	04APR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	04APR2022	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
	04APR2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES
140491004/62/F/B	02MAY2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	02MAY2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
140491005/50/F/B	21JUN2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140491006/41/F/B	22JUL2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
	22JUL2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	22JUL2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140491007/50/F/B	21SEP2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140491008/54/F/B	07JUL2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
	07JUL2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140491009/58/F/W	09AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	09AUG2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	09AUG2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
140491011/43/F/W	19JUL2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	19JUL2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140491012/49/F/W	06SEP2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140491013/50/F/B	20SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	20SEP2022	SCREEN FAILURE	EXCLUSION	Any unexplained post-menopausal uterine bleeding.	YES
140491015/52/F/B	23AUG2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
	23AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140491016/62/F/W	20SEP2022	OTHER			
140491017/53/F/B	06OCT2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	06OCT2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
140491018/50/F/B	29DEC2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
	29DEC2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140491019/63/F/B	30NOV2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	30NOV2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
140491020/60/F/W	20DEC2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	20DEC2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140491021/55/F/B	24JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	24JAN2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140491022/46/F/NH	27MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	27MAR2023	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140491023/53/F/B	16FEB2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
	16FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	16FEB2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
140491024/51/F/B	22MAR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
	22MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	22MAR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
140491026/55/F/B	16MAR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
	16MAR2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140491027/52/F/B	08MAR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
	08MAR2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140491028/55/F/MUL	24MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	24MAR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
140491030/61/F/B	06MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	06MAR2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140491031/57/F/B	30MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	30MAR2023	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	30MAR2023	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
140511001/57/F/W	07DEC2021	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
	07DEC2021	SCREEN FAILURE	EXCLUSION	A history of untreated hyperthyroidism or hypothyroidism. Treated hypothyroidism with normal thyroid function test results during screening and a stable (for >= 3 months (see protocol version 2.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140511002/64/F/B	14DEC2021	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
140511003/57/F/W	09MAY2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
140511004/51/F/W	17AUG2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 2.0)	NO
140511005/55/F/W	06OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140511006/65/F/W	29DEC2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140511007/58/F/W	29AUG2022	PROTOCOL DEVIATION	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
140511008/55/F/W	25OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140511009/55/F/W	13DEC2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140511011/59/F/B	05APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140531003/49/F/W	26OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140531005/59/F/W	15SEP2022	SCREEN FAILURE	EXCLUSION	Concurrent (or within 2 months prior to signing of ICF) participation in a clinical study with an investigational medicinal product (including medical devices).	YES
140531007/54/F/NR	22DEC2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140531008/50/F/NR	17JAN2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140531009/54/F/W	20APR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
	20APR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140531010/56/F/W	04APR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140531011/56/F/W	23MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	23MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140531012/50/F/W	09MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	09MAR2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
140541001/50/F/MUL	25OCT2021	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
140541002/58/F/W	25OCT2021	SCREEN FAILURE	EXCLUSION	Current or previous history of any malignancy (except basal and squamous cell skin tumours).	YES
140541003/51/F/W	08DEC2021	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140541004/52/F/W	13APR2022	OTHER			
140541005/51/F/W	05DEC2022	WITHDRAWAL BY SUBJECT			

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140541006/53/F/NH	16MAY2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	16MAY2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
140541007/65/F/B	28APR2022	PHYSICIAN DECISION			
140541008/59/F/B	03JUN2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
	03JUN2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140541009/55/F/B	07JUN2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
140541010/56/F/B	14JUN2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	14JUN2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	14JUN2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140541011/56/F/W	19MAY2022	PHYSICIAN DECISION			

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140541012/59/F/W	25MAY2022	SUBJECT DECISION			
140541013/56/F/W	20JUN2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	20JUN2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
140541015/51/F/W	18JUL2022	LOST TO FOLLOW-UP			
140541016/53/F/W	22JUN2022	SUBJECT DECISION			
140541017/57/F/B	06JUL2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	06JUL2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
	06JUL2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
140541018/62/F/B	18JUL2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
	18JUL2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140541020/62/F/B	10AUG2022	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
	10AUG2022	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES
140541022/59/F/B	29JUL2022	PHYSICIAN DECISION			
140541024/50/F/B	03NOV2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	03NOV2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
	03NOV2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
140541025/49/F/B	17NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140541026/64/F/W	30MAR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140581001/48/F/W	09NOV2021	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	09NOV2021	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140581002/58/F/W	09NOV2021	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140581003/64/F/W	09NOV2021	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
	09NOV2021	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
140581004/58/F/W	09DEC2021	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140581005/58/F/B	20JAN2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
140581006/44/F/B	24MAY2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
140581007/54/F/W	14JUN2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140581008/44/F/W	06JUL2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES
140581009/44/F/W	19JUL2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES
	19JUL2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 2.0)	NO
140581011/52/F/W	08AUG2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
140581012/50/F/W	20SEP2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
140581013/64/F/AI	30AUG2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
140581014/43/F/W	14SEP2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
140581015/58/F/W	26JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140581016/49/F/W	31JAN2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
	31JAN2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140601001/54/F/W	22FEB2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
140601002/47/F/W	27FEB2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140601003/57/F/W	09JAN2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	09JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	09JAN2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
140601004/54/F/W	06MAR2023	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
140601006/43/F/B	18APR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140601007/55/F/B	26JAN2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
	26JAN2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140601008/55/F/W	09FEB2023	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES
140601009/52/F/W	21FEB2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
140601011/57/F/NR	23FEB2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
	23FEB2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
140601014/58/F/B	27FEB2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140601015/50/F/A	15MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140601016/58/F/W	11APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140601017/64/F/W	23FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
	23FEB2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
140601019/53/F/W	10APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140601020/53/F/W	18APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140721001/50/F/W	15OCT2021	SCREEN FAILURE	EXCLUSION	A history of untreated hyperthyroidism or hypothyroidism. Treated hypothyroidism with normal thyroid function test results during screening and a stable (for >= 3 months (see protocol version 2.0)	YES
140841001/52/F/B	11FEB2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140841002/63/F/W	20JUN2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
	20JUN2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140841003/54/F/W	22JUL2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140841004/48/F/W	08JUN2022	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
140841005/61/F/B	21JUL2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140841006/48/F/W	08JUL2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140841007/48/F/W	19JUL2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
140841010/60/F/B	26JUL2022	SCREEN FAILURE	EXCLUSION	Clinically relevant drug or alcohol abuse within 12 months of signing of informed consent. Clinically relevant alcohol or drug abuse is behavior that meets the DSM-5 (see protocol version 2.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140841011/54/F/B	26SEP2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140841012/53/F/W	02AUG2022	SCREEN FAILURE	EXCLUSION	Clinically relevant drug or alcohol abuse within 12 months of signing of informed consent. Clinically relevant alcohol or drug abuse is behavior that meets the DSM-5 (see protocol version 2.0)	YES
140841013/46/F/B	10AUG2022	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
140841014/44/F/W	25AUG2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140841015/61/F/W	16AUG2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
140841016/49/F/W	13OCT2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140841017/59/F/W	21SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	21SEP2022	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140841018/64/F/W	30NOV2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	30NOV2022	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES
140841020/53/F/B	23SEP2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140841021/52/F/B	04JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	04JAN2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140841022/46/F/W	11OCT2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	11OCT2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
140841023/57/F/W	20OCT2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	20OCT2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140841024/64/F/B	12DEC2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	12DEC2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140841025/57/F/W	09JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	09JAN2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140841026/55/F/B	12DEC2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	12DEC2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
140841027/54/F/W	29DEC2022	SUBJECT DECISION			
140841028/52/F/B	11JAN2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140841029/57/F/W	10JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	10JAN2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140841030/54/F/W	02FEB2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140841031/48/F/W	20JAN2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140841032/51/F/W	09JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	09JAN2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
140841034/55/F/W	07FEB2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140841035/63/F/B	22FEB2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140841036/55/F/B	23MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140841037/50/F/B	30JAN2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
140841039/45/F/B	21MAR2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140841040/60/F/B	09MAR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES
140851001/54/F/B	20DEC2022	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
	20DEC2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
140851002/63/F/B	22DEC2022	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
	22DEC2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	22DEC2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140851004/43/F/W	21MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140851005/53/F/B	11JAN2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
	11JAN2023	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
	11JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140851006/51/F/W	03FEB2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
140851007/55/F/W	25JAN2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
	25JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140851008/57/F/W	24FEB2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
140851009/50/F/B	26JAN2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140851010/51/F/W	04APR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	04APR2023	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
140851012/54/F/MUL	10MAR2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
140851013/51/F/W	24FEB2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
140851014/56/F/B	04APR2023	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
140851015/58/F/W	05APR2023	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
140851016/49/F/W	24APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140851017/53/F/W	21MAR2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140851018/59/F/W	31MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	31MAR2023	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
	31MAR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
140851019/55/F/B	04APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140851020/47/F/W	14APR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140871001/41/F/W	13DEC2021	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 2.0)	NO
140871002/57/F/B	13DEC2021	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
140871003/61/F/W	21MAR2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140871004/46/F/W	28JAN2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES
	28JAN2022	SCREEN FAILURE	EXCLUSION	A history of untreated hyperthyroidism or hypothyroidism. Treated hypothyroidism with normal thyroid function test results during screening and a stable (for >= 3 months (see protocol version 2.0)	YES
140871005/54/F/W	11APR2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
140911001/48/F/W	21MAR2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES
	21MAR2022	SCREEN FAILURE	EXCLUSION	A history of untreated hyperthyroidism or hypothyroidism. Treated hypothyroidism with normal thyroid function test results during screening and a stable (for >= 3 months (see protocol version 2.0)	YES
	21MAR2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 2.0)	NO
	21MAR2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
140911002/52/F/W	25JUL2022	SCREEN FAILURE	EXCLUSION	Concurrent (or within 2 months prior to signing of ICF) participation in a clinical study with an investigational medicinal product (including medical devices).	YES
140911003/53/F/W	03OCT2022	SCREEN FAILURE	EXCLUSION	Current or history (except complete remission for 5 years or more) of any malignancy (except basal and squamous cell skin tumours). Women receiving adjuvant endocrine (see protocol version 3.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140911004/58/F/W	14OCT2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140931001/61/F/MUL	28FEB2022	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 2.0)	NO
	28FEB2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	28FEB2022	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES
	28FEB2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	28FEB2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
140931002/64/F/W	14APR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	14APR2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	14APR2022	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140931003/56/F/W	22MAR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	22MAR2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	22MAR2022	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 2.0)	NO
	22MAR2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140931004/52/F/B	19APR2022	SCREEN FAILURE	EXCLUSION	Any unexplained post-menopausal bleeding.	YES
	19APR2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 2.0)	NO
140931007/60/F/NR	28SEP2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140931009/54/F/B	12APR2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	12APR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140981001/60/F/W	28DEC2021	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140981002/50/F/W	11JAN2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
	11JAN2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
140981003/63/F/W	26MAY2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140981004/49/F/W	20MAY2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140981005/49/F/W	01JUN2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140981006/56/F/W	13OCT2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140981007/52/F/B	24OCT2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140981008/55/F/W	14NOV2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140981010/52/F/W	14MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140981011/56/F/W	04APR2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
	04APR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140981012/60/F/W	03FEB2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
140981015/54/F/W	03FEB2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	03FEB2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	03FEB2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
	03FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140981016/54/F/W	19APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
140981017/50/F/W	17JAN2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140981018/51/F/W	03FEB2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140981019/53/F/W	30JAN2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	30JAN2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
140981020/54/F/W	07FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	07FEB2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
140981021/55/F/W	15FEB2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140981022/50/F/W	10MAR2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140981023/54/F/W	24FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140981024/57/F/W	17FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	17FEB2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
140981025/51/F/W	21FEB2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	21FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140981026/62/F/W	24FEB2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140981027/53/F/W	24FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
	24FEB2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140981028/50/F/W	07MAR2023	SCREEN FAILURE	INCLUSION	Females aged 40 to 65 years, inclusive, at signing of informed consent.	NO
	07MAR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES
140991001/54/F/W	17NOV2021	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	17NOV2021	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	17NOV2021	SCREEN FAILURE	EXCLUSION	At screening a suicidal ideation in the past 6 months (as indicated by 'Yes' on item 4 or item 5 of the suicidal ideation section of the eC-SSRS) or suicidal behavior (see protocol version 2.0)	YES
140991002/55/F/W	26JAN2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	26JAN2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
140991003/56/F/W	16MAR2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140991004/57/F/W	24FEB2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	24FEB2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
140991005/66/F/W	16FEB2022	SCREEN FAILURE	INCLUSION	Females aged 40 to 65 years, inclusive, at signing of informed consent.	NO
140991006/48/F/MUL	11APR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	11APR2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES
140991007/55/F/W	10MAR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	10MAR2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140991008/59/F/W	29MAR2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
	29MAR2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140991009/55/F/B	11APR2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	11APR2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140991010/57/F/MUL	26APR2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	26APR2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140991011/59/F/W	04APR2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	04APR2022	SCREEN FAILURE	EXCLUSION	Any active ongoing condition that could cause difficulty in interpreting VMS such as: infection that could cause pyrexia, pheochromocytoma, carcinoid syndrome.	YES
	04APR2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
140991012/59/F/W	26APR2022	SCREEN FAILURE	INCLUSION	Females aged 40 to 65 years, inclusive, at signing of informed consent.	NO
	26APR2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140991013/57/F/W	11MAY2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	11MAY2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140991014/56/F/B	19MAY2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	19MAY2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
140991015/47/F/B	20APR2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
	20APR2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
	20APR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140991016/48/F/B	20APR2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
	20APR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140991017/59/F/MUL	19MAY2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	19MAY2022	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
	19MAY2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
	19MAY2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
140991019/52/F/W	16MAY2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	16MAY2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
140991020/52/F/B	01JUN2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	01JUN2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140991021/56/F/B	31MAY2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	31MAY2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
140991022/51/F/W	14JUN2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
140991023/48/F/B	13JUN2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	13JUN2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
140991024/54/F/B	21JUN2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	21JUN2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140991026/57/F/W	14JUL2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	14JUL2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140991027/42/F/B	15JUN2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	15JUN2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
140991028/53/F/W	05JUL2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	05JUL2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
140991029/53/F/W	23AUG2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	23AUG2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140991030/59/F/W	11JUL2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	11JUL2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
140991031/48/F/W	14JUL2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	14JUL2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
140991033/53/F/B	03AUG2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	03AUG2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140991034/51/F/W	03AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	03AUG2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140991035/55/F/W	01AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	01AUG2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
140991036/60/F/W	21SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	21SEP2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140991037/47/F/B	09AUG2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
	09AUG2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
	09AUG2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
140991038/52/F/W	15AUG2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	15AUG2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140991039/53/F/W	31AUG2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	31AUG2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140991040/46/F/B	15AUG2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	15AUG2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
140991041/56/F/B	07SEP2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	07SEP2022	SCREEN FAILURE	INCLUSION	Moderate to severe HF associated with the menopause and seeking treatment for this condition.	NO
	07SEP2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140991042/42/F/B	13SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	13SEP2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140991044/57/F/W	27SEP2022	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES
	27SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
140991046/53/F/A	12OCT2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	12OCT2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
140991047/48/F/W	02NOV2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
	02NOV2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
140991051/53/F/B	06FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	06FEB2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
	06FEB2023	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
140991052/61/F/B	15FEB2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	15FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141051001/57/F/B	08DEC2021	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141051003/60/F/W	10DEC2021	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
141051006/47/F/W	31MAR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	31MAR2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141051009/54/F/W	06MAY2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
	06MAY2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
	06MAY2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141051011/53/F/NH	30JUN2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
	30JUN2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141051013/64/F/W	19AUG2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
141051014/62/F/B	25JUL2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	25JUL2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141051016/53/F/W	19AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	19AUG2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
141051018/46/F/W	19OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141051022/63/F/B	23NOV2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	23NOV2022	SCREEN FAILURE	EXCLUSION	Concurrent (or within 2 months prior to signing of ICF) participation in a clinical study with an investigational medicinal product (including medical devices).	YES
141051023/50/F/W	16JAN2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141051025/60/F/B	22NOV2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	22NOV2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141051027/56/F/W	09JAN2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141051028/57/F/W	09DEC2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	09DEC2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
141051029/52/F/W	17JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141051030/62/F/B	04JAN2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
141051031/58/F/B	26JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	26JAN2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
141051032/53/F/W	20JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	20JAN2023	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141051034/48/F/B	28DEC2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
141051037/53/F/W	30MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	30MAR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
141051038/56/F/B	01FEB2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	01FEB2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
141051039/52/F/W	07FEB2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	07FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	07FEB2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
141051040/59/F/W	06APR2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141051041/52/F/W	30MAR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
	30MAR2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
141051042/52/F/W	26APR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	26APR2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
141051043/47/F/B	15MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141051044/60/F/B	10MAR2023	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
141061001/65/F/W	03AUG2022	LOST TO FOLLOW-UP	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	03AUG2022	LOST TO FOLLOW-UP	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141061002/52/F/B	04MAY2022	SCREEN FAILURE	EXCLUSION	Concurrent (or within 2 months prior to signing of ICF) participation in a clinical study with an investigational medicinal product (including medical devices).	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141061003/63/F/B	04MAY2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
141061004/55/F/W	19MAY2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
141061005/57/F/W	12JUL2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141061006/54/F/W	08JUN2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
141061007/51/F/MUL	23AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	23AUG2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
141061008/54/F/W	15AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	15AUG2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141061009/64/F/W	26AUG2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	26AUG2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
141061010/49/F/W	21OCT2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141061011/54/F/W	15AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	15AUG2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
	15AUG2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
141061012/58/F/B	19JUL2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
	19JUL2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141061013/53/F/W	23AUG2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	23AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	23AUG2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
141061014/52/F/W	02SEP2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	02SEP2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
141061015/51/F/W	15AUG2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
141101001/57/F/W	12JAN2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141101002/51/F/B	28NOV2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
141101003/57/F/W	25JAN2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141101004/51/F/W	13MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141101005/56/F/B	06JAN2023	PHYSICIAN DECISION	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 2.0)	NO
	06JAN2023	PHYSICIAN DECISION	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	06JAN2023	PHYSICIAN DECISION	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	06JAN2023	PHYSICIAN DECISION	INCLUSION	Negative urine pregnancy test at screening.	NO
	06JAN2023	PHYSICIAN DECISION	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	06JAN2023	PHYSICIAN DECISION	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141101006/56/F/W	10FEB2023	SUBJECT DECISION			
141131001/56/F/W	29NOV2021	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	29NOV2021	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141131002/54/F/W	13DEC2021	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
141131003/49/F/W	04MAY2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141131004/50/F/AI	21APR2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
141131006/52/F/W	12MAY2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141131007/52/F/W	25MAY2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141131010/46/F/W	07JUN2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	07JUN2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
141131011/54/F/W	25JUL2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141131012/53/F/W	23JUN2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141131013/49/F/W	18JUL2022	LOST TO FOLLOW-UP			
141131014/55/F/W	26JUL2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141131016/54/F/W	28JUL2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141131018/52/F/W	05AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141131019/59/F/W	29JUL2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141131020/56/F/W	02AUG2022	SUBJECT DECISION			

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141131022/50/F/W	28JUL2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	28JUL2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
	28JUL2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
141131023/52/F/W	16AUG2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
141131025/54/F/W	22AUG2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
141131026/61/F/W	06SEP2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
141131027/55/F/W	07OCT2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	07OCT2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141131028/60/F/W	14SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	14SEP2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
141131029/54/F/W	09SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	09SEP2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
141131030/54/F/W	19SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141131031/53/F/W	20SEP2022	SCREEN FAILURE	INCLUSION	Moderate to severe HF associated with the menopause and seeking treatment for this condition.	NO
141131033/55/F/W	28OCT2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	28OCT2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141131034/47/F/W	18NOV2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	18NOV2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
141131035/51/F/W	18NOV2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
141131036/57/F/W	05DEC2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141131037/55/F/W	27OCT2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
141131038/48/F/W	21NOV2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	21NOV2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
141131039/53/F/W	02DEC2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141131040/52/F/W	02DEC2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	02DEC2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
141131041/52/F/W	19DEC2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	19DEC2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
141131042/48/F/W	07DEC2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
	07DEC2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141131043/60/F/W	13DEC2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	13DEC2022	SCREEN FAILURE	EXCLUSION	At screening a suicidal ideation in the past 6 months (as indicated by 'Yes' on item 4 or item 5 of the suicidal ideation section of the eC-SSRS) or suicidal behavior (see protocol version 2.0)	YES
141131044/62/F/W	13JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141131045/53/F/AI	06FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	06FEB2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
141131046/63/F/W	14FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141131047/57/F/W	24FEB2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
	24FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141131049/48/F/W	23MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141131051/63/F/W	01MAR2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	01MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141131052/56/F/W	24FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141131053/52/F/W	28FEB2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	28FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	28FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	28FEB2023	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
141131054/59/F/W	16FEB2023	SCREEN FAILURE	INCLUSION	Moderate to severe HF associated with the menopause and seeking treatment for this condition.	NO
141131055/62/F/W	24FEB2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
141131056/42/F/W	27FEB2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
141131057/50/F/W	04APR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141131058/56/F/W	05APR2023	SCREEN FAILURE	INCLUSION	Moderate to severe HF associated with the menopause and seeking treatment for this condition.	NO
141131059/53/F/AI	06APR2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
141131060/60/F/W	14MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
141141001/52/F/W	30SEP2021	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141141002/49/F/W	01NOV2021	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
141141003/53/F/W	26OCT2021	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141141004/52/F/W	29DEC2021	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141141005/52/F/W	30DEC2021	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
	30DEC2021	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141141007/53/F/W	29AUG2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141141008/57/F/B	01JUN2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141141009/50/F/W	03JUN2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
141141010/56/F/W	22AUG2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141141011/62/F/W	24AUG2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141141012/61/F/B	19OCT2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141141013/56/F/W	08SEP2022	SUBJECT DECISION			
141141015/57/F/W	06SEP2022	SUBJECT DECISION			
141141016/53/F/W	19OCT2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141141018/61/F/B	11JAN2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
141141019/59/F/W	11NOV2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
141141020/55/F/W	07DEC2022	SUBJECT DECISION			
141141021/51/F/W	01DEC2022	SCREEN FAILURE	EXCLUSION	Any unexplained post-menopausal uterine bleeding.	YES
141141022/62/F/W	11NOV2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	11NOV2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	11NOV2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
	11NOV2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
141141023/62/F/W	09MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141141024/57/F/W	22FEB2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141141027/46/F/W	11APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141191002/65/F/B	11FEB2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	11FEB2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES
141191003/55/F/W	10MAR2022	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 2.0)	NO
141191004/48/F/W	14APR2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141191005/64/F/B	17MAR2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141191008/58/F/B	23AUG2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141191009/53/F/W	01AUG2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141191011/58/F/W	30AUG2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141191012/58/F/B	21NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141191013/58/F/B	02NOV2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141191014/57/F/B	02NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141191017/50/F/W	12OCT2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
	12OCT2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141191018/52/F/B	27OCT2022	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 2.0)	NO
	27OCT2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	27OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	27OCT2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
141191019/59/F/W	10NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	10NOV2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	10NOV2022	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 2.0)	NO
	10NOV2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141191020/59/F/B	22MAR2023	SCREEN FAILURE	INCLUSION	Moderate to severe HF associated with the menopause and seeking treatment for this condition.	NO
141191022/50/F/W	22MAR2023	SCREEN FAILURE	INCLUSION	Moderate to severe HF associated with the menopause and seeking treatment for this condition.	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141191023/65/F/B	14FEB2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141191024/61/F/W	20JAN2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	20JAN2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141191025/55/F/A	10MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141251004/54/F/B	16NOV2021	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141251006/61/F/B	19NOV2021	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	19NOV2021	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES
	19NOV2021	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
	19NOV2021	SCREEN FAILURE	EXCLUSION	A history of untreated hyperthyroidism or hypothyroidism. Treated hypothyroidism with normal thyroid function test results during screening and a stable (for >= 3 months (see protocol version 2.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141251007/52/F/B	07DEC2021	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	07DEC2021	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES
	07DEC2021	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
	07DEC2021	SCREEN FAILURE	EXCLUSION	A history of untreated hyperthyroidism or hypothyroidism. Treated hypothyroidism with normal thyroid function test results during screening and a stable (for >= 3 months (see protocol version 2.0)	YES
141251009/55/F/W	25JAN2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141251011/57/F/B	21MAR2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
141251012/55/F/B	25APR2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141251013/62/F/B	25APR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	25APR2022	SCREEN FAILURE	EXCLUSION	A history of untreated hyperthyroidism or hypothyroidism. Treated hypothyroidism with normal thyroid function test results during screening and a stable (for >= 3 months (see protocol version 2.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141251015/51/F/W	31MAY2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 2.0)	NO
	31MAY2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	31MAY2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES
	31MAY2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
141251016/58/F/B	23JUN2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	23JUN2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
	23JUN2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
141251017/56/F/W	16AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	16AUG2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141251018/57/F/W	28JUN2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	28JUN2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
141251020/59/F/B	16JAN2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141251022/53/F/W	27FEB2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	27FEB2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
141251023/53/F/W	21MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141251024/61/F/B	14MAR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
	14MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	14MAR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141251025/48/F/B	14MAR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
	14MAR2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
141331001/61/F/W	11OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141331002/52/F/W	28OCT2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
141331003/56/F/B	28OCT2022	SCREEN FAILURE	EXCLUSION	Clinically relevant drug or alcohol abuse within 12 months of signing of informed consent. Clinically relevant alcohol or drug abuse is behavior that meets the DSM-5 (see protocol version 2.0)	YES
141331005/58/F/W	11APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141361002/48/F/NR	31JAN2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 2.0)	NO
	31JAN2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
	31JAN2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	31JAN2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	31JAN2022	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 2.0)	NO
	31JAN2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
	31JAN2022	SCREEN FAILURE	EXCLUSION	Renal impairment greater than moderate (i.e. estimated glomerular filtration rate < 30 mL/min) at screening	YES
	31JAN2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
	31JAN2022	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
	31JAN2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES
	31JAN2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141361003/65/F/W	21FEB2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
141361004/46/F/W	01APR2022	LOST TO FOLLOW-UP	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	01APR2022	LOST TO FOLLOW-UP	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141361005/48/F/W	29APR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	29APR2022	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
141361006/58/F/NR	16MAY2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141361008/52/F/W	13MAY2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
	13MAY2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
	13MAY2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141361010/43/F/NR	29JUL2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141361011/49/F/W	07JUL2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	07JUL2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	07JUL2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
141361015/56/F/W	30AUG2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
	30AUG2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
141361018/52/F/W	18AUG2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141361019/55/F/W	25JUL2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141361020/55/F/W	29SEP2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141361021/62/F/B	08AUG2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
141361022/56/F/W	19AUG2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
141361023/52/F/W	18AUG2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
141361026/58/F/W	23SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	23SEP2022	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
141361027/53/F/W	21NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141361028/56/F/W	01DEC2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
	01DEC2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141361029/52/F/W	21OCT2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141361030/56/F/W	28OCT2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	28OCT2022	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
141361031/48/F/W	29NOV2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
141361032/53/F/W	05JAN2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	05JAN2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
141361033/54/F/W	02FEB2023	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
141361034/52/F/W	13JAN2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
141361036/51/F/W	12JAN2023	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141361039/51/F/W	27FEB2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141361040/46/F/NR	22FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141361041/65/F/W	27JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	27JAN2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
141361043/60/F/B	23MAR2023	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
141361044/54/F/B	06APR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
141361045/46/F/W	20FEB2023	SUBJECT DECISION			
141431001/49/F/W	05DEC2022	WITHDRAWAL BY SUBJECT			
141431006/59/F/W	14SEP2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141431007/46/F/NR	23AUG2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141431008/46/F/W	17AUG2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
141431009/51/F/W	06OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141431011/60/F/W	31AUG2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
141431014/54/F/W	07FEB2023	SUBJECT DECISION			
141431016/52/F/W	08MAR2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
141791002/54/F/B	13FEB2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
141791003/61/F/B	13FEB2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141791004/55/F/W	03APR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	03APR2023	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
141791005/57/F/W	14FEB2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141791006/54/F/B	19APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141791007/61/F/W	23FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141791008/53/F/W	21MAR2023	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
141791009/52/F/W	16MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141791011/54/F/W	21MAR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141791012/51/F/B	15MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141791014/55/F/B	27MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141791015/54/F/W	24APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141801002/54/F/W	27OCT2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
141801005/52/F/W	14DEC2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
141801006/59/F/W	14DEC2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
	14DEC2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
141801007/59/F/W	27JAN2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141801009/53/F/W	01MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141801011/53/F/W	01FEB2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
141801012/48/F/W	02MAR2023	LOST TO FOLLOW-UP			
141801013/44/F/MUL	21FEB2023	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
141801015/60/F/W	05APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141801016/54/F/W	13MAR2023	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
141801017/53/F/W	05APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141801018/51/F/W	29MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141881002/60/F/B	01FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	01FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141881003/51/F/W	31MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141881004/57/F/B	31MAR2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	31MAR2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
141891001/59/F/B	23SEP2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
	23SEP2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
141891002/49/F/B	23SEP2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141891003/52/F/W	02NOV2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	02NOV2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
141891004/54/F/NR	16NOV2022	SUBJECT DECISION			
141891005/62/F/W	18NOV2022	OTHER			
141891006/57/F/W	06FEB2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
141891007/53/F/W	12JAN2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	12JAN2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
141891009/52/F/W	06FEB2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
	06FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141891010/54/F/W	26JAN2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	26JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141891011/63/F/W	19JAN2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
	19JAN2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
141891012/51/F/W	26JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	26JAN2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
141891013/56/F/B	25JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	25JAN2023	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
141891014/53/F/W	26JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	26JAN2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141891015/62/F/B	08FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	08FEB2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
141891016/52/F/W	08FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	08FEB2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
141891018/52/F/B	22FEB2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
	22FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141891019/58/F/W	13FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	13FEB2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141891020/53/F/W	10FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
	10FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	10FEB2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
141891021/64/F/W	08MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	08MAR2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
141891022/53/F/B	03MAR2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
	03MAR2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
141891024/62/F/W	15FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
	15FEB2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141891025/59/F/B	15FEB2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
	15FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141891026/55/F/W	21FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	21FEB2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
141891030/43/F/B	24FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	24FEB2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
141891031/54/F/W	03MAR2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	03MAR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
141901002/43/F/B	02DEC2022	SUBJECT DECISION			

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141901003/43/F/B	03OCT2022	SCREEN FAILURE	EXCLUSION	Concurrent (or within 2 months prior to signing of ICF) participation in a clinical study with an investigational medicinal product (including medical devices).	YES
	03OCT2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
	03OCT2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
	03OCT2022	SCREEN FAILURE	EXCLUSION	Known hypersensitivity to elinzanetant or any of the excipients in the formulation.	YES
	03OCT2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	03OCT2022	SCREEN FAILURE	EXCLUSION	Dependent on the investigator, the contract research organisation(s) or Sponsor for education or employment (e.g. family members, employees, people who receive grants/education).	YES
	03OCT2022	SCREEN FAILURE	EXCLUSION	Clinically relevant drug or alcohol abuse within 12 months of signing of informed consent. Clinically relevant alcohol or drug abuse is behavior that meets the DSM-5 (see protocol version 2.0)	YES
	03OCT2022	SCREEN FAILURE	EXCLUSION	At screening a suicidal ideation in the past 6 months (as indicated by 'Yes' on item 4 or item 5 of the suicidal ideation section of the eC-SSRS) or suicidal behavior (see protocol version 2.0)	YES
	03OCT2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	03OCT2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
	03OCT2022	SCREEN FAILURE	EXCLUSION	Renal impairment greater than moderate (i.e. estimated glomerular filtration rate < 30 mL/min/1.73m2) at screening	YES
	03OCT2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
	03OCT2022	SCREEN FAILURE	EXCLUSION	Current or history (except complete remission for 5 years or more) of any malignancy (except basal and squamous cell skin tumours). Women receiving adjuvant endocrine (see protocol version 3.0)	YES
	03OCT2022	SCREEN FAILURE	EXCLUSION	Any unexplained post-menopausal uterine bleeding.	YES
	03OCT2022	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
	03OCT2022	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES
	03OCT2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
	03OCT2022	SCREEN FAILURE	EXCLUSION	Any active ongoing condition that could cause difficulty in interpreting VMS such as: infection that could cause pyrexia, pheochromocytoma, carcinoid syndrome.	YES
	03OCT2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
141901004/63/F/W	18NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141901005/48/F/B	04NOV2022	SCREEN FAILURE	INCLUSION	Moderate to severe HF associated with the menopause and seeking treatment for this condition.	NO
141901006/48/F/B	05OCT2022	SCREEN FAILURE	EXCLUSION	Concurrent (or within 2 months prior to signing of ICF) participation in a clinical study with an investigational medicinal product (including medical devices).	YES
141901008/52/F/W	10OCT2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141901010/62/F/B	14DEC2022	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 2.0)	NO
	14DEC2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
141901011/64/F/W	01DEC2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
141901012/63/F/B	25NOV2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
141901014/62/F/A	26OCT2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
141901015/60/F/B	10MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141901016/59/F/W	11NOV2022	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141901017/55/F/B	20FEB2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
	20FEB2023	SCREEN FAILURE	EXCLUSION	Renal impairment greater than moderate (i.e. estimated glomerular filtration rate < 30 mL/min/1.73m2) at screening	YES
	20FEB2023	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
141901018/50/F/W	22DEC2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141901019/54/F/B	23NOV2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141901020/63/F/W	23NOV2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
141901021/46/F/B	21FEB2023	SUBJECT DECISION			
141901024/52/F/B	05DEC2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
141901025/53/F/W	05DEC2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141901026/51/F/W	16DEC2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
141901027/61/F/B	06APR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES
141901028/61/F/W	20FEB2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
141901031/63/F/B	07FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141901033/63/F/B	18FEB2023	SCREEN FAILURE	EXCLUSION	Concurrent (or within 2 months prior to signing of ICF) participation in a clinical study with an investigational medicinal product (including medical devices).	YES
141901036/55/F/B	09MAR2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
141931001/57/F/W	14NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141931002/57/F/W	07NOV2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141931003/48/F/W	03OCT2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	03OCT2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
141931004/57/F/B	22NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141931005/46/F/W	25JAN2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141931006/56/F/W	05DEC2022	SUBJECT DECISION			
141931007/62/F/W	19DEC2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141931008/59/F/B	18JAN2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141931009/50/F/B	11NOV2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
141931010/55/F/NR	29DEC2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141931011/43/F/W	30DEC2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141931012/52/F/B	03APR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141931013/56/F/B	21MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141931014/55/F/B	10APR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
	10APR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141931015/53/F/B	19DEC2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
141931016/52/F/W	21MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	21MAR2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141931017/42/F/NR	20JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141931018/59/F/B	24MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	24MAR2023	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
141931019/56/F/B	03APR2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
141931020/54/F/W	20MAR2023	SUBJECT DECISION			
141931022/64/F/B	25APR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	25APR2023	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
141931023/55/F/B	26JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141931026/49/F/W	01MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141951002/64/F/W	05JAN2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141951003/57/F/W	13JAN2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141951004/58/F/W	10FEB2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141951005/55/F/W	22DEC2022	SCREEN FAILURE	EXCLUSION	Concurrent (or within 2 months prior to signing of ICF) participation in a clinical study with an investigational medicinal product (including medical devices).	YES
141951006/53/F/B	07MAR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
	07MAR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141951008/49/F/W	03JAN2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
	03JAN2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141951009/49/F/W	21FEB2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	21FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141951010/52/F/B	13FEB2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
141951011/55/F/MUL	03MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141951012/51/F/W	13APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141951014/55/F/W	06APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141951015/56/F/W	31MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	31MAR2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
141951016/57/F/B	23MAR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
141951017/48/F/W	21APR2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
141951018/53/F/W	21APR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
141971001/49/F/B	19OCT2022	LOST TO FOLLOW-UP	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	19OCT2022	LOST TO FOLLOW-UP	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141971003/51/F/B	31OCT2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141971004/53/F/B	13DEC2022	NON-COMPLIANCE WITH STUDY DEVICE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
141971006/47/F/B	01DEC2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
141971009/57/F/B	29NOV2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
141971011/59/F/B	12JAN2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
141971013/51/F/B	17JAN2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
141971016/48/F/B	04JAN2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
141971017/58/F/W	13FEB2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 2.0)	NO
	13FEB2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
141971018/51/F/W	29MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
141971019/49/F/B	30MAR2023	SUBJECT DECISION			
142021001/61/F/W	20APR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
142031001/52/F/W	20APR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
142031002/52/F/W	07APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
142031003/54/F/W	07MAR2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
142041001/51/F/B	13FEB2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
	13FEB2023	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
142041002/59/F/W	06MAR2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
142041003/62/F/B	22FEB2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
142041004/63/F/W	01MAY2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
142041005/55/F/AI	11APR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
142041006/50/F/W	08MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
142041007/55/F/W	01MAR2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
142041008/58/F/W	20MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
142041009/61/F/W	04APR2023	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
142041010/56/F/W	06MAR2023	SCREEN FAILURE	EXCLUSION	Clinically relevant drug or alcohol abuse within 12 months of signing of informed consent. Clinically relevant alcohol or drug abuse is behavior that meets the DSM-5 (see protocol version 2.0)	YES
142061001/50/F/W	01MAR2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
142111001/40/F/W	13APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	13APR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
142111002/60/F/W	16MAR2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	16MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
142111003/59/F/W	28MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
142111004/51/F/W	20MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
142111005/44/F/W	27MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
142111006/56/F/W	23MAR2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	23MAR2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
142111007/61/F/W	07APR2023	SCREEN FAILURE	EXCLUSION	Current or history (except complete remission for 5 years or more) of any malignancy (except basal and squamous cell skin tumours). Women receiving adjuvant endocrine (see protocol version 3.0)	YES
142111008/48/F/W	14MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	14MAR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
142111010/53/F/W	28MAR2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
142111011/52/F/W	20APR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	20APR2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
142111012/59/F/W	17APR2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	17APR2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
142111013/47/F/W	13APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
142111015/47/F/W	15MAR2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	15MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	15MAR2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
142111016/44/F/W	24MAR2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
	24MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
220011001/49/F/W	06APR2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
220011002/53/F/W	02MAR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
220011003/49/F/W	13APR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	13APR2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
220011004/56/F/W	14JUL2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	14JUL2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
220011005/56/F/W	10OCT2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	10OCT2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
220011007/51/F/W	04JUL2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	04JUL2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
220011008/54/F/W	17NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
220011009/53/F/W	28OCT2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	28OCT2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	28OCT2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
	28OCT2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
220011011/52/F/W	16DEC2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
220011013/57/F/W	06MAR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
	06MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	06MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
220011014/59/F/W	30MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
220011015/60/F/W	12APR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
	12APR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
220011016/53/F/W	21FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	21FEB2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
220021001/53/F/W	29SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	29SEP2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
220021003/62/F/W	02NOV2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	02NOV2022	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
220021004/50/F/W	08NOV2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	08NOV2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
220021005/49/F/W	08NOV2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	08NOV2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	08NOV2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
	08NOV2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
220021006/65/F/W	08NOV2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	08NOV2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
220021007/65/F/W	08NOV2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	08NOV2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
220021008/52/F/W	15DEC2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	15DEC2022	SCREEN FAILURE	EXCLUSION	Any unexplained post-menopausal uterine bleeding.	YES
220031001/49/F/W	02MAY2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	02MAY2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
220031002/65/F/W	28APR2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
220031007/56/F/W	30JUN2022	SCREEN FAILURE	INCLUSION	Moderate to severe HF associated with the menopause and seeking treatment for this condition.	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
220031010/59/F/W	14JUL2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	14JUL2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
220031011/64/F/W	06SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
220031014/49/F/W	10NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
220031015/63/F/W	18NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
220031017/57/F/W	08FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
220031018/58/F/W	19DEC2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
	19DEC2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
220031019/52/F/W	06FEB2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
220031020/62/F/W	10FEB2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
220031021/59/F/W	14MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
220031022/58/F/W	13APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
220031024/60/F/W	16MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
220041001/52/F/W	14FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	14FEB2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
220041002/50/F/W	09MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
220041003/51/F/W	31MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
220041006/52/F/W	21APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
220041007/54/F/W	28MAR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
	28MAR2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
220041008/57/F/W	02MAR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
220051001/54/F/W	06MAY2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
220051002/55/F/W	03MAY2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	03MAY2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
220051003/54/F/W	09SEP2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
220051009/58/F/W	21APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
220071002/53/F/W	13MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
220071003/47/F/W	16MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
300011001/47/F/W	06OCT2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	06OCT2022	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES
300011002/56/F/W	10OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
300011003/50/F/W	18OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
300011004/53/F/W	12DEC2022	SCREEN FAILURE	INCLUSION	Moderate to severe HF associated with the menopause and seeking treatment for this condition.	NO
300011005/57/F/W	28NOV2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
300011006/52/F/W	08DEC2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
300011007/59/F/W	16JAN2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
300011010/55/F/W	23MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
300021002/45/F/W	06JUL2022	SCREEN FAILURE	INCLUSION	Moderate to severe HF associated with the menopause and seeking treatment for this condition.	NO
300021006/61/F/W	01SEP2022	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
300021008/61/F/W	11NOV2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	11NOV2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
	11NOV2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
300021009/58/F/W	09JAN2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
300021010/52/F/W	05APR2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
300031001/59/F/W	14JUL2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
300031005/52/F/W	28JUL2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
300031007/60/F/W	02AUG2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
300031008/52/F/W	27OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
300031010/53/F/W	16SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	16SEP2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
300031012/51/F/W	22NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
300031014/60/F/W	29NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	29NOV2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
	29NOV2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
380011003/51/F/W	20JUL2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
380011006/49/F/W	30JUN2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	30JUN2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
380011007/47/F/W	30JUN2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	30JUN2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
	30JUN2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
380011009/54/F/W	04AUG2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
380011010/46/F/W	29SEP2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
380011011/54/F/W	19AUG2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
380011012/54/F/W	25NOV2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
380011013/51/F/W	29SEP2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
380011015/49/F/W	08DEC2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
380011018/49/F/W	15DEC2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
380011021/47/F/W	02MAR2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
380011022/49/F/W	02MAR2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
380011026/55/F/W	24MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
380011027/57/F/W	29MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
380011028/57/F/W	09MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
380011029/62/F/W	06MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
380011030/55/F/W	26APR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	26APR2023	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES
380021003/53/F/W	11OCT2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	11OCT2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	11OCT2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
380051006/56/F/W	09DEC2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
380051007/55/F/W	24FEB2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
380061002/50/F/W	21MAR2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
380061003/48/F/NR	10JAN2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
380061004/56/F/W	10FEB2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
380061006/47/F/W	07MAR2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in exclusion criteria 10).	YES
	07MAR2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
380061008/53/F/W	07APR2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
380061009/52/F/W	12MAY2022	SUBJECT DECISION			
380061012/57/F/W	25AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	25AUG2022	SCREEN FAILURE	EXCLUSION	At screening a suicidal ideation in the past 6 months (as indicated by 'Yes' on item 4 or item 5 of the suicidal ideation section of the eC-SSRS) or suicidal behavior (see protocol version 2.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
380061013/48/F/W	03NOV2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
380061014/49/F/W	19DEC2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
380061016/48/F/W	03NOV2022	OTHER			
380061017/54/F/W	07FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
380061018/60/F/W	13DEC2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
	13DEC2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
380061021/49/F/W	06MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
380061022/59/F/W	19APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
380071003/42/F/W	26APR2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	26APR2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
380071006/53/F/W	25MAY2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	25MAY2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
380071008/56/F/W	07JUL2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	07JUL2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
380071012/63/F/W	04OCT2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
380071013/50/F/W	28FEB2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
380091002/59/F/W	03MAR2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
	03MAR2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
380091006/47/F/W	10NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
380091008/44/F/W	26JAN2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
	26JAN2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
380101005/51/F/W	03MAY2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
380101013/43/F/W	28JUN2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	28JUN2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
380101015/51/F/W	11AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	11AUG2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
380101020/49/F/W	24JAN2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
380111002/49/F/W	26MAY2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
380111003/50/F/W	18MAY2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
380111004/54/F/W	19JAN2023	WITHDRAWAL BY SUBJECT			
380111007/54/F/W	04JAN2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
380111008/50/F/W	30NOV2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
380111009/51/F/W	26JAN2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
390011001/55/F/W	11MAY2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
390011002/52/F/W	02MAY2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
390011003/52/F/W	07NOV2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	07NOV2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
390011004/56/F/W	16FEB2023	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
390011005/56/F/W	26MAR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
390011006/59/F/W	19FEB2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	19FEB2023	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
390011007/51/F/W	26MAR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
390011008/50/F/W	13MAR2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	13MAR2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
390011009/59/F/W	04APR2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
390031001/55/F/W	16APR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
390071001/51/F/W	24JUL2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	24JUL2022	SCREEN FAILURE	INCLUSION	Females aged 40 to 65 years, inclusive, at signing of informed consent.	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
390071003/55/F/W	19OCT2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
390071004/54/F/W	04JAN2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
390071005/57/F/W	27FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
390081002/55/F/W	20APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
440011002/55/F/W	11FEB2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
440011003/52/F/W	14FEB2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
440011004/61/F/W	02MAR2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
440011005/51/F/W	21FEB2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	21FEB2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	21FEB2022	SCREEN FAILURE	EXCLUSION	A history of untreated hyperthyroidism or hypothyroidism. Treated hypothyroidism with normal thyroid function test results during screening and a stable (for >= 3 months (see protocol version 2.0)	YES
440011006/52/F/W	28FEB2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	28FEB2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
440011008/51/F/W	26APR2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
440011011/52/F/W	13MAY2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
440011013/56/F/W	20MAY2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	20MAY2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
440011014/49/F/W	15JUL2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
440011015/52/F/W	20JUN2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	20JUN2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
440011017/50/F/B	24JUN2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	24JUN2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	24JUN2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
440011018/58/F/W	20JUL2022	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 2.0)	NO
	20JUL2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
440011019/61/F/W	07SEP2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	07SEP2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
440011020/54/F/W	31MAR2023	WITHDRAWAL BY SUBJECT			
440011021/57/F/W	05SEP2022	SUBJECT DECISION			
440011022/49/F/W	19OCT2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
440011024/46/F/W	28NOV2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	28NOV2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
440011025/54/F/W	07DEC2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
440011026/51/F/W	20FEB2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
440011027/58/F/W	15MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	15MAR2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
440011029/54/F/W	21APR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
440021001/55/F/W	05APR2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
440021003/49/F/W	20APR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	20APR2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
	20APR2022	SCREEN FAILURE	EXCLUSION	A history of untreated hyperthyroidism or hypothyroidism. Treated hypothyroidism with normal thyroid function test results during screening and a stable (for >= 3 months (see protocol version 2.0)	YES
440021004/59/F/W	10MAY2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
440021005/46/F/W	29JUN2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
440021007/58/F/W	09AUG2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
440021008/55/F/W	14SEP2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	14SEP2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
440021009/60/F/W	08NOV2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
440021010/60/F/W	21NOV2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	21NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	21NOV2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	21NOV2022	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
	21NOV2022	SCREEN FAILURE	INCLUSION	Negative urine pregnancy test at screening.	NO
	21NOV2022	SCREEN FAILURE	INCLUSION	Moderate to severe HF associated with the menopause and seeking treatment for this condition.	NO
	21NOV2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	21NOV2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
	21NOV2022	SCREEN FAILURE	INCLUSION	Females aged 40 to 65 years, inclusive, at signing of informed consent.	NO
440021012/56/F/W	19JAN2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
440021014/61/F/W	23JAN2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
440021015/55/F/W	23MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
440021016/54/F/W	16MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
440021017/54/F/W	23MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
440021018/54/F/W	22MAR2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	22MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	22MAR2023	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	22MAR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
	22MAR2023	SCREEN FAILURE	INCLUSION	Negative urine pregnancy test at screening.	NO
	22MAR2023	SCREEN FAILURE	INCLUSION	Moderate to severe HF associated with the menopause and seeking treatment for this condition.	NO
	22MAR2023	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
	22MAR2023	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	22MAR2023	SCREEN FAILURE	INCLUSION	Females aged 40 to 65 years, inclusive, at signing of informed consent.	NO
440021019/55/F/W	01MAR2023	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
440021020/52/F/W	28MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
440031001/56/F/W	31MAR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	31MAR2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
440031002/52/F/W	22APR2022	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 2.0)	NO
	22APR2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	22APR2022	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
440031003/50/F/W	31MAR2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	31MAR2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
440031008/57/F/W	02JUN2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
	02JUN2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	02JUN2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
440031009/59/F/W	23JUN2022	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 2.0)	NO
	23JUN2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
	23JUN2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
440031010/53/F/W	14JUL2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
440031011/54/F/W	13JUL2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
440031013/58/F/W	01AUG2022	SCREEN FAILURE	EXCLUSION	Any clinically significant prior or ongoing history of arrhythmias, heart block and QT prolongation either determined through clinical history or on ECG evaluation.	YES
	01AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
440031014/55/F/W	04AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	04AUG2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
440031015/55/F/W	11AUG2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	11AUG2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
440031016/51/F/W	10OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
440031018/52/F/W	10OCT2022	SCREEN FAILURE	INCLUSION	Moderate to severe HF associated with the menopause and seeking treatment for this condition.	NO
	10OCT2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
440031019/53/F/W	07NOV2022	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO
	07NOV2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
440031020/51/F/W	11NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
440031021/50/F/W	11NOV2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
440031022/48/F/W	15NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
440051001/55/F/W	15MAR2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
440051003/53/F/W	15APR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
440051004/62/F/W	27JUL2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
440051005/56/F/W	27JUL2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
440051006/48/F/W	10JUN2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 2.0)	NO
440051007/45/F/W	22JUN2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
440051008/61/F/W	05JUL2022	SCREEN FAILURE	INCLUSION	Moderate to severe HF associated with the menopause and seeking treatment for this condition.	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
440051009/62/F/W	20JUL2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
440051010/48/F/W	05JUL2022	SCREEN FAILURE	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
	05JUL2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
	05JUL2022	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
440051012/56/F/W	17AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
440051014/58/F/W	25AUG2022	SCREEN FAILURE	EXCLUSION	Clinically relevant abnormal findings on mammogram. Clinically relevant abnormal finding is defined as any finding that requires further follow-up or diagnostic procedures per local guidelines.	YES
440051015/59/F/W	11OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
440051017/49/F/W	13FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	13FEB2023	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
440051018/59/F/W	21FEB2023	PHYSICIAN DECISION	INCLUSION	Capable of giving signed informed consent as described in Section 10.1.5 which includes compliance with the requirements and restrictions listed in the ICF and in this protocol.	NO
440051019/58/F/W	14MAR2023	SCREEN FAILURE	EXCLUSION	Has used and is unwilling to wash-out use of any of the prohibited concomitant medications, as specified in Section 10.6.	YES
460021002/48/F/W	06APR2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 2.0)	NO
	06APR2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN unless explained by (see protocol version 2.0)	YES
460021003/53/F/W	20JUN2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
460031001/48/F/W	18JUL2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
460031002/56/F/W	25AUG2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
460031003/57/F/W	23AUG2022	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
460031006/50/F/W	23MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
460061001/53/F/W	20JUL2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
	20JUL2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
460061003/49/F/W	03NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
460061004/45/F/W	25NOV2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
460061005/59/F/W	12MAR2023	OTHER			
460061006/61/F/W	21FEB2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
460061007/57/F/W	06FEB2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
460061009/50/F/W	17MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
460061010/55/F/W	02FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
460061011/52/F/W	25APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
460061012/50/F/W	02MAR2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
460061013/52/F/W	26APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
460061015/59/F/W	07MAR2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
460061016/55/F/W	26APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
460061017/54/F/W	25APR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
460061018/62/F/W	05APR2023	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
460061019/48/F/W	14MAR2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
460071002/50/F/W	02MAY2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the use of prohibited medications as described in Sections 6.8.1 and 10.6.	YES
460071004/57/F/W	17JUN2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
460071005/52/F/W	22JUN2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
	22JUN2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
460071006/53/F/W	12AUG2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
460071008/62/F/W	07OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
460071009/53/F/W	02AUG2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
460071012/53/F/W	11SEP2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
460071013/54/F/W	29SEP2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	29SEP2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion (see protocol version 4.0)	YES
460071015/61/F/W	21OCT2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
460071016/51/F/W	14OCT2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
	14OCT2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
	14OCT2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
460071017/51/F/W	04NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	04NOV2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
460071018/57/F/W	18NOV2022	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES
460071022/59/F/W	27JAN2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
460071023/47/F/W	02DEC2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
	02DEC2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 4.0)	YES
460071026/60/F/W	03MAR2023	SCREEN FAILURE	INCLUSION	Normal or clinically insignificant cervical cytology not requiring further follow-up: a. A cervical cytology sample has to be obtained during screening, or b. A documented (see protocol version 4.0)	NO
460071027/57/F/W	10MAR2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
460071029/50/F/W	15FEB2023	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
	15FEB2023	SCREEN FAILURE	INCLUSION	Participant has a screening mammogram performed, unless she is able to provide a written normal mammogram result obtained no more than 6 months prior to the start of screening.	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
460071030/46/F/W	08MAR2023	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
460091001/51/F/W	24AUG2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
460091002/49/F/W	07OCT2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
460091003/46/F/W	14NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
460091004/54/F/W	16NOV2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
460091007/56/F/W	01FEB2023	SCREEN FAILURE	EXCLUSION	Uncontrolled or treatment-resistant hypertension. Women with mild hypertension can be included in the study if they are medically cleared prior to study participation. (see protocol version 2.0)	YES
490021001/47/F/W	14JUL2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
490021002/50/F/W	15JUL2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
490021003/52/F/W	21JUN2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	21JUN2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
490021004/56/F/W	10AUG2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
490021006/64/F/W	03FEB2023	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
490021007/55/F/W	16DEC2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
490021008/44/F/W	16DEC2022	SCREEN FAILURE	INCLUSION	Postmenopausal, defined as: a. at least 12 months of spontaneous amenorrhea prior to signing of informed consent, or b. at least 6 months of spontaneous amenorrhea prior to (see protocol version 3.0)	NO
490021009/54/F/W	19JAN2023	SCREEN FAILURE	EXCLUSION	Any other history, condition, therapy, or uncontrolled intercurrent illness which could in the opinion of the investigator affect compliance with study requirements.	YES
490031001/53/F/W	06JUL2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
490031002/56/F/W	07JUL2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
490031004/53/F/W	16JUN2022	SCREEN FAILURE	EXCLUSION	Inability to comply with the study procedures for any reason, including the following examples: language comprehension, psychiatric illness, general inability to get to the study site.	YES
490031005/55/F/W	19AUG2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
490031006/52/F/W	01AUG2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
490031007/57/F/W	30JUN2022	OTHER			
490031008/56/F/W	02SEP2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
490031010/54/F/W	09MAR2023	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO
	09MAR2023	SCREEN FAILURE	EXCLUSION	Disordered proliferative endometrium, endometrial hyperplasia, polyp, or endometrial cancer diagnosed based on endometrial biopsy during screening (see Section 8.2.9)	YES

Listing 10.2.1.1 / 1: Subjects who did not complete or pass screening

Subject Identifier/ Age/ Sex/ Race	Date of Last Visit	Primary Reason	Inclusion/ Exclusion Category	Inclusion/ Exclusion Criterion	Inclusion/ Exclusion Answer
490061001/55/F/W	24MAY2022	SCREEN FAILURE	INCLUSION	Participant has completed HFDD for at least 11 days during the two weeks preceding baseline visit, and participant has recorded at least 50 moderate or severe HF (see protocol version 2.0)	NO
490071001/56/F/W	29APR2022	SCREEN FAILURE	INCLUSION	BMI between 18 and 38 kg/m2 at screening	NO
490071002/54/F/W	08JUL2022	OTHER			
490071003/57/F/W	22JUN2022	SCREEN FAILURE	EXCLUSION	Any clinically significant abnormal laboratory test result(s) measured during screening (single re-test allowed, except for tests listed in inclusion criteria 2 and exclusion criteria 10).	YES
	22JUN2022	SCREEN FAILURE	EXCLUSION	Abnormal liver parameters (presence of at least one of the following criteria): AST > 2 x ULN or ALT > 2 x ULN or AP > 2 x ULN or TBL > ULN or INR > ULN (see protocol version 3.0)	YES
490071004/57/F/W	08NOV2022	SCREEN FAILURE	EXCLUSION	Untreated hyperthyroidism or hypothyroidism. a) Treated hyperthyroidism with no abnormal increase of thyroid function laboratory parameters and no relevant clinical signs (see protocol version 3.0)	YES
	08NOV2022	SCREEN FAILURE	INCLUSION	In good general health, in the opinion of the investigator, based on the medical history, physical examination, 12-lead ECG, vital signs, gynecological ultrasound, (see protocol version 3.0)	NO

Sex is identified as: M = Male, F = Female.
Race is identified as: A = Asian, B = Black, W = White, AI = American Indian or Alaska Native, NH = Native Hawaiian or Other Pacific Islander, NR = Not Reported, MUL=Multiple.
The unit for "Age" is years.
Bayer: /var/swan/root/bhc/3427080/21651/stat/main01/prod/analysis/pgms/l_10_2_1_1_adds_screen.sas 09JAN2024 15:58
End of table