Table of contents

10.2.8.1 Clinical laboratory data 2
Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation 3
Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones 220
Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis 1014
Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin 1204
Listing 10.2.8.1 / 7: Clinical laboratory data: Immunology/ Virology 1276
Listing 10.2.8.1 / 8: Clinical laboratory data: Urine Pregnancy Test 1287

10.2.8.1 Clinical laboratory data

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
140011004/56/F/W	Screening	17JAN2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		17JAN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		17JAN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	07MAR2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		07MAR2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		07MAR2023	Activated Partial Thromboplastin Time	43	HIGH	25.00000000	38.00000000	s
	Week 4	28MAR2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		28MAR2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		28MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	25APR2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		25APR2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		25APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	06JUN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		06JUN2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		06JUN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
140031003/48/F/B	Screening	16JUN2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		16JUN2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		16JUN2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	08AUG2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		08AUG2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		08AUG2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 4	29AUG2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		29AUG2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		29AUG2022	Activated Partial Thromboplastin Time	41	HIGH	25.00000000	38.00000000	s
	Week 8	27SEP2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		27SEP2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		27SEP2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 12	01NOV2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		01NOV2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		01NOV2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	22NOV2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		22NOV2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		22NOV2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	08FEB2023	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		08FEB2023	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		08FEB2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	08MAR2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		08MAR2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		08MAR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Unscheduled	12SEP2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		12SEP2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		12SEP2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
140031015/48/F/W	Screening	01MAR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		01MAR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		01MAR2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	03APR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		03APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		03APR2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 4	24APR2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		24APR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		24APR2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 8	22MAY2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		22MAY2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		22MAY2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 12	27JUN2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		27JUN2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		27JUN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	20JUL2023	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		20JUL2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		20JUL2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	27SEP2023	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		27SEP2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		27SEP2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	25OCT2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		25OCT2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		25OCT2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
140051001/63/F/W	Screening	02FEB2022	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		02FEB2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		02FEB2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	07MAR2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		07MAR2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		07MAR2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	04APR2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		04APR2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		04APR2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	02MAY2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		02MAY2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		02MAY2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 12	31MAY2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		31MAY2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		31MAY2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	21JUN2022	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		21JUN2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		21JUN2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	12SEP2022	Prothrombin Time			.	.	
		12SEP2022	Prothrombin Intl. Normalized Ratio			.	.	
		12SEP2022	Activated Partial Thromboplastin Time			.	.	
	Follow-up	28SEP2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		28SEP2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		28SEP2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
140051007/54/F/A	Baseline	30NOV2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		06JAN2023	Prothrombin Time			.	.	
		30NOV2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		06JAN2023	Prothrombin Intl. Normalized Ratio			.	.	
		30NOV2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
		06JAN2023	Activated Partial Thromboplastin Time			.	.	
	Week 4	30JAN2023	Prothrombin Time	14.8	HIGH	9.40000000	12.70000000	s
		30JAN2023	Prothrombin Intl. Normalized Ratio	1.29	HIGH	0.85000000	1.15000000	None
		30JAN2023	Activated Partial Thromboplastin Time	67	HIGH	25.00000000	38.00000000	s
	Week 8	02MAR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		02MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		02MAR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 12	31MAR2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		31MAR2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		31MAR2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	27APR2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		27APR2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		27APR2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	06JUL2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		06JUL2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		06JUL2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	10AUG2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		10AUG2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		10AUG2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Unscheduled	16JAN2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		21FEB2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		16JAN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		21FEB2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		21FEB2023	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
		16JAN2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
140061015/60/F/B	Screening	01DEC2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		01DEC2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		01DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Baseline	20DEC2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		20DEC2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		20DEC2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	11JAN2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		11JAN2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		11JAN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 8	09FEB2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		09FEB2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		09FEB2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 12	15MAR2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		15MAR2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		15MAR2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	05APR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		05APR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		05APR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	17APR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		17APR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		17APR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Follow-up	16MAY2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		16MAY2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		16MAY2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
140061018/49/F/W	Screening	14FEB2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		14FEB2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		14FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	06MAR2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		06MAR2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		06MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	05APR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		05APR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		05APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	24APR2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		24APR2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		24APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	31MAY2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		31MAY2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		31MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	20JUN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		20JUN2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		20JUN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	30AUG2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		30AUG2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		30AUG2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	27SEP2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		27SEP2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		27SEP2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
140091011/63/F/B	Baseline	12APR2023	Prothrombin Time			.	.	
		07MAR2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		07MAR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		12APR2023	Prothrombin Intl. Normalized Ratio			.	.	
		12APR2023	Activated Partial Thromboplastin Time			.	.	
		07MAR2023	Activated Partial Thromboplastin Time	42	HIGH	25.00000000	38.00000000	s
	Week 8	08JUN2023	Prothrombin Time			.	.	
		08JUN2023	Prothrombin Intl. Normalized Ratio			.	.	
		08JUN2023	Activated Partial Thromboplastin Time			.	.	
	Week 12	05JUL2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		05JUL2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		05JUL2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	10AUG2023	Prothrombin Time	25.8	HIGH	9.40000000	12.70000000	s
		10AUG2023	Prothrombin Intl. Normalized Ratio	2.42	HIGH	0.85000000	1.15000000	None
		10AUG2023	Activated Partial Thromboplastin Time			.	.	
	Week 26/End of Treatment	10OCT2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		10OCT2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		10OCT2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	14NOV2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		14NOV2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		14NOV2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
140171004/56/F/W	Screening	04OCT2021	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		04OCT2021	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		04OCT2021	Activated Partial Thromboplastin Time	19	LOW	25.00000000	38.00000000	s
	Baseline	20DEC2021	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		20DEC2021	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		20DEC2021	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	12JAN2022	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		12JAN2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		12JAN2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	08FEB2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		08FEB2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		08FEB2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 12	22MAR2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		22MAR2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		22MAR2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
140171008/53/F/B	Screening	24MAY2022	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		24MAY2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		24MAY2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	02AUG2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		02AUG2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		02AUG2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	01SEP2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		01SEP2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		01SEP2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	22SEP2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		22SEP2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		22SEP2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	18OCT2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		18OCT2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		18OCT2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
140181029/56/F/W	Baseline	10JAN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		26APR2023	Prothrombin Time			.	.	
		10JAN2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		26APR2023	Prothrombin Intl. Normalized Ratio			.	.	
		26APR2023	Activated Partial Thromboplastin Time			.	.	
		10JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	09JUN2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		09JUN2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		09JUN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
140181032/60/F/W	Screening	22FEB2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		22FEB2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		22FEB2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Baseline	10APR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		10APR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		10APR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	11MAY2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		11MAY2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		11MAY2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 12	07JUL2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		07JUL2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		07JUL2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	31JUL2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		31JUL2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		31JUL2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	05OCT2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		05OCT2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		05OCT2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Follow-up	03NOV2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		03NOV2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		03NOV2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
140251008/65/F/W	Screening	28MAR2022	Prothrombin Time			.	.	
		28MAR2022	Prothrombin Intl. Normalized Ratio			.	.	
		28MAR2022	Activated Partial Thromboplastin Time			.	.	
	Baseline	09MAY2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		09MAY2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		09MAY2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 4	01JUN2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		01JUN2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		01JUN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	29JUN2022	Prothrombin Time	9.9	NORMAL	9.40000000	12.70000000	s
		29JUN2022	Prothrombin Intl. Normalized Ratio	0.86	NORMAL	0.85000000	1.15000000	None
		29JUN2022	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 12	02AUG2022	Prothrombin Time	9.9	NORMAL	9.40000000	12.70000000	s
		02AUG2022	Prothrombin Intl. Normalized Ratio	0.86	NORMAL	0.85000000	1.15000000	None
		02AUG2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	23AUG2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		23AUG2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		23AUG2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	31OCT2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		31OCT2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		31OCT2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	01DEC2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		01DEC2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		01DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Unscheduled	26APR2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		26APR2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		26APR2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
140251011/55/F/B	Baseline	17AUG2022	Prothrombin Time	13.3	HIGH	9.40000000	12.70000000	s
		27SEP2022	Prothrombin Time			.	.	
		17AUG2022	Prothrombin Intl. Normalized Ratio	1.16	HIGH	0.85000000	1.15000000	None
		27SEP2022	Prothrombin Intl. Normalized Ratio			.	.	
		27SEP2022	Activated Partial Thromboplastin Time			.	.	
		17AUG2022	Activated Partial Thromboplastin Time	42	HIGH	25.00000000	38.00000000	s
	Week 4	21OCT2022	Prothrombin Time	13.1	HIGH	9.40000000	12.70000000	s
		21OCT2022	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		21OCT2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 8	18NOV2022	Prothrombin Time	13.5	HIGH	9.40000000	12.70000000	s
		18NOV2022	Prothrombin Intl. Normalized Ratio	1.18	HIGH	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		18NOV2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 12	20DEC2022	Prothrombin Time	13.8	HIGH	9.40000000	12.70000000	s
		20DEC2022	Prothrombin Intl. Normalized Ratio	1.20	HIGH	0.85000000	1.15000000	None
		20DEC2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 16	20JAN2023	Prothrombin Time	13.6	HIGH	9.40000000	12.70000000	s
		20JAN2023	Prothrombin Intl. Normalized Ratio	1.19	HIGH	0.85000000	1.15000000	None
		20JAN2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	31MAR2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		31MAR2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		31MAR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Follow-up	26APR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		26APR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		26APR2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Unscheduled	09SEP2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		09SEP2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		09SEP2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
140301007/55/F/B	Baseline	09MAY2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		21JUL2022	Prothrombin Time			.	.	
		21JUL2022	Prothrombin Intl. Normalized Ratio			.	.	
		09MAY2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		21JUL2022	Activated Partial Thromboplastin Time			.	.	
		09MAY2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	17AUG2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		17AUG2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		17AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	08SEP2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		08SEP2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		08SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	13OCT2022	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		13OCT2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		13OCT2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	03NOV2022	Prothrombin Time			.	.	
		03NOV2022	Prothrombin Intl. Normalized Ratio			.	.	
		03NOV2022	Activated Partial Thromboplastin Time			.	.	
	Week 26/End of Treatment	12JAN2023	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	13FEB2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		13FEB2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		13FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
140301017/61/F/W	Screening	13DEC2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		13DEC2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		13DEC2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	23FEB2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		23FEB2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		23FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	23MAR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		23MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		23MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	19APR2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		19APR2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		19APR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 12	30MAY2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		30MAY2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		30MAY2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	15JUN2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		15JUN2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		15JUN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	24AUG2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		24AUG2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		24AUG2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	19SEP2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		19SEP2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		19SEP2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
140301020/57/F/W	Screening	12JAN2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Baseline	16MAR2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		16MAR2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		16MAR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	13APR2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		13APR2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		13APR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	05MAY2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		05MAY2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		05MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	09JUN2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		09JUN2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		09JUN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 16	30JUN2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		30JUN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		30JUN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 26/End of Treatment	08SEP2023	Prothrombin Time			.	.	
		08SEP2023	Prothrombin Intl. Normalized Ratio			.	.	
		08SEP2023	Activated Partial Thromboplastin Time			.	.	
	Follow-up	12OCT2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		12OCT2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		12OCT2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Unscheduled	25SEP2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		25SEP2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		25SEP2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
140301031/62/F/W	Screening	27FEB2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		27FEB2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		27FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	12APR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		12APR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		12APR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 4	05MAY2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		05MAY2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		05MAY2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	02JUN2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		02JUN2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		02JUN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	07JUL2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		07JUL2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		07JUL2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	04AUG2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		04AUG2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		04AUG2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	11OCT2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		11OCT2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		11OCT2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	06NOV2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		06NOV2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		06NOV2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
140371001/57/F/W	Screening	08JUN2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		08JUN2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		08JUN2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	21JUN2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		21JUN2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		21JUN2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	12JUL2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		12JUL2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		12JUL2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	09AUG2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		09AUG2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		09AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	15SEP2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		15SEP2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		15SEP2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	06OCT2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		06OCT2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		06OCT2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	13DEC2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		13DEC2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		13DEC2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Follow-up	11JAN2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		11JAN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		11JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
140371002/55/F/AI	Screening	29APR2022	Prothrombin Time			.	.	
		29APR2022	Prothrombin Intl. Normalized Ratio			.	.	
		29APR2022	Activated Partial Thromboplastin Time			.	.	
	Baseline	05JUL2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		05JUL2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		05JUL2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	26JUL2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		26JUL2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		26JUL2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	23AUG2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		23AUG2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		23AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	27SEP2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		27SEP2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		27SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	24OCT2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		24OCT2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		24OCT2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	29DEC2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		29DEC2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		29DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	31JAN2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		31JAN2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		31JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Unscheduled	10MAY2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		10MAY2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		10MAY2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
140371012/61/F/W	Screening	28JUL2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		28JUL2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		28JUL2022	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Baseline	11AUG2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		11AUG2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		11AUG2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 4	01SEP2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		01SEP2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		01SEP2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 8	04OCT2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		04OCT2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		04OCT2022	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 12	03NOV2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		03NOV2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		03NOV2022	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 16	29NOV2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		29NOV2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		29NOV2022	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	02FEB2023	Prothrombin Time			.	.	
		02FEB2023	Prothrombin Intl. Normalized Ratio			.	.	
		02FEB2023	Activated Partial Thromboplastin Time			.	.	
	Follow-up	02MAR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		02MAR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		02MAR2023	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
140371020/63/F/W	Screening	18AUG2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		18AUG2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		18AUG2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	04OCT2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		04OCT2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		04OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	26OCT2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		26OCT2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		26OCT2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	22NOV2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		22NOV2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		22NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	27DEC2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		27DEC2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		27DEC2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 16	17JAN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		17JAN2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		17JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	28MAR2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		28MAR2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		28MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	25APR2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		25APR2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		25APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
140371024/54/F/W	Screening	24AUG2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		24AUG2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		24AUG2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	18OCT2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		18OCT2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		18OCT2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	09NOV2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		09NOV2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		09NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	08DEC2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		08DEC2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		08DEC2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	11JAN2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		11JAN2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		11JAN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	06FEB2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		06FEB2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		06FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	13APR2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		13APR2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		13APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	17MAY2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		17MAY2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		17MAY2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
140371029/51/F/W	Screening	19OCT2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		19OCT2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		19OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	12DEC2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		12DEC2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		12DEC2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	03JAN2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		03JAN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		03JAN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	02FEB2023	Prothrombin Time			.	.	
		02FEB2023	Prothrombin Intl. Normalized Ratio			.	.	
		02FEB2023	Activated Partial Thromboplastin Time			.	.	
	Week 12	06MAR2023	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		06MAR2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		06MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	27MAR2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		27MAR2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		27MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	08JUN2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		08JUN2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		08JUN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	10JUL2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		10JUL2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		10JUL2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
140371030/60/F/W	Screening	31OCT2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		31OCT2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		31OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	16NOV2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		16NOV2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		16NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	07DEC2022	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		07DEC2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		07DEC2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	10JAN2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		10JAN2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		10JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	15FEB2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		15FEB2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		15FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	07MAR2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		07MAR2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		07MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	16MAY2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		16MAY2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		16MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	15JUN2023	Prothrombin Time			.	.	
		15JUN2023	Prothrombin Intl. Normalized Ratio			.	.	
		15JUN2023	Activated Partial Thromboplastin Time			.	.	
140371033/47/F/NR	Screening	22NOV2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		22NOV2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		22NOV2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	11JAN2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		11JAN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		11JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	07FEB2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		07FEB2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		07FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	02MAR2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		02MAR2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		02MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	10APR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		10APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		10APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	02MAY2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		02MAY2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		02MAY2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	11JUL2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		11JUL2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		11JUL2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	08AUG2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		08AUG2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		08AUG2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
140371035/57/F/W	Screening	10JAN2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		10JAN2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		10JAN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	07FEB2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		07FEB2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		07FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	02MAR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		02MAR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		02MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	03APR2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		03APR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		03APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	02MAY2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		02MAY2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		02MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	23MAY2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		23MAY2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		23MAY2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 26/End of Treatment	01AUG2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		01AUG2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		01AUG2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	07SEP2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		07SEP2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		07SEP2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
140371038/55/F/W	Screening	14FEB2023	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		14FEB2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		14FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	23MAR2023	Prothrombin Time	9.8	NORMAL	9.40000000	12.70000000	s
		23MAR2023	Prothrombin Intl. Normalized Ratio	0.85	NORMAL	0.85000000	1.15000000	None
		23MAR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	19APR2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		19APR2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		19APR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	15MAY2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		15MAY2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		15MAY2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	20JUN2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		20JUN2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		20JUN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	11JUL2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		11JUL2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		11JUL2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Close Liver Observation	---------	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		---------	Prothrombin Time			.	.	
		---------	Prothrombin Intl. Normalized Ratio			.	.	
		---------	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
	Week 26/End of Treatment	19SEP2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		19SEP2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		19SEP2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	19OCT2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		19OCT2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		19OCT2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
140401003/59/F/B	Screening	27OCT2021	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		27OCT2021	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		27OCT2021	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	09DEC2021	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		09DEC2021	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		09DEC2021	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	05JAN2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		05JAN2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		05JAN2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	27JAN2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		27JAN2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		27JAN2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 12	03MAR2022	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		03MAR2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		03MAR2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	28MAR2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		28MAR2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		28MAR2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	02JUN2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		02JUN2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		02JUN2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Follow-up	30JUN2022	Prothrombin Time			.	.	
		30JUN2022	Prothrombin Intl. Normalized Ratio			.	.	
		30JUN2022	Activated Partial Thromboplastin Time			.	.	
	Unscheduled	14JUL2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		14JUL2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		14JUL2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
140401010/54/F/W	Screening	22AUG2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		22AUG2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		22AUG2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Baseline	20OCT2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		20OCT2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		20OCT2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 4	16NOV2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		16NOV2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		16NOV2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	08DEC2022	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		08DEC2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		08DEC2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	05JAN2023	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		05JAN2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		05JAN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	27JAN2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		27JAN2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		27JAN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
140401011/52/F/W	Screening	25AUG2022	Prothrombin Time	9.9	NORMAL	9.40000000	12.70000000	s
		25AUG2022	Prothrombin Intl. Normalized Ratio	0.86	NORMAL	0.85000000	1.15000000	None
		25AUG2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Baseline	10OCT2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		10OCT2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		10OCT2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	04NOV2022	Prothrombin Time			.	.	
		04NOV2022	Prothrombin Intl. Normalized Ratio			.	.	
		04NOV2022	Activated Partial Thromboplastin Time			.	.	
	Week 8	30NOV2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		30NOV2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		30NOV2022	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	01FEB2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		01FEB2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		01FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
140401018/60/F/W	Screening	31JAN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		31JAN2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		31JAN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	13MAR2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		13MAR2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		13MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	03APR2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		03APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		03APR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	02MAY2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		02MAY2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		02MAY2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 12	05JUN2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		05JUN2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		05JUN2023	Activated Partial Thromboplastin Time	23	LOW	25.00000000	38.00000000	s
	Week 16	27JUN2023	Prothrombin Time			.	.	
		27JUN2023	Prothrombin Intl. Normalized Ratio			.	.	
		27JUN2023	Activated Partial Thromboplastin Time			.	.	
	Week 26/End of Treatment	18SEP2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		18SEP2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		18SEP2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	10OCT2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		10OCT2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		10OCT2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
140431028/58/F/W	Screening	25AUG2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		25AUG2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		25AUG2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Baseline	27SEP2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		27SEP2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		27SEP2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	20OCT2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		20OCT2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		20OCT2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Follow-up	17NOV2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		17NOV2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		17NOV2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
140431033/60/F/W	Screening	11OCT2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		11OCT2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		11OCT2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Baseline	30NOV2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		30NOV2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		30NOV2022	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Week 4	21DEC2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		21DEC2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		21DEC2022	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 8	23JAN2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		23JAN2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		23JAN2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 12	27FEB2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		27FEB2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		27FEB2023	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Week 16	21MAR2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		21MAR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		21MAR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	24MAY2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		24MAY2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		24MAY2023	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Follow-up	22JUN2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		22JUN2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		22JUN2023	Activated Partial Thromboplastin Time	23	LOW	25.00000000	38.00000000	s
140461003/59/F/B	Screening	14SEP2021	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		14SEP2021	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		14SEP2021	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Baseline	21OCT2021	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		21OCT2021	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		21OCT2021	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 4	11NOV2021	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		11NOV2021	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		11NOV2021	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 8	09DEC2021	Prothrombin Time	13.5	HIGH	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		09DEC2021	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		09DEC2021	Activated Partial Thromboplastin Time	63	HIGH	25.00000000	38.00000000	s
	Week 12	14JAN2022	Prothrombin Time			.	.	
		14JAN2022	Prothrombin Intl. Normalized Ratio			.	.	
		14JAN2022	Activated Partial Thromboplastin Time			.	.	
	Week 16	03FEB2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		03FEB2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		03FEB2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	08APR2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		08APR2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		08APR2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	12MAY2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		12MAY2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		12MAY2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Unscheduled	25JAN2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		25JAN2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		25JAN2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
		16DEC2021	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
140461007/62/F/B	Screening	09NOV2021	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		09NOV2021	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		09NOV2021	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	20JAN2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		20JAN2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		20JAN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	10FEB2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		10FEB2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		10FEB2022	Activated Partial Thromboplastin Time	41	HIGH	25.00000000	38.00000000	s
	Week 12	15APR2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		15APR2022	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		15APR2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	14JUL2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		14JUL2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		14JUL2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Unscheduled	11AUG2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		10MAR2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		10MAR2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		11AUG2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		10MAR2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
		11AUG2022	Activated Partial Thromboplastin Time	48	HIGH	25.00000000	38.00000000	s
140461014/55/F/B	Screening	08SEP2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		08SEP2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		08SEP2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	31OCT2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		31OCT2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		31OCT2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 4	21NOV2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		21NOV2022	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		21NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	20DEC2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		20DEC2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		20DEC2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
140471001/59/F/W	Screening	27OCT2021	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		27OCT2021	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		27OCT2021	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	15DEC2021	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		15DEC2021	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		15DEC2021	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	06JAN2022	Prothrombin Time			.	.	
		06JAN2022	Prothrombin Intl. Normalized Ratio			.	.	
		06JAN2022	Activated Partial Thromboplastin Time			.	.	
	Week 8	03FEB2022	Prothrombin Time			.	.	
		03FEB2022	Prothrombin Intl. Normalized Ratio			.	.	
		03FEB2022	Activated Partial Thromboplastin Time			.	.	
	Week 12	10MAR2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		10MAR2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		10MAR2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	31MAR2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		31MAR2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		31MAR2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	13JUN2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		13JUN2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		13JUN2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	12JUL2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		12JUL2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		12JUL2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Unscheduled	24JAN2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		24JAN2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		24JAN2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
140471014/56/F/W	Screening	10AUG2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		10AUG2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		10AUG2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	31OCT2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		31OCT2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		31OCT2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	21NOV2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		21NOV2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		21NOV2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	20DEC2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		20DEC2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		20DEC2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	25JAN2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		25JAN2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		25JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	22FEB2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		22FEB2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		22FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	26APR2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		26APR2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		26APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	23MAY2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		23MAY2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		23MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
140471022/54/F/B	Screening	09JAN2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		09JAN2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		09JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	14FEB2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		14FEB2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		14FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	14MAR2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		14MAR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		14MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	05APR2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		05APR2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		05APR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 12	09MAY2023	Prothrombin Time	9.9	NORMAL	9.40000000	12.70000000	s
		09MAY2023	Prothrombin Intl. Normalized Ratio	0.86	NORMAL	0.85000000	1.15000000	None
		09MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	05JUN2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		05JUN2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		05JUN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	08AUG2023	Prothrombin Time	10.0	NORMAL	9.40000000	12.70000000	s
		08AUG2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		08AUG2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Follow-up	05SEP2023	Prothrombin Time	9.8	NORMAL	9.40000000	12.70000000	s
		05SEP2023	Prothrombin Intl. Normalized Ratio	0.88	NORMAL	0.85000000	1.15000000	None
		05SEP2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
140491010/51/F/MUL	Screening	18JUL2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		18JUL2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		18JUL2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	20OCT2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		20OCT2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		20OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	10NOV2022	Prothrombin Time			.	.	
		10NOV2022	Prothrombin Intl. Normalized Ratio			.	.	
		10NOV2022	Activated Partial Thromboplastin Time			.	.	
	Week 8	08DEC2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		08DEC2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		08DEC2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	12JAN2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	02FEB2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		02FEB2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		02FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	17APR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		17APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		17APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	18MAY2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		18MAY2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		18MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Unscheduled	01DEC2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		01DEC2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		01DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
140491014/49/F/B	Screening	25JUL2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		25JUL2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		25JUL2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	08SEP2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		08SEP2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		08SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	05OCT2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		05OCT2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		05OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	02NOV2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		02NOV2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		02NOV2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	05DEC2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		05DEC2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		05DEC2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	28DEC2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		28DEC2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		28DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	02MAR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		02MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		02MAR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Follow-up	19APR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		19APR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		19APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
140491025/55/F/MUL	Screening	27FEB2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		27FEB2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		27FEB2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	17APR2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		17APR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		17APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	22MAY2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		22MAY2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		22MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	09JUN2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		09JUN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		09JUN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	10AUG2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		10AUG2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		10AUG2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
140531001/53/F/W	Screening	01APR2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		01APR2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		01APR2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	05MAY2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		05MAY2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		05MAY2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	27MAY2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		27MAY2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		27MAY2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Follow-up	23JUN2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		23JUN2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		23JUN2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
140531002/60/F/W	Screening	04AUG2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		04AUG2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		04AUG2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	01SEP2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		01SEP2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		01SEP2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	29SEP2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		29SEP2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		29SEP2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	25OCT2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		25OCT2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		25OCT2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	29NOV2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		29NOV2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		29NOV2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	24JAN2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		24JAN2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		24JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	28FEB2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		28FEB2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		28FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	04APR2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		04APR2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		04APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
140531004/61/F/W	Screening	12SEP2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		12SEP2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		12SEP2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	07NOV2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		07NOV2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		07NOV2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	30NOV2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		30NOV2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		30NOV2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 8	21DEC2022	Prothrombin Time			.	.	
		21DEC2022	Prothrombin Intl. Normalized Ratio			.	.	
		21DEC2022	Activated Partial Thromboplastin Time			.	.	
	Week 12	06FEB2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		06FEB2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		06FEB2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	22FEB2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		22FEB2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		22FEB2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 26/End of Treatment	22MAY2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		22MAY2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		22MAY2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Follow-up	08JUN2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		08JUN2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		08JUN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Unscheduled	05JAN2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		05JAN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		05JAN2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
140541005/51/F/W	Baseline	22APR2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		30MAY2022	Prothrombin Time			.	.	
		22APR2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		30MAY2022	Prothrombin Intl. Normalized Ratio			.	.	
		22APR2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
		30MAY2022	Activated Partial Thromboplastin Time			.	.	
	Week 4	23JUN2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		23JUN2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		23JUN2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 8	19JUL2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		19JUL2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		19JUL2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 12	23AUG2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		23AUG2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		23AUG2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	12SEP2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		12SEP2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		12SEP2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	07NOV2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		07NOV2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		07NOV2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	05DEC2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		05DEC2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		05DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
140541028/54/F/W	Screening	13MAR2023	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		13MAR2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		13MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	26APR2023	Prothrombin Time	10.0	NORMAL	9.40000000	12.70000000	s
		26APR2023	Prothrombin Intl. Normalized Ratio	0.87	NORMAL	0.85000000	1.15000000	None
		26APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	22MAY2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		22MAY2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		22MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	15JUN2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		15JUN2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		15JUN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	24JUL2023	Prothrombin Time	10.1	NORMAL	9.40000000	12.70000000	s
		24JUL2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		24JUL2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	14AUG2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		14AUG2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		14AUG2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	25OCT2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		25OCT2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		25OCT2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	20NOV2023	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		20NOV2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		20NOV2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
140601005/65/F/W	Screening	12JAN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	28FEB2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		28FEB2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		28FEB2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	27MAR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		27MAR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		27MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	20APR2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		20APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		20APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	23MAY2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		23MAY2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		23MAY2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	14JUN2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		14JUN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		14JUN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	23AUG2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		23AUG2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		23AUG2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	12OCT2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		12OCT2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		12OCT2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
140601010/59/F/W	Screening	01FEB2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		01FEB2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		01FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	03APR2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		03APR2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		03APR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	26APR2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		26APR2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		26APR2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Follow-up	22MAY2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		22MAY2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		22MAY2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
140841008/51/F/B	Screening	24AUG2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		24AUG2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		24AUG2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	03OCT2022	Prothrombin Time	20.0	HIGH	9.40000000	12.70000000	s
		03OCT2022	Prothrombin Intl. Normalized Ratio	1.76	HIGH	0.85000000	1.15000000	None
		03OCT2022	Activated Partial Thromboplastin Time	72	HIGH	25.00000000	38.00000000	s
	Week 4	27OCT2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		27OCT2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		27OCT2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	21NOV2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		21NOV2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		21NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	28DEC2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		28DEC2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		28DEC2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	18JAN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		18JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		18JAN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	27MAR2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		27MAR2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		27MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	28APR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		28APR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		28APR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Unscheduled	17OCT2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		17OCT2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		17OCT2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
140841019/56/F/B	Screening	01SEP2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		01SEP2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		01SEP2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Baseline	07NOV2022	Prothrombin Time	13.1	HIGH	9.40000000	12.70000000	s
		07NOV2022	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		07NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	29NOV2022	Prothrombin Time	13.4	HIGH	9.40000000	12.70000000	s
		29NOV2022	Prothrombin Intl. Normalized Ratio	1.17	HIGH	0.85000000	1.15000000	None
		29NOV2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	28DEC2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		28DEC2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		28DEC2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	31JAN2023	Prothrombin Time	13.5	HIGH	9.40000000	12.70000000	s
		31JAN2023	Prothrombin Intl. Normalized Ratio	1.18	HIGH	0.85000000	1.15000000	None
		31JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	21FEB2023	Prothrombin Time	13.2	HIGH	9.40000000	12.70000000	s
		21FEB2023	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		21FEB2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	02MAY2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		02MAY2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		02MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	30MAY2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		30MAY2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		30MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
140851003/53/F/B	Screening	13DEC2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		13DEC2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		13DEC2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Baseline	22FEB2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		22FEB2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		22FEB2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
140931006/56/F/W	Screening	15JUL2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		15JUL2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		15JUL2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	10OCT2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		10OCT2022	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		10OCT2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	31OCT2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		31OCT2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		31OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	02DEC2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		02DEC2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		02DEC2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	04JAN2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		04JAN2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		04JAN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	27JAN2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		27JAN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		27JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	06APR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		06APR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		06APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	08MAY2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		08MAY2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		08MAY2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
140931008/64/F/W	Screening	31JAN2023	Prothrombin Time			.	.	
		31JAN2023	Prothrombin Intl. Normalized Ratio			.	.	
		31JAN2023	Activated Partial Thromboplastin Time			.	.	
	Baseline	14MAR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		14MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		14MAR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	10APR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		10APR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		10APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	08MAY2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		08MAY2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		08MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	06JUN2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		06JUN2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		06JUN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	28JUN2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		28JUN2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		28JUN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	07SEP2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		07SEP2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		07SEP2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	05OCT2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		05OCT2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		05OCT2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Unscheduled	06FEB2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		06FEB2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		06FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
140991018/58/F/W	Baseline	02JUN2022	Prothrombin Time			.	.	
		26APR2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		26APR2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		02JUN2022	Prothrombin Intl. Normalized Ratio			.	.	

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		26APR2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
		02JUN2022	Activated Partial Thromboplastin Time			.	.	
	Week 4	12JUL2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		12JUL2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		12JUL2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	28JUL2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		28JUL2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		28JUL2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	25AUG2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		25AUG2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		25AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	22SEP2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		22SEP2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		22SEP2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	30NOV2022	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		30NOV2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		30NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	09JAN2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		09JAN2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		09JAN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Unscheduled	15JUN2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		15JUN2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		15JUN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
140991025/53/F/W	Screening	09JUN2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		09JUN2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		09JUN2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Baseline	13SEP2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		13SEP2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		13SEP2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 4	05OCT2022	Prothrombin Time	10.1	NORMAL	9.40000000	12.70000000	s
		05OCT2022	Prothrombin Intl. Normalized Ratio	0.88	NORMAL	0.85000000	1.15000000	None
		05OCT2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	07NOV2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		07NOV2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		07NOV2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	07DEC2022	Prothrombin Time	10.0	NORMAL	9.40000000	12.70000000	s
		07DEC2022	Prothrombin Intl. Normalized Ratio	0.87	NORMAL	0.85000000	1.15000000	None
		07DEC2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 16	28DEC2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		28DEC2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		28DEC2022	Activated Partial Thromboplastin Time	41	HIGH	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 26/End of Treatment	07MAR2023	Prothrombin Time	10.0	NORMAL	9.40000000	12.70000000	s
		07MAR2023	Prothrombin Intl. Normalized Ratio	0.87	NORMAL	0.85000000	1.15000000	None
		07MAR2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	05APR2023	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		05APR2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		05APR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
140991032/56/F/B	Screening	13JUL2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		13JUL2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		13JUL2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	18AUG2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		18AUG2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		18AUG2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	08SEP2022	Prothrombin Time			.	.	
		08SEP2022	Prothrombin Intl. Normalized Ratio			.	.	
		08SEP2022	Activated Partial Thromboplastin Time			.	.	
	Week 8	06OCT2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		06OCT2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		06OCT2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 12	02NOV2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		02NOV2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		02NOV2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	01DEC2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		01DEC2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		01DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	09FEB2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		09FEB2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		09FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	09MAR2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		09MAR2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		09MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Unscheduled	20SEP2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		20SEP2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		20SEP2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
140991045/51/F/W	Baseline	05OCT2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		05OCT2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		05OCT2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	19DEC2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		19DEC2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		19DEC2022	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 8	10JAN2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		10JAN2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		10JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
140991050/55/F/B	Screening	05JAN2023	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		05JAN2023	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		05JAN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Baseline	01FEB2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		01FEB2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		01FEB2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	23FEB2023	Prothrombin Time	13.4	HIGH	9.40000000	12.70000000	s
		23FEB2023	Prothrombin Intl. Normalized Ratio	1.17	HIGH	0.85000000	1.15000000	None
		23FEB2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	05APR2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		05APR2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		05APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	25APR2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		25APR2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		25APR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	23MAY2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		23MAY2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		23MAY2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	26JUL2023	Prothrombin Time	13.8	HIGH	9.40000000	12.70000000	s
		26JUL2023	Prothrombin Intl. Normalized Ratio	1.26	HIGH	0.85000000	1.15000000	None
		26JUL2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
141051004/50/F/MUL	Baseline	27DEC2021	Prothrombin Time			.	.	
		12NOV2021	Prothrombin Time	13.1	HIGH	9.40000000	12.70000000	s
		27DEC2021	Prothrombin Intl. Normalized Ratio			.	.	
		12NOV2021	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		12NOV2021	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
		27DEC2021	Activated Partial Thromboplastin Time			.	.	
	Week 4	17JAN2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		17JAN2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		17JAN2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 8	18FEB2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		18FEB2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		18FEB2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 12	21MAR2022	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		21MAR2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		21MAR2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 16	15APR2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		15APR2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		15APR2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	28JUN2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		28JUN2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		28JUN2022	Activated Partial Thromboplastin Time	40	HIGH	25.00000000	38.00000000	s
	Follow-up	27JUL2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		27JUL2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		27JUL2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Unscheduled	19NOV2021	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		19NOV2021	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		19NOV2021	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
141051008/51/F/A	Screening	14MAR2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		14MAR2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		14MAR2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	20APR2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		20APR2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		20APR2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	11MAY2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		11MAY2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		11MAY2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 8	09JUN2022	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		09JUN2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		09JUN2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 12	13JUL2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		13JUL2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		13JUL2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 16	03AUG2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		03AUG2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		03AUG2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	12OCT2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		12OCT2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		12OCT2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	09NOV2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		09NOV2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		09NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
141051010/53/F/W	Baseline	25APR2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		16JUN2022	Prothrombin Time			.	.	
		25APR2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		16JUN2022	Prothrombin Intl. Normalized Ratio			.	.	
		16JUN2022	Activated Partial Thromboplastin Time			.	.	
		25APR2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	08JUL2022	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		08JUL2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		08JUL2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 8	04AUG2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		04AUG2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		04AUG2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 12	14SEP2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		14SEP2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		14SEP2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	06OCT2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		06OCT2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		06OCT2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	08DEC2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		08DEC2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		08DEC2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Follow-up	18JAN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		18JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		18JAN2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
141051024/57/F/W	Screening	14NOV2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		14NOV2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		14NOV2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	27DEC2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		27DEC2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		27DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	23JAN2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		23JAN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		23JAN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 8	17FEB2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		17FEB2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		17FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	21MAR2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		21MAR2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		21MAR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	17APR2023	Prothrombin Time	9.5	NORMAL	9.40000000	12.70000000	s
		17APR2023	Prothrombin Intl. Normalized Ratio	0.82	LOW	0.85000000	1.15000000	None
		17APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	27JUN2023	Prothrombin Time	9.7	NORMAL	9.40000000	12.70000000	s
		27JUN2023	Prothrombin Intl. Normalized Ratio	0.87	NORMAL	0.85000000	1.15000000	None
		27JUN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	18JUL2023	Prothrombin Time	9.9	NORMAL	9.40000000	12.70000000	s
		18JUL2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		18JUL2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
141051033/49/F/W	Screening	19DEC2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		19DEC2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		19DEC2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	24JAN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		24JAN2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		24JAN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	21FEB2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		21FEB2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		21FEB2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	17MAR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		17MAR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		17MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 12	18APR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		18APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		18APR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	09MAY2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		09MAY2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		09MAY2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	18JUL2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		18JUL2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		18JUL2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	15AUG2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		15AUG2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		15AUG2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
141131009/52/F/W	Screening	18MAY2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		18MAY2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		18MAY2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	14JUN2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		14JUN2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		14JUN2022	Activated Partial Thromboplastin Time	43	HIGH	25.00000000	38.00000000	s
	Week 4	06JUL2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		06JUL2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		06JUL2022	Activated Partial Thromboplastin Time	40	HIGH	25.00000000	38.00000000	s
	Week 8	04AUG2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		04AUG2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		04AUG2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 12	14SEP2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		14SEP2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		14SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	03OCT2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		03OCT2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		03OCT2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	12DEC2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		12DEC2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		12DEC2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	10JAN2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		10JAN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		10JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
141131015/53/F/W	Screening	13JUL2022	Prothrombin Time			.	.	
		13JUL2022	Prothrombin Intl. Normalized Ratio			.	.	
		13JUL2022	Activated Partial Thromboplastin Time			.	.	
	Baseline	11AUG2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		11AUG2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		11AUG2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 4	12SEP2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		12SEP2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		12SEP2022	Activated Partial Thromboplastin Time	43	HIGH	25.00000000	38.00000000	s
	Week 8	03OCT2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		03OCT2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		03OCT2022	Activated Partial Thromboplastin Time	40	HIGH	25.00000000	38.00000000	s
	Week 26/End of Treatment	24OCT2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		24OCT2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		24OCT2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Unscheduled	19JUL2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		19JUL2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		19JUL2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
141131017/52/F/W	Screening	21JUL2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		21JUL2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		21JUL2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	26AUG2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		26AUG2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		26AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
141131021/52/F/NR	Screening	19AUG2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		19AUG2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		19AUG2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	07SEP2022	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		07SEP2022	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		07SEP2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	03OCT2022	Prothrombin Time			.	.	
		03OCT2022	Prothrombin Intl. Normalized Ratio			.	.	
		03OCT2022	Activated Partial Thromboplastin Time			.	.	
	Week 8	27OCT2022	Prothrombin Time	14.6	HIGH	9.40000000	12.70000000	s
		27OCT2022	Prothrombin Intl. Normalized Ratio	1.28	HIGH	0.85000000	1.15000000	None
		27OCT2022	Activated Partial Thromboplastin Time	79	HIGH	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 12	01DEC2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		01DEC2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		01DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	28DEC2022	Prothrombin Time	10.1	NORMAL	9.40000000	12.70000000	s
		28DEC2022	Prothrombin Intl. Normalized Ratio	0.88	NORMAL	0.85000000	1.15000000	None
		28DEC2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	01MAR2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		01MAR2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		01MAR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
141131048/41/F/W	Screening	23JAN2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		23JAN2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		23JAN2023	Activated Partial Thromboplastin Time	41	HIGH	25.00000000	38.00000000	s
	Baseline	22FEB2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		22FEB2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		22FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	22MAR2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		22MAR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		22MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	18APR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		18APR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		18APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	07JUN2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		07JUN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		07JUN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	25AUG2023	Prothrombin Time	75.0	HIGH	9.40000000	12.70000000	s
		25AUG2023	Prothrombin Intl. Normalized Ratio	5	HIGH	0.85000000	1.15000000	None
		25AUG2023	Activated Partial Thromboplastin Time			.	.	
141141006/58/F/W	Screening	13APR2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		13APR2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		13APR2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	24JUN2022	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		24JUN2022	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		24JUN2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 4	22JUL2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		22JUL2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		22JUL2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	17AUG2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		17AUG2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		17AUG2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	21SEP2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		21SEP2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		21SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	11OCT2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		11OCT2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		11OCT2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	19DEC2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		19DEC2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		19DEC2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Follow-up	26JAN2023	Prothrombin Time			.	.	
		26JAN2023	Prothrombin Intl. Normalized Ratio			.	.	
		26JAN2023	Activated Partial Thromboplastin Time			.	.	
141141014/52/F/W	Screening	28JUN2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		28JUN2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		28JUN2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	04AUG2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		04AUG2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		04AUG2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	31AUG2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		31AUG2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		31AUG2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	22SEP2022	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		22SEP2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		22SEP2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	27OCT2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		27OCT2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		27OCT2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	21NOV2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		21NOV2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		21NOV2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	30JAN2023	Prothrombin Time	8.3	LOW	9.40000000	12.70000000	s
		30JAN2023	Prothrombin Intl. Normalized Ratio	0.4	LOW	0.85000000	1.15000000	None
		30JAN2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Follow-up	28FEB2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		28FEB2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		28FEB2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
141141017/51/F/W	Screening	23AUG2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		23AUG2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		23AUG2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	21OCT2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		21OCT2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		21OCT2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	17NOV2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		17NOV2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		17NOV2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	09DEC2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		09DEC2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		09DEC2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	13JAN2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		13JAN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		13JAN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	09FEB2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		09FEB2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		09FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	14APR2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		14APR2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		14APR2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Follow-up	16MAY2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		16MAY2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		16MAY2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
141141026/62/F/W	Screening	17JAN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		17JAN2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		17JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	28FEB2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		28FEB2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		28FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	19APR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		19APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		19APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	23MAY2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		23MAY2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		23MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	14JUN2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		14JUN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		14JUN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	22AUG2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		22AUG2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		22AUG2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	19SEP2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		19SEP2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		19SEP2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
141191001/54/F/W	Screening	31JAN2022	Prothrombin Time	13.4	HIGH	9.40000000	12.70000000	s
		31JAN2022	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		31JAN2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Baseline	29MAR2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		29MAR2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		29MAR2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	22APR2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		22APR2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		22APR2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	16MAY2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		16MAY2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		16MAY2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	21JUN2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		21JUN2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		21JUN2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	18JUL2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		18JUL2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		18JUL2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	26SEP2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		26SEP2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		26SEP2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	19OCT2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		19OCT2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		19OCT2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
141191007/55/F/B	Screening	19APR2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		19APR2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		19APR2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Baseline	26MAY2022	Prothrombin Time	13.6	HIGH	9.40000000	12.70000000	s
		26MAY2022	Prothrombin Intl. Normalized Ratio	1.19	HIGH	0.85000000	1.15000000	None
		26MAY2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 4	22JUN2022	Prothrombin Time			.	.	
		22JUN2022	Prothrombin Intl. Normalized Ratio			.	.	
		22JUN2022	Activated Partial Thromboplastin Time			.	.	
	Week 8	14JUL2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		14JUL2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		14JUL2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 12	23AUG2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		23AUG2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		23AUG2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 16	19SEP2022	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		19SEP2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		19SEP2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	21NOV2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		21NOV2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		21NOV2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Follow-up	19DEC2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		19DEC2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		19DEC2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Unscheduled	05JUL2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		05JUL2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		05JUL2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
141191010/61/F/B	Screening	27JUL2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		27JUL2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		27JUL2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	22AUG2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		22AUG2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		22AUG2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	19SEP2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		19SEP2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		19SEP2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	17OCT2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		17OCT2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		17OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	14NOV2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		14NOV2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		14NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	08DEC2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		08DEC2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		08DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	13FEB2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		13FEB2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		13FEB2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Follow-up	14MAR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		14MAR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		14MAR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
141191015/57/F/B	Baseline	27SEP2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		27SEP2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		27SEP2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 4	09NOV2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		09NOV2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		09NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	13DEC2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		13DEC2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		13DEC2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 12	12JAN2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 16	02FEB2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		02FEB2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		02FEB2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	12APR2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		12APR2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		12APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	09MAY2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		09MAY2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		09MAY2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Unscheduled	24OCT2022	Prothrombin Time			.	.	
		02NOV2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		24OCT2022	Prothrombin Intl. Normalized Ratio			.	.	
		02NOV2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		02NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
		24OCT2022	Activated Partial Thromboplastin Time			.	.	
141191016/52/F/W	Screening	28SEP2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		28SEP2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		28SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	10NOV2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		10NOV2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		10NOV2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	07DEC2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		07DEC2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		07DEC2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	03JAN2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		03JAN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		03JAN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 12	02FEB2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		02FEB2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		02FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	28FEB2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		28FEB2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		28FEB2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	04MAY2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		04MAY2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		04MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	31MAY2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		31MAY2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		31MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
141251002/62/F/B	Screening	14SEP2021	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		14SEP2021	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		14SEP2021	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	19OCT2021	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		19OCT2021	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		19OCT2021	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 4	11NOV2021	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		11NOV2021	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		11NOV2021	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 8	13DEC2021	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		13DEC2021	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		13DEC2021	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 12	11JAN2022	Prothrombin Time			.	.	
		11JAN2022	Prothrombin Intl. Normalized Ratio			.	.	
		11JAN2022	Activated Partial Thromboplastin Time			.	.	
	Week 16	07FEB2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		07FEB2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		07FEB2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	12APR2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		12APR2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		12APR2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Follow-up	10MAY2022	Prothrombin Time	9.4	NORMAL	9.40000000	12.70000000	s
		10MAY2022	Prothrombin Intl. Normalized Ratio	0.81	LOW	0.85000000	1.15000000	None
		10MAY2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
141251003/61/F/B	Screening	21SEP2021	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		21SEP2021	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		21SEP2021	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Baseline	19OCT2021	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		19OCT2021	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		19OCT2021	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	11NOV2021	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		11NOV2021	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		11NOV2021	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	07DEC2021	Prothrombin Time	13.5	HIGH	9.40000000	12.70000000	s
		07DEC2021	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		07DEC2021	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	11JAN2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		11JAN2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		11JAN2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	07FEB2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		07FEB2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		07FEB2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	12APR2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		12APR2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		12APR2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	10MAY2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		10MAY2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		10MAY2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
141251008/65/F/B	Screening	14DEC2021	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		14DEC2021	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		14DEC2021	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	25JAN2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		25JAN2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		25JAN2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	21FEB2022	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		21FEB2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		21FEB2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	22MAR2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		22MAR2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		22MAR2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	19APR2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		19APR2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		19APR2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	16MAY2022	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		16MAY2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		16MAY2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	21JUL2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		21JUL2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		21JUL2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	16AUG2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		16AUG2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		16AUG2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
141251014/56/F/B	Screening	12MAY2022	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		12MAY2022	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		12MAY2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	16JUN2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		16JUN2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		16JUN2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	12JUL2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		12JUL2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		12JUL2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	09AUG2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		09AUG2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		09AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	13SEP2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		13SEP2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		13SEP2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	04OCT2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		04OCT2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		04OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	08DEC2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		08DEC2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		08DEC2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	12JAN2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
141251019/63/F/W	Screening	29NOV2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		29NOV2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		29NOV2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	29DEC2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		29DEC2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		29DEC2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	24JAN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		24JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		24JAN2023	Activated Partial Thromboplastin Time	40	HIGH	25.00000000	38.00000000	s
	Week 8	21FEB2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		21FEB2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		21FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	28MAR2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		28MAR2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		28MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	17APR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		17APR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		17APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	28JUN2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		28JUN2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		28JUN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	24JUL2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		24JUL2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		24JUL2023	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
141251021/55/F/B	Screening	31JAN2023	Prothrombin Time	13.1	HIGH	9.40000000	12.70000000	s
		31JAN2023	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		31JAN2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Baseline	28MAR2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		28MAR2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		28MAR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 4	18APR2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		18APR2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		18APR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 8	22MAY2023	Prothrombin Time	13.4	HIGH	9.40000000	12.70000000	s
		22MAY2023	Prothrombin Intl. Normalized Ratio	1.17	HIGH	0.85000000	1.15000000	None
		22MAY2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 12	20JUN2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		20JUN2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		20JUN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	11JUL2023	Prothrombin Time			.	.	
		11JUL2023	Prothrombin Intl. Normalized Ratio			.	.	
		11JUL2023	Activated Partial Thromboplastin Time			.	.	
	Unscheduled	18JUL2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		18JUL2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		18JUL2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
141361009/57/F/W	Screening	13MAY2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		13MAY2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		13MAY2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	20JUL2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		20JUL2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		20JUL2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	12AUG2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		12AUG2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		12AUG2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 8	08SEP2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		08SEP2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		08SEP2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	06OCT2022	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		06OCT2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		06OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	03NOV2022	Prothrombin Time			.	.	
		03NOV2022	Prothrombin Intl. Normalized Ratio			.	.	
		03NOV2022	Activated Partial Thromboplastin Time			.	.	
	Week 26/End of Treatment	12JAN2023	Prothrombin Time	13.1	HIGH	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	20FEB2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		20FEB2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		20FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Unscheduled	13DEC2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		13DEC2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		05AUG2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		13DEC2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
141361013/62/F/W	Screening	11JUL2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		11JUL2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		11JUL2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	02SEP2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		02SEP2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		02SEP2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	26SEP2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		26SEP2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		26SEP2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	24OCT2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		24OCT2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		24OCT2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	28NOV2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		28NOV2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		28NOV2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	22DEC2022	Prothrombin Time			.	.	
		22DEC2022	Prothrombin Intl. Normalized Ratio			.	.	
		22DEC2022	Activated Partial Thromboplastin Time			.	.	
	Week 26/End of Treatment	27FEB2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		27FEB2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		27FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	27MAR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		27MAR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		27MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Unscheduled	06JAN2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		06JAN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		06JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
141361025/56/F/NR	Screening	29AUG2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		29AUG2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		29AUG2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	03OCT2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		03OCT2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		03OCT2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	24OCT2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		24OCT2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		24OCT2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 8	21NOV2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		21NOV2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		21NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	03JAN2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		03JAN2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		03JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
141361038/60/F/W	Screening	13JAN2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		13JAN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		13JAN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	10FEB2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		10FEB2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		10FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	06MAR2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		06MAR2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		06MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	03APR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		03APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		03APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	11MAY2023	Prothrombin Time			.	.	
		11MAY2023	Prothrombin Intl. Normalized Ratio			.	.	
		11MAY2023	Activated Partial Thromboplastin Time			.	.	
	Week 16	26MAY2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		26MAY2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		26MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	10AUG2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		10AUG2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		10AUG2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	14SEP2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		14SEP2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		14SEP2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
141361042/55/F/W	Screening	30JAN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		30JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		30JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	16MAR2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		16MAR2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		16MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	13APR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		13APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		13APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	04MAY2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		04MAY2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		04MAY2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	25MAY2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		25MAY2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		25MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	26JUN2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		26JUN2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		26JUN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
141431001/49/F/W	Screening	23FEB2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		23FEB2022	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		23FEB2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	11APR2022	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		11APR2022	Prothrombin Intl. Normalized Ratio	0.86	NORMAL	0.85000000	1.15000000	None
		11APR2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	06MAY2022	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		06MAY2022	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		06MAY2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	31MAY2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		31MAY2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		31MAY2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	06JUL2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		06JUL2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		06JUL2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 16	28JUL2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		28JUL2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		28JUL2022	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	07OCT2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		07OCT2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		07OCT2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Follow-up	05DEC2022	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		05DEC2022	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		05DEC2022	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
141431004/49/F/W	Screening	01JUN2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		01JUN2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		01JUN2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	11JUL2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		11JUL2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		11JUL2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	04AUG2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		04AUG2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		04AUG2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	30AUG2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		30AUG2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		30AUG2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	06OCT2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		06OCT2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		06OCT2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	18OCT2022	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		18OCT2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		18OCT2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	12JAN2023	Prothrombin Time	13.6	HIGH	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.19	HIGH	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Follow-up	16FEB2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		16FEB2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		16FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
141431005/46/F/W	Screening	20JUN2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		20JUN2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		20JUN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	08AUG2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		08AUG2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		08AUG2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	31AUG2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		31AUG2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		31AUG2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	05OCT2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		05OCT2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		05OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	03NOV2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		03NOV2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		03NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
141431010/45/F/W	Screening	24AUG2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		24AUG2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		24AUG2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	10OCT2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		10OCT2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		10OCT2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	01NOV2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		01NOV2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		01NOV2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	21NOV2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		21NOV2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		21NOV2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 26/End of Treatment	12JAN2023	Prothrombin Time	14.3	HIGH	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.25	HIGH	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	10MAR2023	Prothrombin Time	15.9	HIGH	9.40000000	12.70000000	s
		10MAR2023	Prothrombin Intl. Normalized Ratio	1.39	HIGH	0.85000000	1.15000000	None
		10MAR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Unscheduled	20SEP2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		20SEP2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		20SEP2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
141431013/59/F/W	Screening	22NOV2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		22NOV2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		22NOV2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	20DEC2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		20DEC2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		20DEC2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	13JAN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		13JAN2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		13JAN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	09FEB2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		09FEB2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		09FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	15MAR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		15MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		15MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	06APR2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		06APR2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		06APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	14JUN2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		14JUN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		14JUN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	11JUL2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		11JUL2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		11JUL2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
141791001/52/F/B	Screening	19DEC2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		19DEC2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		19DEC2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	12JAN2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	02FEB2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		02FEB2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		02FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	02MAR2023	Prothrombin Time			.	.	
		02MAR2023	Prothrombin Intl. Normalized Ratio			.	.	
		02MAR2023	Activated Partial Thromboplastin Time			.	.	
	Week 12	11APR2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		11APR2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		11APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	03MAY2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		03MAY2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		03MAY2023	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Week 26/End of Treatment	12JUL2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		12JUL2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		12JUL2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	10AUG2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		10AUG2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		10AUG2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
141791010/62/F/W	Screening	21FEB2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		21FEB2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		21FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	04APR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		04APR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		04APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	26APR2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		26APR2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		26APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	24MAY2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		24MAY2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		24MAY2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	27JUN2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		27JUN2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		27JUN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	19JUL2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		19JUL2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		19JUL2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	03OCT2023	Prothrombin Time			.	.	
		03OCT2023	Prothrombin Intl. Normalized Ratio			.	.	
		03OCT2023	Activated Partial Thromboplastin Time			.	.	
	Follow-up	02NOV2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		02NOV2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		02NOV2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
141801001/57/F/W	Screening	06OCT2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		06OCT2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		06OCT2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	10NOV2022	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		10NOV2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		10NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	06DEC2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		06DEC2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		06DEC2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	03JAN2023	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		03JAN2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		03JAN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	02FEB2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		02FEB2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		02FEB2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 16	28FEB2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		28FEB2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		28FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	08MAY2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		08MAY2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		08MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	06JUN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		06JUN2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		06JUN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
141801003/54/F/W	Screening	20OCT2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		20OCT2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		20OCT2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	15DEC2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		15DEC2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		15DEC2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	11JAN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		11JAN2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		11JAN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	03FEB2023	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		03FEB2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		03FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	13MAR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		13MAR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		13MAR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	04APR2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		04APR2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		04APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 26/End of Treatment	13JUN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		13JUN2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		13JUN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	17JUL2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		17JUL2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		17JUL2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
141801010/53/F/W	Screening	18JAN2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		18JAN2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		18JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	23FEB2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		23FEB2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		23FEB2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	20MAR2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		20MAR2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		20MAR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	14APR2023	Prothrombin Time			.	.	
		14APR2023	Prothrombin Intl. Normalized Ratio			.	.	
		14APR2023	Activated Partial Thromboplastin Time			.	.	
	Week 12	18MAY2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		18MAY2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		18MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	14JUN2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		14JUN2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		14JUN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Unscheduled	20APR2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		20APR2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		20APR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
141801014/55/F/W	Screening	13FEB2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		13FEB2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		13FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	30MAR2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		30MAR2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		30MAR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	25APR2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		25APR2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		25APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	23MAY2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		23MAY2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		23MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	22JUN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		22JUN2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		22JUN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	17JUL2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		17JUL2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		17JUL2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
141881001/42/F/W	Screening	20DEC2022	Prothrombin Time			.	.	
		20DEC2022	Prothrombin Intl. Normalized Ratio			.	.	
		20DEC2022	Activated Partial Thromboplastin Time			.	.	
	Baseline	30JAN2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		30JAN2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		30JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	14MAR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		14MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		14MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	23MAR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		23MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		23MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	26APR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		26APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		26APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	23MAY2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		23MAY2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		23MAY2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	31JUL2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		31JUL2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		31JUL2023	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Unscheduled	10JAN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		10JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		10JAN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
141891023/59/F/W	Screening	15FEB2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		15FEB2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		15FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	12APR2023	Prothrombin Time	10.0	NORMAL	9.40000000	12.70000000	s
		12APR2023	Prothrombin Intl. Normalized Ratio	0.87	NORMAL	0.85000000	1.15000000	None
		12APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	03MAY2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		03MAY2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		03MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	21JUN2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		21JUN2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		21JUN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	05JUL2023	Prothrombin Time	9.4	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		05JUL2023	Prothrombin Intl. Normalized Ratio	0.84	LOW	0.85000000	1.15000000	None
		05JUL2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	01AUG2023	Prothrombin Time	10.0	NORMAL	9.40000000	12.70000000	s
		01AUG2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		01AUG2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Close Liver Observation	---------	Prothrombin Time	10.1	NORMAL	9.40000000	12.70000000	s
		---------	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		---------	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		---------	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		---------	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		---------	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		---------	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		---------	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
	Week 26/End of Treatment	11SEP2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		11SEP2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		11SEP2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	10OCT2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		10OCT2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		10OCT2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Unscheduled	29JUN2023	Prothrombin Time			.	.	
		29JUN2023	Prothrombin Intl. Normalized Ratio			.	.	
		29JUN2023	Activated Partial Thromboplastin Time			.	.	
141891028/54/F/W	Screening	23FEB2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		23FEB2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		23FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	05APR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		05APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		05APR2023	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 4	26APR2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		26APR2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		26APR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	24MAY2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		24MAY2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		24MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	29JUN2023	Prothrombin Time	10.0	NORMAL	9.40000000	12.70000000	s
		29JUN2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		29JUN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	20JUL2023	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		20JUL2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		20JUL2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	27SEP2023	Prothrombin Time	9.9	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		27SEP2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		27SEP2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	06NOV2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		06NOV2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		06NOV2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
141891029/46/F/B	Screening	24FEB2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		24FEB2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		24FEB2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Baseline	29MAR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		29MAR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		29MAR2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 4	19APR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		19APR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		19APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	17MAY2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		17MAY2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		17MAY2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	08JUN2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		08JUN2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		08JUN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
141901009/47/F/B	Screening	12OCT2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		12OCT2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		12OCT2022	Activated Partial Thromboplastin Time	20	LOW	25.00000000	38.00000000	s
	Baseline	01DEC2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		01DEC2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		01DEC2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	27DEC2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		27DEC2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		27DEC2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	24JAN2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		24JAN2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		24JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
141901013/50/F/W	Screening	03NOV2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		03NOV2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		03NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	10JAN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		10JAN2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		10JAN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	01FEB2023	Prothrombin Time			.	.	
		01FEB2023	Prothrombin Intl. Normalized Ratio			.	.	
		01FEB2023	Activated Partial Thromboplastin Time			.	.	

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 8	02MAR2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		02MAR2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		02MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	04APR2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		04APR2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		04APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	27APR2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		27APR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		27APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	06JUL2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		06JUL2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		06JUL2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	04AUG2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		04AUG2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		04AUG2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Unscheduled	01MAR2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		09FEB2023	Prothrombin Time			.	.	
		01MAR2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		09FEB2023	Prothrombin Intl. Normalized Ratio			.	.	
		01MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
		09FEB2023	Activated Partial Thromboplastin Time			.	.	
141901022/55/F/B	Screening	30NOV2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		30NOV2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		30NOV2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	06FEB2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		06FEB2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		06FEB2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 4	02MAR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		02MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		02MAR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	29MAR2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		29MAR2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		29MAR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	02MAY2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		02MAY2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		02MAY2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 16	22MAY2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		22MAY2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		22MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	03AUG2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		03AUG2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		03AUG2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	01SEP2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		01SEP2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		01SEP2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
141901023/47/F/NR	Baseline	05DEC2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		05DEC2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		05DEC2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	16FEB2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		16FEB2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		16FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	20MAR2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		20MAR2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		20MAR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 12	24APR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		24APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		24APR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	25JUL2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		25JUL2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		25JUL2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Follow-up	23AUG2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		23AUG2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		23AUG2023	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
141901029/53/F/B	Screening	04JAN2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		04JAN2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		04JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	17APR2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		17APR2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		17APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	12MAY2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		12MAY2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		12MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	05JUN2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		05JUN2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		05JUN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	10JUL2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		10JUL2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		10JUL2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	31JUL2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		31JUL2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		31JUL2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	09OCT2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		09OCT2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		09OCT2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	10NOV2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		10NOV2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		10NOV2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
141901035/51/F/B	Screening	01MAR2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		01MAR2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		01MAR2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Baseline	20APR2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		20APR2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		20APR2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 4	15MAY2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		15MAY2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		15MAY2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	09JUN2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		09JUN2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		09JUN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	18JUL2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		18JUL2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		18JUL2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	07AUG2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		07AUG2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		07AUG2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	13OCT2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		13OCT2023	Prothrombin Intl. Normalized Ratio	1.16	HIGH	0.85000000	1.15000000	None
		13OCT2023	Activated Partial Thromboplastin Time	46	HIGH	25.00000000	38.00000000	s
	Follow-up	10NOV2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		10NOV2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		10NOV2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
141901037/59/F/B	Screening	09MAR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		09MAR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		09MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	24APR2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		24APR2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		24APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	16MAY2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		16MAY2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		16MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	13JUN2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		13JUN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		13JUN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 12	19JUL2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		19JUL2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		19JUL2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	08AUG2023	Prothrombin Time	9.8	NORMAL	9.40000000	12.70000000	s
		08AUG2023	Prothrombin Intl. Normalized Ratio	0.88	NORMAL	0.85000000	1.15000000	None
		08AUG2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
141931021/58/F/B	Screening	03FEB2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		03FEB2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		03FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	21APR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		21APR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		21APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	16MAY2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		16MAY2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		16MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	13JUN2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		13JUN2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		13JUN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	14JUL2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		14JUL2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		14JUL2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	04AUG2023	Prothrombin Time			.	.	
		04AUG2023	Prothrombin Intl. Normalized Ratio			.	.	
		04AUG2023	Activated Partial Thromboplastin Time			.	.	
	Week 26/End of Treatment	13OCT2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		13OCT2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		13OCT2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	17NOV2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		17NOV2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		17NOV2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
141931024/57/F/B	Screening	26JAN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		26JAN2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		26JAN2023	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Baseline	29MAR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		29MAR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		29MAR2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 4	25APR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		25APR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		25APR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	18MAY2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		18MAY2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		18MAY2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 12	23JUN2023	Prothrombin Time			.	.	
		23JUN2023	Prothrombin Intl. Normalized Ratio			.	.	
		23JUN2023	Activated Partial Thromboplastin Time			.	.	
	Week 16	18JUL2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		18JUL2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		18JUL2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	20SEP2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		20SEP2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		20SEP2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
141951013/61/F/W	Screening	02MAR2023	Prothrombin Time			.	.	
		02MAR2023	Prothrombin Intl. Normalized Ratio			.	.	
		02MAR2023	Activated Partial Thromboplastin Time			.	.	
	Baseline	20APR2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		20APR2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		20APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	11MAY2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		11MAY2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		11MAY2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	08JUN2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		08JUN2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		08JUN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	13JUL2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		13JUL2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		13JUL2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	03AUG2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		03AUG2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		03AUG2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	17OCT2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		17OCT2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		17OCT2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	14NOV2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		14NOV2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		14NOV2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Unscheduled	28MAR2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		23MAR2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		28MAR2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		23MAR2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		28MAR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
		23MAR2023	Activated Partial Thromboplastin Time	120	HIGH	25.00000000	38.00000000	s
141971005/50/F/B	Screening	01NOV2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		01NOV2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		01NOV2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	28DEC2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		28DEC2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		28DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	24JAN2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		24JAN2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		24JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	21FEB2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		21FEB2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		21FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	20MAR2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		20MAR2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		20MAR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
141971015/54/F/B	Screening	13DEC2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		13DEC2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		13DEC2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	26JAN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		26JAN2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		26JAN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	27FEB2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		27FEB2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		27FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	06APR2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		06APR2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		06APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	20APR2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		20APR2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		20APR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 16	08MAY2023	Prothrombin Time			.	.	
		08MAY2023	Prothrombin Intl. Normalized Ratio			.	.	
		08MAY2023	Activated Partial Thromboplastin Time			.	.	
142111018/50/F/W	Screening	20MAR2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		20MAR2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		20MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	21APR2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		21APR2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		21APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	15MAY2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		15MAY2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		15MAY2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 8	09JUN2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		09JUN2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		09JUN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	17JUL2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		17JUL2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		17JUL2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	07AUG2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		07AUG2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		07AUG2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	16OCT2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		16OCT2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		16OCT2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	10NOV2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		10NOV2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		10NOV2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
220011006/52/F/W	Screening	20JUN2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		20JUN2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		20JUN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	20JUL2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		20JUL2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		20JUL2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	01SEP2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		01SEP2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		01SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	12SEP2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		12SEP2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		12SEP2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	17OCT2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		17OCT2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		17OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	14NOV2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		14NOV2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		14NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	19JAN2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		19JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		19JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	01MAR2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		01MAR2023	Prothrombin Intl. Normalized Ratio	0.86	NORMAL	0.85000000	1.15000000	None
		01MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
220031004/61/F/W	Screening	20APR2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		20APR2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		20APR2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	16MAY2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		16MAY2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		16MAY2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	10JUN2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		10JUN2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		10JUN2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	07JUL2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		07JUL2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		07JUL2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	05AUG2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		05AUG2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		05AUG2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	02SEP2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		02SEP2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		02SEP2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	18NOV2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		18NOV2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		18NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	20DEC2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		20DEC2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		20DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
220031005/53/F/W	Screening	29APR2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		29APR2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		29APR2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	07JUN2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		07JUN2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		07JUN2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	05JUL2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		05JUL2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		05JUL2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	01AUG2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		01AUG2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		01AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	14SEP2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		14SEP2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		14SEP2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
220031016/59/F/W	Screening	01DEC2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		01DEC2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		01DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	02FEB2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		02FEB2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		02FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	02MAR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		02MAR2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		02MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	23MAR2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		23MAR2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		23MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	27APR2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		27APR2023	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		27APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	18MAY2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		18MAY2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		18MAY2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	02AUG2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		02AUG2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		02AUG2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	06SEP2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		06SEP2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		06SEP2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Unscheduled	26JAN2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		26JAN2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		26JAN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
220041004/53/F/W	Screening	07FEB2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		07FEB2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		07FEB2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Baseline	04APR2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		04APR2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		04APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	27APR2023	Prothrombin Time	15.1	HIGH	9.40000000	12.70000000	s
		27APR2023	Prothrombin Intl. Normalized Ratio	1.39	HIGH	0.85000000	1.15000000	None
		27APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	24MAY2023	Prothrombin Time			.	.	
		24MAY2023	Prothrombin Intl. Normalized Ratio			.	.	
		24MAY2023	Activated Partial Thromboplastin Time			.	.	
	Week 12	28JUN2023	Prothrombin Time	13.9	HIGH	9.40000000	12.70000000	s
		28JUN2023	Prothrombin Intl. Normalized Ratio	1.26	HIGH	0.85000000	1.15000000	None
		28JUN2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 16	24JUL2023	Prothrombin Time	13.5	HIGH	9.40000000	12.70000000	s
		24JUL2023	Prothrombin Intl. Normalized Ratio	1.22	HIGH	0.85000000	1.15000000	None
		24JUL2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 26/End of Treatment	26SEP2023	Prothrombin Time	13.9	HIGH	9.40000000	12.70000000	s
		26SEP2023	Prothrombin Intl. Normalized Ratio	1.24	HIGH	0.85000000	1.15000000	None
		26SEP2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	18OCT2023	Prothrombin Time	18.2	HIGH	9.40000000	12.70000000	s
		18OCT2023	Prothrombin Intl. Normalized Ratio	1.71	HIGH	0.85000000	1.15000000	None
		18OCT2023	Activated Partial Thromboplastin Time	41	HIGH	25.00000000	38.00000000	s
220041005/59/F/W	Screening	13FEB2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		13FEB2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		13FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	16MAR2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		16MAR2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		16MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	05APR2023	Prothrombin Time			.	.	
		05APR2023	Prothrombin Intl. Normalized Ratio			.	.	
		05APR2023	Activated Partial Thromboplastin Time			.	.	
	Week 8	12MAY2023	Prothrombin Time	15.2	HIGH	9.40000000	12.70000000	s
		12MAY2023	Prothrombin Intl. Normalized Ratio	1.40	HIGH	0.85000000	1.15000000	None
		12MAY2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 12	09JUN2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		09JUN2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		09JUN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	30JUN2023	Prothrombin Time	16.4	HIGH	9.40000000	12.70000000	s
		30JUN2023	Prothrombin Intl. Normalized Ratio	1.53	HIGH	0.85000000	1.15000000	None
		30JUN2023	Activated Partial Thromboplastin Time	65	HIGH	25.00000000	38.00000000	s
	Week 26/End of Treatment	15SEP2023	Prothrombin Time	21.4	HIGH	9.40000000	12.70000000	s
		15SEP2023	Prothrombin Intl. Normalized Ratio	2.06	HIGH	0.85000000	1.15000000	None
		15SEP2023	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Follow-up	25OCT2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		25OCT2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		25OCT2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
220051005/55/F/W	Screening	24OCT2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		24OCT2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		24OCT2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	06DEC2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		06DEC2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		06DEC2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 4	22DEC2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		22DEC2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		22DEC2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	30JAN2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		30JAN2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		30JAN2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 12	01MAR2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		01MAR2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		01MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	23MAR2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		23MAR2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		23MAR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	06JUN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		06JUN2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		06JUN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Follow-up	14JUL2023	Prothrombin Time	14.5	HIGH	9.40000000	12.70000000	s
		14JUL2023	Prothrombin Intl. Normalized Ratio	1.32	HIGH	0.85000000	1.15000000	None
		14JUL2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
220051007/53/F/W	Screening	14MAR2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		14MAR2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		14MAR2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	12APR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		12APR2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		12APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	09MAY2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		09MAY2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		09MAY2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	07JUN2023	Prothrombin Time	13.3	HIGH	9.40000000	12.70000000	s
		07JUN2023	Prothrombin Intl. Normalized Ratio	1.20	HIGH	0.85000000	1.15000000	None
		07JUN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 12	06JUL2023	Prothrombin Time	16.2	HIGH	9.40000000	12.70000000	s
		06JUL2023	Prothrombin Intl. Normalized Ratio	1.51	HIGH	0.85000000	1.15000000	None
		06JUL2023	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 16	26JUL2023	Prothrombin Time	13.8	HIGH	9.40000000	12.70000000	s
		26JUL2023	Prothrombin Intl. Normalized Ratio	1.25	HIGH	0.85000000	1.15000000	None
		26JUL2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	11OCT2023	Prothrombin Time	14.5	HIGH	9.40000000	12.70000000	s
		11OCT2023	Prothrombin Intl. Normalized Ratio	1.30	HIGH	0.85000000	1.15000000	None
		11OCT2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Follow-up	15NOV2023	Prothrombin Time	13.1	HIGH	9.40000000	12.70000000	s
		15NOV2023	Prothrombin Intl. Normalized Ratio	1.16	HIGH	0.85000000	1.15000000	None
		15NOV2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
220051008/51/F/W	Screening	09FEB2023	Prothrombin Time	13.7	HIGH	9.40000000	12.70000000	s
		09FEB2023	Prothrombin Intl. Normalized Ratio	1.19	HIGH	0.85000000	1.15000000	None
		09FEB2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Baseline	31MAR2023	Prothrombin Time	13.5	HIGH	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		31MAR2023	Prothrombin Intl. Normalized Ratio	1.17	HIGH	0.85000000	1.15000000	None
		31MAR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	28APR2023	Prothrombin Time	13.6	HIGH	9.40000000	12.70000000	s
		28APR2023	Prothrombin Intl. Normalized Ratio	1.23	HIGH	0.85000000	1.15000000	None
		28APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	26MAY2023	Prothrombin Time	14.9	HIGH	9.40000000	12.70000000	s
		26MAY2023	Prothrombin Intl. Normalized Ratio	1.37	HIGH	0.85000000	1.15000000	None
		26MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	27JUN2023	Prothrombin Time	15.2	HIGH	9.40000000	12.70000000	s
		27JUN2023	Prothrombin Intl. Normalized Ratio	1.40	HIGH	0.85000000	1.15000000	None
		27JUN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	26JUL2023	Prothrombin Time	15.2	HIGH	9.40000000	12.70000000	s
		26JUL2023	Prothrombin Intl. Normalized Ratio	1.40	HIGH	0.85000000	1.15000000	None
		26JUL2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	02OCT2023	Prothrombin Time	15.4	HIGH	9.40000000	12.70000000	s
		02OCT2023	Prothrombin Intl. Normalized Ratio	1.41	HIGH	0.85000000	1.15000000	None
		02OCT2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	16NOV2023	Prothrombin Time	13.5	HIGH	9.40000000	12.70000000	s
		16NOV2023	Prothrombin Intl. Normalized Ratio	1.20	HIGH	0.85000000	1.15000000	None
		16NOV2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Unscheduled	23MAR2023	Prothrombin Time	13.2	HIGH	9.40000000	12.70000000	s
		23MAR2023	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		23MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
220071001/60/F/W	Screening	02DEC2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		02DEC2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		02DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	26JAN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		26JAN2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		26JAN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	22FEB2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		22FEB2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		22FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	22MAR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		22MAR2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		22MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	19APR2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		19APR2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		19APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	17MAY2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		17MAY2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		17MAY2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 26/End of Treatment	20JUL2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		20JUL2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		20JUL2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	14AUG2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		14AUG2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		14AUG2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
300021001/52/F/W	Screening	24MAY2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		24MAY2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		24MAY2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	04JUL2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		04JUL2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		04JUL2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	27JUL2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		27JUL2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		27JUL2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	24AUG2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		24AUG2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		24AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	28SEP2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		28SEP2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		28SEP2022	Activated Partial Thromboplastin Time	40	HIGH	25.00000000	38.00000000	s
	Week 16	18OCT2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		18OCT2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		18OCT2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	27DEC2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		27DEC2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		27DEC2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	25JAN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		25JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		25JAN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Unscheduled	08JUL2022	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		08JUL2022	Prothrombin Intl. Normalized Ratio	0.87	NORMAL	0.85000000	1.15000000	None
		08JUL2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
300021003/59/F/W	Screening	16JUN2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		16JUN2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		16JUN2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	13JUL2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		13JUL2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		13JUL2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	03AUG2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		03AUG2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		03AUG2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	31AUG2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		31AUG2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		31AUG2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	05OCT2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		05OCT2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		05OCT2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	26OCT2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		26OCT2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		26OCT2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	09JAN2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		09JAN2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		09JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	08FEB2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		08FEB2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		08FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
300021004/57/F/B	Screening	22JUN2022	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		22JUN2022	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		22JUN2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	29JUL2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		29JUL2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		29JUL2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	24AUG2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		24AUG2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		24AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	20SEP2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		20SEP2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		20SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	01NOV2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		01NOV2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		01NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	14NOV2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		14NOV2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		14NOV2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	23JAN2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		23JAN2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		23JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	28FEB2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		28FEB2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		28FEB2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
300021005/61/F/W	Screening	27JUN2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		27JUN2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		27JUN2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	25JUL2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		25JUL2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		25JUL2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 4	22AUG2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		22AUG2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		22AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	12SEP2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		12SEP2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		12SEP2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	17OCT2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		17OCT2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		17OCT2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	07NOV2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		07NOV2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		07NOV2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	19JAN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		19JAN2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		19JAN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	22FEB2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		22FEB2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		22FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
300031002/62/F/W	Screening	01JUN2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		01JUN2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		01JUN2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Baseline	06JUL2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		06JUL2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		06JUL2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	02AUG2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		02AUG2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		02AUG2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 8	30AUG2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		30AUG2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		30AUG2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 12	28SEP2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		28SEP2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		28SEP2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 16	25OCT2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		25OCT2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		25OCT2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 26/End of Treatment	03JAN2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		03JAN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		03JAN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	01FEB2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		01FEB2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		01FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
300031006/59/F/W	Screening	07JUL2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		07JUL2022	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		07JUL2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	17AUG2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		17AUG2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		17AUG2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 4	13SEP2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		13SEP2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		13SEP2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 8	05OCT2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		05OCT2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		05OCT2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 12	10NOV2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		10NOV2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		10NOV2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 16	02DEC2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		02DEC2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		02DEC2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	20DEC2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		20DEC2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		20DEC2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Follow-up	12JAN2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
380011005/52/F/W	Screening	21JUN2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		21JUN2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		21JUN2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	09AUG2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		09AUG2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		09AUG2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	01SEP2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		01SEP2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		01SEP2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	27SEP2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		27SEP2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		27SEP2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	01NOV2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		01NOV2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		01NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	28NOV2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		28NOV2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		28NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	03FEB2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		03FEB2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		03FEB2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Follow-up	28FEB2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		28FEB2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		28FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
380011008/52/F/W	Screening	22JUL2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		22JUL2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		22JUL2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	15SEP2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		15SEP2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		15SEP2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	07OCT2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		07OCT2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		07OCT2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	04NOV2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		04NOV2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		04NOV2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 12	09DEC2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		09DEC2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		09DEC2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	04JAN2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		04JAN2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		04JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	09MAR2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		09MAR2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		09MAR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	11APR2023	Prothrombin Time	13.6	HIGH	9.40000000	12.70000000	s
		11APR2023	Prothrombin Intl. Normalized Ratio	1.18	HIGH	0.85000000	1.15000000	None
		11APR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
380011014/51/F/W	Screening	06OCT2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		06OCT2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		06OCT2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	25NOV2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		25NOV2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		25NOV2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	16DEC2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		16DEC2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		16DEC2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	17JAN2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		17JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		17JAN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 12	20FEB2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		20FEB2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		20FEB2023	Activated Partial Thromboplastin Time	23	LOW	25.00000000	38.00000000	s
	Week 16	10MAR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		10MAR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		10MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	23MAY2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		23MAY2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		23MAY2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Follow-up	20JUN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		20JUN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		20JUN2023	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
380011016/49/F/W	Screening	25NOV2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		25NOV2022	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		25NOV2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	12JAN2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	09FEB2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		09FEB2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		09FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	15FEB2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		15FEB2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		15FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	10MAR2023	Prothrombin Time	13.3	HIGH	9.40000000	12.70000000	s
		10MAR2023	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		10MAR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
380011017/52/F/W	Screening	08DEC2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		08DEC2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		08DEC2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Baseline	19JAN2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		19JAN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		19JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 4	13FEB2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		13FEB2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		13FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	09MAR2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		09MAR2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		09MAR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	13APR2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		13APR2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		13APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	10MAY2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		10MAY2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		10MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	18JUL2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		18JUL2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		18JUL2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	14AUG2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		14AUG2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		14AUG2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
380011023/54/F/W	Screening	09FEB2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		09FEB2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		09FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	29MAR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		29MAR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		29MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	25APR2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		25APR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		25APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	18MAY2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		18MAY2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		18MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	21JUN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		21JUN2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		21JUN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	17JUL2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		17JUL2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		17JUL2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	20SEP2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		20SEP2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		20SEP2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	31OCT2023	Prothrombin Time			.	.	
		31OCT2023	Prothrombin Intl. Normalized Ratio			.	.	

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		31OCT2023	Activated Partial Thromboplastin Time			.	.	
380011024/48/F/W	Screening	10FEB2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		10FEB2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		10FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	12APR2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		12APR2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		12APR2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 4	05MAY2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		05MAY2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		05MAY2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	05JUN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		05JUN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		05JUN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 12	25JUL2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		25JUL2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		25JUL2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	01AUG2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		01AUG2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		01AUG2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	10OCT2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		10OCT2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		10OCT2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	07NOV2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		07NOV2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		07NOV2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Unscheduled	30JUN2023	Prothrombin Time			.	.	
		31MAR2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		30JUN2023	Prothrombin Intl. Normalized Ratio			.	.	
		31MAR2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		30JUN2023	Activated Partial Thromboplastin Time			.	.	
		31MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
380011025/52/F/W	Screening	14FEB2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		14FEB2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		14FEB2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Baseline	29MAR2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		29MAR2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		29MAR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	19APR2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		19APR2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		19APR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	17MAY2023	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		17MAY2023	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		17MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	22JUN2023	Prothrombin Time	13.4	HIGH	9.40000000	12.70000000	s
		22JUN2023	Prothrombin Intl. Normalized Ratio	1.21	HIGH	0.85000000	1.15000000	None
		22JUN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	17JUL2023	Prothrombin Time	13.4	HIGH	9.40000000	12.70000000	s
		17JUL2023	Prothrombin Intl. Normalized Ratio	1.21	HIGH	0.85000000	1.15000000	None
		17JUL2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	20SEP2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		20SEP2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		20SEP2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	18OCT2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		18OCT2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		18OCT2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
380021001/50/F/W	Screening	12JAN2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		12JAN2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		12JAN2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	24FEB2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		24FEB2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		24FEB2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	21MAR2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		21MAR2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		21MAR2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	20APR2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		20APR2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		20APR2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	19MAY2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		19MAY2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		19MAY2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	09JUN2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		09JUN2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		09JUN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	23AUG2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		23AUG2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		23AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	22SEP2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		22SEP2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		22SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
380061001/45/F/W	Screening	27DEC2021	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		27DEC2021	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		27DEC2021	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Baseline	28FEB2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		28FEB2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		28FEB2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 4	21MAR2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		21MAR2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		21MAR2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	20APR2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		20APR2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		20APR2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	25MAY2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		25MAY2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		25MAY2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	15JUN2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		15JUN2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		15JUN2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	24AUG2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		24AUG2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		24AUG2022	Activated Partial Thromboplastin Time	41	HIGH	25.00000000	38.00000000	s
	Follow-up	21SEP2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		21SEP2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		21SEP2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
380061007/59/F/W	Screening	21FEB2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		21FEB2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		21FEB2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	21MAR2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		21MAR2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		21MAR2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	12APR2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		12APR2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		12APR2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 8	12MAY2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		12MAY2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		12MAY2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	16JUN2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		16JUN2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		16JUN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	11JUL2022	Prothrombin Time	13.2	HIGH	9.40000000	12.70000000	s
		11JUL2022	Prothrombin Intl. Normalized Ratio	1.17	HIGH	0.85000000	1.15000000	None
		11JUL2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	15SEP2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		15SEP2022	Prothrombin Intl. Normalized Ratio	1.16	HIGH	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		15SEP2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	13OCT2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		13OCT2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		13OCT2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
380061019/56/F/W	Baseline	27FEB2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		27FEB2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		27FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	20MAR2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		20MAR2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		20MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	17APR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		17APR2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		17APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	22MAY2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		22MAY2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		22MAY2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	12JUN2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		12JUN2023	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		12JUN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	21AUG2023	Prothrombin Time	13.1	HIGH	9.40000000	12.70000000	s
		21AUG2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		21AUG2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	19SEP2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		19SEP2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		19SEP2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Unscheduled	12JAN2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
380071001/49/F/W	Screening	17FEB2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		17FEB2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		17FEB2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Baseline	24MAR2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		24MAR2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		24MAR2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 4	20APR2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		20APR2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		20APR2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 8	12MAY2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		12MAY2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		12MAY2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 12	16JUN2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		16JUN2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		16JUN2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 16	07JUL2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		07JUL2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		07JUL2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	26SEP2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		26SEP2022	Prothrombin Intl. Normalized Ratio	1.17	HIGH	0.85000000	1.15000000	None
		26SEP2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Follow-up	13OCT2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		13OCT2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		13OCT2022	Activated Partial Thromboplastin Time	41	HIGH	25.00000000	38.00000000	s
380071002/49/F/W	Screening	28MAR2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		28MAR2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		28MAR2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	24MAY2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		24MAY2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		24MAY2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	21JUN2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		21JUN2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		21JUN2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	18JUL2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		18JUL2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		18JUL2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	18AUG2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		18AUG2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		18AUG2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 16	12SEP2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		12SEP2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		12SEP2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	21NOV2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		21NOV2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		21NOV2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Follow-up	19DEC2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		19DEC2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		19DEC2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
380071004/49/F/W	Screening	05MAY2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		05MAY2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		05MAY2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	29JUN2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		29JUN2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		29JUN2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 4	28JUL2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		28JUL2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		28JUL2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	23AUG2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		23AUG2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		23AUG2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 12	21SEP2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		21SEP2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		21SEP2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	18OCT2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		18OCT2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		18OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	04JAN2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		04JAN2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		04JAN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	25JAN2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		25JAN2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		25JAN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
380071005/44/F/W	Screening	09MAY2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		09MAY2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		09MAY2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	14JUN2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		14JUN2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		14JUN2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	12JUL2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		12JUL2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		12JUL2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	03AUG2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		03AUG2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		03AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	07SEP2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		07SEP2022	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		07SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	29SEP2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		29SEP2022	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		29SEP2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	07DEC2022	Prothrombin Time	13.1	HIGH	9.40000000	12.70000000	s
		07DEC2022	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		07DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	04JAN2023	Prothrombin Time	13.1	HIGH	9.40000000	12.70000000	s
		04JAN2023	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		04JAN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
380071007/53/F/W	Screening	07JUN2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		07JUN2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		07JUN2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	20JUL2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		20JUL2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		20JUL2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	16AUG2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		16AUG2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		16AUG2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 8	07SEP2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		07SEP2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		07SEP2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 12	12OCT2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		12OCT2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		12OCT2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 16	02NOV2022	Prothrombin Time	13.5	HIGH	9.40000000	12.70000000	s
		02NOV2022	Prothrombin Intl. Normalized Ratio	1.27	HIGH	0.85000000	1.15000000	None
		02NOV2022	Activated Partial Thromboplastin Time	56	HIGH	25.00000000	38.00000000	s
	Week 26/End of Treatment	11JAN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		11JAN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		11JAN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	01FEB2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		01FEB2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		01FEB2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
380071010/50/F/W	Screening	12JUL2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		12JUL2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		12JUL2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	23AUG2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		23AUG2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		23AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	16SEP2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		16SEP2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		16SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	12OCT2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		12OCT2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		12OCT2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 12	16NOV2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		16NOV2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		16NOV2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	09DEC2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		09DEC2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		09DEC2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	15FEB2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		15FEB2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		15FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	15MAR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		15MAR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		15MAR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
380091001/44/F/W	Screening	06JAN2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		06JAN2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		06JAN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	20JAN2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		20JAN2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		20JAN2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	10FEB2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		10FEB2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		10FEB2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	10MAR2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		10MAR2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		10MAR2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	21APR2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		21APR2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		21APR2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	12MAY2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		12MAY2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		12MAY2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	14JUL2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		14JUL2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		14JUL2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	24AUG2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		24AUG2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		24AUG2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
380091003/65/F/W	Screening	02JUN2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		02JUN2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		02JUN2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	23JUN2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		23JUN2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		23JUN2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	21JUL2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		21JUL2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		21JUL2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 8	15AUG2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		15AUG2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		15AUG2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	19SEP2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		19SEP2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		19SEP2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	06OCT2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		06OCT2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		06OCT2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	22DEC2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		22DEC2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		22DEC2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	19JAN2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		19JAN2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		19JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
380091007/63/F/W	Screening	05JAN2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		05JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		05JAN2023	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Baseline	26JAN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		26JAN2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		26JAN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 4	16FEB2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		16FEB2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		16FEB2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	23MAR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		23MAR2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		23MAR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	20APR2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		20APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		20APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	11MAY2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		11MAY2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		11MAY2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	20JUL2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		20JUL2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		20JUL2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	17AUG2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		17AUG2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		17AUG2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
380091009/55/F/W	Screening	23FEB2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		23FEB2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		23FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	23MAR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		23MAR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		23MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	13APR2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		13APR2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		13APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	18MAY2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		18MAY2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		18MAY2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	15JUN2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		15JUN2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		15JUN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	20JUL2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		20JUL2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		20JUL2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	05OCT2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		05OCT2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		05OCT2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	02NOV2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		02NOV2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		02NOV2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
380101001/53/F/W	Screening	15FEB2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		15FEB2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		15FEB2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	29MAR2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		29MAR2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		29MAR2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	21APR2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		21APR2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		21APR2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	23MAY2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		23MAY2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		23MAY2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	22JUN2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		22JUN2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		22JUN2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	18JUL2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		18JUL2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		18JUL2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	23SEP2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		23SEP2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		23SEP2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	26OCT2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		26OCT2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		26OCT2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
380101002/53/F/W	Screening	15FEB2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		15FEB2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		15FEB2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	05APR2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		05APR2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		05APR2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 4	28APR2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		28APR2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		28APR2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 8	27MAY2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		27MAY2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		27MAY2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 12	29JUN2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		29JUN2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		29JUN2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	01AUG2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		01AUG2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		01AUG2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	03OCT2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		03OCT2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		03OCT2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Follow-up	07NOV2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		07NOV2022	Prothrombin Intl. Normalized Ratio	1.18	HIGH	0.85000000	1.15000000	None
		07NOV2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
380101003/56/F/W	Screening	22FEB2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		22FEB2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		22FEB2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	03MAY2022	Prothrombin Time	13.2	HIGH	9.40000000	12.70000000	s
		03MAY2022	Prothrombin Intl. Normalized Ratio	1.17	HIGH	0.85000000	1.15000000	None
		03MAY2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	30MAY2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		30MAY2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		30MAY2022	Activated Partial Thromboplastin Time	44	HIGH	25.00000000	38.00000000	s
	Week 8	24JUN2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		24JUN2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		24JUN2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 12	29JUL2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		29JUL2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		29JUL2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	15AUG2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		15AUG2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		15AUG2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	24OCT2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		24OCT2022	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		24OCT2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	28NOV2022	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		28NOV2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		28NOV2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
380101007/46/F/W	Screening	26APR2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		26APR2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		26APR2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	06JUN2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		06JUN2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		06JUN2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	30JUN2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		30JUN2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		30JUN2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	27JUL2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		27JUL2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		27JUL2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	31AUG2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		31AUG2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		31AUG2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	22SEP2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		22SEP2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		22SEP2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	28NOV2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		28NOV2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		28NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	24JAN2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		24JAN2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		24JAN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
380101010/52/F/W	Screening	10MAY2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		10MAY2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		10MAY2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Baseline	21JUN2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		21JUN2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		21JUN2022	Activated Partial Thromboplastin Time	40	HIGH	25.00000000	38.00000000	s
	Week 4	13JUL2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		13JUL2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		13JUL2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	12AUG2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		12AUG2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		12AUG2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	16SEP2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		16SEP2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		16SEP2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	04OCT2022	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		04OCT2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		04OCT2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	16DEC2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		16DEC2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		16DEC2022	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Follow-up	18JAN2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		18JAN2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		18JAN2023	Activated Partial Thromboplastin Time	23	LOW	25.00000000	38.00000000	s
380101011/51/F/W	Screening	07JUN2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		07JUN2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		07JUN2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Baseline	22JUL2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		22JUL2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		22JUL2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	15AUG2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		15AUG2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		15AUG2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	12SEP2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		12SEP2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		12SEP2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 12	18OCT2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		18OCT2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		18OCT2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 16	07NOV2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		07NOV2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		07NOV2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	18JAN2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		18JAN2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		18JAN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	20FEB2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		20FEB2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		20FEB2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
380101012/46/F/W	Screening	20JUN2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		20JUN2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		20JUN2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	05AUG2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		05AUG2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		05AUG2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	29AUG2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		29AUG2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		29AUG2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	26SEP2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		26SEP2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		26SEP2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	31OCT2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		31OCT2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		31OCT2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	21NOV2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		21NOV2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		21NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	30JAN2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		30JAN2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		30JAN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Follow-up	28FEB2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		28FEB2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		28FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Unscheduled	07DEC2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		07DEC2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		07DEC2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
380101016/46/F/W	Screening	16AUG2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		16AUG2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		16AUG2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Baseline	26SEP2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		26SEP2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		26SEP2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 4	20OCT2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		20OCT2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		20OCT2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 8	16NOV2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		16NOV2022	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		16NOV2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 12	22DEC2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		22DEC2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		22DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	17JAN2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		17JAN2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		17JAN2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	24MAR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		24MAR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		24MAR2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	27APR2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		27APR2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		27APR2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
380101017/50/F/W	Screening	20SEP2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		20SEP2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		20SEP2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	10NOV2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		10NOV2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		10NOV2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 4	07DEC2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		07DEC2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		07DEC2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 8	05JAN2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		05JAN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		05JAN2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 12	02FEB2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		02FEB2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		02FEB2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 16	01MAR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		01MAR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		01MAR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	05MAY2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		05MAY2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		05MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	08JUN2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		08JUN2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		08JUN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
380101018/52/F/W	Screening	11OCT2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		11OCT2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		11OCT2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	29NOV2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		29NOV2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		29NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	20DEC2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		20DEC2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		20DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	17JAN2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		17JAN2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		17JAN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	27FEB2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		27FEB2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		27FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	14MAR2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		14MAR2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		14MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	30MAY2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		30MAY2023	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		30MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	19JUL2023	Prothrombin Time	13.2	HIGH	9.40000000	12.70000000	s
		19JUL2023	Prothrombin Intl. Normalized Ratio	1.19	HIGH	0.85000000	1.15000000	None
		19JUL2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
380101021/49/F/W	Screening	20DEC2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		20DEC2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		20DEC2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Baseline	03FEB2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		03FEB2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		03FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	01MAR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		01MAR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		01MAR2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 8	29MAR2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		29MAR2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		29MAR2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 12	02MAY2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		02MAY2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		02MAY2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	23MAY2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		23MAY2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		23MAY2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	28JUL2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		28JUL2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		28JUL2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	05SEP2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		05SEP2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		05SEP2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
380101022/58/F/W	Screening	03JAN2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		03JAN2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		03JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	21APR2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		21APR2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		21APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	19MAY2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		19MAY2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		19MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	12JUN2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		12JUN2023	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		12JUN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Unscheduled	18APR2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		18APR2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		18APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
380111001/52/F/W	Screening	31MAR2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		31MAR2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		31MAR2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	05MAY2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		05MAY2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		05MAY2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	01JUN2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		01JUN2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		01JUN2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	30JUN2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		30JUN2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		30JUN2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	08AUG2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		08AUG2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		08AUG2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	25AUG2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		25AUG2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		25AUG2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	27OCT2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		27OCT2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		27OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	24NOV2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		24NOV2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		24NOV2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
380111004/54/F/W	Screening	09JUN2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		09JUN2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		09JUN2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	30JUN2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		30JUN2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		30JUN2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	28JUL2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		28JUL2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		28JUL2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 8	25AUG2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		25AUG2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		25AUG2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 12	22SEP2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		22SEP2022	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		22SEP2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 16	13OCT2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		13OCT2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		13OCT2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	22DEC2022	Prothrombin Time	13.1	HIGH	9.40000000	12.70000000	s
		22DEC2022	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		22DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	19JAN2023	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		19JAN2023	Prothrombin Intl. Normalized Ratio	1.16	HIGH	0.85000000	1.15000000	None
		19JAN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
380111005/52/F/W	Screening	06OCT2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		06OCT2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		06OCT2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	05JAN2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		05JAN2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		05JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	26JAN2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		26JAN2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		26JAN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Unscheduled	08DEC2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		08DEC2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		08DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
380111010/49/F/W	Screening	26JAN2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		26JAN2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		26JAN2023	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Baseline	09MAR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		09MAR2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		09MAR2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 4	30MAR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		30MAR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		30MAR2023	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 8	04MAY2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		04MAY2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		04MAY2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 12	06JUN2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		06JUN2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		06JUN2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 16	22JUN2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		22JUN2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		22JUN2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	31AUG2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		31AUG2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		31AUG2023	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Follow-up	03OCT2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		03OCT2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		03OCT2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Unscheduled	16FEB2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		16FEB2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		16FEB2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
390071002/57/F/W	Screening	24AUG2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		24AUG2022	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		24AUG2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	21SEP2022	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		21SEP2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		21SEP2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	19OCT2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		19OCT2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		19OCT2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	14NOV2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		14NOV2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		14NOV2022	Activated Partial Thromboplastin Time	41	HIGH	25.00000000	38.00000000	s
	Week 12	19DEC2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		19DEC2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		19DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	01FEB2023	Prothrombin Time	14.1	HIGH	9.40000000	12.70000000	s
		01FEB2023	Prothrombin Intl. Normalized Ratio	1.23	HIGH	0.85000000	1.15000000	None
		01FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	19MAR2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		19MAR2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		19MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	24APR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		24APR2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		24APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
390081001/60/F/W	Screening	08FEB2023	Prothrombin Time	24.3	HIGH	9.40000000	12.70000000	s
		08FEB2023	Prothrombin Intl. Normalized Ratio	2.40	HIGH	0.85000000	1.15000000	None
		08FEB2023	Activated Partial Thromboplastin Time	51	HIGH	25.00000000	38.00000000	s
	Baseline	27MAR2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		27MAR2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		27MAR2023	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 4	23APR2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		23APR2023	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		23APR2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 8	07JUN2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		07JUN2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		07JUN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	19JUN2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		19JUN2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		19JUN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	11SEP2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		11SEP2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		11SEP2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Unscheduled	12MAR2023	Prothrombin Time	13.6	HIGH	9.40000000	12.70000000	s
		12MAR2023	Prothrombin Intl. Normalized Ratio	1.18	HIGH	0.85000000	1.15000000	None
		12MAR2023	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
440011001/60/F/W	Screening	21DEC2021	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		21DEC2021	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		21DEC2021	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	01APR2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		01APR2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		01APR2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 4	22APR2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		22APR2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		22APR2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	20MAY2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		20MAY2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		20MAY2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	24JUN2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		24JUN2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		24JUN2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 16	18JUL2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		18JUL2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		18JUL2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	27SEP2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		27SEP2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		27SEP2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Follow-up	21OCT2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		21OCT2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		21OCT2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
440011007/52/F/W	Screening	28FEB2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		28FEB2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		28FEB2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	20APR2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		20APR2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		20APR2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	13MAY2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		13MAY2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		13MAY2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	10JUN2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		10JUN2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		10JUN2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	13JUL2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		13JUL2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		13JUL2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	05AUG2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		05AUG2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		05AUG2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	13OCT2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		13OCT2022	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		13OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	23NOV2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		23NOV2022	Prothrombin Intl. Normalized Ratio	1.17	HIGH	0.85000000	1.15000000	None
		23NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
440011020/54/F/W	Screening	09AUG2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		09AUG2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		09AUG2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	09SEP2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		09SEP2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		09SEP2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	05OCT2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		05OCT2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		05OCT2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	02NOV2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		02NOV2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		02NOV2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	06DEC2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		06DEC2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		06DEC2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	23DEC2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		23DEC2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		23DEC2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	15MAR2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		15MAR2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		15MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Follow-up	31MAR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		31MAR2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		31MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
440011023/54/F/W	Screening	07NOV2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		07NOV2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		07NOV2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	16DEC2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		16DEC2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		16DEC2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 4	10JAN2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		10JAN2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		10JAN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	07FEB2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		07FEB2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		07FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	14MAR2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		14MAR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		14MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	03APR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		03APR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		03APR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	12JUN2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		12JUN2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		12JUN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	18JUL2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		18JUL2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		18JUL2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
440021013/55/F/W	Screening	19DEC2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		19DEC2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		19DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	19JAN2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		19JAN2023	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		19JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	13FEB2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		13FEB2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		13FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	13MAR2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		13MAR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		13MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	17APR2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		17APR2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		17APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	10MAY2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		10MAY2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		10MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	20JUL2023	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		20JUL2023	Prothrombin Intl. Normalized Ratio	1.17	HIGH	0.85000000	1.15000000	None
		20JUL2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	11SEP2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		11SEP2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		11SEP2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
440031004/54/F/W	Screening	16MAY2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		16MAY2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		16MAY2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	15JUL2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		15JUL2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		15JUL2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	08AUG2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		08AUG2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		08AUG2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	08SEP2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		08SEP2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		08SEP2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 12	10OCT2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		10OCT2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		10OCT2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	03NOV2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		03NOV2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		03NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 26/End of Treatment	13JAN2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		13JAN2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		13JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	10FEB2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		10FEB2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		10FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
440031005/55/F/W	Screening	19MAY2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		19MAY2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		19MAY2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	07JUL2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		07JUL2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		07JUL2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	03AUG2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		03AUG2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		03AUG2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 8	29AUG2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		29AUG2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		29AUG2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 12	04OCT2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		04OCT2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		04OCT2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 16	28OCT2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		28OCT2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		28OCT2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	03JAN2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		03JAN2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		03JAN2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Follow-up	07FEB2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		07FEB2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		07FEB2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
440031007/51/F/W	Screening	30MAY2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		30MAY2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		30MAY2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	22JUN2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		22JUN2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		22JUN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	13JUL2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		13JUL2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		13JUL2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	10AUG2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		10AUG2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		10AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	19SEP2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		19SEP2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		19SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	05OCT2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		05OCT2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		05OCT2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	14DEC2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		14DEC2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		14DEC2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	04JAN2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		04JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		04JAN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
440031017/57/F/W	Screening	26AUG2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		26AUG2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		26AUG2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Baseline	14OCT2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		14OCT2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		14OCT2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	07NOV2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		07NOV2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		07NOV2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	05DEC2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		05DEC2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		05DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	09JAN2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		09JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		09JAN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	07FEB2023	Prothrombin Time	13.4	HIGH	9.40000000	12.70000000	s
		07FEB2023	Prothrombin Intl. Normalized Ratio	1.16	HIGH	0.85000000	1.15000000	None
		07FEB2023	Activated Partial Thromboplastin Time	49	HIGH	25.00000000	38.00000000	s
	Week 26/End of Treatment	24APR2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		24APR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		24APR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	23MAY2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		23MAY2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		23MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
440031023/56/F/W	Screening	21OCT2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		21OCT2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		21OCT2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Baseline	24NOV2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		24NOV2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		24NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	22DEC2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		22DEC2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		22DEC2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	01FEB2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		01FEB2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		01FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	24FEB2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		24FEB2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		24FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	31MAR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		31MAR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		31MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	24APR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		24APR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		24APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
440031026/58/F/W	Screening	19JAN2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		19JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		19JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	02FEB2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		02FEB2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		02FEB2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	02MAR2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		02MAR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		02MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	04APR2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		04APR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		04APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	02MAY2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		02MAY2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		02MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	30MAY2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		30MAY2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		30MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	17AUG2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		17AUG2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		17AUG2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	12SEP2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		12SEP2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		12SEP2023	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
440051011/56/F/W	Screening	23JUN2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		23JUN2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		23JUN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	02AUG2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		02AUG2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		02AUG2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	24AUG2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		24AUG2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		24AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	26SEP2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		26SEP2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		26SEP2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 12	25OCT2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		25OCT2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		25OCT2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	15NOV2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		15NOV2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		15NOV2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	24JAN2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		24JAN2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		24JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
440051013/56/F/W	Screening	12JUL2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		12JUL2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		12JUL2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	30AUG2022	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		30AUG2022	Prothrombin Intl. Normalized Ratio	1.21	HIGH	0.85000000	1.15000000	None
		30AUG2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 4	21SEP2022	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		21SEP2022	Prothrombin Intl. Normalized Ratio	1.20	HIGH	0.85000000	1.15000000	None
		21SEP2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	18OCT2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		18OCT2022	Prothrombin Intl. Normalized Ratio	1.19	HIGH	0.85000000	1.15000000	None
		18OCT2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 12	23NOV2022	Prothrombin Time	14.7	HIGH	9.40000000	12.70000000	s
		23NOV2022	Prothrombin Intl. Normalized Ratio	1.40	HIGH	0.85000000	1.15000000	None
		23NOV2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 16	19DEC2022	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		19DEC2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		19DEC2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	21FEB2023	Prothrombin Time	13.7	HIGH	9.40000000	12.70000000	s
		21FEB2023	Prothrombin Intl. Normalized Ratio	1.19	HIGH	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		21FEB2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
460031005/58/F/W	Screening	18JAN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		18JAN2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		18JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	22FEB2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		22FEB2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		22FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	16MAR2023	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		16MAR2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		16MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	12APR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		12APR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		12APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	22MAY2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		22MAY2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		22MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	09JUN2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		09JUN2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		09JUN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	17AUG2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		17AUG2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		17AUG2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	14SEP2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		14SEP2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		14SEP2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
460061002/53/F/W	Screening	06SEP2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		06SEP2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		06SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	11NOV2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		11NOV2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		11NOV2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	07DEC2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		07DEC2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		07DEC2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	04JAN2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		04JAN2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		04JAN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	03FEB2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		03FEB2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		03FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	02MAR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		02MAR2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		02MAR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	18MAY2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		18MAY2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		18MAY2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	01AUG2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		01AUG2023	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		01AUG2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
460061008/53/F/W	Screening	03JAN2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		03JAN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		03JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	21FEB2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		21FEB2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		21FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	16MAR2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		16MAR2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		16MAR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	13APR2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		13APR2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		13APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	29JUN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		29JUN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		29JUN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
460071014/54/F/W	Screening	23SEP2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		23SEP2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		23SEP2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	17OCT2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		17OCT2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		17OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	11NOV2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		11NOV2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		11NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	09DEC2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		09DEC2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		09DEC2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	13JAN2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		13JAN2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		13JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	03FEB2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		03FEB2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		03FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 26/End of Treatment	20APR2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		20APR2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		20APR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Follow-up	18MAY2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		18MAY2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		18MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
460071019/54/F/W	Screening	07NOV2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		07NOV2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		07NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	12DEC2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		12DEC2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		12DEC2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	06JAN2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		06JAN2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		06JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	03FEB2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		03FEB2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		03FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	10MAR2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		10MAR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		10MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	31MAR2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		31MAR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		31MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	08JUN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		08JUN2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		08JUN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	03JUL2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		03JUL2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		03JUL2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
460071020/53/F/W	Screening	18NOV2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		18NOV2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		18NOV2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	05JAN2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		05JAN2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		05JAN2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 4	27JAN2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		27JAN2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		27JAN2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 8	24FEB2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		24FEB2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		24FEB2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 12	30MAR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		30MAR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		30MAR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 16	27APR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		27APR2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		27APR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	22JUN2023	Prothrombin Time	14.2	HIGH	9.40000000	12.70000000	s
		22JUN2023	Prothrombin Intl. Normalized Ratio	1.29	HIGH	0.85000000	1.15000000	None
		22JUN2023	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Follow-up	13JUL2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		13JUL2023	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		13JUL2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
460071021/56/F/W	Screening	18NOV2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		18NOV2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		18NOV2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	06JAN2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		06JAN2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		06JAN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	27JAN2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		27JAN2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		27JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	24FEB2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		24FEB2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		24FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	31MAR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		31MAR2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		31MAR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	27APR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		27APR2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		27APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	06JUL2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		06JUL2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		06JUL2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	27JUL2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		27JUL2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		27JUL2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
460071025/53/F/W	Screening	30JAN2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		30JAN2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		30JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	10MAR2023	Prothrombin Time	13.1	HIGH	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		10MAR2023	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		10MAR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	06APR2023	Prothrombin Time	13.1	HIGH	9.40000000	12.70000000	s
		06APR2023	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		06APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	02MAY2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		02MAY2023	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		02MAY2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	02JUN2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		02JUN2023	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		02JUN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	03JUL2023	Prothrombin Time	13.4	HIGH	9.40000000	12.70000000	s
		03JUL2023	Prothrombin Intl. Normalized Ratio	1.21	HIGH	0.85000000	1.15000000	None
		03JUL2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	31JUL2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		31JUL2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		31JUL2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
460091005/55/F/W	Screening	20JAN2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		20JAN2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		20JAN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	28FEB2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		28FEB2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		28FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	24MAR2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		24MAR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		24MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	21APR2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		21APR2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		21APR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 12	25MAY2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		25MAY2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		25MAY2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	16JUN2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		16JUN2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		16JUN2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	25AUG2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		25AUG2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		25AUG2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	29SEP2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		29SEP2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		29SEP2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
460091008/58/F/W	Screening	09FEB2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		09FEB2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		09FEB2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	23MAR2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		23MAR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		23MAR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 4	17APR2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		17APR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		17APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	11MAY2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		11MAY2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		11MAY2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 12	19JUN2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		19JUN2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		19JUN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	06JUL2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		06JUL2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		06JUL2023	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Week 26/End of Treatment	14SEP2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		14SEP2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		14SEP2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Follow-up	12OCT2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		12OCT2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		12OCT2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
490021005/41/F/B	Screening	14SEP2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		14SEP2022	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		14SEP2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	21OCT2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		21OCT2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		21OCT2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	14NOV2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		14NOV2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		14NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	19DEC2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		19DEC2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		19DEC2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
490021010/51/F/W	Screening	08FEB2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		08FEB2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		08FEB2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	07MAR2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		07MAR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		07MAR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 4	06APR2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		06APR2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		06APR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	28APR2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		28APR2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		28APR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 12	01JUN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		01JUN2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		01JUN2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 16	26JUN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		26JUN2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		26JUN2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	04SEP2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		04SEP2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		04SEP2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Follow-up	06OCT2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		06OCT2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		06OCT2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s

Sex is identified as: M = Male, F = Female.
Race is identified as: A = Asian, B = Black, W = White, AI = American Indian or Alaska Native, NH = Native Hawaiian or Other Pacific Islander, NR = Not Reported, MUL=Multiple.
The unit for "Age" is years.
Bayer: /var/swan/root/bhc/3427080/21651/stat/main01/prod/analysis/pgms/l_10_2_8_1_adlb_coag.sas 09JAN2024 16:19

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
140031002/56/F/B	Screening	22FEB2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		22FEB2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		22FEB2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	25MAR2022	Prothrombin Time	18.2	HIGH	9.40000000	12.70000000	s
		25MAR2022	Prothrombin Intl. Normalized Ratio	1.55	HIGH	0.85000000	1.15000000	None
		25MAR2022	Activated Partial Thromboplastin Time	69	HIGH	25.00000000	38.00000000	s
	Week 4	20APR2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		20APR2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		20APR2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	16MAY2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		16MAY2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		16MAY2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	20JUN2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		20JUN2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		20JUN2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	11JUL2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		11JUL2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		11JUL2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	19SEP2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		19SEP2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		19SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	07NOV2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		07NOV2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		07NOV2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
140031010/54/F/B	Screening	02DEC2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		02DEC2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		02DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	30JAN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		30JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		30JAN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	22FEB2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		22FEB2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		22FEB2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	20MAR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		20MAR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		20MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	24APR2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		24APR2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		24APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	15MAY2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		15MAY2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		15MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	26JUL2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		26JUL2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		26JUL2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	24AUG2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		24AUG2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		24AUG2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
140031011/59/F/B	Screening	29DEC2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		29DEC2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		29DEC2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Baseline	17JAN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		17JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		17JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	08FEB2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		08FEB2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		08FEB2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 8	08MAR2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		08MAR2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		08MAR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	12APR2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		12APR2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		12APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	03MAY2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		03MAY2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		03MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	12JUL2023	Prothrombin Time	9.7	NORMAL	9.40000000	12.70000000	s
		12JUL2023	Prothrombin Intl. Normalized Ratio	0.87	NORMAL	0.85000000	1.15000000	None
		12JUL2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	10AUG2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		10AUG2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		10AUG2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
140051002/54/F/B	Screening	14MAR2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		14MAR2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		14MAR2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	27APR2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		27APR2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		27APR2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	27MAY2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		27MAY2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		27MAY2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	28JUN2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		28JUN2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		28JUN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	20JUL2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		20JUL2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		20JUL2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	16AUG2022	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		16AUG2022	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		16AUG2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	20OCT2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		20OCT2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		20OCT2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	28NOV2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		28NOV2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		28NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
140091002/52/F/W	Screening	23JUN2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		23JUN2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		23JUN2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	31AUG2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		31AUG2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		31AUG2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	26SEP2022	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		26SEP2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		26SEP2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 8	25OCT2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		25OCT2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		25OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	05DEC2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		05DEC2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		05DEC2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 16	21DEC2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		21DEC2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		21DEC2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	15MAR2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		15MAR2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		15MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	28MAR2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		28MAR2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		28MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Unscheduled	14NOV2022	Prothrombin Time			.	.	
		14NOV2022	Prothrombin Intl. Normalized Ratio			.	.	
		14NOV2022	Activated Partial Thromboplastin Time			.	.	

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
140181004/46/F/W	Baseline	14JAN2022	Prothrombin Time			.	.	
		30NOV2021	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		14JAN2022	Prothrombin Intl. Normalized Ratio			.	.	
		30NOV2021	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		14JAN2022	Activated Partial Thromboplastin Time			.	.	
		30NOV2021	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	09FEB2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		09FEB2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		09FEB2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	09MAR2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		09MAR2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		09MAR2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	07APR2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		07APR2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		07APR2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 16	03MAY2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		03MAY2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		03MAY2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	12JUL2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		12JUL2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		12JUL2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	05AUG2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		05AUG2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		05AUG2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Unscheduled	24JAN2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		24JAN2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		24JAN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
140181025/60/F/W	Screening	10OCT2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		10OCT2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		10OCT2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	14DEC2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		14DEC2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		14DEC2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	05JAN2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		05JAN2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		05JAN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	07FEB2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		07FEB2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		07FEB2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 12	08MAR2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		08MAR2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		08MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	04APR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		04APR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		04APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	13JUN2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		13JUN2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		13JUN2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Follow-up	12JUL2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		12JUL2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		12JUL2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
140191005/51/F/W	Screening	11NOV2021	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		11NOV2021	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		11NOV2021	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	14DEC2021	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		14DEC2021	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		14DEC2021	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	05JAN2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		05JAN2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		05JAN2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	02FEB2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		02FEB2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		02FEB2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	08MAR2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		08MAR2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		08MAR2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	31MAR2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		31MAR2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		31MAR2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	09JUN2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		09JUN2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		09JUN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	07JUL2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		07JUL2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		07JUL2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
140191007/58/F/W	Screening	28DEC2021	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		28DEC2021	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		28DEC2021	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	24JAN2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		24JAN2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		24JAN2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	17FEB2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		17FEB2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		17FEB2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	17MAR2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		17MAR2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		17MAR2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 12	21APR2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		21APR2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		21APR2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 16	12MAY2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		12MAY2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		12MAY2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	21JUL2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		21JUL2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		21JUL2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Follow-up	18AUG2022	Prothrombin Time			.	.	
		18AUG2022	Prothrombin Intl. Normalized Ratio			.	.	
		18AUG2022	Activated Partial Thromboplastin Time			.	.	
140191012/60/F/W	Screening	25JUL2022	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		25JUL2022	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		25JUL2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Baseline	25AUG2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		25AUG2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		25AUG2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 4	19SEP2022	Prothrombin Time	10.1	NORMAL	9.40000000	12.70000000	s
		19SEP2022	Prothrombin Intl. Normalized Ratio	0.88	NORMAL	0.85000000	1.15000000	None
		19SEP2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 8	17OCT2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		17OCT2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		17OCT2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 12	21NOV2022	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		21NOV2022	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		21NOV2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	12DEC2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		12DEC2022	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		12DEC2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	20FEB2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		20FEB2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		20FEB2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Follow-up	20MAR2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		20MAR2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		20MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
140191013/53/F/W	Screening	21SEP2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		21SEP2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		21SEP2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	02NOV2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		02NOV2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		02NOV2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	28NOV2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		28NOV2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		28NOV2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	28DEC2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		28DEC2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		28DEC2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	25JAN2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		25JAN2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		25JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	27FEB2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		27FEB2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		27FEB2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	01MAY2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		01MAY2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		01MAY2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Follow-up	22MAY2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		22MAY2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		22MAY2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
140191019/54/F/W	Screening	16JAN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		16JAN2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		16JAN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	09FEB2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		09FEB2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		09FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	02MAR2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		02MAR2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		02MAR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	03APR2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		03APR2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		03APR2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 12	08MAY2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		08MAY2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		08MAY2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	25MAY2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		25MAY2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		25MAY2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	08AUG2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		08AUG2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		08AUG2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	05SEP2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		05SEP2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		05SEP2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
140201002/53/F/B	Baseline	10FEB2022	Prothrombin Time			.	.	
		18NOV2021	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		10FEB2022	Prothrombin Intl. Normalized Ratio			.	.	
		18NOV2021	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		10FEB2022	Activated Partial Thromboplastin Time			.	.	
		18NOV2021	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 4	07MAR2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		07MAR2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		07MAR2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	05APR2022	Prothrombin Time	13.4	HIGH	9.40000000	12.70000000	s
		05APR2022	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		05APR2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	04MAY2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		04MAY2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		04MAY2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	01JUN2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		01JUN2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		01JUN2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	10AUG2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		10AUG2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		10AUG2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Follow-up	26SEP2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		26SEP2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		26SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
140301008/52/F/B	Screening	16MAY2022	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		16MAY2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		16MAY2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	28JUL2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		28JUL2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		28JUL2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	25AUG2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		25AUG2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		25AUG2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	26SEP2022	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		26SEP2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		26SEP2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	20OCT2022	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		20OCT2022	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		20OCT2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	17NOV2022	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		17NOV2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		17NOV2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	26JAN2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		26JAN2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		26JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	20FEB2023	Prothrombin Time	13.2	HIGH	9.40000000	12.70000000	s
		20FEB2023	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		20FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
140371004/63/F/W	Screening	01JUN2022	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		01JUN2022	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		01JUN2022	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Baseline	20JUN2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		20JUN2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		20JUN2022	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 4	07JUL2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		07JUL2022	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		07JUL2022	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Week 8	09AUG2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		09AUG2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		09AUG2022	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Week 12	12SEP2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		12SEP2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		12SEP2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 16	05OCT2022	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		05OCT2022	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		05OCT2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	14DEC2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		14DEC2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		14DEC2022	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Follow-up	12JAN2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
140371010/51/F/W	Screening	18JUL2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		18JUL2022	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		18JUL2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Baseline	03OCT2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		03OCT2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		03OCT2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	27OCT2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		27OCT2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		27OCT2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	21NOV2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		21NOV2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		21NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	27DEC2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		27DEC2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		27DEC2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	19JAN2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		19JAN2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		19JAN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	28MAR2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		28MAR2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		28MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	24APR2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		24APR2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		24APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
140371013/46/F/NR	Screening	16AUG2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		16AUG2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		16AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	12OCT2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		12OCT2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		12OCT2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	02NOV2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		02NOV2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		02NOV2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	30NOV2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		30NOV2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		30NOV2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 12	09JAN2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		09JAN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		09JAN2023	Activated Partial Thromboplastin Time	42	HIGH	25.00000000	38.00000000	s
	Week 16	31JAN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		31JAN2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		31JAN2023	Activated Partial Thromboplastin Time	45	HIGH	25.00000000	38.00000000	s
	Week 26/End of Treatment	04APR2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		04APR2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		04APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	03MAY2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		03MAY2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		03MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
140371014/58/F/NR	Screening	02AUG2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		02AUG2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		02AUG2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	16AUG2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		16AUG2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		16AUG2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	19SEP2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		19SEP2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		19SEP2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	05OCT2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		05OCT2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		05OCT2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	08NOV2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		08NOV2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		08NOV2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	23NOV2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		23NOV2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		23NOV2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	07FEB2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		07FEB2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		07FEB2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Follow-up	13MAR2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		13MAR2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		13MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
140371017/56/F/W	Screening	15AUG2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		15AUG2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		15AUG2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	03OCT2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		03OCT2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		03OCT2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	25OCT2022	Prothrombin Time	9.5	NORMAL	9.40000000	12.70000000	s
		25OCT2022	Prothrombin Intl. Normalized Ratio	0.82	LOW	0.85000000	1.15000000	None
		25OCT2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	22NOV2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		22NOV2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		22NOV2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 12	27DEC2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		27DEC2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		27DEC2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	18JAN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		18JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		18JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	30MAR2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		30MAR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		30MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	26APR2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		26APR2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		26APR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
140371019/64/F/W	Screening	17AUG2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		17AUG2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		17AUG2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	11OCT2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		11OCT2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		11OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	02NOV2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		02NOV2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		02NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	29NOV2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		29NOV2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		29NOV2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	03JAN2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		03JAN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		03JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	25JAN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		25JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		25JAN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	04APR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		04APR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		04APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	02MAY2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		02MAY2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		02MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
140371027/55/F/W	Screening	22SEP2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		22SEP2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		22SEP2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	20OCT2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		20OCT2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		20OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 4	15NOV2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		15NOV2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		15NOV2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	08DEC2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		08DEC2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		08DEC2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	12JAN2023	Prothrombin Time	13.1	HIGH	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	02FEB2023	Prothrombin Time			.	.	
		02FEB2023	Prothrombin Intl. Normalized Ratio			.	.	
		02FEB2023	Activated Partial Thromboplastin Time			.	.	
	Week 26/End of Treatment	13APR2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		13APR2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		13APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	17MAY2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		17MAY2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		17MAY2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
140371036/51/F/W	Screening	14FEB2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		14FEB2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		14FEB2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Baseline	09MAR2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		09MAR2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		09MAR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 4	03APR2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		03APR2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		03APR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	03MAY2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		03MAY2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		03MAY2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	05JUN2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		05JUN2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		05JUN2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 16	27JUN2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		27JUN2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		27JUN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	05SEP2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		05SEP2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		05SEP2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Follow-up	05OCT2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		05OCT2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		05OCT2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
140371040/53/F/W	Screening	01MAR2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		01MAR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		01MAR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	30MAR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		30MAR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		30MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	20APR2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		20APR2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		20APR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	18MAY2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		18MAY2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		18MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	27JUN2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		27JUN2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		27JUN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	17JUL2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		17JUL2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		17JUL2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	21SEP2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		21SEP2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		21SEP2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	24OCT2023	Prothrombin Time	10.1	NORMAL	9.40000000	12.70000000	s
		24OCT2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		24OCT2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
140401001/55/F/W	Screening	05OCT2021	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		05OCT2021	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		05OCT2021	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	07DEC2021	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		07DEC2021	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		07DEC2021	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	03JAN2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		03JAN2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		03JAN2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	01FEB2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		01FEB2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		01FEB2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	01MAR2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		01MAR2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		01MAR2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	22MAR2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		22MAR2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		22MAR2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	01JUN2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		01JUN2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		01JUN2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	30JUN2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		30JUN2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		30JUN2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
140401017/54/F/W	Screening	12JAN2023	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	22FEB2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		22FEB2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		22FEB2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 4	20MAR2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		20MAR2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		20MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	24APR2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		24APR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		24APR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 12	22MAY2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		22MAY2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		22MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	12JUN2023	Prothrombin Time	13.1	HIGH	9.40000000	12.70000000	s
		12JUN2023	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		12JUN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	20SEP2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		20SEP2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		20SEP2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	04OCT2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		04OCT2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		04OCT2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
140431004/57/F/W	Screening	08APR2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		08APR2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		08APR2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	13JUN2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		13JUN2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		13JUN2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	07JUL2022	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		07JUL2022	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		07JUL2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 8	04AUG2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		04AUG2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		04AUG2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 12	06SEP2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		06SEP2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		06SEP2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	29SEP2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		29SEP2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		29SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	08DEC2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		08DEC2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		08DEC2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	10JAN2023	Prothrombin Time			.	.	
		10JAN2023	Prothrombin Intl. Normalized Ratio			.	.	
		10JAN2023	Activated Partial Thromboplastin Time			.	.	
140431037/52/F/W	Screening	13DEC2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		13DEC2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		13DEC2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Baseline	13FEB2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		13FEB2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		13FEB2023	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
140461013/60/F/W	Screening	25AUG2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		25AUG2022	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		25AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	06OCT2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		06OCT2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		06OCT2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	29NOV2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		29NOV2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		29NOV2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	03JAN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		03JAN2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		03JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	09NOV2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		09NOV2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		09NOV2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
140471005/53/F/AI	Screening	28MAR2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		28MAR2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		28MAR2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	19MAY2022	Prothrombin Time	9.6	NORMAL	9.40000000	12.70000000	s
		19MAY2022	Prothrombin Intl. Normalized Ratio	0.83	LOW	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		19MAY2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	13JUN2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		13JUN2022	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		13JUN2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	07JUL2022	Prothrombin Time	9.7	NORMAL	9.40000000	12.70000000	s
		07JUL2022	Prothrombin Intl. Normalized Ratio	0.84	LOW	0.85000000	1.15000000	None
		07JUL2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	11AUG2022	Prothrombin Time	9.7	NORMAL	9.40000000	12.70000000	s
		11AUG2022	Prothrombin Intl. Normalized Ratio	0.84	LOW	0.85000000	1.15000000	None
		11AUG2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	01SEP2022	Prothrombin Time	9.6	NORMAL	9.40000000	12.70000000	s
		01SEP2022	Prothrombin Intl. Normalized Ratio	0.83	LOW	0.85000000	1.15000000	None
		01SEP2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	10NOV2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		10NOV2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		10NOV2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	15DEC2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		15DEC2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		15DEC2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
140471011/61/F/W	Screening	22JUN2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		22JUN2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		22JUN2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Baseline	21SEP2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		21SEP2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		21SEP2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 4	12OCT2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		12OCT2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		12OCT2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 8	09NOV2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		09NOV2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		09NOV2022	Activated Partial Thromboplastin Time	40	HIGH	25.00000000	38.00000000	s
	Week 12	21DEC2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		21DEC2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		21DEC2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 16	06JAN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		06JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		06JAN2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	05APR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		05APR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		05APR2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Follow-up	17APR2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		17APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		17APR2023	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
140471030/50/F/W	Screening	02FEB2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		02FEB2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		02FEB2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	13APR2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		13APR2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		13APR2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 4	09MAY2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		09MAY2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		09MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	09JUN2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		09JUN2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		09JUN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
140491029/58/F/B	Screening	20MAR2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		20MAR2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		20MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	19APR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		19APR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		19APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	11MAY2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		11MAY2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		11MAY2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	07JUN2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		07JUN2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		07JUN2023	Activated Partial Thromboplastin Time	22	LOW	25.00000000	38.00000000	s
	Week 12	12JUL2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		12JUL2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		12JUL2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	03AUG2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		03AUG2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		03AUG2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	11OCT2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		11OCT2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		11OCT2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	09NOV2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		09NOV2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		09NOV2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
140511010/45/F/W	Screening	08NOV2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		08NOV2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		08NOV2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Baseline	23FEB2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		23FEB2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		23FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	22MAR2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		22MAR2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		22MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	25APR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		25APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		25APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	31MAY2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		31MAY2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		31MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	13JUN2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		13JUN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		13JUN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	21AUG2023	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		21AUG2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		21AUG2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	19SEP2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		19SEP2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		19SEP2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
140531006/41/F/B	Screening	28SEP2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		28SEP2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		28SEP2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Baseline	27OCT2022	Prothrombin Time	9.8	NORMAL	9.40000000	12.70000000	s
		27OCT2022	Prothrombin Intl. Normalized Ratio	0.85	NORMAL	0.85000000	1.15000000	None
		27OCT2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	17NOV2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		17NOV2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		17NOV2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	15DEC2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		15DEC2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		15DEC2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 12	19JAN2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		19JAN2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		19JAN2023	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 16	09FEB2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		09FEB2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		09FEB2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	25APR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		25APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		25APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	19MAY2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		19MAY2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		19MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
140541014/53/F/W	Screening	03JUN2022	Prothrombin Time	10.0	NORMAL	9.40000000	12.70000000	s
		03JUN2022	Prothrombin Intl. Normalized Ratio	0.87	NORMAL	0.85000000	1.15000000	None
		03JUN2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Baseline	05JUL2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		05JUL2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		05JUL2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	27JUL2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		27JUL2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		27JUL2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	25AUG2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		25AUG2022	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		25AUG2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	04OCT2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		04OCT2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		04OCT2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	24OCT2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		24OCT2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		24OCT2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
140541021/59/F/B	Screening	29JUL2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		29JUL2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		29JUL2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	02SEP2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		02SEP2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		02SEP2022	Activated Partial Thromboplastin Time	49	HIGH	25.00000000	38.00000000	s
	Week 4	23SEP2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		23SEP2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		23SEP2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	21OCT2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		21OCT2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		21OCT2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	28NOV2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		28NOV2022	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		28NOV2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	19DEC2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		19DEC2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		19DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
140541023/46/F/B	Screening	01AUG2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		01AUG2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		01AUG2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	06SEP2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		06SEP2022	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		06SEP2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
140541027/59/F/B	Screening	06MAR2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		06MAR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		06MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	07APR2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		07APR2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		07APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	08MAY2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		08MAY2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		08MAY2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
140581010/56/F/B	Screening	13JUL2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		13JUL2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		13JUL2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	06SEP2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		06SEP2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		06SEP2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	27SEP2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		27SEP2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		27SEP2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	27OCT2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		27OCT2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		27OCT2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	30NOV2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		30NOV2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		30NOV2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	21DEC2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		21DEC2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		21DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	01MAR2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		01MAR2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		01MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	28MAR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		28MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		28MAR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
140601012/54/F/W	Screening	06FEB2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		06FEB2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		06FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Baseline	27MAR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		27MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		27MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	19APR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		19APR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		19APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	24MAY2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		24MAY2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		24MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	20JUN2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		20JUN2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		20JUN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	10JUL2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		10JUL2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		10JUL2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	18SEP2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		18SEP2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		18SEP2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	18OCT2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		18OCT2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		18OCT2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
140601013/62/F/W	Screening	06FEB2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		06FEB2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		06FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	27MAR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		27MAR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		27MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	18APR2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		18APR2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		18APR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	15MAY2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		15MAY2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		15MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	14JUN2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		14JUN2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		14JUN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	10JUL2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		10JUL2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		10JUL2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	18SEP2023	Prothrombin Time	9.7	NORMAL	9.40000000	12.70000000	s
		18SEP2023	Prothrombin Intl. Normalized Ratio	0.87	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		18SEP2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	16OCT2023	Prothrombin Time	10.0	NORMAL	9.40000000	12.70000000	s
		16OCT2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		16OCT2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
140601018/57/F/W	Screening	27FEB2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		27FEB2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		27FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	13APR2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		13APR2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		13APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	04MAY2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		04MAY2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		04MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	01JUN2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		01JUN2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		01JUN2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 12	06JUL2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		06JUL2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		06JUL2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	02AUG2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		02AUG2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		02AUG2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	05OCT2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		05OCT2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		05OCT2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	08NOV2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		08NOV2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		08NOV2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
140601021/52/F/W	Screening	28FEB2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		28FEB2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		28FEB2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Baseline	11APR2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		11APR2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		11APR2023	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Week 4	02MAY2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		02MAY2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		02MAY2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 8	05JUN2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		05JUN2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		05JUN2023	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Week 12	05JUL2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		05JUL2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		05JUL2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 16	31JUL2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		31JUL2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		31JUL2023	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Week 26/End of Treatment	05OCT2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		05OCT2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		05OCT2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Follow-up	02NOV2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		02NOV2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		02NOV2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
140841009/62/F/W	Screening	23AUG2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		23AUG2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		23AUG2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	04OCT2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		04OCT2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		04OCT2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	24OCT2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		24OCT2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		24OCT2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	22NOV2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		22NOV2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		22NOV2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	28DEC2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		28DEC2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		28DEC2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	19JAN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		19JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		19JAN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	28MAR2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		28MAR2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		28MAR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Follow-up	27APR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		27APR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		27APR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
140841038/57/F/W	Screening	01FEB2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		01FEB2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		01FEB2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	06APR2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		06APR2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		06APR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 4	03MAY2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		03MAY2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		03MAY2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	31MAY2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		31MAY2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		31MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	29JUN2023	Prothrombin Time	10.0	NORMAL	9.40000000	12.70000000	s
		29JUN2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		29JUN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	21JUL2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		21JUL2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		21JUL2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	09OCT2023	Prothrombin Time	10.1	NORMAL	9.40000000	12.70000000	s
		09OCT2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		09OCT2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	01NOV2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		01NOV2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		01NOV2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
140851011/45/F/W	Screening	01FEB2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		01FEB2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		01FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	15MAR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		15MAR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		15MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	05APR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		05APR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		05APR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	04MAY2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		04MAY2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		04MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	07JUN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		07JUN2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		07JUN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	29JUN2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		29JUN2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		29JUN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	13SEP2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		13SEP2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		13SEP2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	09OCT2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		09OCT2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		09OCT2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
140931005/52/F/W	Screening	12APR2022	Prothrombin Time			.	.	
		12APR2022	Prothrombin Intl. Normalized Ratio			.	.	
		12APR2022	Activated Partial Thromboplastin Time			.	.	
	Baseline	24MAY2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		24MAY2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		24MAY2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	14JUN2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		14JUN2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		14JUN2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	21JUL2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		21JUL2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		21JUL2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	17AUG2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		17AUG2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		17AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	14SEP2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		14SEP2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		14SEP2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	21NOV2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		21NOV2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		21NOV2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	20DEC2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		20DEC2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		20DEC2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Unscheduled	25APR2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		25APR2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		25APR2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
140981009/58/F/W	Screening	17NOV2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		17NOV2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		17NOV2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	05JAN2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		05JAN2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		05JAN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	02FEB2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		02FEB2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		02FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	02MAR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		02MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		02MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 12	30MAR2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		30MAR2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		30MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	27APR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		27APR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		27APR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	26JUN2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		26JUN2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		26JUN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Follow-up	25AUG2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		25AUG2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		25AUG2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
140981013/55/F/W	Screening	29DEC2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		29DEC2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		29DEC2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	21FEB2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		21FEB2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		21FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	16MAR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		16MAR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		16MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	07MAR2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		07MAR2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		07MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
140981014/55/F/W	Screening	12JAN2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	25APR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		25APR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		25APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	23MAY2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		23MAY2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		23MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	13JUN2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		13JUN2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		13JUN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
140991043/51/F/B	Baseline	10NOV2022	Prothrombin Time			.	.	
		22SEP2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		10NOV2022	Prothrombin Intl. Normalized Ratio			.	.	
		22SEP2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		10NOV2022	Activated Partial Thromboplastin Time			.	.	
		22SEP2022	Activated Partial Thromboplastin Time	47	HIGH	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 4	06DEC2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		06DEC2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		06DEC2022	Activated Partial Thromboplastin Time	45	HIGH	25.00000000	38.00000000	s
	Week 8	05JAN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		05JAN2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		05JAN2023	Activated Partial Thromboplastin Time	49	HIGH	25.00000000	38.00000000	s
	Week 12	02FEB2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		02FEB2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		02FEB2023	Activated Partial Thromboplastin Time	48	HIGH	25.00000000	38.00000000	s
	Week 16	28FEB2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		28FEB2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		28FEB2023	Activated Partial Thromboplastin Time	46	HIGH	25.00000000	38.00000000	s
	Week 26/End of Treatment	10MAY2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		10MAY2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		10MAY2023	Activated Partial Thromboplastin Time	46	HIGH	25.00000000	38.00000000	s
	Follow-up	06JUN2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		06JUN2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		06JUN2023	Activated Partial Thromboplastin Time	56	HIGH	25.00000000	38.00000000	s
	Unscheduled	17NOV2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		17NOV2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		17NOV2022	Activated Partial Thromboplastin Time	42	HIGH	25.00000000	38.00000000	s
140991048/51/F/W	Screening	21NOV2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		21NOV2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		21NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	09JAN2023	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		09JAN2023	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		09JAN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	30JAN2023	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		30JAN2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		30JAN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	08MAR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		08MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		08MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	04APR2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		04APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		04APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	03MAY2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		03MAY2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		03MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	11JUL2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		11JUL2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		11JUL2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	09AUG2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		09AUG2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		09AUG2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
140991049/49/F/B	Screening	01DEC2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		01DEC2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		01DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	19DEC2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		19DEC2022	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		19DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	12JAN2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	09FEB2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		09FEB2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		09FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
140991053/62/F/B	Screening	16FEB2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		16FEB2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		16FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	13MAR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		13MAR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		13MAR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	06APR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		06APR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		06APR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	02MAY2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		02MAY2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		02MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	05JUN2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		05JUN2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		05JUN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	30JUN2023	Prothrombin Time			.	.	
		30JUN2023	Prothrombin Intl. Normalized Ratio			.	.	
		30JUN2023	Activated Partial Thromboplastin Time			.	.	
	Week 26/End of Treatment	05SEP2023	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		05SEP2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		05SEP2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	03OCT2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		03OCT2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		03OCT2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Unscheduled	11JUL2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		11JUL2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		11JUL2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
141051002/58/F/B	Screening	27OCT2021	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		27OCT2021	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		27OCT2021	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	22DEC2021	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		22DEC2021	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		22DEC2021	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	18JAN2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		18JAN2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		18JAN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	09FEB2022	Prothrombin Time			.	.	
		09FEB2022	Prothrombin Intl. Normalized Ratio			.	.	
		09FEB2022	Activated Partial Thromboplastin Time			.	.	
	Week 12	16MAR2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		16MAR2022	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		16MAR2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	12APR2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		12APR2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		12APR2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	17JUN2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		17JUN2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		17JUN2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	15JUL2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		15JUL2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		15JUL2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
141051005/63/F/B	Screening	15DEC2021	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		15DEC2021	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		15DEC2021	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Baseline	13JAN2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		13JAN2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		13JAN2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 4	09FEB2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		09FEB2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		09FEB2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 8	09MAR2022	Prothrombin Time			.	.	
		09MAR2022	Prothrombin Intl. Normalized Ratio			.	.	
		09MAR2022	Activated Partial Thromboplastin Time			.	.	
	Week 12	08APR2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		08APR2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		08APR2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 16	03MAY2022	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		03MAY2022	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		03MAY2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	13JUL2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		13JUL2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		13JUL2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Follow-up	04AUG2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		04AUG2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		04AUG2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
141051007/62/F/W	Screening	11MAR2022	Prothrombin Time			.	.	
		11MAR2022	Prothrombin Intl. Normalized Ratio			.	.	
		11MAR2022	Activated Partial Thromboplastin Time			.	.	
	Baseline	22APR2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		22APR2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		22APR2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	23MAY2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		23MAY2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		23MAY2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Unscheduled	18MAR2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		18MAR2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		18MAR2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
141051012/55/F/B	Baseline	10JUN2022	Prothrombin Time			.	.	
		12MAY2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		10JUN2022	Prothrombin Intl. Normalized Ratio			.	.	
		12MAY2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		10JUN2022	Activated Partial Thromboplastin Time			.	.	
		12MAY2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	04AUG2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		04AUG2022	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		04AUG2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	07SEP2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		07SEP2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		07SEP2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	30SEP2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		30SEP2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		30SEP2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	01DEC2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		01DEC2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		01DEC2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	29DEC2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		29DEC2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		29DEC2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
141051015/55/F/W	Screening	23JUN2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		23JUN2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		23JUN2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Baseline	09AUG2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		09AUG2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		09AUG2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 4	01SEP2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		01SEP2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		01SEP2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 8	05OCT2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		05OCT2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		05OCT2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 12	01NOV2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		01NOV2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		01NOV2022	Activated Partial Thromboplastin Time	48	HIGH	25.00000000	38.00000000	s
	Week 16	28NOV2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		28NOV2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		28NOV2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 26/End of Treatment	06FEB2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		06FEB2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		06FEB2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Follow-up	03MAR2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		03MAR2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		03MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
141051017/56/F/B	Screening	31AUG2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		31AUG2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		31AUG2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	19OCT2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		19OCT2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		19OCT2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	09NOV2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		09NOV2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		09NOV2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 8	07DEC2022	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		07DEC2022	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		07DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	11JAN2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		11JAN2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		11JAN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	13FEB2023	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		13FEB2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		13FEB2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	12APR2023	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		12APR2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		12APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	10MAY2023	Prothrombin Time	9.1	LOW	9.40000000	12.70000000	s
		10MAY2023	Prothrombin Intl. Normalized Ratio	0.4	LOW	0.85000000	1.15000000	None
		10MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
141051019/58/F/W	Screening	09SEP2022	Prothrombin Time	10.0	NORMAL	9.40000000	12.70000000	s
		09SEP2022	Prothrombin Intl. Normalized Ratio	0.87	NORMAL	0.85000000	1.15000000	None
		09SEP2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	21NOV2022	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		21NOV2022	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		21NOV2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	13DEC2022	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		13DEC2022	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		13DEC2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	11JAN2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		11JAN2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		11JAN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	10FEB2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		10FEB2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		10FEB2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	10MAR2023	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		10MAR2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		10MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	22MAY2023	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		22MAY2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		22MAY2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Follow-up	19JUN2023	Prothrombin Time	9.0	LOW	9.40000000	12.70000000	s
		19JUN2023	Prothrombin Intl. Normalized Ratio	0.4	LOW	0.85000000	1.15000000	None
		19JUN2023	Activated Partial Thromboplastin Time	62	HIGH	25.00000000	38.00000000	s
141051020/52/F/W	Screening	03OCT2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		03OCT2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		03OCT2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	30NOV2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		30NOV2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		30NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	22DEC2022	Prothrombin Time			.	.	
		22DEC2022	Prothrombin Intl. Normalized Ratio			.	.	
		22DEC2022	Activated Partial Thromboplastin Time			.	.	

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 8	18JAN2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		18JAN2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		18JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	23FEB2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		23FEB2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		23FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	20MAR2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		20MAR2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		20MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Unscheduled	30DEC2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		30DEC2022	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		30DEC2022	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
141051021/52/F/W	Screening	05OCT2022	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		05OCT2022	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		05OCT2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Baseline	02NOV2022	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		02NOV2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		02NOV2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 4	02DEC2022	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		02DEC2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		02DEC2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 8	21DEC2022	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		21DEC2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		21DEC2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 12	25JAN2023	Prothrombin Time	13.1	HIGH	9.40000000	12.70000000	s
		25JAN2023	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		25JAN2023	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 16	15FEB2023	Prothrombin Time	13.6	HIGH	9.40000000	12.70000000	s
		15FEB2023	Prothrombin Intl. Normalized Ratio	1.19	HIGH	0.85000000	1.15000000	None
		15FEB2023	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 26/End of Treatment	26APR2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		26APR2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		26APR2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Follow-up	24MAY2023	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		24MAY2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		24MAY2023	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
141051026/57/F/W	Screening	22NOV2022	Prothrombin Time	10.1	NORMAL	9.40000000	12.70000000	s
		22NOV2022	Prothrombin Intl. Normalized Ratio	0.88	NORMAL	0.85000000	1.15000000	None
		22NOV2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	09JAN2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		09JAN2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		09JAN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	31JAN2023	Prothrombin Time			.	.	
		31JAN2023	Prothrombin Intl. Normalized Ratio			.	.	
		31JAN2023	Activated Partial Thromboplastin Time			.	.	
	Week 8	28FEB2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		28FEB2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		28FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	03APR2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		03APR2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		03APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	24APR2023	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		24APR2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		24APR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	18JUL2023	Prothrombin Time	10.1	NORMAL	9.40000000	12.70000000	s
		18JUL2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		18JUL2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	01AUG2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		01AUG2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		01AUG2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Unscheduled	08FEB2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		08FEB2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		08FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
141051035/54/F/W	Screening	06JAN2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		06JAN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		06JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	14MAR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		14MAR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		14MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	12APR2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		12APR2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		12APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	02MAY2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		02MAY2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		02MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	06JUN2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		06JUN2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		06JUN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	27JUN2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		27JUN2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		27JUN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	30AUG2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		30AUG2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		30AUG2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	03OCT2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		03OCT2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		03OCT2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
141051036/56/F/B	Screening	24JAN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		24JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		24JAN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	03MAR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		03MAR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		03MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	24MAR2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		24MAR2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		24MAR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	24APR2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		24APR2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		24APR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	05JUN2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		05JUN2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		05JUN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	21JUN2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		21JUN2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		21JUN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	31AUG2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		31AUG2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		31AUG2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	04OCT2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		04OCT2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		04OCT2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
141101007/56/F/W	Screening	15FEB2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		15FEB2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		15FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	07APR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		07APR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		07APR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	03MAY2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		03MAY2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		03MAY2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	31MAY2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		31MAY2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		31MAY2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 12	05JUL2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		05JUL2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		05JUL2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	31JUL2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		31JUL2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		31JUL2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	05OCT2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		05OCT2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		05OCT2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	30OCT2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		30OCT2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		30OCT2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
141131005/56/F/W	Screening	03MAY2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		03MAY2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		03MAY2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	14JUN2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		14JUN2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		14JUN2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	07JUL2022	Prothrombin Time			.	.	
		07JUL2022	Prothrombin Intl. Normalized Ratio			.	.	
		07JUL2022	Activated Partial Thromboplastin Time			.	.	
	Week 8	04AUG2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		04AUG2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		04AUG2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	15AUG2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		15AUG2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		15AUG2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	06OCT2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		06OCT2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		06OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	12DEC2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		12DEC2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		12DEC2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	11JAN2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		11JAN2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		11JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
141131008/57/F/W	Baseline	23JUN2022	Prothrombin Time			.	.	
		16MAY2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		23JUN2022	Prothrombin Intl. Normalized Ratio			.	.	
		16MAY2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		23JUN2022	Activated Partial Thromboplastin Time			.	.	

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		16MAY2022	Activated Partial Thromboplastin Time	21	LOW	25.00000000	38.00000000	s
	Week 4	14JUL2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		14JUL2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		14JUL2022	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 8	11AUG2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		11AUG2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		11AUG2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Follow-up	06OCT2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		06OCT2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		06OCT2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
141131024/51/F/W	Screening	09AUG2022	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		09AUG2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		09AUG2022	Activated Partial Thromboplastin Time	46	HIGH	25.00000000	38.00000000	s
	Baseline	26SEP2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		26SEP2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		26SEP2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	19OCT2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		19OCT2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		19OCT2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 12	20DEC2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		20DEC2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		20DEC2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	10APR2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		10APR2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		10APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
141131032/55/F/W	Screening	12SEP2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		12SEP2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		12SEP2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	03NOV2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		03NOV2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		03NOV2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 4	05DEC2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		05DEC2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		05DEC2022	Activated Partial Thromboplastin Time	41	HIGH	25.00000000	38.00000000	s
141131050/56/F/W	Screening	07FEB2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		07FEB2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		07FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	13MAR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		13MAR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		13MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	07APR2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		07APR2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		07APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	03MAY2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		03MAY2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		03MAY2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	12JUN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		12JUN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		12JUN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	30JUN2023	Prothrombin Time			.	.	
		30JUN2023	Prothrombin Intl. Normalized Ratio			.	.	
		30JUN2023	Activated Partial Thromboplastin Time			.	.	
	Week 26/End of Treatment	13SEP2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		13SEP2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		13SEP2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	04OCT2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		04OCT2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		04OCT2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
141141025/63/F/W	Screening	10JAN2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		10JAN2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		10JAN2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Baseline	20MAR2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		20MAR2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		20MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	17APR2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		17APR2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		17APR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	15MAY2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		15MAY2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		15MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	12JUN2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		12JUN2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		12JUN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	07JUL2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		07JUL2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		07JUL2023	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Week 26/End of Treatment	11SEP2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		11SEP2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		11SEP2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Follow-up	11OCT2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		11OCT2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		11OCT2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
141191006/57/F/W	Screening	08APR2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		08APR2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		08APR2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	19MAY2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		19MAY2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		19MAY2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	16JUN2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		16JUN2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		16JUN2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 8	07JUL2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		07JUL2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		07JUL2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	16AUG2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		16AUG2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		16AUG2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	07SEP2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		07SEP2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		07SEP2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	22NOV2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		22NOV2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		22NOV2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	13DEC2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		13DEC2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		13DEC2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
141191021/61/F/B	Screening	28DEC2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		28DEC2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		28DEC2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	08FEB2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		08FEB2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		08FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	01MAR2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		01MAR2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		01MAR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 8	03APR2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		03APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		03APR2023	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 12	04MAY2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		04MAY2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		04MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	24MAY2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		24MAY2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		24MAY2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	29JUL2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		29JUL2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		29JUL2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
141251001/61/F/B	Screening	13SEP2021	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		13SEP2021	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		13SEP2021	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Baseline	14OCT2021	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		14OCT2021	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		14OCT2021	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	08NOV2021	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		08NOV2021	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		08NOV2021	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	06DEC2021	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		06DEC2021	Prothrombin Intl. Normalized Ratio	0.86	NORMAL	0.85000000	1.15000000	None
		06DEC2021	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	22DEC2021	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		22DEC2021	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		22DEC2021	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Follow-up	18JAN2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		18JAN2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		18JAN2022	Activated Partial Thromboplastin Time	48	HIGH	25.00000000	38.00000000	s
141251005/54/F/B	Screening	09NOV2021	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		09NOV2021	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		09NOV2021	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	21DEC2021	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		21DEC2021	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		21DEC2021	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	17JAN2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		17JAN2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		17JAN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	14FEB2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		14FEB2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		14FEB2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	15MAR2022	Prothrombin Time			.	.	
		15MAR2022	Prothrombin Intl. Normalized Ratio			.	.	
		15MAR2022	Activated Partial Thromboplastin Time			.	.	
	Week 16	07APR2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		07APR2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		07APR2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	14JUN2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		14JUN2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		14JUN2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Follow-up	12JUL2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		12JUL2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		12JUL2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
141251010/55/F/B	Screening	01MAR2022	Prothrombin Time	9.6	NORMAL	9.40000000	12.70000000	s
		01MAR2022	Prothrombin Intl. Normalized Ratio	0.81	LOW	0.85000000	1.15000000	None
		01MAR2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Baseline	07APR2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		07APR2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		07APR2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 4	03MAY2022	Prothrombin Time	9.7	NORMAL	9.40000000	12.70000000	s
		03MAY2022	Prothrombin Intl. Normalized Ratio	0.84	LOW	0.85000000	1.15000000	None
		03MAY2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	31MAY2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		31MAY2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		31MAY2022	Activated Partial Thromboplastin Time	47	HIGH	25.00000000	38.00000000	s
	Week 12	28JUN2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		28JUN2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		28JUN2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 16	26JUL2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		26JUL2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		26JUL2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	04OCT2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		04OCT2022	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		04OCT2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Follow-up	08NOV2022	Prothrombin Time	15.3	HIGH	9.40000000	12.70000000	s
		08NOV2022	Prothrombin Intl. Normalized Ratio	1.34	HIGH	0.85000000	1.15000000	None
		08NOV2022	Activated Partial Thromboplastin Time	89	HIGH	25.00000000	38.00000000	s
141331004/53/F/B	Screening	21OCT2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		21OCT2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		21OCT2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	09DEC2022	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		09DEC2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		09DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	03JAN2023	Prothrombin Time	13.4	HIGH	9.40000000	12.70000000	s
		03JAN2023	Prothrombin Intl. Normalized Ratio	1.17	HIGH	0.85000000	1.15000000	None
		03JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	31JAN2023	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		31JAN2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		31JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 12	09MAR2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		09MAR2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		09MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	04APR2023	Prothrombin Time	13.8	HIGH	9.40000000	12.70000000	s
		04APR2023	Prothrombin Intl. Normalized Ratio	1.20	HIGH	0.85000000	1.15000000	None
		04APR2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	06JUN2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		06JUN2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		06JUN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	11JUL2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		11JUL2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		11JUL2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Unscheduled	17MAY2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		17MAY2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		17MAY2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
141361007/48/F/W	Screening	05MAY2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		05MAY2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		05MAY2022	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Baseline	16JUN2022	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		16JUN2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		16JUN2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	11JUL2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		11JUL2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		11JUL2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	08AUG2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		08AUG2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		08AUG2022	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Week 12	12SEP2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		12SEP2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		12SEP2022	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 16	03OCT2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		03OCT2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		03OCT2022	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	12DEC2022	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		12DEC2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		12DEC2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Follow-up	09JAN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		09JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		09JAN2023	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
141361012/56/F/W	Screening	17JUN2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		17JUN2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		17JUN2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Baseline	29JUL2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		29JUL2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		29JUL2022	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 4	29AUG2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		29AUG2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		29AUG2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	16SEP2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		16SEP2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		16SEP2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 12	21OCT2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		21OCT2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		21OCT2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	11NOV2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		11NOV2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		11NOV2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	26JAN2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		26JAN2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		26JAN2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Follow-up	20FEB2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		20FEB2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		20FEB2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
141361014/53/F/W	Screening	20JUN2022	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		20JUN2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		20JUN2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Baseline	20JUL2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		20JUL2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		20JUL2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 4	15AUG2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		15AUG2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		15AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	12SEP2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		12SEP2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		12SEP2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 12	17OCT2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		17OCT2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		17OCT2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	03NOV2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		03NOV2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		03NOV2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	12JAN2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		12JAN2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	16FEB2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		16FEB2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		16FEB2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
141361016/44/F/W	Screening	24JUN2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		24JUN2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		24JUN2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Baseline	08AUG2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		08AUG2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		08AUG2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 4	02SEP2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		02SEP2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		02SEP2022	Activated Partial Thromboplastin Time	45	HIGH	25.00000000	38.00000000	s
	Week 8	30SEP2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		30SEP2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		30SEP2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 12	04NOV2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		04NOV2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		04NOV2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 16	28NOV2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		28NOV2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		28NOV2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 26/End of Treatment	02FEB2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		02FEB2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		02FEB2023	Activated Partial Thromboplastin Time	40	HIGH	25.00000000	38.00000000	s
	Follow-up	10MAR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		10MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		10MAR2023	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
141361017/58/F/NR	Screening	08JUL2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		08JUL2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		08JUL2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	18AUG2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		18AUG2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		18AUG2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	09SEP2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		09SEP2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		09SEP2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	10OCT2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		10OCT2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		10OCT2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 12	11NOV2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		11NOV2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		11NOV2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	29NOV2022	Prothrombin Time			.	.	
		29NOV2022	Prothrombin Intl. Normalized Ratio			.	.	
		29NOV2022	Activated Partial Thromboplastin Time			.	.	
	Week 26/End of Treatment	09FEB2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		09FEB2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		09FEB2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Follow-up	17MAR2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		17MAR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		17MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Unscheduled	19DEC2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		19DEC2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		19DEC2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
141361024/56/F/W	Screening	25AUG2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		25AUG2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		25AUG2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	10OCT2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		10OCT2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		10OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	03NOV2022	Prothrombin Time			.	.	
		03NOV2022	Prothrombin Intl. Normalized Ratio			.	.	
		03NOV2022	Activated Partial Thromboplastin Time			.	.	
	Week 8	29NOV2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		29NOV2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		29NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	03JAN2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		03JAN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		03JAN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	23JAN2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		23JAN2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		23JAN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	03APR2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		03APR2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		03APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	05MAY2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		05MAY2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		05MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Unscheduled	18NOV2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		18NOV2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		18NOV2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
141361035/62/F/W	Screening	19DEC2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		19DEC2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		19DEC2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Baseline	20JAN2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		20JAN2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		20JAN2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 4	10FEB2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		10FEB2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		10FEB2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 8	10MAR2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		10MAR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		10MAR2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 12	14APR2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		14APR2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		14APR2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	05MAY2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		05MAY2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		05MAY2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	20JUL2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		20JUL2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		20JUL2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	11AUG2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		11AUG2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		11AUG2023	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
141361037/56/F/W	Screening	12JAN2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Baseline	16FEB2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		16FEB2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		16FEB2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	09MAR2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		09MAR2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		09MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	13APR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		13APR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		13APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	15MAY2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		15MAY2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		15MAY2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	01JUN2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		01JUN2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		01JUN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	16AUG2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		16AUG2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		16AUG2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	07SEP2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		07SEP2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		07SEP2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
141431002/56/F/W	Screening	26APR2022	Prothrombin Time			.	.	
		26APR2022	Prothrombin Intl. Normalized Ratio			.	.	
		26APR2022	Activated Partial Thromboplastin Time			.	.	
	Baseline	31MAY2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		31MAY2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		31MAY2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	23JUN2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		23JUN2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		23JUN2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	22JUL2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		22JUL2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		22JUL2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	30AUG2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		30AUG2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		30AUG2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	19SEP2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		19SEP2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		19SEP2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	29NOV2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		29NOV2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		29NOV2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Follow-up	05JAN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		05JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		05JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Unscheduled	19MAY2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		19MAY2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		19MAY2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
141431003/56/F/W	Baseline	08JUN2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		08JUN2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		08JUN2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	18JUL2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		18JUL2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		18JUL2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Unscheduled	27JUL2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		17AUG2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		27JUL2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
141431012/53/F/W	Screening	19SEP2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		19SEP2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		19SEP2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Baseline	04NOV2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		04NOV2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		04NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	22NOV2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		22NOV2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		22NOV2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	28DEC2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		28DEC2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		28DEC2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Unscheduled	15NOV2022	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		15NOV2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		15NOV2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
141431015/52/F/W	Screening	23JAN2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		23JAN2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		23JAN2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Baseline	01MAR2023	Prothrombin Time	10.0	NORMAL	9.40000000	12.70000000	s
		01MAR2023	Prothrombin Intl. Normalized Ratio	0.87	NORMAL	0.85000000	1.15000000	None
		01MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	23MAR2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		23MAR2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		23MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	18APR2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		18APR2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		18APR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	01JUN2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		01JUN2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		01JUN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	15JUN2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		15JUN2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		15JUN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	18AUG2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		18AUG2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		18AUG2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	13SEP2023	Prothrombin Time	10.1	NORMAL	9.40000000	12.70000000	s
		13SEP2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		13SEP2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
141791013/54/F/W	Screening	06MAR2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		06MAR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		06MAR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Baseline	30MAR2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		30MAR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		30MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	25APR2023	Prothrombin Time			.	.	
		25APR2023	Prothrombin Intl. Normalized Ratio			.	.	
		25APR2023	Activated Partial Thromboplastin Time			.	.	
	Week 8	17MAY2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		17MAY2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		17MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	29JUN2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		29JUN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		29JUN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	26JUL2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		26JUL2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		26JUL2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	17OCT2023	Prothrombin Time	10.0	NORMAL	9.40000000	12.70000000	s
		17OCT2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		17OCT2023	Activated Partial Thromboplastin Time	22	LOW	25.00000000	38.00000000	s
	Follow-up	20NOV2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		20NOV2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		20NOV2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Unscheduled	17MAY2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		17MAY2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		17MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
141801004/60/F/W	Screening	18NOV2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		18NOV2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		18NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	27DEC2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		27DEC2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		27DEC2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	17JAN2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		17JAN2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		17JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	14FEB2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		14FEB2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		14FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	20MAR2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		20MAR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		20MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	11APR2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		11APR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		11APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	22JUN2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		22JUN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		22JUN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	20JUL2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		20JUL2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		20JUL2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
141801008/55/F/W	Screening	11JAN2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		11JAN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		11JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	02MAR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		02MAR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		02MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	23MAR2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		23MAR2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		23MAR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	24APR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		24APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		24APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	31MAY2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		31MAY2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		31MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	15JUN2023	Prothrombin Time			.	.	
		15JUN2023	Prothrombin Intl. Normalized Ratio			.	.	
		15JUN2023	Activated Partial Thromboplastin Time			.	.	
	Week 26/End of Treatment	24AUG2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		24AUG2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		24AUG2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	25SEP2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		25SEP2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		25SEP2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Unscheduled	29JUN2023	Prothrombin Time	10.0	NORMAL	9.40000000	12.70000000	s
		29JUN2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		29JUN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
141891008/55/F/B	Screening	21DEC2022	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		21DEC2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		21DEC2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Baseline	28FEB2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		28FEB2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		28FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	23MAR2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		23MAR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		23MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	18APR2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		18APR2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		18APR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	25MAY2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		25MAY2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		25MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	13JUN2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		13JUN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		13JUN2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	24AUG2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		24AUG2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		24AUG2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Follow-up	26SEP2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		26SEP2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		26SEP2023	Activated Partial Thromboplastin Time	51	HIGH	25.00000000	38.00000000	s
141891017/54/F/B	Screening	09FEB2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		09FEB2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		09FEB2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Baseline	28MAR2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		28MAR2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		28MAR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 4	20APR2023	Prothrombin Time	9.4	NORMAL	9.40000000	12.70000000	s
		20APR2023	Prothrombin Intl. Normalized Ratio	0.81	LOW	0.85000000	1.15000000	None
		20APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	19MAY2023	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		19MAY2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		19MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	20JUN2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		20JUN2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		20JUN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	11JUL2023	Prothrombin Time	9.9	NORMAL	9.40000000	12.70000000	s
		11JUL2023	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		11JUL2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	20SEP2023	Prothrombin Time	9.0	LOW	9.40000000	12.70000000	s
		20SEP2023	Prothrombin Intl. Normalized Ratio	0.80	LOW	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		20SEP2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
141891027/57/F/B	Screening	17FEB2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		17FEB2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		17FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	31MAR2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		31MAR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		31MAR2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 4	21APR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		21APR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		21APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	19MAY2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		19MAY2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		19MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	23JUN2023	Prothrombin Time			.	.	
		23JUN2023	Prothrombin Intl. Normalized Ratio			.	.	
		23JUN2023	Activated Partial Thromboplastin Time			.	.	
	Week 16	14JUL2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		14JUL2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		14JUL2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	27SEP2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		27SEP2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		27SEP2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	27OCT2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		27OCT2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		27OCT2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Unscheduled	30JUN2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		30JUN2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		30JUN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
141901001/48/F/W	Screening	31AUG2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		31AUG2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		31AUG2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	09NOV2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		09NOV2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		09NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	30NOV2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		30NOV2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		30NOV2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	29DEC2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		29DEC2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		29DEC2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	02FEB2023	Prothrombin Time			.	.	

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		02FEB2023	Prothrombin Intl. Normalized Ratio			.	.	
		02FEB2023	Activated Partial Thromboplastin Time			.	.	
	Week 16	24FEB2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		24FEB2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		24FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	05MAY2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		05MAY2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		05MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	06JUN2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		06JUN2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		06JUN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
141901007/55/F/W	Screening	10OCT2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		10OCT2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		10OCT2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	12JAN2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	02FEB2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		02FEB2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		02FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	10FEB2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		10FEB2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		10FEB2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
141901030/58/F/B	Screening	02FEB2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		02FEB2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		02FEB2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Baseline	19APR2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		19APR2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		19APR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 4	10MAY2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		10MAY2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		10MAY2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	13JUN2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		13JUN2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		13JUN2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 12	12JUL2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		12JUL2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		12JUL2023	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Week 16	02AUG2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		02AUG2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		02AUG2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 26/End of Treatment	13OCT2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		13OCT2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		13OCT2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	08NOV2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		08NOV2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		08NOV2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
141901032/61/F/W	Screening	15FEB2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		15FEB2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		15FEB2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Baseline	31MAR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		31MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		31MAR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 4	26APR2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		26APR2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		26APR2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 8	25MAY2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		25MAY2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		25MAY2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	27JUN2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		27JUN2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		27JUN2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 16	18JUL2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		18JUL2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		18JUL2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	28SEP2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		28SEP2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		28SEP2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	20OCT2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		20OCT2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		20OCT2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
141901034/65/F/B	Screening	17FEB2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		17FEB2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		17FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	20APR2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		20APR2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		20APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	12MAY2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		12MAY2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		12MAY2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 8	08JUN2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		08JUN2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		08JUN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	13JUL2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		13JUL2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		13JUL2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 16	04AUG2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		04AUG2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		04AUG2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	13OCT2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		13OCT2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		13OCT2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	10NOV2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		10NOV2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		10NOV2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
141951001/55/F/B	Screening	10NOV2022	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		10NOV2022	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		10NOV2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	28DEC2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		28DEC2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		28DEC2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	19JAN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		19JAN2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		19JAN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	17FEB2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		17FEB2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		17FEB2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	22MAR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		22MAR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		22MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	14APR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		14APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		14APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	27JUN2023	Prothrombin Time	9.8	NORMAL	9.40000000	12.70000000	s
		27JUN2023	Prothrombin Intl. Normalized Ratio	0.88	NORMAL	0.85000000	1.15000000	None
		27JUN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	20JUL2023	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		20JUL2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		20JUL2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
141951007/55/F/W	Screening	27DEC2022	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		27DEC2022	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		27DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	02FEB2023	Prothrombin Time	13.5	HIGH	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		02FEB2023	Prothrombin Intl. Normalized Ratio	1.18	HIGH	0.85000000	1.15000000	None
		02FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	23FEB2023	Prothrombin Time	13.4	HIGH	9.40000000	12.70000000	s
		23FEB2023	Prothrombin Intl. Normalized Ratio	1.17	HIGH	0.85000000	1.15000000	None
		23FEB2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	23MAR2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		23MAR2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		23MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	13APR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		13APR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		13APR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Follow-up	27APR2023	Prothrombin Time			.	.	
		27APR2023	Prothrombin Intl. Normalized Ratio			.	.	
		27APR2023	Activated Partial Thromboplastin Time			.	.	
141971002/62/F/B	Screening	20OCT2022	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		20OCT2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		20OCT2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	30NOV2022	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		30NOV2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		30NOV2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	27DEC2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		27DEC2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		27DEC2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	24JAN2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		24JAN2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		24JAN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	22FEB2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		22FEB2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		22FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Unscheduled	22MAR2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		22MAR2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		22MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
141971007/61/F/W	Screening	08NOV2022	Prothrombin Time	9.5	NORMAL	9.40000000	12.70000000	s
		08NOV2022	Prothrombin Intl. Normalized Ratio	0.82	LOW	0.85000000	1.15000000	None
		08NOV2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	19DEC2022	Prothrombin Time	9.9	NORMAL	9.40000000	12.70000000	s
		19DEC2022	Prothrombin Intl. Normalized Ratio	0.86	NORMAL	0.85000000	1.15000000	None
		19DEC2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	18JAN2023	Prothrombin Time	10.1	NORMAL	9.40000000	12.70000000	s
		18JAN2023	Prothrombin Intl. Normalized Ratio	0.88	NORMAL	0.85000000	1.15000000	None
		18JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 8	15FEB2023	Prothrombin Time	9.6	NORMAL	9.40000000	12.70000000	s
		15FEB2023	Prothrombin Intl. Normalized Ratio	0.83	LOW	0.85000000	1.15000000	None
		15FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	14MAR2023	Prothrombin Time			.	.	
		14MAR2023	Prothrombin Intl. Normalized Ratio			.	.	
		14MAR2023	Activated Partial Thromboplastin Time			.	.	
	Week 16	11APR2023	Prothrombin Time	9.5	NORMAL	9.40000000	12.70000000	s
		11APR2023	Prothrombin Intl. Normalized Ratio	0.82	LOW	0.85000000	1.15000000	None
		11APR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	13JUN2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		13JUN2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		13JUN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	11JUL2023	Prothrombin Time	8.9	LOW	9.40000000	12.70000000	s
		11JUL2023	Prothrombin Intl. Normalized Ratio	0.4	LOW	0.85000000	1.15000000	None
		11JUL2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Unscheduled	22MAR2023	Prothrombin Time	8.9	LOW	9.40000000	12.70000000	s
		22MAR2023	Prothrombin Intl. Normalized Ratio	0.4	LOW	0.85000000	1.15000000	None
		22MAR2023	Activated Partial Thromboplastin Time	22	LOW	25.00000000	38.00000000	s
141971008/57/F/B	Screening	15NOV2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		15NOV2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		15NOV2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	20DEC2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		20DEC2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		20DEC2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 4	19JAN2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		19JAN2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		19JAN2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 8	21FEB2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		21FEB2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		21FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	14MAR2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		14MAR2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		14MAR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	04APR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		04APR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		04APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	13JUN2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		13JUN2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		13JUN2023	Activated Partial Thromboplastin Time	19	LOW	25.00000000	38.00000000	s
	Follow-up	11JUL2023	Prothrombin Time	9.5	NORMAL	9.40000000	12.70000000	s
		11JUL2023	Prothrombin Intl. Normalized Ratio	0.85	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		11JUL2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
141971010/51/F/B	Screening	17NOV2022	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		17NOV2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		17NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	06FEB2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		06FEB2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		06FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	13APR2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		13APR2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		13APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
141971012/49/F/B	Screening	01DEC2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		01DEC2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		01DEC2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	26JAN2023	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		26JAN2023	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		26JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
141971014/61/F/B	Screening	07DEC2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		07DEC2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		07DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	17JAN2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		17JAN2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		17JAN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	15FEB2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		15FEB2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		15FEB2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	07MAR2023	Prothrombin Time			.	.	
		07MAR2023	Prothrombin Intl. Normalized Ratio			.	.	
		07MAR2023	Activated Partial Thromboplastin Time			.	.	
142031004/54/F/W	Screening	02MAR2023	Prothrombin Time	13.1	HIGH	9.40000000	12.70000000	s
		02MAR2023	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		02MAR2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Baseline	21APR2023	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		21APR2023	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		21APR2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 4	19MAY2023	Prothrombin Time	13.5	HIGH	9.40000000	12.70000000	s
		19MAY2023	Prothrombin Intl. Normalized Ratio	1.18	HIGH	0.85000000	1.15000000	None
		19MAY2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 8	16JUN2023	Prothrombin Time	13.7	HIGH	9.40000000	12.70000000	s
		16JUN2023	Prothrombin Intl. Normalized Ratio	1.20	HIGH	0.85000000	1.15000000	None
		16JUN2023	Activated Partial Thromboplastin Time	40	HIGH	25.00000000	38.00000000	s
	Week 12	14JUL2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		14JUL2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		14JUL2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 16	09AUG2023	Prothrombin Time	14.2	HIGH	9.40000000	12.70000000	s
		09AUG2023	Prothrombin Intl. Normalized Ratio	1.30	HIGH	0.85000000	1.15000000	None
		09AUG2023	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 26/End of Treatment	16OCT2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		16OCT2023	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		16OCT2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Follow-up	16NOV2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		16NOV2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		16NOV2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
142111009/46/F/W	Screening	21MAR2023	Prothrombin Time			.	.	
		21MAR2023	Prothrombin Intl. Normalized Ratio			.	.	
		21MAR2023	Activated Partial Thromboplastin Time			.	.	
	Baseline	13APR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		13APR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		13APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	04MAY2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		04MAY2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		04MAY2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	01JUN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		01JUN2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		01JUN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	11JUL2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		11JUL2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		11JUL2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	31JUL2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		31JUL2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		31JUL2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	09OCT2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		09OCT2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		09OCT2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	09NOV2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		09NOV2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		09NOV2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
142111014/58/F/W	Screening	03APR2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		03APR2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		03APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	25APR2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		25APR2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		25APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 4	19MAY2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		19MAY2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		19MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	16JUN2023	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		16JUN2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		16JUN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	18JUL2023	Prothrombin Time	10.0	NORMAL	9.40000000	12.70000000	s
		18JUL2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		18JUL2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	08AUG2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		08AUG2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		08AUG2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	17OCT2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		17OCT2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		17OCT2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
142111017/56/F/W	Screening	23MAR2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		23MAR2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		23MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	20APR2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		20APR2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		20APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	16MAY2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		16MAY2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		16MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	12JUN2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		12JUN2023	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		12JUN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	13JUL2023	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		13JUL2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		13JUL2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	08AUG2023	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		08AUG2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		08AUG2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	16OCT2023	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		16OCT2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		16OCT2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	09NOV2023	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		09NOV2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		09NOV2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
220011010/60/F/W	Screening	25NOV2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		25NOV2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		25NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	12JAN2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	09FEB2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		09FEB2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		09FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	07MAR2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		07MAR2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		07MAR2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 12	06APR2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		06APR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		06APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	27APR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		27APR2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		27APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	24JUL2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		24JUL2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		24JUL2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	21SEP2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		21SEP2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		21SEP2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
220011012/48/F/W	Screening	13DEC2022	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		13DEC2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		13DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	02FEB2023	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		02FEB2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		02FEB2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	21FEB2023	Prothrombin Time	13.4	HIGH	9.40000000	12.70000000	s
		21FEB2023	Prothrombin Intl. Normalized Ratio	1.16	HIGH	0.85000000	1.15000000	None
		21FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	28MAR2023	Prothrombin Time	13.7	HIGH	9.40000000	12.70000000	s
		28MAR2023	Prothrombin Intl. Normalized Ratio	1.18	HIGH	0.85000000	1.15000000	None
		28MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	27APR2023	Prothrombin Time	13.2	HIGH	9.40000000	12.70000000	s
		27APR2023	Prothrombin Intl. Normalized Ratio	1.19	HIGH	0.85000000	1.15000000	None
		27APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	29MAY2023	Prothrombin Time	13.6	HIGH	9.40000000	12.70000000	s
		29MAY2023	Prothrombin Intl. Normalized Ratio	1.23	HIGH	0.85000000	1.15000000	None
		29MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	31JUL2023	Prothrombin Time	13.8	HIGH	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		31JUL2023	Prothrombin Intl. Normalized Ratio	1.25	HIGH	0.85000000	1.15000000	None
		31JUL2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	18SEP2023	Prothrombin Time	14.6	HIGH	9.40000000	12.70000000	s
		18SEP2023	Prothrombin Intl. Normalized Ratio	1.32	HIGH	0.85000000	1.15000000	None
		18SEP2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
220021002/59/F/W	Screening	21SEP2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		21SEP2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		21SEP2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	23NOV2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		23NOV2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		23NOV2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
220031003/49/F/W	Screening	07APR2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		07APR2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		07APR2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	04MAY2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		04MAY2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		04MAY2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	30MAY2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		30MAY2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		30MAY2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	20JUN2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		20JUN2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		20JUN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	22JUL2022	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		22JUL2022	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		22JUL2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 16	06SEP2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		06SEP2022	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		06SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	17NOV2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		17NOV2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		17NOV2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
220031006/55/F/W	Screening	20MAY2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		20MAY2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		20MAY2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	30JUN2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		30JUN2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		30JUN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	02AUG2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		02AUG2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		02AUG2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 8	02SEP2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		02SEP2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		02SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	07OCT2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		07OCT2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		07OCT2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	21OCT2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		21OCT2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		21OCT2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	22DEC2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		22DEC2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		22DEC2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	19JAN2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		19JAN2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		19JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
220031008/52/F/W	Screening	10JUN2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		10JUN2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		10JUN2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	12JUL2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		12JUL2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		12JUL2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	05AUG2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		05AUG2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		05AUG2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	06SEP2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		06SEP2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		06SEP2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	07OCT2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		07OCT2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		07OCT2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	04NOV2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		04NOV2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		04NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	10JAN2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		10JAN2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		10JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	07FEB2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		07FEB2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		07FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
220031009/58/F/W	Screening	14JUN2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		14JUN2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		14JUN2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	12JUL2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		12JUL2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		12JUL2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	05AUG2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		05AUG2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		05AUG2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 8	06SEP2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		06SEP2022	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		06SEP2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 12	07OCT2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		07OCT2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		07OCT2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 16	07NOV2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		07NOV2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		07NOV2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	10JAN2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		10JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		10JAN2023	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Follow-up	07FEB2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		07FEB2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		07FEB2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
220031012/48/F/W	Screening	01AUG2022	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		01AUG2022	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		01AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	14SEP2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		14SEP2022	Prothrombin Intl. Normalized Ratio	1.16	HIGH	0.85000000	1.15000000	None
		14SEP2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	13OCT2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		13OCT2022	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		13OCT2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	10NOV2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		10NOV2022	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		10NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	15DEC2022	Prothrombin Time	13.2	HIGH	9.40000000	12.70000000	s
		15DEC2022	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		15DEC2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	12JAN2023	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.16	HIGH	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	23	LOW	25.00000000	38.00000000	s
	Week 26/End of Treatment	09MAR2023	Prothrombin Time	13.3	HIGH	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		09MAR2023	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		09MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	06APR2023	Prothrombin Time	13.6	HIGH	9.40000000	12.70000000	s
		06APR2023	Prothrombin Intl. Normalized Ratio	1.18	HIGH	0.85000000	1.15000000	None
		06APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
220031013/53/F/W	Screening	08SEP2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		08SEP2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		08SEP2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	21OCT2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		21OCT2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		21OCT2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	17NOV2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		17NOV2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		17NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	15DEC2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		15DEC2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		15DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	12JAN2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Week 16	09FEB2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		09FEB2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		09FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	20APR2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		20APR2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		20APR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Follow-up	18MAY2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		18MAY2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		18MAY2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
220031023/62/F/W	Screening	09MAR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		09MAR2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		09MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	16MAR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		16MAR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		16MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	06APR2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		06APR2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		06APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	11MAY2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		11MAY2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		11MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 12	08JUN2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		08JUN2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		08JUN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	29JUN2023	Prothrombin Time	13.3	HIGH	9.40000000	12.70000000	s
		29JUN2023	Prothrombin Intl. Normalized Ratio	1.20	HIGH	0.85000000	1.15000000	None
		29JUN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	07SEP2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		07SEP2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		07SEP2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	26OCT2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		26OCT2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		26OCT2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
220051004/51/F/W	Screening	10OCT2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		10OCT2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		10OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	21FEB2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		21FEB2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		21FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	20MAR2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		20MAR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		20MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Unscheduled	13FEB2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		13FEB2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		13FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
220051006/49/F/W	Screening	24OCT2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		24OCT2022	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		24OCT2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	15NOV2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		15NOV2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		15NOV2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 4	12DEC2022	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		12DEC2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		12DEC2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 8	10JAN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		10JAN2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		10JAN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 12	13FEB2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		13FEB2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		13FEB2023	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 16	02MAR2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		02MAR2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		02MAR2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	16MAY2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		16MAY2023	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		16MAY2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Follow-up	29JUN2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		29JUN2023	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		29JUN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
220071004/59/F/W	Screening	16FEB2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		16FEB2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		16FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	07APR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		07APR2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		07APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	02MAY2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		02MAY2023	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		02MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	31MAY2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		31MAY2023	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		31MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	03JUL2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		03JUL2023	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		03JUL2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	01AUG2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		01AUG2023	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		01AUG2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	03OCT2023	Prothrombin Time	13.4	HIGH	9.40000000	12.70000000	s
		03OCT2023	Prothrombin Intl. Normalized Ratio	1.19	HIGH	0.85000000	1.15000000	None
		03OCT2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	02NOV2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		02NOV2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		02NOV2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
300011008/56/F/W	Screening	31JAN2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		31JAN2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		31JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	27MAR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		27MAR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		27MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	24APR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		24APR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		24APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	17MAY2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		17MAY2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		17MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	23JUN2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		23JUN2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		23JUN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	14JUL2023	Prothrombin Time			.	.	
		14JUL2023	Prothrombin Intl. Normalized Ratio			.	.	
		14JUL2023	Activated Partial Thromboplastin Time			.	.	
	Week 26/End of Treatment	25SEP2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		25SEP2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		25SEP2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	23OCT2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		23OCT2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		23OCT2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
300011009/49/F/W	Screening	06FEB2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		06FEB2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		06FEB2023	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Baseline	08MAR2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		08MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		08MAR2023	Activated Partial Thromboplastin Time	41	HIGH	25.00000000	38.00000000	s
	Week 4	03APR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		03APR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		03APR2023	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 8	26APR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		26APR2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		26APR2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 12	01JUN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		01JUN2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		01JUN2023	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 16	26JUN2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		26JUN2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		26JUN2023	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	04SEP2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		04SEP2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		04SEP2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Follow-up	09OCT2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		09OCT2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		09OCT2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
300011011/59/F/W	Screening	17FEB2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		17FEB2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		17FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Baseline	20MAR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		20MAR2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		20MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	11APR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		11APR2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		11APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	09MAY2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		09MAY2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		09MAY2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 12	15JUN2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		15JUN2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		15JUN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	03JUL2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		03JUL2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		03JUL2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	19SEP2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		19SEP2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		19SEP2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Follow-up	12OCT2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		12OCT2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		12OCT2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
300021007/53/F/W	Screening	29AUG2022	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		29AUG2022	Prothrombin Intl. Normalized Ratio	0.87	NORMAL	0.85000000	1.15000000	None
		29AUG2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	03OCT2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		03OCT2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		03OCT2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	24OCT2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		24OCT2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		24OCT2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 8	28NOV2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		28NOV2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		28NOV2022	Activated Partial Thromboplastin Time	41	HIGH	25.00000000	38.00000000	s
	Week 12	27DEC2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		27DEC2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		27DEC2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 16	16JAN2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		16JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		16JAN2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	27MAR2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		27MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		27MAR2023	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Follow-up	31MAY2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		31MAY2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		31MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
300031003/59/F/W	Screening	20JUN2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		20JUN2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		20JUN2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Baseline	27JUL2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		27JUL2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		27JUL2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	16AUG2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		16AUG2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		16AUG2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	15SEP2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		15SEP2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		15SEP2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	21OCT2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		21OCT2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		21OCT2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	17NOV2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		17NOV2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		17NOV2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	23JAN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		23JAN2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		23JAN2023	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Follow-up	16FEB2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		16FEB2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		16FEB2023	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
300031004/52/F/W	Screening	23JUN2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		23JUN2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		23JUN2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	27JUL2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		27JUL2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		27JUL2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	23AUG2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		23AUG2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		23AUG2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	14SEP2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		14SEP2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		14SEP2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
300031009/52/F/W	Screening	24AUG2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		24AUG2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		24AUG2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Baseline	28SEP2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		28SEP2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		28SEP2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	25OCT2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		25OCT2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		25OCT2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	22NOV2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		22NOV2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		22NOV2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 12	21DEC2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		21DEC2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		21DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	17JAN2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		17JAN2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		17JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	28MAR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		28MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		28MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	25APR2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		25APR2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		25APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
300031011/55/F/W	Screening	06OCT2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		06OCT2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		06OCT2022	Activated Partial Thromboplastin Time	41	HIGH	25.00000000	38.00000000	s
	Baseline	04NOV2022	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		04NOV2022	Prothrombin Intl. Normalized Ratio	1.21	HIGH	0.85000000	1.15000000	None
		04NOV2022	Activated Partial Thromboplastin Time	45	HIGH	25.00000000	38.00000000	s
	Week 4	01DEC2022	Prothrombin Time	13.7	HIGH	9.40000000	12.70000000	s
		01DEC2022	Prothrombin Intl. Normalized Ratio	1.19	HIGH	0.85000000	1.15000000	None
		01DEC2022	Activated Partial Thromboplastin Time	42	HIGH	25.00000000	38.00000000	s
	Week 8	22DEC2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		22DEC2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		22DEC2022	Activated Partial Thromboplastin Time	40	HIGH	25.00000000	38.00000000	s
	Week 12	31JAN2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		31JAN2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		31JAN2023	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 16	16FEB2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		16FEB2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		16FEB2023	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 26/End of Treatment	02MAY2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		02MAY2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		02MAY2023	Activated Partial Thromboplastin Time	40	HIGH	25.00000000	38.00000000	s
	Follow-up	01JUN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		01JUN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		01JUN2023	Activated Partial Thromboplastin Time	41	HIGH	25.00000000	38.00000000	s
300031013/54/F/W	Screening	07NOV2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		07NOV2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		07NOV2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Baseline	28NOV2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		28NOV2022	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		28NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	22DEC2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		22DEC2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		22DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	16JAN2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		16JAN2023	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		16JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	13FEB2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		13FEB2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		13FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	14MAR2023	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		14MAR2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		14MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	23MAY2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		23MAY2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		23MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	20JUN2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		20JUN2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		20JUN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
380011001/60/F/W	Screening	14MAR2022	Prothrombin Time	15.3	HIGH	9.40000000	12.70000000	s
		14MAR2022	Prothrombin Intl. Normalized Ratio	1.43	HIGH	0.85000000	1.15000000	None
		14MAR2022	Activated Partial Thromboplastin Time	49	HIGH	25.00000000	38.00000000	s
	Baseline	08APR2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		08APR2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		08APR2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	29APR2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		29APR2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		29APR2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	31MAY2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		31MAY2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		31MAY2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 12	01JUL2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		01JUL2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		01JUL2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 16	22JUL2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		22JUL2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		22JUL2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	30SEP2022	Prothrombin Time			.	.	
		30SEP2022	Prothrombin Intl. Normalized Ratio			.	.	
		30SEP2022	Activated Partial Thromboplastin Time			.	.	
	Follow-up	04NOV2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		04NOV2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		04NOV2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Unscheduled	06OCT2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		29MAR2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		06OCT2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		29MAR2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		06OCT2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
		29MAR2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
380011002/53/F/W	Screening	20APR2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		20APR2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		20APR2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Baseline	22JUN2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		22JUN2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		22JUN2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	19JUL2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		19JUL2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		19JUL2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 8	16AUG2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		16AUG2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		16AUG2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 12	14SEP2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		14SEP2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		14SEP2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 16	11OCT2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		11OCT2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		11OCT2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	15DEC2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		15DEC2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		15DEC2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Follow-up	18JAN2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		18JAN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		18JAN2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
380011004/52/F/W	Screening	16JUN2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		16JUN2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		16JUN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	02AUG2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		02AUG2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		02AUG2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	29AUG2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		29AUG2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		29AUG2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	20SEP2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		20SEP2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		20SEP2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 12	25OCT2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		25OCT2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		25OCT2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	21NOV2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		21NOV2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		21NOV2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	24JAN2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		24JAN2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		24JAN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	21FEB2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		21FEB2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		21FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
380011019/50/F/W	Screening	14DEC2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		14DEC2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		14DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	26JAN2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		26JAN2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		26JAN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	16FEB2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		16FEB2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		16FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	21MAR2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		21MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		21MAR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	20APR2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		20APR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		20APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 16	11MAY2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		11MAY2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		11MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	20JUL2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		20JUL2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		20JUL2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	17AUG2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		17AUG2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		17AUG2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
380011020/54/F/W	Screening	12JAN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Baseline	28MAR2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		28MAR2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		28MAR2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 4	19APR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		19APR2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		19APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	18MAY2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		18MAY2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		18MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	22JUN2023	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		22JUN2023	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		22JUN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	13JUL2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		13JUL2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		13JUL2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	21SEP2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		21SEP2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		21SEP2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	19OCT2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		19OCT2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		19OCT2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Unscheduled	23MAR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		23MAR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		23MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
380021002/55/F/W	Screening	10FEB2022	Prothrombin Time			.	.	
		10FEB2022	Prothrombin Intl. Normalized Ratio			.	.	
		10FEB2022	Activated Partial Thromboplastin Time			.	.	
	Baseline	21MAR2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		21MAR2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		21MAR2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 4	11APR2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		11APR2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		11APR2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 8	10MAY2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		10MAY2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		10MAY2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 12	15JUN2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		15JUN2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		15JUN2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	13JUL2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		13JUL2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		13JUL2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	13SEP2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		13SEP2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		13SEP2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Follow-up	10OCT2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		10OCT2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		10OCT2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
380051001/48/F/W	Screening	05JAN2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		05JAN2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		05JAN2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	28JAN2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		28JAN2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		28JAN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	18FEB2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		18FEB2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		18FEB2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	18MAR2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		18MAR2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		18MAR2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	22APR2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		22APR2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		22APR2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	13MAY2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		13MAY2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		13MAY2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	22JUL2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		22JUL2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		22JUL2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	26AUG2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		26AUG2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		26AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
380051002/64/F/W	Screening	04MAR2022	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		04MAR2022	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		04MAR2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	01APR2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		01APR2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		01APR2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	22APR2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		22APR2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		22APR2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	25MAY2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		25MAY2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		25MAY2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	24JUN2022	Prothrombin Time	10.2	NORMAL	9.40000000	12.70000000	s
		24JUN2022	Prothrombin Intl. Normalized Ratio	0.87	NORMAL	0.85000000	1.15000000	None
		24JUN2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	22JUL2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		22JUL2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		22JUL2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	23SEP2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		23SEP2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		23SEP2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	14NOV2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		14NOV2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		14NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Unscheduled	21OCT2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		21OCT2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		21OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
380051003/64/F/W	Screening	08APR2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		08APR2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		08APR2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	29APR2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		29APR2022	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		29APR2022	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Week 4	20MAY2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		20MAY2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		20MAY2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	17JUN2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		17JUN2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		17JUN2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 12	22JUL2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		22JUL2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		22JUL2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	16AUG2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		16AUG2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		16AUG2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	21OCT2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		21OCT2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		21OCT2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	25NOV2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		25NOV2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		25NOV2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
380051004/52/F/W	Screening	08JUL2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		08JUL2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		08JUL2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	15AUG2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		15AUG2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		15AUG2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	08SEP2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		08SEP2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		08SEP2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	03OCT2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		03OCT2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		03OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	07NOV2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		07NOV2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		07NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	01DEC2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		01DEC2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		01DEC2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	13FEB2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		13FEB2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		13FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	14MAR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		14MAR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		14MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
380051005/55/F/W	Screening	21OCT2022	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		21OCT2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		21OCT2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Baseline	25NOV2022	Prothrombin Time	10.3	NORMAL	9.40000000	12.70000000	s
		25NOV2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		25NOV2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	21DEC2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		21DEC2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		21DEC2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	20JAN2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		20JAN2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		20JAN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	17FEB2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		17FEB2023	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		17FEB2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 16	10MAR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		10MAR2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		10MAR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	19MAY2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		19MAY2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		19MAY2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Follow-up	21JUN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		21JUN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		21JUN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
380061005/42/F/W	Screening	06JAN2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		06JAN2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		06JAN2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Baseline	28FEB2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		28FEB2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		28FEB2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	23MAR2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		23MAR2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		23MAR2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	21APR2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		21APR2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		21APR2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 12	23MAY2022	Prothrombin Time	14.2	HIGH	9.40000000	12.70000000	s
		23MAY2022	Prothrombin Intl. Normalized Ratio	1.27	HIGH	0.85000000	1.15000000	None
		23MAY2022	Activated Partial Thromboplastin Time	46	HIGH	25.00000000	38.00000000	s
	Week 16	20JUN2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		20JUN2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		20JUN2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	25AUG2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		25AUG2022	Prothrombin Intl. Normalized Ratio	0.89	NORMAL	0.85000000	1.15000000	None
		25AUG2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	21SEP2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		21SEP2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		21SEP2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Unscheduled	26MAY2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		26MAY2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		26MAY2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
380061010/55/F/W	Screening	02JUN2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		02JUN2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		02JUN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	25JUL2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		25JUL2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		25JUL2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	22AUG2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		22AUG2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		22AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	15SEP2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		15SEP2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		15SEP2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	17OCT2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		17OCT2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		17OCT2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	10NOV2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		10NOV2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		10NOV2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	16JAN2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		16JAN2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		16JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	15FEB2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		15FEB2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		15FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
380061011/50/F/W	Screening	02JUN2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		02JUN2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
	Baseline	18JUL2022	Prothrombin Time	37.0	HIGH	9.40000000	12.70000000	s
		18JUL2022	Prothrombin Intl. Normalized Ratio	3.78	HIGH	0.85000000	1.15000000	None
		18JUL2022	Activated Partial Thromboplastin Time			.	.	
		02JUN2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	01AUG2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		01AUG2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		01AUG2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	07SEP2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		07SEP2022	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		07SEP2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 12	12OCT2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		12OCT2022	Prothrombin Intl. Normalized Ratio	1.17	HIGH	0.85000000	1.15000000	None
		12OCT2022	Activated Partial Thromboplastin Time	40	HIGH	25.00000000	38.00000000	s
	Week 16	02NOV2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		02NOV2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		02NOV2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	11JAN2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		11JAN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		11JAN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Follow-up	15FEB2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		15FEB2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		15FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
380061015/52/F/W	Screening	24OCT2022	Prothrombin Time	44.6	HIGH	9.40000000	12.70000000	s
		24OCT2022	Prothrombin Intl. Normalized Ratio	4.63	HIGH	0.85000000	1.15000000	None
		24OCT2022	Activated Partial Thromboplastin Time	120	HIGH	25.00000000	38.00000000	s
	Baseline	23JAN2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		23JAN2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		23JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	13FEB2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		13FEB2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		13FEB2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	16MAR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		16MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		16MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	20APR2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		20APR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		20APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	11MAY2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		11MAY2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		11MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	17JUL2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		17JUL2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		17JUL2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	21AUG2023	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		21AUG2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		21AUG2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Unscheduled	12JAN2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		03NOV2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		03NOV2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		03NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
380061020/58/F/W	Screening	05JAN2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		05JAN2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		05JAN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	13FEB2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		13FEB2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		13FEB2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	07MAR2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		07MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		07MAR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	06APR2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		06APR2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		06APR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	11MAY2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		11MAY2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		11MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	30MAY2023	Prothrombin Time	13.1	HIGH	9.40000000	12.70000000	s
		30MAY2023	Prothrombin Intl. Normalized Ratio	1.18	HIGH	0.85000000	1.15000000	None
		30MAY2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	07AUG2023	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		07AUG2023	Prothrombin Intl. Normalized Ratio	1.16	HIGH	0.85000000	1.15000000	None
		07AUG2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	07SEP2023	Prothrombin Time	14.1	HIGH	9.40000000	12.70000000	s
		07SEP2023	Prothrombin Intl. Normalized Ratio	1.26	HIGH	0.85000000	1.15000000	None
		07SEP2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
380071009/57/F/W	Screening	11JUL2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		11JUL2022	Prothrombin Intl. Normalized Ratio	0.91	NORMAL	0.85000000	1.15000000	None
		11JUL2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Baseline	22SEP2022	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		22SEP2022	Prothrombin Intl. Normalized Ratio	1.19	HIGH	0.85000000	1.15000000	None
		22SEP2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	17OCT2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		17OCT2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		17OCT2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	14NOV2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		14NOV2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		14NOV2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 12	19DEC2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		19DEC2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		19DEC2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 16	05JAN2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		05JAN2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		05JAN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	30MAR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		30MAR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		30MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Follow-up	20APR2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		20APR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		20APR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Unscheduled	15SEP2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		15SEP2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		15SEP2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
380071014/53/F/W	Screening	23FEB2023	Prothrombin Time	9.2	LOW	9.40000000	12.70000000	s
		23FEB2023	Prothrombin Intl. Normalized Ratio	0.4	LOW	0.85000000	1.15000000	None
		23FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	12APR2023	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		12APR2023	Prothrombin Intl. Normalized Ratio	0.87	NORMAL	0.85000000	1.15000000	None
		12APR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	04MAY2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		04MAY2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		04MAY2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	31MAY2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		31MAY2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		31MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	10JUL2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		10JUL2023	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		10JUL2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	26JUL2023	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		26JUL2023	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		26JUL2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	10OCT2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		10OCT2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		10OCT2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	06NOV2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		06NOV2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		06NOV2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
380091004/44/F/W	Screening	02JUN2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		02JUN2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		02JUN2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Baseline	23JUN2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		23JUN2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		23JUN2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 4	21JUL2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		21JUL2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		21JUL2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	15AUG2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		15AUG2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		15AUG2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 12	19SEP2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		19SEP2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		19SEP2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 16	06OCT2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		06OCT2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		06OCT2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	15DEC2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		15DEC2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		15DEC2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Follow-up	02FEB2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		02FEB2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		02FEB2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
380091005/65/F/W	Screening	14JUL2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		14JUL2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		14JUL2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	24AUG2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		24AUG2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		24AUG2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 4	19SEP2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		19SEP2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		19SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 8	13OCT2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		13OCT2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		13OCT2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	16NOV2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		16NOV2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		16NOV2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	08DEC2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		08DEC2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		08DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	16FEB2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		16FEB2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		16FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	23MAR2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		23MAR2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		23MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
380101004/45/F/W	Screening	03MAR2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		03MAR2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		03MAR2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Baseline	31MAR2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		31MAR2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		31MAR2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Week 4	21APR2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		21APR2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		21APR2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 8	19MAY2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		19MAY2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		19MAY2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 12	23JUN2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		23JUN2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		23JUN2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 16	19JUL2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		19JUL2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		19JUL2022	Activated Partial Thromboplastin Time	40	HIGH	25.00000000	38.00000000	s
	Week 26/End of Treatment	22SEP2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		22SEP2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		22SEP2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Follow-up	27OCT2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		27OCT2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		27OCT2022	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
380101006/48/F/W	Screening	14APR2022	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		14APR2022	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		14APR2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	09JUN2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		09JUN2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		09JUN2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	28JUN2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		28JUN2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		28JUN2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	28JUL2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		28JUL2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		28JUL2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	01SEP2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		01SEP2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		01SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	26SEP2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		26SEP2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		26SEP2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	07DEC2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		07DEC2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		07DEC2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	05JAN2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		05JAN2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		05JAN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
380101008/48/F/W	Screening	28APR2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		28APR2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		28APR2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	02JUN2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		02JUN2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		02JUN2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	28JUN2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		28JUN2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		28JUN2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 8	21JUL2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		21JUL2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		21JUL2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	30AUG2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		30AUG2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		30AUG2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	21SEP2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		21SEP2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		21SEP2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	30NOV2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		30NOV2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		30NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	22DEC2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		22DEC2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		22DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
380101009/47/F/W	Screening	03MAY2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		03MAY2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		03MAY2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	20JUN2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		20JUN2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		20JUN2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	13JUL2022	Prothrombin Time	10.5	NORMAL	9.40000000	12.70000000	s
		13JUL2022	Prothrombin Intl. Normalized Ratio	0.90	NORMAL	0.85000000	1.15000000	None
		13JUL2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 8	15AUG2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		15AUG2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		15AUG2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	15SEP2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		15SEP2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		15SEP2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	26SEP2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		26SEP2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		26SEP2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
380101014/46/F/W	Screening	24JUN2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		24JUN2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		24JUN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	05AUG2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		05AUG2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		05AUG2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	31AUG2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		31AUG2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		31AUG2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	26SEP2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		26SEP2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		26SEP2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 12	31OCT2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		31OCT2022	Prothrombin Intl. Normalized Ratio	1.17	HIGH	0.85000000	1.15000000	None
		31OCT2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 16	21NOV2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		21NOV2022	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		21NOV2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	30JAN2023	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		30JAN2023	Prothrombin Intl. Normalized Ratio	1.16	HIGH	0.85000000	1.15000000	None
		30JAN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	13MAR2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		13MAR2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		13MAR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
380101019/56/F/W	Screening	06DEC2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		06DEC2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		06DEC2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	19JAN2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		19JAN2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		19JAN2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 4	14FEB2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		14FEB2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		14FEB2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	09MAR2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		09MAR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		09MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	13APR2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		13APR2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		13APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	04MAY2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		04MAY2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		04MAY2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	21JUL2023	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		21JUL2023	Prothrombin Intl. Normalized Ratio	1.17	HIGH	0.85000000	1.15000000	None
		21JUL2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	17AUG2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		17AUG2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		17AUG2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
380101023/47/F/W	Screening	06JAN2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		06JAN2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		06JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	16FEB2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		16FEB2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		16FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	09MAR2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		09MAR2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		09MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 8	06APR2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		06APR2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		06APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	11MAY2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		11MAY2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		11MAY2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	08JUN2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		08JUN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		08JUN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	14AUG2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		14AUG2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		14AUG2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	22SEP2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		22SEP2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		22SEP2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
380101024/48/F/W	Screening	28FEB2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		28FEB2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		28FEB2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Baseline	06APR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		06APR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		06APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	04MAY2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		04MAY2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		04MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	25MAY2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		25MAY2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		25MAY2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 12	29JUN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		29JUN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		29JUN2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 16	20JUL2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		20JUL2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		20JUL2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	04OCT2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		04OCT2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		04OCT2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	02NOV2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		02NOV2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		02NOV2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
380111006/51/F/W	Screening	20OCT2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		20OCT2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		20OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	08DEC2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		08DEC2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		08DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	04JAN2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		04JAN2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		04JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	01FEB2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		01FEB2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		01FEB2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 12	02MAR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		02MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		02MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	29MAR2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		29MAR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		29MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 26/End of Treatment	01JUN2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		01JUN2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		01JUN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	29JUN2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		29JUN2023	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		29JUN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
440011009/57/F/W	Screening	30MAR2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		30MAR2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		30MAR2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	27APR2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		27APR2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		27APR2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	23MAY2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		23MAY2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		23MAY2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	07JUN2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		07JUN2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		07JUN2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	20JUL2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		20JUL2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		20JUL2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	12AUG2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		12AUG2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		12AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	24OCT2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		24OCT2022	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		24OCT2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	21NOV2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		21NOV2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		21NOV2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
440011010/49/F/W	Screening	04APR2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		04APR2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		04APR2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	24MAY2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		24MAY2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		24MAY2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	14JUN2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		14JUN2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		14JUN2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	12JUL2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		12JUL2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		12JUL2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	19AUG2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		19AUG2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		19AUG2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	06SEP2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		06SEP2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		06SEP2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
440011012/56/F/W	Screening	03MAY2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		03MAY2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		03MAY2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	07JUN2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		07JUN2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		07JUN2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
440011016/58/F/W	Screening	13JUN2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		13JUN2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		13JUN2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	20JUL2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		20JUL2022	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		20JUL2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 4	10AUG2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		10AUG2022	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		10AUG2022	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 8	07SEP2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		07SEP2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		07SEP2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 12	12OCT2022	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		12OCT2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		12OCT2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	02NOV2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		02NOV2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		02NOV2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	11JAN2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		11JAN2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		11JAN2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
440011028/59/F/W	Screening	10FEB2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		10FEB2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		10FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	28MAR2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		28MAR2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		28MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	24APR2023	Prothrombin Time	19.1	HIGH	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		24APR2023	Prothrombin Intl. Normalized Ratio	1.82	HIGH	0.85000000	1.15000000	None
		24APR2023	Activated Partial Thromboplastin Time	76	HIGH	25.00000000	38.00000000	s
	Week 8	26MAY2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		26MAY2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		26MAY2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	26JUN2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		26JUN2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		26JUN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
440021002/52/F/W	Screening	14FEB2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		14FEB2022	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		14FEB2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	23MAR2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		23MAR2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		23MAR2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	19APR2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		19APR2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		19APR2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	17MAY2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		17MAY2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		17MAY2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 12	20JUN2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		20JUN2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		20JUN2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	12JUL2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		12JUL2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		12JUL2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	20OCT2022	Prothrombin Time	13.2	HIGH	9.40000000	12.70000000	s
		20OCT2022	Prothrombin Intl. Normalized Ratio	1.24	HIGH	0.85000000	1.15000000	None
		20OCT2022	Activated Partial Thromboplastin Time	46	HIGH	25.00000000	38.00000000	s
	Follow-up	23NOV2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		23NOV2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		23NOV2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
440021006/51/F/W	Screening	24MAY2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		24MAY2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		24MAY2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	23JUN2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		23JUN2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		23JUN2022	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 8	16AUG2022	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		16AUG2022	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		16AUG2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 12	22SEP2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		22SEP2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		22SEP2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	14OCT2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		14OCT2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		14OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	12JAN2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	02FEB2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		02FEB2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		02FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Unscheduled	06SEP2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		06SEP2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		06SEP2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
440021011/60/F/W	Screening	12DEC2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		12DEC2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		12DEC2022	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Baseline	17JAN2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		17JAN2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		17JAN2023	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 4	09FEB2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		09FEB2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		09FEB2023	Activated Partial Thromboplastin Time	40	HIGH	25.00000000	38.00000000	s
	Week 8	09MAR2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		09MAR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		09MAR2023	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 12	13APR2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		13APR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		13APR2023	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Week 16	09MAY2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		09MAY2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		09MAY2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	19JUL2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		19JUL2023	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		19JUL2023	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
	Follow-up	14AUG2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		14AUG2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		14AUG2023	Activated Partial Thromboplastin Time	39	HIGH	25.00000000	38.00000000	s
440031006/54/F/W	Screening	25MAY2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		25MAY2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		25MAY2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	11JUL2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		11JUL2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		11JUL2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	08AUG2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		08AUG2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		08AUG2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 8	31AUG2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		31AUG2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		31AUG2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 12	04OCT2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		04OCT2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		04OCT2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	27OCT2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		27OCT2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		27OCT2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	05DEC2022	Prothrombin Time	15.3	HIGH	9.40000000	12.70000000	s
		05DEC2022	Prothrombin Intl. Normalized Ratio	1.35	HIGH	0.85000000	1.15000000	None
		05DEC2022	Activated Partial Thromboplastin Time	54	HIGH	25.00000000	38.00000000	s
440031012/50/F/W	Screening	23JUN2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		23JUN2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		23JUN2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	20JUL2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		20JUL2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		20JUL2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	16AUG2022	Prothrombin Time	15.2	HIGH	9.40000000	12.70000000	s
		16AUG2022	Prothrombin Intl. Normalized Ratio	1.37	HIGH	0.85000000	1.15000000	None
		16AUG2022	Activated Partial Thromboplastin Time	52	HIGH	25.00000000	38.00000000	s
	Week 8	09SEP2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		09SEP2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		09SEP2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	13OCT2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		13OCT2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		13OCT2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	08NOV2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		08NOV2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		08NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	23JAN2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		23JAN2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		23JAN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	13FEB2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		13FEB2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		13FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
440031024/53/F/W	Screening	14NOV2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		14NOV2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		14NOV2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	12DEC2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		12DEC2022	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		12DEC2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	05JAN2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		05JAN2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		05JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	10FEB2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		10FEB2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		10FEB2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 12	10MAR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		10MAR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		10MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	28MAR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		28MAR2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		28MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	02JUN2023	Prothrombin Time	13.8	HIGH	9.40000000	12.70000000	s
		02JUN2023	Prothrombin Intl. Normalized Ratio	1.25	HIGH	0.85000000	1.15000000	None
		02JUN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Follow-up	19JUL2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		19JUL2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		19JUL2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
440031025/56/F/W	Screening	21NOV2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		21NOV2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		21NOV2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Baseline	28DEC2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		28DEC2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		28DEC2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 4	19JAN2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		19JAN2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		19JAN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 8	16FEB2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		16FEB2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		16FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Follow-up	14APR2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		14APR2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		14APR2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
440051002/64/F/W	Screening	08FEB2022	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		08FEB2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		08FEB2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	22MAR2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		22MAR2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		22MAR2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	13APR2022	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		13APR2022	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		13APR2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	11MAY2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		11MAY2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		11MAY2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	21JUN2022	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		21JUN2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		21JUN2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 16	11JUL2022	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		11JUL2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		11JUL2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	21SEP2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		21SEP2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		21SEP2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
440051016/62/F/W	Screening	29NOV2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		29NOV2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		29NOV2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Baseline	12JAN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	07FEB2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		07FEB2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		07FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	14MAR2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		14MAR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		14MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 12	12APR2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		12APR2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		12APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	27APR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		27APR2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		27APR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	11JUL2023	Prothrombin Time	13.0	HIGH	9.40000000	12.70000000	s
		11JUL2023	Prothrombin Intl. Normalized Ratio	1.17	HIGH	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		11JUL2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	18AUG2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		18AUG2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		18AUG2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
460031004/60/F/W	Screening	15NOV2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		15NOV2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		15NOV2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Baseline	19DEC2022	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		19DEC2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		19DEC2022	Activated Partial Thromboplastin Time	36	NORMAL	25.00000000	38.00000000	s
	Week 4	13JAN2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s
		13JAN2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		13JAN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 8	08FEB2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		08FEB2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		08FEB2023	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 12	16MAR2023	Prothrombin Time	13.2	HIGH	9.40000000	12.70000000	s
		16MAR2023	Prothrombin Intl. Normalized Ratio	1.14	NORMAL	0.85000000	1.15000000	None
		16MAR2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	03APR2023	Prothrombin Time	12.7	NORMAL	9.40000000	12.70000000	s
		03APR2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		03APR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	26JUN2023	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		26JUN2023	Prothrombin Intl. Normalized Ratio	1.16	HIGH	0.85000000	1.15000000	None
		26JUN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Follow-up	12JUL2023	Prothrombin Time	13.4	HIGH	9.40000000	12.70000000	s
		12JUL2023	Prothrombin Intl. Normalized Ratio	1.21	HIGH	0.85000000	1.15000000	None
		12JUL2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
460061014/55/F/W	Baseline	29MAR2023	Prothrombin Time			.	.	
		07FEB2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		29MAR2023	Prothrombin Intl. Normalized Ratio			.	.	
		07FEB2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		29MAR2023	Activated Partial Thromboplastin Time			.	.	
		07FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	28APR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		28APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		28APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	18MAY2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		18MAY2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		18MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	22JUN2023	Prothrombin Time	12.8	HIGH	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		22JUN2023	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		22JUN2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 16	17JUL2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		17JUL2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		17JUL2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	27SEP2023	Prothrombin Time			.	.	
		27SEP2023	Prothrombin Intl. Normalized Ratio			.	.	
		27SEP2023	Activated Partial Thromboplastin Time			.	.	
	Follow-up	26OCT2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		26OCT2023	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		26OCT2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Unscheduled	21APR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		21APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		21APR2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
460071001/57/F/W	Screening	08APR2022	Prothrombin Time	34.8	HIGH	9.40000000	12.70000000	s
		08APR2022	Prothrombin Intl. Normalized Ratio	3.42	HIGH	0.85000000	1.15000000	None
		08APR2022	Activated Partial Thromboplastin Time	71	HIGH	25.00000000	38.00000000	s
	Baseline	25MAY2022	Prothrombin Time	25.4	HIGH	9.40000000	12.70000000	s
		25MAY2022	Prothrombin Intl. Normalized Ratio	2.45	HIGH	0.85000000	1.15000000	None
		25MAY2022	Activated Partial Thromboplastin Time	61	HIGH	25.00000000	38.00000000	s
	Week 4	21JUN2022	Prothrombin Time	39.9	HIGH	9.40000000	12.70000000	s
		21JUN2022	Prothrombin Intl. Normalized Ratio	4.13	HIGH	0.85000000	1.15000000	None
		21JUN2022	Activated Partial Thromboplastin Time	77	HIGH	25.00000000	38.00000000	s
	Week 8	15JUL2022	Prothrombin Time	24.6	HIGH	9.40000000	12.70000000	s
		15JUL2022	Prothrombin Intl. Normalized Ratio	2.37	HIGH	0.85000000	1.15000000	None
		15JUL2022	Activated Partial Thromboplastin Time	66	HIGH	25.00000000	38.00000000	s
	Week 12	22AUG2022	Prothrombin Time	31.8	HIGH	9.40000000	12.70000000	s
		22AUG2022	Prothrombin Intl. Normalized Ratio	3.18	HIGH	0.85000000	1.15000000	None
		22AUG2022	Activated Partial Thromboplastin Time	83	HIGH	25.00000000	38.00000000	s
	Week 16	16SEP2022	Prothrombin Time	27.7	HIGH	9.40000000	12.70000000	s
		16SEP2022	Prothrombin Intl. Normalized Ratio	2.77	HIGH	0.85000000	1.15000000	None
		16SEP2022	Activated Partial Thromboplastin Time	81	HIGH	25.00000000	38.00000000	s
	Week 26/End of Treatment	30NOV2022	Prothrombin Time	25.0	HIGH	9.40000000	12.70000000	s
		30NOV2022	Prothrombin Intl. Normalized Ratio	2.35	HIGH	0.85000000	1.15000000	None
		30NOV2022	Activated Partial Thromboplastin Time	63	HIGH	25.00000000	38.00000000	s
	Follow-up	05JAN2023	Prothrombin Time	18.3	HIGH	9.40000000	12.70000000	s
		05JAN2023	Prothrombin Intl. Normalized Ratio	1.65	HIGH	0.85000000	1.15000000	None
		05JAN2023	Activated Partial Thromboplastin Time	58	HIGH	25.00000000	38.00000000	s
460071003/53/F/W	Screening	23MAY2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		23MAY2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		23MAY2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Baseline	01JUL2022	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		01JUL2022	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None
		01JUL2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 4	25JUL2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		25JUL2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		25JUL2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 8	22AUG2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		22AUG2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		22AUG2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	23SEP2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		23SEP2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		23SEP2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 16	17OCT2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		17OCT2022	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		17OCT2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	29DEC2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		29DEC2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		29DEC2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	23JAN2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		23JAN2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		23JAN2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
460071007/62/F/W	Screening	29JUL2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		29JUL2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		29JUL2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	26AUG2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		26AUG2022	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		26AUG2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	26SEP2022	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		26SEP2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		26SEP2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 8	20OCT2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		20OCT2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		20OCT2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	18NOV2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		18NOV2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		18NOV2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 16	09DEC2022	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		09DEC2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		09DEC2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	23FEB2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		23FEB2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		23FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	24MAR2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		24MAR2023	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		24MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
460071010/40/F/W	Screening	08AUG2022	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		08AUG2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		08AUG2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Baseline	02SEP2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		02SEP2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		02SEP2022	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 4	29SEP2022	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		29SEP2022	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		29SEP2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 8	26OCT2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		26OCT2022	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		26OCT2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 12	25NOV2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		25NOV2022	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		25NOV2022	Activated Partial Thromboplastin Time	33	NORMAL	25.00000000	38.00000000	s
	Week 16	16DEC2022	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s
		16DEC2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		16DEC2022	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	02MAR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		02MAR2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		02MAR2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Follow-up	31MAR2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		31MAR2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		31MAR2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
460071011/52/F/W	Screening	29AUG2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		29AUG2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		29AUG2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Baseline	24OCT2022	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		24OCT2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		24OCT2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Week 4	22NOV2022	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		22NOV2022	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		22NOV2022	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	09DEC2022	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		09DEC2022	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		09DEC2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	02FEB2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		02FEB2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		02FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
460071024/53/F/W	Screening	12JAN2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		12JAN2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		12JAN2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Baseline	09MAR2023	Prothrombin Time	11.0	NORMAL	9.40000000	12.70000000	s
		09MAR2023	Prothrombin Intl. Normalized Ratio	0.92	NORMAL	0.85000000	1.15000000	None
		09MAR2023	Activated Partial Thromboplastin Time	37	NORMAL	25.00000000	38.00000000	s
	Week 4	03APR2023	Prothrombin Time	11.6	NORMAL	9.40000000	12.70000000	s
		03APR2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		03APR2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 8	28APR2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		28APR2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		28APR2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 12	02JUN2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		02JUN2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		02JUN2023	Activated Partial Thromboplastin Time	35	NORMAL	25.00000000	38.00000000	s
	Week 16	23JUN2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		23JUN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		23JUN2023	Activated Partial Thromboplastin Time	34	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	28AUG2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		28AUG2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		28AUG2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Follow-up	25SEP2023	Prothrombin Time	11.5	NORMAL	9.40000000	12.70000000	s
		25SEP2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		25SEP2023	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
460071028/54/F/W	Screening	09FEB2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		09FEB2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		09FEB2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	21MAR2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		21MAR2023	Prothrombin Intl. Normalized Ratio	1.01	NORMAL	0.85000000	1.15000000	None
		21MAR2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 4	13APR2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		13APR2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		13APR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	11MAY2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		11MAY2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		11MAY2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Week 12	15JUN2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		15JUN2023	Prothrombin Intl. Normalized Ratio	1.09	NORMAL	0.85000000	1.15000000	None
		15JUN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 16	06JUL2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		06JUL2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		06JUL2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	28SEP2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		28SEP2023	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		28SEP2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	19OCT2023	Prothrombin Time	11.9	NORMAL	9.40000000	12.70000000	s
		19OCT2023	Prothrombin Intl. Normalized Ratio	1.03	NORMAL	0.85000000	1.15000000	None
		19OCT2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
460091006/53/F/W	Screening	24JAN2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		24JAN2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		24JAN2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Baseline	06MAR2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		06MAR2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		06MAR2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 4	27MAR2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		27MAR2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		27MAR2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 8	27APR2023	Prothrombin Time	11.1	NORMAL	9.40000000	12.70000000	s
		27APR2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		27APR2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 12	01JUN2023	Prothrombin Time	10.9	NORMAL	9.40000000	12.70000000	s
		01JUN2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		01JUN2023	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
	Week 16	22JUN2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		22JUN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		22JUN2023	Activated Partial Thromboplastin Time	26	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	31AUG2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		31AUG2023	Prothrombin Intl. Normalized Ratio	0.97	NORMAL	0.85000000	1.15000000	None
		31AUG2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Follow-up	28SEP2023	Prothrombin Time	10.8	NORMAL	9.40000000	12.70000000	s
		28SEP2023	Prothrombin Intl. Normalized Ratio	0.93	NORMAL	0.85000000	1.15000000	None
		28SEP2023	Activated Partial Thromboplastin Time	24	LOW	25.00000000	38.00000000	s
460091009/56/F/W	Screening	09MAR2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		09MAR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		09MAR2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	20APR2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		20APR2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		20APR2023	Activated Partial Thromboplastin Time	25	NORMAL	25.00000000	38.00000000	s
	Week 4	15MAY2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		15MAY2023	Prothrombin Intl. Normalized Ratio	1.13	NORMAL	0.85000000	1.15000000	None

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		15MAY2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	13JUN2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		13JUN2023	Prothrombin Intl. Normalized Ratio	1.12	NORMAL	0.85000000	1.15000000	None
		13JUN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	14JUL2023	Prothrombin Time	12.9	HIGH	9.40000000	12.70000000	s
		14JUL2023	Prothrombin Intl. Normalized Ratio	1.15	NORMAL	0.85000000	1.15000000	None
		14JUL2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 16	09AUG2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		09AUG2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		09AUG2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	17OCT2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		17OCT2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		17OCT2023	Activated Partial Thromboplastin Time	23	LOW	25.00000000	38.00000000	s
	Follow-up	09NOV2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		09NOV2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		09NOV2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
490031003/50/F/W	Screening	27MAY2022	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		27MAY2022	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		27MAY2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Baseline	21SEP2022	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		21SEP2022	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		21SEP2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
	Unscheduled	09AUG2022	Prothrombin Time	14.1	HIGH	9.40000000	12.70000000	s
		09AUG2022	Prothrombin Intl. Normalized Ratio	1.26	HIGH	0.85000000	1.15000000	None
		09AUG2022	Activated Partial Thromboplastin Time	22	LOW	25.00000000	38.00000000	s
490031009/52/F/W	Screening	20JAN2023	Prothrombin Time	11.8	NORMAL	9.40000000	12.70000000	s
		20JAN2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		20JAN2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Baseline	21FEB2023	Prothrombin Time	12.0	NORMAL	9.40000000	12.70000000	s
		21FEB2023	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		21FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	20MAR2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		20MAR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		20MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	12APR2023	Prothrombin Time	12.2	NORMAL	9.40000000	12.70000000	s
		12APR2023	Prothrombin Intl. Normalized Ratio	1.05	NORMAL	0.85000000	1.15000000	None
		12APR2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Week 12	16MAY2023	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		16MAY2023	Prothrombin Intl. Normalized Ratio	1.04	NORMAL	0.85000000	1.15000000	None
		16MAY2023	Activated Partial Thromboplastin Time	23	LOW	25.00000000	38.00000000	s
	Week 16	09JUN2023	Prothrombin Time	12.4	NORMAL	9.40000000	12.70000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
		09JUN2023	Prothrombin Intl. Normalized Ratio	1.10	NORMAL	0.85000000	1.15000000	None
		09JUN2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	17AUG2023	Prothrombin Time	12.5	NORMAL	9.40000000	12.70000000	s
		17AUG2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		17AUG2023	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Follow-up	13SEP2023	Prothrombin Time	12.3	NORMAL	9.40000000	12.70000000	s
		13SEP2023	Prothrombin Intl. Normalized Ratio	1.08	NORMAL	0.85000000	1.15000000	None
		13SEP2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
490061002/58/F/W	Screening	06JUL2022	Prothrombin Time	11.7	NORMAL	9.40000000	12.70000000	s
		06JUL2022	Prothrombin Intl. Normalized Ratio	1.02	NORMAL	0.85000000	1.15000000	None
		06JUL2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Baseline	17OCT2022	Prothrombin Time	10.7	NORMAL	9.40000000	12.70000000	s
		17OCT2022	Prothrombin Intl. Normalized Ratio	0.99	NORMAL	0.85000000	1.15000000	None
		17OCT2022	Activated Partial Thromboplastin Time	32	NORMAL	25.00000000	38.00000000	s
	Week 4	10NOV2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		10NOV2022	Prothrombin Intl. Normalized Ratio	1.06	NORMAL	0.85000000	1.15000000	None
		10NOV2022	Activated Partial Thromboplastin Time	31	NORMAL	25.00000000	38.00000000	s
	Unscheduled	30SEP2022	Prothrombin Time	10.6	NORMAL	9.40000000	12.70000000	s
		19SEP2022	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		05SEP2022	Prothrombin Time	10.4	NORMAL	9.40000000	12.70000000	s
		30SEP2022	Prothrombin Intl. Normalized Ratio	0.98	NORMAL	0.85000000	1.15000000	None
		19SEP2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		05SEP2022	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		30SEP2022	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
		19SEP2022	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s
		05SEP2022	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
490061003/57/F/W	Screening	07DEC2022	Prothrombin Time	14.5	HIGH	9.40000000	12.70000000	s
		07DEC2022	Prothrombin Intl. Normalized Ratio	1.27	HIGH	0.85000000	1.15000000	None
		07DEC2022	Activated Partial Thromboplastin Time	38	NORMAL	25.00000000	38.00000000	s
	Baseline	01FEB2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		01FEB2023	Prothrombin Intl. Normalized Ratio	0.96	NORMAL	0.85000000	1.15000000	None
		01FEB2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 4	28FEB2023	Prothrombin Time	11.2	NORMAL	9.40000000	12.70000000	s
		28FEB2023	Prothrombin Intl. Normalized Ratio	0.94	NORMAL	0.85000000	1.15000000	None
		28FEB2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 8	29MAR2023	Prothrombin Time	11.3	NORMAL	9.40000000	12.70000000	s
		29MAR2023	Prothrombin Intl. Normalized Ratio	0.95	NORMAL	0.85000000	1.15000000	None
		29MAR2023	Activated Partial Thromboplastin Time	29	NORMAL	25.00000000	38.00000000	s
	Week 12	04MAY2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		04MAY2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		04MAY2023	Activated Partial Thromboplastin Time	27	NORMAL	25.00000000	38.00000000	s

Listing 10.2.8.1 / 3: Clinical laboratory data: Coagulation (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Unit
	Week 16	29MAY2023	Prothrombin Time	12.1	NORMAL	9.40000000	12.70000000	s
		29MAY2023	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None
		29MAY2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Week 26/End of Treatment	28JUL2023	Prothrombin Time	11.4	NORMAL	9.40000000	12.70000000	s
		28JUL2023	Prothrombin Intl. Normalized Ratio	1.00	NORMAL	0.85000000	1.15000000	None
		28JUL2023	Activated Partial Thromboplastin Time	28	NORMAL	25.00000000	38.00000000	s
	Follow-up	29SEP2023	Prothrombin Time	12.6	NORMAL	9.40000000	12.70000000	s
		29SEP2023	Prothrombin Intl. Normalized Ratio	1.11	NORMAL	0.85000000	1.15000000	None
		29SEP2023	Activated Partial Thromboplastin Time	30	NORMAL	25.00000000	38.00000000	s
	Unscheduled	22DEC2022	Prothrombin Intl. Normalized Ratio	1.07	NORMAL	0.85000000	1.15000000	None

Sex is identified as: M = Male, F = Female.
Race is identified as: A = Asian, B = Black, W = White, AI = American Indian or Alaska Native, NH = Native Hawaiian or Other Pacific Islander, NR = Not Reported, MUL=Multiple.
The unit for "Age" is years.
Bayer: /var/swan/root/bhc/3427080/21651/stat/main01/prod/analysis/pgms/l_10_2_8_1_adlb_coag.sas 09JAN2024 16:19
End of table

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
140011004/56/F/W	Screening	17JAN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	19.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	07MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	28MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	25APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.8	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	06JUN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140031003/48/F/B	Screening	16JUN2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	08AUG2022	Triiodothyronine	0.65	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	29AUG2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 8	27SEP2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.48	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
	Week 12	01NOV2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 16	22NOV2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	43.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	LOW	0.27736000	1.66416000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	08FEB2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	52	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.95	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	1.89	LOW	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	08MAR2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	41.0	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Unscheduled	20JUL2022	Follicle Stimulating Hormone	92.5	NORMAL	25.80000000	134.80000000	U/L
		12SEP2022	Triiodothyronine	0.59	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	1.69	LOW	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.24	HIGH	0.00000000	0.13000000	ug/L
140031015/48/F/W	Screening	01MAR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	78.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	03APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.24812	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	24APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	34.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	22MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	29.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	27JUN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	20.3	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	201.9	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	12.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Week 16	20JUL2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	27SEP2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	25OCT2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140051001/63/F/W	Screening	02FEB2022	Thyrotropin	3.71	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	102.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	62.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	07MAR2022	Thyrotropin	3.52	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	96.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	04APR2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	65.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	6.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	02MAY2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	31MAY2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	21JUN2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12SEP2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	28SEP2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
140051007/54/F/A	Screening	30NOV2022	Triiodothyronine	1.56	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.14	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.17878	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	06JAN2023	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.91	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	30JAN2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	13.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.24812	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	02MAR2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.45614	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	31MAR2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	13.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.31746	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	27APR2023	Triiodothyronine	1.56	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	5.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	06JUL2023	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.3868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Follow-up	10AUG2023	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	10.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.52548	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
140061015/60/F/B	Screening	01DEC2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20DEC2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.25	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 4	11JAN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.2	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.3	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	7.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	09FEB2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.26	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	15MAR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.23	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	05APR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	17APR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	0.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	16MAY2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140061018/49/F/W	Screening	14FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	62	HIGH	7.70000000	58.50000000	U/L
			Estradiol	7.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	06MAR2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.22	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	73.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	05APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.03	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	24APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	31MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	20JUN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.5	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	48.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	30AUG2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	27SEP2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140091011/63/F/B	Screening	07MAR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	126	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69	HIGH	7.70000000	58.50000000	U/L
			Estradiol	249.8	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	23.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	12APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	115.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	65.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	105.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	21.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	08JUN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	129.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	68.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	183.0	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	18.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	05JUL2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	121.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	58.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 16	10AUG2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	129.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	64.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	61.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.1	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	10OCT2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	115.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	14NOV2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	118	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	77.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140171004/56/F/W	Baseline	04OCT2021	Thyrotropin	1.28	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	104	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	1.28	HIGH	0.00000000	0.13000000	ug/L
		20DEC2021	Thyrotropin			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone			.	.	
			Progesterone			.	.	
	Week 4	12JAN2022	Thyrotropin	0.53	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	100.7	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	56.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	08FEB2022	Thyrotropin	0.73	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	96.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	22MAR2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	111.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140171008/53/F/B	Screening	24MAY2022	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	65.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	23.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	02AUG2022	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.17	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.7	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	63.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	21.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	01SEP2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	25.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.17878	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 8	22SEP2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.37	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.97	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	18.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	18OCT2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	41.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	6.34461	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.28	HIGH	0.00000000	0.13000000	ug/L
140181029/56/F/W	Screening	10JAN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.55	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	8.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	26APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	09JUN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	68.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140181032/60/F/W	Screening	22FEB2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	115.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.25	HIGH	0.00000000	0.13000000	ug/L
	Baseline	10APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 4	11MAY2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	07JUL2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 16	31JUL2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	125.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	05OCT2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	107.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	03NOV2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
140251008/65/F/W	Screening	28MAR2022	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone			.	.	
			Progesterone			.	.	
	Baseline	09MAY2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	01JUN2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	97	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.63	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	29JUN2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	02AUG2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	23AUG2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	31OCT2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	01DEC2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	26APR2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.28	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140251011/55/F/B	Screening	17AUG2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	120.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	43.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Baseline	27SEP2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	134.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	78.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	28.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	21OCT2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	151.5	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	73	HIGH	7.70000000	58.50000000	U/L
			Estradiol	27.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.29	HIGH	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 8	18NOV2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	105.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	28.6	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
	Week 12	20DEC2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	147.4	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	73.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	25.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	20JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	155.1	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	90	HIGH	7.70000000	58.50000000	U/L
			Estradiol	27.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	31MAR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	139.4	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	79.4	HIGH	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	25.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	26APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	126.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	75.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	26.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	09SEP2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	121.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	72.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	31.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
140301007/55/F/B	Screening	09MAY2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	21JUL2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	100	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	17AUG2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	102	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	08SEP2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	97	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	13OCT2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	98	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.48	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	03NOV2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	97	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12JAN2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	13FEB2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140301017/61/F/W	Screening	13DEC2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.5	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	66.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	15.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	23FEB2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	106.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	16.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	23MAR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	104	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.69	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	19APR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	115	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	9.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	30MAY2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	124.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	65	HIGH	7.70000000	58.50000000	U/L
			Estradiol	9.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	15JUN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	117.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	62.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	13.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	24AUG2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	119.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	19SEP2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	119.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	10.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140301020/57/F/W	Screening	12JAN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	16MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	13APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	05MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	85.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	09JUN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	30JUN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	08SEP2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	12OCT2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
140301031/62/F/W	Screening	27FEB2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	12APR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	05MAY2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.7	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	15.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	02JUN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.95	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	07JUL2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	19.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	04AUG2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	11OCT2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.16	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	06NOV2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140371001/57/F/W	Screening	08JUN2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	44	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.3	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	21JUN2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.5	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 4	12JUL2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	09AUG2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	15SEP2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	34.7	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	06OCT2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.7	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13DEC2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.5	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	11JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	15	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	13.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	51.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140371002/55/F/AI	Screening	29APR2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	24.6	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	05JUL2022	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	102	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	25.1	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	26JUL2022	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	22.5	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	11.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	23AUG2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	24.2	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	27SEP2022	Triiodothyronine	1.56	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.69	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	24.5	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	24OCT2022	Triiodothyronine	1.69	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	24.8	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	29DEC2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.07	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	28.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.9	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	31JAN2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	25.3	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	10MAY2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	22.7	LOW	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	18.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
140371012/61/F/W	Screening	28JUL2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	11AUG2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	01SEP2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 8	04OCT2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	03NOV2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	29NOV2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	02FEB2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	02MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140371020/63/F/W	Screening	18AUG2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Baseline	04OCT2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.14	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 4	26OCT2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	78.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
	Week 8	22NOV2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 12	27DEC2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	17JAN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	28MAR2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	25APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.1	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140371024/54/F/W	Screening	24AUG2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	18OCT2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	97	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	09NOV2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	08DEC2022	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	102	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.91	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	11JAN2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.85	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	06FEB2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.29	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13APR2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	5.36	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	17MAY2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140371029/51/F/W	Screening	19OCT2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Baseline	12DEC2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	03JAN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 8	02FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	06MAR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.5	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	70.5	HIGH	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	27MAR2023	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.79	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.02	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.88	HIGH	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	08JUN2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.38	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	10JUL2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	81	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	31.0	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.50	HIGH	0.00000000	0.13000000	ug/L
140371030/60/F/W	Screening	31OCT2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	117.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Baseline	16NOV2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	123.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	07DEC2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	133	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	10JAN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.37	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	127.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 12	15FEB2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.32	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	126.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	19.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	07MAR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	125.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	16MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	132.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	15JUN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	139.8	HIGH	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	51	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140371033/47/F/NR	Screening	22NOV2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	101.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	19.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Baseline	11JAN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	111	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	07FEB2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	121	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	02MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	108.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	10APR2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.14	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	118.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	02MAY2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	114.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	19.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	11JUL2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	119.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.0	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.10401	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	08AUG2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	120.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140371035/57/F/W	Screening	10JAN2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	07FEB2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.1	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.65	HIGH	0.00000000	0.13000000	ug/L
	Week 4	02MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	42.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	2.25355	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	03APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.5	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.35213	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	02MAY2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.55	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.49081	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	23MAY2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	39.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	01AUG2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.45614	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	07SEP2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.3	LOW	4.80000000	23.30000000	ug/L
			Testosterone	3.57101	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
140371038/55/F/W	Screening	14FEB2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	112.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	74.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	15.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.45614	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	23MAR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	50	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	65.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	17.2	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.24812	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 4	19APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	106.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	68.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	12.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	15MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.17878	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	20JUN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	51	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	62.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	17.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.59482	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	11JUL2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.85	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	115.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	71.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	17.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.24812	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	19SEP2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	113.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	16.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.21345	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	19OCT2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	106.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	73.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	11.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.66416	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	03APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
140401003/59/F/B	Screening	27OCT2021	Thyrotropin	0.74	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	67.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	09DEC2021	Thyrotropin	1.36	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	64.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	05JAN2022	Thyrotropin	1.06	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	58.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	27JAN2022	Thyrotropin	1.17	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	65.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	03MAR2022	Thyrotropin	0.95	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	68.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	28MAR2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	55.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	02JUN2022	Triiodothyronine	1.56	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	25.5	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	30JUN2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
140401010/54/F/W	Screening	22AUG2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	60.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Baseline	20OCT2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	112.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	21.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.36	HIGH	0.00000000	0.13000000	ug/L
	Week 4	16NOV2022	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	124.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	12.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	08DEC2022	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.37	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	120.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	05JAN2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	48.4	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	27JAN2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.67	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.27	HIGH	0.00000000	0.13000000	ug/L
140401011/52/F/W	Screening	25AUG2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	75.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	23.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Baseline	10OCT2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	101.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	70.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	19.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	04NOV2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.43	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	31.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	5.37385	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 8	30NOV2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	51.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	5.44319	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	01FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	47.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	3.08563	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
140401018/60/F/W	Screening	31JAN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Baseline	13MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	03APR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	02MAY2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	05JUN2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.2	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	12.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	27JUN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	18SEP2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.8	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	10OCT2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	100	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.37	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.3	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140431028/58/F/W	Screening	25AUG2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Baseline	27SEP2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	20OCT2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	17NOV2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140431033/60/F/W	Screening	11OCT2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	30NOV2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	21DEC2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
	Week 8	23JAN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.38	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	46.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	27FEB2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.14	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	21MAR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	24MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	22JUN2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
140461003/59/F/B	Screening	14SEP2021	Thyrotropin	2.35	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	95.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	21OCT2021	Thyrotropin	1.84	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	105.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	65.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	11NOV2021	Thyrotropin	2.16	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	93.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	09DEC2021	Thyrotropin	3.27	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	90.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	14JAN2022	Thyrotropin	12.59	HIGH	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	84.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.2	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	03FEB2022	Thyrotropin	1.53	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	83.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	08APR2022	Triiodothyronine	1.63	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.26	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.04	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	12MAY2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	25JAN2022	Thyrotropin	7.24	HIGH	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	75.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
140461007/62/F/B	Screening	09NOV2021	Thyrotropin	1.33	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	84.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20JAN2022	Thyrotropin	1.05	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	86	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	10FEB2022	Thyrotropin	1.16	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	26.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	31.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 12	15APR2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.98	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	23.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	14JUL2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.8	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	13.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	10MAR2022	Thyrotropin	1.3	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	84.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
		11AUG2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.31	HIGH	0.00000000	0.13000000	ug/L
140461014/55/F/B	Screening	08SEP2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	31OCT2022	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	21NOV2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.98	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	20DEC2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
140471001/59/F/W	Screening	27OCT2021	Thyrotropin	2.59	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	62.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	15DEC2021	Thyrotropin	2.09	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	64	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	06JAN2022	Thyrotropin	1.13	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	61.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	03FEB2022	Thyrotropin	2.74	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	63.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	10MAR2022	Triiodothyronine	0.59	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	31MAR2022	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13JUN2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	57.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	12JUL2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	24JAN2022	Thyrotropin	2.74	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	63.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
140471014/56/F/W	Screening	10AUG2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	40.7	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	31OCT2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	97.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	38.9	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	21NOV2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	68.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	46.4	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	20DEC2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	115.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	41.3	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	25JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	116.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	71.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	11.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	42.9	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	22FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	113.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	44.5	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	26APR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	119.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	34.6	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	23MAY2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	106.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	35.1	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140471022/54/F/B	Screening	09JAN2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	21.3	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	12.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	14FEB2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	71.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	14MAR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	108.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	83.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	6.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	05APR2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.8	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	09MAY2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.51	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	111.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	05JUN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	131.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	80.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	08AUG2023	Triiodothyronine	1.56	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	104	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	05SEP2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
140491010/51/F/MUL	Screening	18JUL2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20OCT2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	103	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.25	HIGH	0.00000000	0.13000000	ug/L
	Week 4	10NOV2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	111.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	08DEC2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	100	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.2	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	10.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 12	12JAN2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	101.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 16	02FEB2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.38	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	17APR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	108.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	7.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	18MAY2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	108	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	01DEC2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	102	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
140491014/49/F/B	Screening	25JUL2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	13.5	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	16.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	82.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.97	HIGH	0.00000000	0.13000000	ug/L
	Baseline	08SEP2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	40.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	20.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.27736000	1.66416000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	05OCT2022	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	6.7	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	243.5	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	16.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	1.03	HIGH	0.00000000	0.13000000	ug/L
	Week 8	02NOV2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	38.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	05DEC2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	28DEC2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.2	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	43.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	02MAR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	19APR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140491025/55/F/MUL	Screening	27FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	22.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	17APR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	74.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	28.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	22MAY2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	28.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	102.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	09JUN2023	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	97	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	6.4	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	3	LOW	7.70000000	58.50000000	U/L
			Estradiol	125.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	6.64	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	10AUG2023	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	23.2	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	339.2	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	12.7	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
140531001/53/F/W	Baseline	01APR2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	5.13	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
		05MAY2022	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone			.	.	
			Progesterone			.	.	
	Week 26/End of Treatment	27MAY2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.97	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	44.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	24.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	23JUN2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	6.46	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	38.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	13APR2022	Thyrotropin	4.88	HIGH	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	68.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140531002/60/F/W	Screening	04AUG2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	01SEP2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
	Week 4	29SEP2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	103	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	25OCT2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	107.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 12	29NOV2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.38	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	112.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	24JAN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	107.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	28FEB2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	123.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	04APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.95	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	106.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140531004/61/F/W	Screening	12SEP2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	07NOV2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	12.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	30NOV2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 8	21DEC2022	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone			.	.	
	Week 12	06FEB2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	22FEB2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.03	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	22MAY2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	08JUN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	05JAN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
140541005/51/F/W	Screening	22APR2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	112.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	8.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	19.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	30MAY2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.38	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	19.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	23JUN2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	22.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	19JUL2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.07	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.5	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	22.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	23AUG2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.69	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	12SEP2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.5	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	07NOV2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.84	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	05DEC2022	Triiodothyronine	1.56	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	98	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	4.23	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140541028/54/F/W	Screening	13MAR2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Baseline	26APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	22MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.69	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	113.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	22.01545	HIGH	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	15JUN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	117.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	24JUL2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	52	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	115.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	14AUG2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	101.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	25OCT2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	108.5	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	46.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	20NOV2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	28.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	1.18	HIGH	0.00000000	0.13000000	ug/L
	Unscheduled	05JUN2023	Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
140601005/65/F/W	Screening	12JAN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	107.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	97.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	19.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	28FEB2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.67	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	104.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	85.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	16.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	27MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	90.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	21.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.28279	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	20APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	90.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	10.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	23MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	101.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	81.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	19.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 16	14JUN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	104.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	86.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	13.0	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	12.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	23AUG2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	104	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	84.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	16.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.17878	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	12OCT2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	80	HIGH	7.70000000	58.50000000	U/L
			Estradiol	17.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140601010/59/F/W	Screening	01FEB2023	Triiodothyronine	1.69	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	100	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.97	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	115.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	03APR2023	Triiodothyronine	1.63	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.45	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	4.10	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	26APR2023	Triiodothyronine	1.56	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.91	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	22MAY2023	Triiodothyronine	1.76	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.49	HIGH	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140841008/51/F/B	Screening	24AUG2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Baseline	03OCT2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	27OCT2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 8	21NOV2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	28DEC2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.2	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	12.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	18JAN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	27MAR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	28APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140841019/56/F/B	Screening	01SEP2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	0.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	07NOV2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	29NOV2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 8	28DEC2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.2	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	31JAN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	21FEB2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	02MAY2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.0	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	30MAY2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.4	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	32.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.2	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	18OCT2022	Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
140851003/53/F/B	Screening	13DEC2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	132.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	108.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	22FEB2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.37	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	118.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	116.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	9.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140931006/56/F/W	Screening	15JUL2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	10OCT2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	31OCT2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	19.1	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	133.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
	Week 8	02DEC2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	04JAN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	27JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	06APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	08MAY2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.44	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
140931008/64/F/W	Screening	31JAN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	6.56	HIGH	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
	Baseline	14MAR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	5.74	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	36.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	10APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	08MAY2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.71	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 12	06JUN2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	28JUN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.53	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	07SEP2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	6.39	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	05OCT2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.3	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140991018/58/F/W	Screening	26APR2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	02JUN2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	12JUL2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	28JUL2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	0.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	25AUG2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	22SEP2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	30NOV2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	09JAN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	15JUN2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140991025/53/F/W	Screening	09JUN2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Baseline	13SEP2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	52	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.5	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	51.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	35.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 4	05OCT2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	51	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 8	07NOV2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	44.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	94.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	26.8	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.23	HIGH	0.00000000	0.13000000	ug/L
	Week 12	07DEC2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	50	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	19.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 16	28DEC2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	67.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	17.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	07MAR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	51	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	22.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	05APR2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	49	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
140991032/56/F/B	Screening	13JUL2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	18AUG2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 4	08SEP2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	06OCT2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	02NOV2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	42.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	15.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	01DEC2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	09FEB2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	09MAR2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	20SEP2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
140991045/51/F/W	Baseline	05OCT2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	27.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	19DEC2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	10JAN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140991050/55/F/B	Screening	05JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	129.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	01FEB2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	116.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	23FEB2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	125	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	71	HIGH	7.70000000	58.50000000	U/L
			Estradiol	5.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	05APR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.67	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	119.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	67	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	25APR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	23MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	121.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	26JUL2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	136.6	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	66.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
141051004/50/F/MUL	Screening	12NOV2021	Thyrotropin	1.48	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	108.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.25	HIGH	0.00000000	0.13000000	ug/L
	Baseline	27DEC2021	Thyrotropin	2.06	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	112.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Week 4	17JAN2022	Thyrotropin	1.4	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	107.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.26	HIGH	0.00000000	0.13000000	ug/L
	Week 8	18FEB2022	Thyrotropin	1.69	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	97	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	21.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.25	HIGH	0.00000000	0.13000000	ug/L
	Week 12	21MAR2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.23	HIGH	0.00000000	0.13000000	ug/L
	Week 16	15APR2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.27	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	28JUN2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	27JUL2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.36	HIGH	0.00000000	0.13000000	ug/L
	Unscheduled	19NOV2021	Thyrotropin	1.83	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	104	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
141051008/51/F/A	Screening	14MAR2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.63	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20APR2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	11MAY2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	09JUN2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	13JUL2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	03AUG2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12OCT2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	09NOV2022	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.22	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141051010/53/F/W	Screening	25APR2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	142.7	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	16JUN2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	135.1	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	08JUL2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	53.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	34.4	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 8	04AUG2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.08	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	122.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	14SEP2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	112.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	06OCT2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	113.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	08DEC2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.32	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	112.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.4	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.24	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	18JAN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	113.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
141051024/57/F/W	Screening	14NOV2022	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.95	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	27DEC2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.98	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	23JAN2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	0.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	17FEB2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	21MAR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	17APR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	27JUN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	18JUL2023	Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141051033/49/F/W	Screening	19DEC2022	Triiodothyronine	1.56	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	105	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	24JAN2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.6	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	21FEB2023	Triiodothyronine	1.63	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.84	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	17MAR2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	103	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.69	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.71	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	18APR2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.9	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	09MAY2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.55	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	18JUL2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	100	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	15AUG2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.24	HIGH	0.00000000	0.13000000	ug/L
141131009/52/F/W	Screening	18MAY2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	14JUN2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	06JUL2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	04AUG2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.67	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	14SEP2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	101.3	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	53	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	03OCT2022	Triiodothyronine	0.65	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12DEC2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	10JAN2023	Triiodothyronine	0.52	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	1.89	LOW	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
141131015/53/F/W	Screening	13JUL2022	Triiodothyronine			.	.	
			Thyroxine			.	.	

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone			.	.	
			Progesterone			.	.	
	Baseline	11AUG2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 4	12SEP2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	03OCT2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	24OCT2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	19JUL2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.45614	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
141131017/52/F/W	Screening	21JUL2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.08	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Baseline	26AUG2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	51.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
141131021/52/F/NR	Screening	19AUG2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
	Baseline	07SEP2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	03OCT2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	27OCT2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	21.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
	Week 12	01DEC2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 16	28DEC2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	01MAR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.1	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	19.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141131048/41/F/W	Screening	23JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	67.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	11.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Baseline	22FEB2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	65.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	9.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	22MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	73.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	13.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
	Week 8	18APR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.39	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	70.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	07JUN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	72.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	25AUG2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	77	HIGH	7.70000000	58.50000000	U/L
			Estradiol	9.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
141141006/58/F/W	Screening	13APR2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Baseline	24JUN2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	52	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	22JUL2022	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	106.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	17AUG2022	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	50	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	32.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	27.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.36	HIGH	0.00000000	0.13000000	ug/L
	Week 12	21SEP2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	50	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.97	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	16.4	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.4	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	72.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.68	HIGH	0.00000000	0.13000000	ug/L
	Week 16	11OCT2022	Triiodothyronine	0.59	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	47	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	19DEC2022	Triiodothyronine	0.59	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	101.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	26JAN2023	Triiodothyronine	0.52	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	49	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.55	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	1.82	LOW	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	104.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141141014/52/F/W	Screening	28JUN2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	104.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	23.8	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	04AUG2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.37	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	68.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	30.2	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	31AUG2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	21.9	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	160.3	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	45.1	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.38	HIGH	0.00000000	0.13000000	ug/L
	Week 8	22SEP2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	15.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	25.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	26.9	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	27OCT2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	13.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	22.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Week 16	21NOV2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	24.0	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	30JAN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	25.7	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	28FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	106.1	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	48	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	22.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141141017/51/F/W	Screening	23AUG2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	116.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	21OCT2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	73.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.34	HIGH	0.00000000	0.13000000	ug/L
	Week 4	17NOV2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.5	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	113.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	9.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	09DEC2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	131.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	68.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	13JAN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	137.8	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	8.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	09FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	141.6	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	62.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	14APR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	128	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	16MAY2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	49	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	128.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141141026/62/F/W	Screening	17JAN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	25.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	28FEB2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	19APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	71.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	23MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	14JUN2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	22AUG2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	19SEP2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	24.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141191001/54/F/W	Screening	31JAN2022	Thyrotropin	1.73	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	145.6	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	75.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	29MAR2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	132.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	70.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	22APR2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	144.5	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	9.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	16MAY2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	141.3	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	67.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	21JUN2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	153.8	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	91.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	18JUL2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	137.3	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	26SEP2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	138.7	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	80	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	19OCT2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	128.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	7.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.24	HIGH	0.00000000	0.13000000	ug/L
141191007/55/F/B	Screening	19APR2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	38.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	26MAY2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	34.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	22JUN2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.65	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	33.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	14JUL2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	34.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	23AUG2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	36.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	18.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	19SEP2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.45614	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 26/End of Treatment	21NOV2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	40.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	19DEC2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	39.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
141191010/61/F/B	Screening	27JUL2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	22AUG2022	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.2	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	19SEP2022	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	17OCT2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	14NOV2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	08DEC2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13FEB2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	14MAR2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	67.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	7.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
141191015/57/F/B	Baseline	27SEP2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	26	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	09NOV2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	23.3	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	11.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	13DEC2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.37	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	23	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	12.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	12JAN2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	24.7	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	10.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	39.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 16	02FEB2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.95	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	24.5	LOW	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	11	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	29.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	13.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	09MAY2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	30.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	16	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	24OCT2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	26.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	15	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141191016/52/F/W	Screening	28SEP2022	Triiodothyronine	1.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.11	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	5.53	HIGH	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	10NOV2022	Triiodothyronine	2.02	HIGH	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.32	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	5.60	HIGH	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 4	07DEC2022	Triiodothyronine	1.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	5.40	HIGH	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	40.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	134.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.26	HIGH	0.00000000	0.13000000	ug/L
	Week 8	03JAN2023	Triiodothyronine	1.82	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.95	HIGH	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 12	02FEB2023	Triiodothyronine	1.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	5.21	HIGH	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 16	28FEB2023	Triiodothyronine	1.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	5.34	HIGH	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	32.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	181.0	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	15.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	04MAY2023	Triiodothyronine	1.82	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.88	HIGH	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	31MAY2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	38.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	59.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141251002/62/F/B	Screening	14SEP2021	Thyrotropin	3.64	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	38.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	19OCT2021	Thyrotropin	2.56	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	42.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	11NOV2021	Thyrotropin	3.6	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	35.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	14.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	13DEC2021	Thyrotropin	2.93	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	32.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	11JAN2022	Thyrotropin	2.9	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	38.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	15	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	07FEB2022	Thyrotropin	2.87	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	36.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12APR2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	32.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	10.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	24.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	10MAY2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	37.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
141251003/61/F/B	Screening	21SEP2021	Thyrotropin	0.89	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	79.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Baseline	19OCT2021	Thyrotropin	1	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	79.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.2	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	11NOV2021	Thyrotropin	0.49	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	75.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	07DEC2021	Thyrotropin	0.52	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	64.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	11JAN2022	Thyrotropin	0.71	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	66.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	07FEB2022	Thyrotropin	0.45	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	68.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12APR2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	10MAY2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
141251008/65/F/B	Screening	14DEC2021	Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	87.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	25JAN2022	Thyrotropin	1.68	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	95.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	21FEB2022	Thyrotropin	1.75	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	87.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 8	22MAR2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	86.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 12	19APR2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 16	16MAY2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.95	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	21JUL2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	16AUG2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
141251014/56/F/B	Screening	12MAY2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	106	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	22.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	16JUN2022	Triiodothyronine	1.63	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	110	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	28.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	22.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	12JUL2022	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	98	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	24.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	14.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 8	09AUG2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.69	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	23.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	13SEP2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	24.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	04OCT2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	08DEC2022	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	107	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.55	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	25.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	12JAN2023	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	27.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
141251019/63/F/W	Screening	29NOV2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	31.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	29DEC2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 4	24JAN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	21FEB2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	36.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	28MAR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	55.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	17APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.4	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	13.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	28JUN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.67	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	101.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	24JUL2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	94.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141251021/55/F/B	Screening	31JAN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	28MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	18APR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	22MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	20JUN2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	11JUL2023	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone			.	.	
			Progesterone			.	.	
	Unscheduled	18JUL2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141361009/57/F/W	Screening	13MAY2022	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20JUL2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	31.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	12AUG2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	26.1	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 8	08SEP2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	06OCT2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Week 16	03NOV2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12JAN2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	21.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	23.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.24	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	20FEB2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	50	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	19.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141361013/62/F/W	Screening	11JUL2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	159.5	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	68.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.8	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Baseline	02SEP2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	169.9	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 4	26SEP2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	171.7	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	74.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	24OCT2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	178.1	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	70	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	28NOV2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.07	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	179.9	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	79	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	22DEC2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	189.2	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	80.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	5.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	27FEB2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.95	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	191	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	81.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	27MAR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	181.2	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	76.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	06JAN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	180.6	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	75.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	5.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
141361025/56/F/NR	Screening	29AUG2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	116.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.25	HIGH	0.00000000	0.13000000	ug/L
	Baseline	03OCT2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	120.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	24OCT2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	123.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	21NOV2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	117	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	03JAN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.69	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	116.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141361038/60/F/W	Screening	13JAN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.56	HIGH	0.00000000	0.13000000	ug/L
	Baseline	10FEB2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.38	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	06MAR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	03APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	11MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 16	26MAY2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.5	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	10AUG2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	14SEP2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone			.	.	
141361042/55/F/W	Screening	30JAN2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.38	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	126.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.9	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	16MAR2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	13APR2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	119.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	04MAY2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	25MAY2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2.14	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	37.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	26JUN2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141431001/49/F/W	Screening	23FEB2022	Thyrotropin	2.59	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	103.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	75	HIGH	7.70000000	58.50000000	U/L
			Estradiol	15.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	21.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	11APR2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.58	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	27.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	22.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	06MAY2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	3.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.84	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	21.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	31MAY2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61	HIGH	7.70000000	58.50000000	U/L
			Estradiol	16.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	23.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	06JUL2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.91	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	16.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	22.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	28JUL2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	67.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	16.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	22.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	07OCT2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	68.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	19.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	05DEC2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	104	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	65.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	14.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	21.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
141431004/49/F/W	Screening	01JUN2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	94.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	73.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	26.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	11JUL2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.2	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	50.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	70.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	04AUG2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	64.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	19.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	30AUG2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	06OCT2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.5	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	26.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 16	18OCT2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	93.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.25	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12JAN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	40.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	16FEB2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	115.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141431005/46/F/W	Screening	20JUN2022	Triiodothyronine	1.69	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.97	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	131.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.10401	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Baseline	08AUG2022	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	127.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	31AUG2022	Triiodothyronine	2.15	HIGH	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	5.14	HIGH	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	127.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.23	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	05OCT2022	Triiodothyronine	2.15	HIGH	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	5.08	HIGH	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	132.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	03NOV2022	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.71	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	126	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
141431010/45/F/W	Screening	24AUG2022	Triiodothyronine	1.56	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	117	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.63	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	10OCT2022	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	118	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	222.5	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	14.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.38	HIGH	0.00000000	0.13000000	ug/L
	Week 4	01NOV2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	111	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	36.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	18.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	75.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 8	21NOV2022	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	125	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	28.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12JAN2023	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	113	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	100.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	10MAR2023	Triiodothyronine	1.56	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	106	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	20.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	20SEP2022	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	123	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.63	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.2	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
141431013/59/F/W	Screening	22NOV2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20DEC2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	13JAN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	23.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	09FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.95	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	15MAR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.32	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	06APR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	14JUN2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Follow-up	11JUL2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141791001/52/F/B	Screening	19DEC2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	106	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	12JAN2023	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	100	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	02FEB2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	113	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	11.9	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	11.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	02MAR2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	11APR2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	101	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	16.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	03MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	100	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12JUL2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	116	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	0.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.2	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	10AUG2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	102	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141791010/62/F/W	Screening	21FEB2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.63	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.26	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	04APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	26APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	24MAY2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	27JUN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.86	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	19JUL2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.71	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.38	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.9	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	24	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	03OCT2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.79	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	02NOV2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.63	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
141801001/57/F/W	Screening	06OCT2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	107.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	10NOV2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.08	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	06DEC2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	03JAN2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	106.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	02FEB2023	Triiodothyronine	0.46	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	1.50	LOW	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	101.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	22.7	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	28FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	111.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	08MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	06JUN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141801003/54/F/W	Screening	20OCT2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	101	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.63	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	63.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	20.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.0	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Baseline	15DEC2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	98	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	11JAN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.48	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.0	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.31746	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	03FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	101	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.63	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	13MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.9	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.21345	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	04APR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13JUN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.3	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	17JUL2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	104	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.71	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.8	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	4.0	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.24812	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
141801010/53/F/W	Screening	18JAN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	23FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.89	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	20MAR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	14APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.15	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	18MAY2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	112.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	14JUN2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141801014/55/F/W	Screening	13FEB2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.17	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Baseline	30MAR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	98	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.63	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.38	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	25APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	23MAY2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	22JUN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.3	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	7.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	17JUL2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
141881001/42/F/W	Screening	20DEC2022	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone	1.0401	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone			.	.	
	Baseline	30JAN2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	14MAR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	23MAR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	38.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	26APR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.2	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.28279	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	23MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.27736000	1.66416000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	31JUL2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	40.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	10JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	43.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
141891023/59/F/W	Screening	15FEB2023	Triiodothyronine	0.59	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	45	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	183	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	12APR2023	Triiodothyronine	0.65	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	44	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	176.5	HIGH	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	68.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	03MAY2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	45	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.48	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	179.1	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	75.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	21JUN2023	Triiodothyronine	0.65	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	42	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	167.1	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.1	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	05JUL2023	Triiodothyronine	0.65	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	49	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	200	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	75.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	01AUG2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.71	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	200	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	95	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	11SEP2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	44	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	200	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	89.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	10OCT2023	Triiodothyronine	0.65	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	46	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	200	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	79.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	01MAR2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	50	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	186	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
		29JUN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	188.7	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141891028/54/F/W	Screening	23FEB2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	05APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.69	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.0	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.62949	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	26APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	101.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.28279	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	24MAY2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.31746	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	29JUN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 16	20JUL2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	72.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.49081	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.36	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	27SEP2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	06NOV2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141891029/46/F/B	Screening	24FEB2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	29MAR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	32.9	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	19APR2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.07	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	17MAY2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	50	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	27.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	69.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	08JUN2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	47	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141901009/47/F/B	Screening	12OCT2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.28	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	40.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	61.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Baseline	01DEC2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	38.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	27DEC2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	24JAN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	34.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Unscheduled	24OCT2022	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone	0.31203	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone			.	.	
		10NOV2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
141901013/50/F/W	Screening	03NOV2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	27.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	24.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	10JAN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.7	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	01FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.49	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	37.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	02MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	41.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	04APR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	39.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	27APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	4.31	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	41	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	06JUL2023	Triiodothyronine	0.65	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	38	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.78	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	24.3	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	115.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.29	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	04AUG2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	48	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.71	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	40	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	09FEB2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141901022/55/F/B	Screening	30NOV2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	111.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	12.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	06FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	24.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	02MAR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	104.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	29MAR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	30.4	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	28.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	96.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	02MAY2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	22MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	115	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	03AUG2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	01SEP2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	28.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	18.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141901023/47/F/NR	Baseline	05DEC2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.38	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	16FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	20MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	24APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	25JUL2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	23AUG2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	1.95	LOW	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141901029/53/F/B	Screening	04JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	107	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	17APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	12MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	05JUN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	107.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	10JUL2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.37	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	107	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	24.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	31JUL2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.37	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	09OCT2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	98	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.14	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	104.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	10NOV2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.0	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141901035/51/F/B	Screening	01MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	94.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	22.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20APR2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	94.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	15MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.70	HIGH	0.00000000	0.13000000	ug/L
	Week 8	09JUN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.68	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	39.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	18JUL2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	3.04	HIGH	0.00000000	0.13000000	ug/L
	Week 16	07AUG2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13OCT2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Follow-up	10NOV2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141901037/59/F/B	Screening	09MAR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	29.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	24APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	16MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.6	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	8.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	13JUN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	19JUL2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	08AUG2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.10944	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141931021/58/F/B	Screening	03FEB2023	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	21APR2023	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	16MAY2023	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	13JUN2023	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	14JUL2023	Triiodothyronine	1.56	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.08	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.71	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	04AUG2023	Triiodothyronine	1.63	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13OCT2023	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	17NOV2023	Triiodothyronine	1.69	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.91	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.1	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	30.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141931024/57/F/B	Screening	26JAN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	72.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	19.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.59482	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	29MAR2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	66.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	20.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.10944	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	25APR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	68.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	13.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.31746	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	18MAY2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	18.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.28279	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	23JUN2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	14.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	18JUL2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	66.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	20.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.94152	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	20SEP2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	94.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	13.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141951013/61/F/W	Screening	02MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	11MAY2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	08JUN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	68	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	13JUL2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	03AUG2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	17OCT2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	14NOV2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
141971005/50/F/B	Screening	01NOV2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	28DEC2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	43.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	24JAN2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	15.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	21FEB2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.98	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	20MAR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	24.1	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	40.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	2.04553	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.64	HIGH	0.00000000	0.13000000	ug/L
141971015/54/F/B	Screening	13DEC2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	44	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Baseline	26JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.51	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	27FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	19.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	06APR2023	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone			.	.	
			Progesterone			.	.	
	Week 12	20APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	19.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 16	08MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.10944	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
142111018/50/F/W	Screening	20MAR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	21APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	117.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	15MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	119.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	09JUN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	104.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	17JUL2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.5	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	07AUG2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	108.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	16OCT2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	112.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	10NOV2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
220011006/52/F/W	Screening	20JUN2022	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.00	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20JUL2022	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.05	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	48.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.39	HIGH	0.00000000	0.13000000	ug/L
	Week 4	01SEP2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	105	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin			.	.	
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	12SEP2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.14	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	17OCT2022	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.04	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	14NOV2022	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.22	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.9	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	33.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	19JAN2023	Triiodothyronine	1.20	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	01MAR2023	Triiodothyronine	1.19	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
220031004/61/F/W	Screening	20APR2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.04	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	16MAY2022	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.74	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	10JUN2022	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.5	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.04	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	07JUL2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	05AUG2022	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.82	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.8	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	02SEP2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.14	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	18NOV2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.88	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	20DEC2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
220031005/53/F/W	Screening	29APR2022	Thyrotropin	1.63	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	71.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	07JUN2022	Triiodothyronine	1.19	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.14	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	05JUL2022	Triiodothyronine	1.20	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.08	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.22	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	01AUG2022	Triiodothyronine	1.22	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.53	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	14SEP2022	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.51	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	73	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
220031016/59/F/W	Screening	01DEC2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	02FEB2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.94	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	02MAR2023	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.00	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	23MAR2023	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	27APR2023	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.23	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	18MAY2023	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	02AUG2023	Triiodothyronine	0.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.79	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	06SEP2023	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.02	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.13	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	26JAN2023	Triiodothyronine	1.18	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.52548	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
220041004/53/F/W	Screening	07FEB2023	Triiodothyronine	1.25	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.14	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	07FEB2023	Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
		04APR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine			.	.	
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.98	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.38	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	29.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 4	27APR2023	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	30.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.62949	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	24MAY2023	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	28JUN2023	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone			.	.	
			Progesterone			.	.	

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 16	24JUL2023	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone			.	.	
			Progesterone			.	.	
	Week 26/End of Treatment	26SEP2023	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	18OCT2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.97	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.77	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	36.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
220041005/59/F/W	Screening	13FEB2023	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.82	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.5	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	16MAR2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	05APR2023	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone			.	.	
			Progesterone			.	.	
	Week 8	12MAY2023	Triiodothyronine	0.84	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	122.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	09JUN2023	Triiodothyronine	0.90	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.04	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	114.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	30JUN2023	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone			.	.	
			Progesterone			.	.	
	Week 26/End of Treatment	15SEP2023	Triiodothyronine	0.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.75	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	25OCT2023	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	117.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
220051005/55/F/W	Screening	24OCT2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.44	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	06DEC2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	10.6	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	8.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	29.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Week 4	22DEC2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.55	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	44.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 8	30JAN2023	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.89	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.8	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	40.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	01MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	23MAR2023	Triiodothyronine	1.19	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.63	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	06JUN2023	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.31	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.43	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	14JUL2023	Triiodothyronine	1.27	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
220051007/53/F/W	Screening	14MAR2023	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	37.6	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.55	HIGH	0.00000000	0.13000000	ug/L
	Baseline	12APR2023	Triiodothyronine	1.22	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	09MAY2023	Triiodothyronine	1.25	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.29	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	07JUN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	27.0	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 12	06JUL2023	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.30	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	24.9	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
	Week 16	26JUL2023	Triiodothyronine	1.38	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	11OCT2023	Triiodothyronine	1.28	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.50	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	74	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	15NOV2023	Triiodothyronine	1.33	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.40	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
220051008/51/F/W	Screening	09FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	31MAR2023	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	119.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	64.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	9.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	28APR2023	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	113	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	26MAY2023	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.72	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	122.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	27JUN2023	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.85	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.17	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	123.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.34	HIGH	0.00000000	0.13000000	ug/L
	Week 16	26JUL2023	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.79	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	113.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.3	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	02OCT2023	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.96	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	112.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	16NOV2023	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.35	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.01	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	108.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	23MAR2023	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.39	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.37	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	16.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
220071001/60/F/W	Screening	02DEC2022	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.54	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.43	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Baseline	26JAN2023	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.16	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.27	HIGH	0.00000000	0.13000000	ug/L
	Week 4	22FEB2023	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.29	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.1	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	22MAR2023	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.0	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 12	19APR2023	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.00	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.40	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.9	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	17MAY2023	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.55	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.8	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	20JUL2023	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.00	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.20	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.25	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	14AUG2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.05	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.36	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.6	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
300021001/52/F/W	Screening	24MAY2022	Triiodothyronine	0.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.57	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	04JUL2022	Triiodothyronine	0.87	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.94	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.75	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	27JUL2022	Triiodothyronine	0.77	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.07	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	123.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	24AUG2022	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	112.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	28SEP2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.11	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	116.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	18OCT2022	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.38	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.88	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	112.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	27DEC2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.02	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.81	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	104.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	25JAN2023	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.77	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	08JUL2022	Triiodothyronine	0.87	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.83	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
300021003/59/F/W	Screening	16JUN2022	Triiodothyronine	0.82	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.69	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.62	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	13JUL2022	Triiodothyronine	0.83	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.36	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.72	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.2	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	39.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	03AUG2022	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.27	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.95	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	31AUG2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.51	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.98	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.31	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	05OCT2022	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.44	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.48	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.37	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	26OCT2022	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.51	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.25	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	09JAN2023	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.49	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	08FEB2023	Triiodothyronine	1.21	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.66	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.33	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
300021004/57/F/B	Screening	22JUN2022	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.92	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.33	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	29JUL2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.57	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	24AUG2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.94	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.05	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	20SEP2022	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.99	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 12	01NOV2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.02	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	73	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	14NOV2022	Triiodothyronine	0.88	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	23JAN2023	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.00	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	28FEB2023	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.33	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.21345	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
300021005/61/F/W	Screening	27JUN2022	Triiodothyronine	1.35	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.37	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	25JUL2022	Triiodothyronine	1.32	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	22AUG2022	Triiodothyronine	1.29	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	12SEP2022	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.01	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	17OCT2022	Triiodothyronine	1.32	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	07NOV2022	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.03	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	19JAN2023	Triiodothyronine	1.18	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.96	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	22FEB2023	Triiodothyronine	1.32	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.01	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.49	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
300031002/62/F/W	Screening	01JUN2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.38	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	06JUL2022	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.14	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	02AUG2022	Triiodothyronine	0.90	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 8	30AUG2022	Triiodothyronine	0.69	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.11	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	28SEP2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.16	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	25OCT2022	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.35	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.33	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	03JAN2023	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	6.01	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.96	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.7	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	01FEB2023	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.36	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.08	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.83	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone			.	.	
			Progesterone			.	.	
300031006/59/F/W	Screening	07JUL2022	Triiodothyronine	0.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.96	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.82	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	117.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	17AUG2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.86	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.91	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	13SEP2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.90	LOW	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	4.59	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.92	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	135.9	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	05OCT2022	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.90	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.04	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	107	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	21.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	10NOV2022	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.95	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.44	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	21.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	02DEC2022	Triiodothyronine	0.83	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.95	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.77	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	120.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	20DEC2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.95	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	119.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	22.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	12JAN2023	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.82	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	115.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	19.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
380011005/52/F/W	Screening	21JUN2022	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.36	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.11	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	09AUG2022	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.4	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	47.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.21345	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	01SEP2022	Triiodothyronine	0.87	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 8	27SEP2022	Triiodothyronine	0.84	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.69	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.23	HIGH	0.00000000	0.13000000	ug/L
	Week 12	01NOV2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.84	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.1	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	28NOV2022	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.31	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.85	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	03FEB2023	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.39	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.76	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	28FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.88	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.3	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
380011008/52/F/W	Screening	22JUL2022	Triiodothyronine	0.83	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.13	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	1.76817	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.25	HIGH	0.00000000	0.13000000	ug/L
	Baseline	15SEP2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.58	HIGH	0.00000000	0.13000000	ug/L
	Week 4	07OCT2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.48	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.43	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	65	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.37	HIGH	0.00000000	0.13000000	ug/L
	Week 8	04NOV2022	Triiodothyronine	0.90	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.98	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.58	HIGH	0.00000000	0.13000000	ug/L
	Week 12	09DEC2022	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.25	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.03	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	76.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
	Week 16	04JAN2023	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.87	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	24.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.31	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	09MAR2023	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.89	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	26	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	223.8	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.56	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	11APR2023	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.42	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.51	HIGH	0.00000000	0.13000000	ug/L
380011014/51/F/W	Screening	06OCT2022	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.38	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	25NOV2022	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	16DEC2022	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.08	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.07	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	17JAN2023	Triiodothyronine	1.21	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.95	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	20FEB2023	Triiodothyronine	1.32	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.18	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	10MAR2023	Triiodothyronine	1.23	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	23MAY2023	Triiodothyronine	1.21	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.88	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	20JUN2023	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.28	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.75	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	31.5	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380011016/49/F/W	Screening	25NOV2022	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.55	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.29	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	12JAN2023	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.25	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.91	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	37.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	09FEB2023	Triiodothyronine	1.27	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.25	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.67	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.17	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	26.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	76.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 26/End of Treatment	15FEB2023	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.89	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.1	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	10MAR2023	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.81	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380011017/52/F/W	Screening	08DEC2022	Triiodothyronine	0.82	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.83	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
	Baseline	08DEC2022	Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
		19JAN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.72	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.8	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone			.	.	
	Week 4	13FEB2023	Triiodothyronine	0.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.97	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	09MAR2023	Triiodothyronine	0.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.07	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	13APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	10MAY2023	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.38	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	18JUL2023	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.48	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.35	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	14AUG2023	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380011023/54/F/W	Screening	09FEB2023	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.72	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	21.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.3	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.35213	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	29MAR2023	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.8	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	25APR2023	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.77	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	18MAY2023	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.2	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.10944	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	21JUN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.98	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.5	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	27.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	17JUL2023	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.10944	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	20SEP2023	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.96	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	31OCT2023	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.16	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	20.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.45614	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380011024/48/F/W	Screening	10FEB2023	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.14	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	42.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.25	HIGH	0.00000000	0.13000000	ug/L
	Baseline	12APR2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.11	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	2.8	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	1.2	LOW	7.70000000	58.50000000	U/L
			Estradiol	112.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	21.97	HIGH	0.00000000	0.13000000	ug/L
	Week 4	05MAY2023	Triiodothyronine	1.39	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	97	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.35	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	19.2	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	31.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 8	05JUN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.55	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	20.3	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.10401	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	25JUL2023	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.90	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	13.8	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	277.3	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	2.06	HIGH	0.00000000	0.13000000	ug/L
	Week 16	01AUG2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	7.3	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	7.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	150.7	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	13.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	3.87	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	10OCT2023	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	07NOV2023	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	49	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.95	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.08	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.95	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	21.6	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	309.8	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	12.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.33	HIGH	0.00000000	0.13000000	ug/L
	Unscheduled	31MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.01	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	2.6	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	4	LOW	7.70000000	58.50000000	U/L
			Estradiol	300.5	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	1.24	HIGH	0.00000000	0.13000000	ug/L
		30JUN2023	Triiodothyronine	1.29	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.81	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	22.6	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
380011025/52/F/W	Screening	14FEB2023	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.44	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.83	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.1	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	29MAR2023	Triiodothyronine	0.88	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.14	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	21.5	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	236.8	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.36	HIGH	0.00000000	0.13000000	ug/L
	Week 4	19APR2023	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.85	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	17MAY2023	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.98	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	22JUN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.56	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	27.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	137.4	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.23	HIGH	0.00000000	0.13000000	ug/L
	Week 16	17JUL2023	Triiodothyronine	0.74	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.40	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	20SEP2023	Triiodothyronine	0.87	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.45	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.25	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	18OCT2023	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.37	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.23	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380021001/50/F/W	Screening	12JAN2022	Thyrotropin	2.62	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	112.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.8	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	13.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	24FEB2022	Thyrotropin	1.58	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	89.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	23.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.76817	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 4	21MAR2022	Thyrotropin	2.33	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	53.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	70.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	32.5	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Week 8	20APR2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.74	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	118.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	41.4	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 12	19MAY2022	Triiodothyronine	0.79	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.77	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	118.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	33.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 16	09JUN2022	Triiodothyronine	0.70	LOW	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.56	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	120.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	23AUG2022	Triiodothyronine	0.87	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	119.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	22SEP2022	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	106.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.69883	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.31	HIGH	0.00000000	0.13000000	ug/L
380061001/45/F/W	Screening	27DEC2021	Thyrotropin	2.47	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	63	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	43.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	28FEB2022	Thyrotropin	2.5	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	108.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 4	21MAR2022	Thyrotropin	2.1	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	104.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	20APR2022	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin	3.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone	106.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	25MAY2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.98	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	115.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 16	15JUN2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.38	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.00	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	108.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	24AUG2022	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.53	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	21SEP2022	Triiodothyronine	0.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.03	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	13JAN2022	Thyrotropin	2.26	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	95.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
380061007/59/F/W	Screening	21FEB2022	Thyrotropin	2.13	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	96.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Baseline	21MAR2022	Thyrotropin	2.19	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	93.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 4	12APR2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.25	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.38	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	94.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 8	12MAY2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	94.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	16JUN2022	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.07	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	11JUL2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.33	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.21345	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	15SEP2022	Triiodothyronine	1.26	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.36	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.63	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	107.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.17878	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	13OCT2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.92	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	2.49624	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
380061019/56/F/W	Baseline	27FEB2023	Triiodothyronine	1.20	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	98.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	64.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	9.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 4	20MAR2023	Triiodothyronine	1.23	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.39	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.43	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 8	17APR2023	Triiodothyronine	1.28	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.37	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.50	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 12	22MAY2023	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.27	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.62	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	113.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	67.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	12JUN2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	122.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.23	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	21AUG2023	Triiodothyronine	1.26	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.36	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	116.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	9.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	19SEP2023	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.10	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Unscheduled	12JAN2023	Triiodothyronine	1.20	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.27	HIGH	0.00000000	0.13000000	ug/L
380071001/49/F/W	Screening	17FEB2022	Thyrotropin	1.3	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	89.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	24MAR2022	Thyrotropin	1.31	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	104	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	20APR2022	Triiodothyronine	0.68	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.30	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	12MAY2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.55	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	115	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	16JUN2022	Triiodothyronine	0.84	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.94	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	30.8	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	07JUL2022	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	111.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	26SEP2022	Triiodothyronine	0.84	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	100	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.43	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.66	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	13OCT2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.81	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380071002/49/F/W	Screening	28MAR2022	Thyrotropin	3.5	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	70.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	24MAY2022	Triiodothyronine	0.90	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.05	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.72	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	21JUN2022	Triiodothyronine	0.83	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.85	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	18JUL2022	Triiodothyronine	0.79	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.95	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.69	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.4	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	18AUG2022	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.57	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.26	HIGH	0.00000000	0.13000000	ug/L
	Week 16	12SEP2022	Triiodothyronine	0.88	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	21NOV2022	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.04	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	19DEC2022	Triiodothyronine	0.84	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.99	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.69	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.87	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
380071004/49/F/W	Screening	05MAY2022	Thyrotropin	1.11	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	59.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	05MAY2022	Triiodothyronine	1.26	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.94	NORMAL	0.93000000	1.70000000	ng/dL
			Triiodothyronine, Free	3.10	NORMAL	2.00000000	4.40000000	pg/mL
		29JUN2022	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin	0.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone	59.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	28JUL2022	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.92	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.94	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 8	23AUG2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.97	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.50	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	21SEP2022	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.94	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	18OCT2022	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.02	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.38	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.10	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	04JAN2023	Triiodothyronine	1.26	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.95	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.03	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.2	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	25JAN2023	Triiodothyronine	1.31	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.97	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.10	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
380071005/44/F/W	Screening	09MAY2022	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.98	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.72	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	104	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	65.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	12.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Baseline	14JUN2022	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.96	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.88	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	73.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	111.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.33	HIGH	0.00000000	0.13000000	ug/L
	Week 4	12JUL2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.02	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	5.02	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.81	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	101.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	14.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	03AUG2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	133.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.25	HIGH	0.00000000	0.13000000	ug/L
	Week 12	07SEP2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.00	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.95	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	30.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	15.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	49.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	29SEP2022	Triiodothyronine	0.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.88	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	10.5	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	16	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	331.9	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	17.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.27736000	1.66416000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.70	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	07DEC2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.99	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	21	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	11.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	44.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.5	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	04JAN2023	Triiodothyronine	0.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	38.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	125.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.24	HIGH	0.00000000	0.13000000	ug/L
380071007/53/F/W	Screening	07JUN2022	Triiodothyronine	1.53	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.34	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.98	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.33	HIGH	0.00000000	0.13000000	ug/L
	Baseline	20JUL2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.17	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.5	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	37.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	16AUG2022	Triiodothyronine			.	.	
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.34	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone	62.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 8	07SEP2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.95	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	25.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	12OCT2022	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.43	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	24.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	02NOV2022	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.07	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.27	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	0.3	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	11JAN2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.27	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.30	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	01FEB2023	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.96	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	24.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.24	HIGH	0.00000000	0.13000000	ug/L
380071010/50/F/W	Screening	12JUL2022	Triiodothyronine	0.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	23AUG2022	Triiodothyronine	0.88	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	16SEP2022	Triiodothyronine	0.84	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.34	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.98	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	12OCT2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.35	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	16NOV2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.36	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.34	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	74.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	09DEC2022	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.17	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	15FEB2023	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.41	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.59482	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	15MAR2023	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380091001/44/F/W	Screening	06JAN2022	Thyrotropin	3.11	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	61.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20JAN2022	Thyrotropin	4.32	HIGH	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	60.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	10FEB2022	Thyrotropin	4.69	HIGH	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	66	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	10MAR2022	Thyrotropin	5.29	HIGH	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	62.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 12	21APR2022	Triiodothyronine	1.27	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	7.75	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.25	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	12MAY2022	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.05	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	14JUL2022	Triiodothyronine	1.27	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	6.22	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.30	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	24AUG2022	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.98	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	7.83	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.95	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380091003/65/F/W	Screening	02JUN2022	Triiodothyronine	1.33	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.95	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	33.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	86.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	23JUN2022	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	97	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.34	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.18	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 4	21JUL2022	Triiodothyronine	1.21	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	101	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.41	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.30	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	29.4	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 8	15AUG2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	114	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.37	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.07	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	27.3	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.30	HIGH	0.00000000	0.13000000	ug/L
	Week 12	19SEP2022	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.27	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	66.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	06OCT2022	Triiodothyronine	2.76	HIGH	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	7.40	HIGH	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	22.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	22DEC2022	Triiodothyronine	1.36	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	112	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.42	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.10	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	19JAN2023	Triiodothyronine	1.52	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	28.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	172.3	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
380091007/63/F/W	Screening	05JAN2023	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.68	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	26JAN2023	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.63	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	16FEB2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.41	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.63	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	23MAR2023	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.27	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.83	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	20APR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.17	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	11MAY2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.34	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	20JUL2023	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.04	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.76	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	17AUG2023	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.3	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.81	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.72	HIGH	0.00000000	0.13000000	ug/L
380091009/55/F/W	Screening	23FEB2023	Triiodothyronine	1.35	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.53	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	62.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	6.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	23MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.43	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	13APR2023	Triiodothyronine	1.45	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 8	18MAY2023	Triiodothyronine	1.76	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.98	HIGH	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	15JUN2023	Triiodothyronine	1.26	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.46	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	20JUL2023	Triiodothyronine	1.20	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.07	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	05OCT2023	Triiodothyronine	1.31	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.66	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.3	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	02NOV2023	Triiodothyronine	1.23	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.30	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380101001/53/F/W	Screening	15FEB2022	Thyrotropin			.	.	
			Follicle Stimulating Hormone	73.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	29MAR2022	Thyrotropin	1.54	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	70.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	21APR2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.72	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 8	23MAY2022	Thyrotropin	1.69	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	72.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	22JUN2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.50	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	18JUL2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.00	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	23SEP2022	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.66	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Follow-up	26OCT2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.17	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380101002/53/F/W	Screening	15FEB2022	Thyrotropin	3.76	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	97.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	05APR2022	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.38	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 4	28APR2022	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.79	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 8	27MAY2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.81	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 12	29JUN2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.81	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.32	HIGH	0.00000000	0.13000000	ug/L
	Week 16	01AUG2022	Triiodothyronine	0.90	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	03OCT2022	Triiodothyronine	0.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.85	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.6	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	6.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	07NOV2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.35	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.88	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380101003/56/F/W	Screening	22FEB2022	Thyrotropin	2.68	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	114.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	19.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	03MAY2022	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.04	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	120.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	62.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	30MAY2022	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.63	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.5	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	24JUN2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.5	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.20	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	66.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.17878	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	29JUL2022	Triiodothyronine	0.90	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.96	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	119.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	68.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	15AUG2022	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.91	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	106.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	24OCT2022	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.79	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	64.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	28NOV2022	Triiodothyronine	0.80	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.71	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	62.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380101007/46/F/W	Screening	26APR2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.00	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.08	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.83	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	06JUN2022	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.84	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	LOW	0.27736000	1.66416000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	30JUN2022	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.84	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	27JUL2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.98	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	31AUG2022	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.96	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	22SEP2022	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.00	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.9	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	35.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	28NOV2022	Triiodothyronine	0.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	24.6	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	24JAN2023	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380101010/52/F/W	Screening	10MAY2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	127.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.10944	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.25	HIGH	0.00000000	0.13000000	ug/L
	Baseline	21JUN2022	Triiodothyronine	0.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.92	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	148.0	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.27	HIGH	0.00000000	0.13000000	ug/L
	Week 4	13JUL2022	Triiodothyronine	1.20	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	137.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Week 8	12AUG2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.00	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.84	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	139.8	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.26	HIGH	0.00000000	0.13000000	ug/L
	Week 12	16SEP2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.20	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	154.2	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	2.04553	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.52	HIGH	0.00000000	0.13000000	ug/L
	Week 16	04OCT2022	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	130.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.21345	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.26	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	16DEC2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.22	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	100.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.26	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	18JAN2023	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.94	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	126.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.25	HIGH	0.00000000	0.13000000	ug/L
380101011/51/F/W	Screening	07JUN2022	Triiodothyronine	1.20	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.44	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	5.27	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.23	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	49.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	22JUL2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	108	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.74	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.85	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	15AUG2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	115	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.71	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.75	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	12SEP2022	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	109	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.56	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.22	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	18OCT2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	112	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.76	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.21	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.51	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	07NOV2022	Triiodothyronine	1.25	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	117	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.77	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.15	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.75	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	22.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	18JAN2023	Triiodothyronine	1.22	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	106	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.53	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	20FEB2023	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	97	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.58	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.55	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	44.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	29JUN2022	Triiodothyronine	1.27	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	109	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.45	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380101012/46/F/W	Screening	20JUN2022	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.98	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	65.2	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	05AUG2022	Triiodothyronine	0.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.05	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.98	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	76.7	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	29AUG2022	Triiodothyronine	0.87	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.02	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.52	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.84	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	68.9	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	26SEP2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.02	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.82	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	73.2	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	31OCT2022	Triiodothyronine	0.83	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.83	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	75.7	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	21NOV2022	Triiodothyronine	0.79	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	52	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.00	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.97	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	63.4	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 26/End of Treatment	30JAN2023	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.84	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	69.4	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	28FEB2023	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.31	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.90	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	69.5	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	07DEC2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.38	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.84	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	54.6	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
380101016/46/F/W	Screening	16AUG2022	Triiodothyronine	1.36	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.3	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	26SEP2022	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.92	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	20OCT2022	Triiodothyronine	1.26	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.23	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	16NOV2022	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	22DEC2022	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.69	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	17JAN2023	Triiodothyronine	1.27	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.24	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	24MAR2023	Triiodothyronine	1.33	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	27APR2023	Triiodothyronine	1.20	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380101017/50/F/W	Screening	20SEP2022	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.37	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.25	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	10NOV2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	98	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.46	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.04	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	64.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	07DEC2022	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	05JAN2023	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.53	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.04	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.1	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	53.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	02FEB2023	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.49	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.38	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.95	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	01MAR2023	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.38	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	05MAY2023	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.43	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	08JUN2023	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.79	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	31.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.38	HIGH	0.00000000	0.13000000	ug/L
380101018/52/F/W	Screening	11OCT2022	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.53	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	61.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	11OCT2022	Triiodothyronine, Free	3.64	NORMAL	2.00000000	4.40000000	pg/mL
		29NOV2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone	56.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	20DEC2022	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.02	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.29	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	17JAN2023	Triiodothyronine	0.82	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.03	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	27FEB2023	Triiodothyronine	0.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.97	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.05	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.35213	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	14MAR2023	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.46	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	30MAY2023	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.36	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	59.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	19JUL2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	51	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.02	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.14	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
380101021/49/F/W	Screening	20DEC2022	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.5	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.23	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	03FEB2023	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.77	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	01MAR2023	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.94	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	107.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	29MAR2023	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.13	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	02MAY2023	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.13	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	106.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	23MAY2023	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.84	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	127.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	14.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	28JUL2023	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.00	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	125.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	05SEP2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.03	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	108	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
380101022/58/F/W	Screening	03JAN2023	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.00	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.32	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.23	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	21APR2023	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.2	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	19MAY2023	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.97	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12JUN2023	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.92	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	18APR2023	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.42	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
380111001/52/F/W	Screening	31MAR2022	Thyrotropin	1.71	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	45.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	05MAY2022	Triiodothyronine	1.19	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.02	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.10	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	01JUN2022	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.27	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	30JUN2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.00	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.33	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 12	08AUG2022	Triiodothyronine	1.22	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.57	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.38	HIGH	0.00000000	0.13000000	ug/L
	Week 16	25AUG2022	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin			.	.	
			Triiodothyronine, Free	3.04	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	27OCT2022	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	24NOV2022	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.8	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
380111004/54/F/W	Screening	09JUN2022	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	118.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.32	HIGH	0.00000000	0.13000000	ug/L
	Baseline	30JUN2022	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.14	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	118.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	28JUL2022	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	131.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	25AUG2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	121.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	22SEP2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.33	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.27	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	118.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	13OCT2022	Triiodothyronine	1.25	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.25	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	130.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	22DEC2022	Triiodothyronine	1.35	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.11	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	121.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	19JAN2023	Triiodothyronine	1.26	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	102	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	118.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380111005/52/F/W	Screening	06OCT2022	Triiodothyronine	0.79	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	52	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.86	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.82	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.24	HIGH	0.00000000	0.13000000	ug/L
	Baseline	05JAN2023	Triiodothyronine	0.67	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.49	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.10944	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.24	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	26JAN2023	Triiodothyronine	0.73	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.05	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.31	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93.9	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	50.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	22.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Unscheduled	08DEC2022	Triiodothyronine	0.82	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	50	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.02	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.08	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.79	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
380111010/49/F/W	Screening	26JAN2023	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.02	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.81	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	74.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	8.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	09MAR2023	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	51	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.97	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	40.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	95.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.43	HIGH	0.00000000	0.13000000	ug/L
	Week 4	30MAR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	39.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 8	04MAY2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.91	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.88	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	29.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	151.1	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.35	HIGH	0.00000000	0.13000000	ug/L
	Week 12	06JUN2023	Triiodothyronine	0.80	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	52	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.98	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.36	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.42147	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.25	HIGH	0.00000000	0.13000000	ug/L
	Week 16	22JUN2023	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.92	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	22.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.6	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	31AUG2023	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	52	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.86	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.85	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	25.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	03OCT2023	Triiodothyronine	1.22	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.98	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.37	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	72.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	67.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Unscheduled	16FEB2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.61	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	80.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	10.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
390071002/57/F/W	Screening	24AUG2022	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free			.	.	

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone	27.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	2.3	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	21SEP2022	Triiodothyronine	1.23	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	110	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.42	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.20	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 4	19OCT2022	Triiodothyronine	1.18	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	111	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.03	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	14NOV2022	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	112	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.44	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	19DEC2022	Triiodothyronine	1.22	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	109	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.50	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	44.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	01FEB2023	Triiodothyronine	1.41	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	122	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.54	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.96	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	2.9	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	19MAR2023	Triiodothyronine	1.31	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	118	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.62	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.22	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.5	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	24APR2023	Triiodothyronine			.	.	
			Thyroxine	107	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone	29.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.3	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	2.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
390081001/60/F/W	Screening	08FEB2023	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.45	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	27MAR2023	Triiodothyronine	1.18	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	98	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.50	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.33	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	23APR2023	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.39	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone	47.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	07JUN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.36	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.03	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.00	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	19JUN2023	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.87	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	11SEP2023	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.47	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.55	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
440011001/60/F/W	Screening	21DEC2021	Thyrotropin	3.18	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	65.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	0.8	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	01APR2022	Thyrotropin	3.96	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	65.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.6	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	1.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	22APR2022	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	109	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.54	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	5.86	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.43	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	20MAY2022	Triiodothyronine	0.90	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.58	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	5.08	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.83	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.3	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	24JUN2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	102	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.60	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	1.2	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	18JUL2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	117	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.60	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.26	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.88	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	1.0	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.3868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	27SEP2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	108	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.66	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.05	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	1.1	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	21OCT2022	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	111	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.72	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	0.8	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
440011007/52/F/W	Screening	28FEB2022	Luteinizing Hormone	37	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	28FEB2022	Thyrotropin	2.63	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	52	NORMAL	25.80000000	134.80000000	U/L
		20APR2022	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone	19	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	75.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	13MAY2022	Triiodothyronine	1.42	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.02	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	10JUN2022	Triiodothyronine	1.44	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.04	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.98	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.33	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	13JUL2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 16	05AUG2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.18	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13OCT2022	Triiodothyronine	1.29	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.25	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	23NOV2022	Triiodothyronine	1.29	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.36	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
440011020/54/F/W	Screening	09AUG2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.47	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.35	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	165.2	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	89.4	HIGH	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	13.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	2.49624	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	09SEP2022	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.25	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.14	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	153	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	88.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	7.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	05OCT2022	Triiodothyronine	0.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.39	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.22	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.20	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	154.9	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	80.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	5.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	02NOV2022	Triiodothyronine	0.90	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.42	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin			.	.	
			Triiodothyronine, Free	3.01	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone			.	.	
			Progesterone			.	.	
	Week 12	06DEC2022	Triiodothyronine	0.88	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.50	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	0.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.92	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	151.8	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	92.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
	Week 16	23DEC2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.53	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.14	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	169.6	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	92	HIGH	7.70000000	58.50000000	U/L
			Estradiol	14.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	21.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.97619	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.43	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	15MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.05	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	144	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	83.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	13.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	31MAR2023	Triiodothyronine	0.90	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.41	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	145.5	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	72.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	18.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.31746	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.24	HIGH	0.00000000	0.13000000	ug/L
440011023/54/F/W	Screening	07NOV2022	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.14	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	16DEC2022	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.24	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	12.1	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	10.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	31.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	10JAN2023	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.55	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.94	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	44	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 8	07FEB2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.8	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	38	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 12	14MAR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.14	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	03APR2023	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.69	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.96	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	20.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12JUN2023	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	18JUL2023	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.16	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	35.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	67.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
440021013/55/F/W	Screening	19DEC2022	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	97.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	19JAN2023	Triiodothyronine	0.81	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	121.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	72.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	13FEB2023	Triiodothyronine	0.90	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.14	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	115.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	65	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	13MAR2023	Triiodothyronine	0.87	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	133.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	77.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	17APR2023	Triiodothyronine	0.75	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	124.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	6.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	10MAY2023	Triiodothyronine	0.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.45	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.36	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	126.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	68.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	13.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	20JUL2023	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.38	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.15	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	126	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	62.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	11SEP2023	Triiodothyronine	0.81	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.74	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	119.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	64.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
440031004/54/F/W	Screening	16MAY2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.43	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.17	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Baseline	15JUL2022	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	25.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	08AUG2022	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.36	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.23	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	08SEP2022	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.10	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	10OCT2022	Triiodothyronine	1.19	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	03NOV2022	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.34	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.35	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13JAN2023	Triiodothyronine	1.31	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.61	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	10FEB2023	Triiodothyronine	1.47	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.37	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.57	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
440031005/55/F/W	Screening	19MAY2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.37	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.31	HIGH	0.00000000	0.13000000	ug/L
	Baseline	07JUL2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	112	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.51	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.68	HIGH	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	03AUG2022	Triiodothyronine	0.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	107	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.61	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	29AUG2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	110	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.52	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	04OCT2022	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	122	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.98	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.03	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 16	28OCT2022	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	147	HIGH	51.00000000	141.00000000	ug/L
			Thyroxine, Free	2.09	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.03	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.23	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	03JAN2023	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	118	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.79	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.24	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.71	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	07FEB2023	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	1.97	LOW	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
440031007/51/F/W	Screening	30MAY2022	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.99	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.89	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.8	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.0	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Baseline	22JUN2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	13JUL2022	Triiodothyronine	0.80	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.96	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.98	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.83	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	10AUG2022	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	19SEP2022	Triiodothyronine	0.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.23	HIGH	0.00000000	0.13000000	ug/L
	Week 16	05OCT2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.04	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.37	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	14DEC2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	04JAN2023	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
440031017/57/F/W	Screening	26AUG2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.82	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	108.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	14OCT2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.97	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	07NOV2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.32	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.22	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	05DEC2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.62	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.3	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	29.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	09JAN2023	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.07	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.92	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	07FEB2023	Triiodothyronine	0.87	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.57	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	16.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	24APR2023	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.27	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.03	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	23MAY2023	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
440031023/56/F/W	Screening	21OCT2022	Triiodothyronine	0.88	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.48	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	113.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	24NOV2022	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 4	22DEC2022	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.07	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	01FEB2023	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.31	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.72	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	24FEB2023	Triiodothyronine	0.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.62	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	31MAR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.88	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	94.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	24APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.77	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	94.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
440031026/58/F/W	Screening	19JAN2023	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.67	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.77	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	02FEB2023	Triiodothyronine	1.31	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.44	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	02MAR2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.44	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.56	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 8	04APR2023	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	02MAY2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.55	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	30MAY2023	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	17AUG2023	Triiodothyronine	1.39	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.71	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	12SEP2023	Triiodothyronine	1.38	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
440051011/56/F/W	Screening	23JUN2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Baseline	02AUG2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.04	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.90	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	24AUG2022	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	26SEP2022	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.55	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.88	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	25OCT2022	Triiodothyronine	0.87	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	15NOV2022	Triiodothyronine	0.83	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 26/End of Treatment	24JAN2023	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
440051013/56/F/W	Screening	12JUL2022	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.77	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	139.3	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	11.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	1.46	HIGH	0.00000000	0.13000000	ug/L
	Baseline	30AUG2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.5	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.90	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	157.7	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	21SEP2022	Triiodothyronine	0.90	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.31	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.95	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	162.5	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	79.5	HIGH	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	18OCT2022	Triiodothyronine	0.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin			.	.	
			Triiodothyronine, Free	2.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol			.	.	
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone			.	.	
			Progesterone			.	.	
	Week 12	23NOV2022	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.07	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	144.8	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	79.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	19DEC2022	Triiodothyronine			.	.	
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone	66.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	21FEB2023	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.07	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.98	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	139.3	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	11.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
460031005/58/F/W	Screening	18JAN2023	Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.87	NORMAL	0.27000000	4.20000000	mU/L
			Luteinizing Hormone	28.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	18JAN2023	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Triiodothyronine, Free	2.85	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.6	NORMAL	25.80000000	134.80000000	U/L
		22FEB2023	Triiodothyronine			.	.	
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone	27.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	20.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.31746	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	16MAR2023	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.04	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.11	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	12APR2023	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.92	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.31746	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	22MAY2023	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.94	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.24812	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	09JUN2023	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	52	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.96	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.03	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	17AUG2023	Triiodothyronine	1.26	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.02	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.46	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.8	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	28.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.17878	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	14SEP2023	Triiodothyronine	1.19	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.04	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.24	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	43.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.21345	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
460061002/53/F/W	Screening	06SEP2022	Triiodothyronine	1.18	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	104.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Baseline	11NOV2022	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	07DEC2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 8	04JAN2023	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.71	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	03FEB2023	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.82	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	02MAR2023	Triiodothyronine	1.21	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.45	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.18	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	18MAY2023	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.23	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	01AUG2023	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.87	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
460061008/53/F/W	Screening	03JAN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.87	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	150.2	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	21FEB2023	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.14	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	119.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
	Week 4	16MAR2023	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	125.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	13APR2023	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.23	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	116.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	29JUN2023	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.27	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	134.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
460071014/54/F/W	Screening	23SEP2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.25	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	17OCT2022	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.11	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	11NOV2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	09DEC2022	Triiodothyronine	1.25	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.35	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	13JAN2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.35	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	03FEB2023	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	20APR2023	Triiodothyronine	1.18	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.27	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.37	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	18MAY2023	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.33	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
460071019/54/F/W	Screening	07NOV2022	Triiodothyronine	0.80	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.71	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	12DEC2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	06JAN2023	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 8	03FEB2023	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.27	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.5	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	10MAR2023	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.77	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	44.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	31MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.88	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	08JUN2023	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.77	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.1	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	03JUL2023	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.97	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.95	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.85	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	43.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
460071020/53/F/W	Screening	18NOV2022	Triiodothyronine	0.87	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.04	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	05JAN2023	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.05	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.01	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	27JAN2023	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.53	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	24FEB2023	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.04	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.92	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	30MAR2023	Triiodothyronine	1.22	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.37	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	27APR2023	Triiodothyronine	1.21	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.05	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.29	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	22JUN2023	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.98	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	13JUL2023	Triiodothyronine	1.19	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.99	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.07	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
460071021/56/F/W	Screening	18NOV2022	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.64	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	06JAN2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.65	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.48	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.4	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	34.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	27JAN2023	Triiodothyronine	0.71	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.27	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.67	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.36	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	24FEB2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.31	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.64	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	31MAR2023	Triiodothyronine	0.70	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.61	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	27APR2023	Triiodothyronine	0.71	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.07	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	06JUL2023	Triiodothyronine	0.80	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.97	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.66	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	27JUL2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.56	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
460071025/53/F/W	Screening	30JAN2023	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.55	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.28	HIGH	0.00000000	0.13000000	ug/L
	Baseline	10MAR2023	Triiodothyronine	0.86	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.44	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	06APR2023	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.14	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	02MAY2023	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.05	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.83	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	02JUN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.05	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	90.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	03JUL2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.70	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.27	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	31JUL2023	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.04	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
460091005/55/F/W	Screening	20JAN2023	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	104	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.64	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.69	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	28FEB2023	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	107	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.77	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.37	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.07	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	24MAR2023	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	112	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.84	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.10	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	21APR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	104	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.62	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.32	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	25MAY2023	Triiodothyronine	0.87	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	116	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.85	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.5	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.51	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	16JUN2023	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	116	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	2.04	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.04	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	25AUG2023	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	112	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.61	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.5	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	29SEP2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.47	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	7.86	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
460091008/58/F/W	Screening	09FEB2023	Triiodothyronine	1.27	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.35	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.18	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.62	HIGH	0.00000000	0.13000000	ug/L
	Baseline	23MAR2023	Triiodothyronine	1.20	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.48	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	17APR2023	Triiodothyronine	1.25	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.44	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	11MAY2023	Triiodothyronine	1.23	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.32	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.17	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 12	19JUN2023	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	25.3	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	06JUL2023	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.16	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	14SEP2023	Triiodothyronine	1.46	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.44	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	12OCT2023	Triiodothyronine	1.51	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.6	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	5.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
490021005/41/F/B	Screening	14SEP2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.85	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.37	HIGH	0.00000000	0.13000000	ug/L
	Baseline	21OCT2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.13	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	14NOV2022	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.85	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	19DEC2022	Triiodothyronine	0.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	3.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.92	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.80284	HIGH	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
490021010/51/F/W	Screening	08FEB2023	Triiodothyronine	1.41	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.25	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone	69.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	07MAR2023	Triiodothyronine	1.33	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.38	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	06APR2023	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.97	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.10944	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	28APR2023	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.29	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	01JUN2023	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.25	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 16	26JUN2023	Triiodothyronine	1.18	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.85	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	04SEP2023	Triiodothyronine	1.21	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.6	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	27.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	06OCT2023	Triiodothyronine	1.26	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.29	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	01MAR2023	Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL

Sex is identified as: M = Male, F = Female.
Race is identified as: A = Asian, B = Black, W = White, AI = American Indian or Alaska Native, NH = Native Hawaiian or Other Pacific Islander, NR = Not Reported, MUL=Multiple.
The unit for "Age" is years.
Bayer: /var/swan/root/bhc/3427080/21651/stat/main01/prod/analysis/pgms/l_10_2_8_1_adlb_horm.sas 09JAN2024 16:22

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
140031002/56/F/B	Screening	22FEB2022	Thyrotropin	1.44	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	44.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	61.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	25MAR2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	20APR2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	20.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	16MAY2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 12	20JUN2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	11JUL2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.0	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	19SEP2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	07NOV2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.6	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	8.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
140031010/54/F/B	Screening	02DEC2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Baseline	30JAN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	22FEB2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	20MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	24APR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	15MAY2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	18.1	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	12.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	49.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	26JUL2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	24AUG2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.5	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
140031011/59/F/B	Screening	29DEC2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	17JAN2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	08FEB2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.1	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	50.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	08MAR2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	12APR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.1	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	03MAY2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12JUL2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	2.1	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	10AUG2023	Triiodothyronine	1.56	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.5	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140051002/54/F/B	Screening	14MAR2022	Thyrotropin	0.86	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	71.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	27APR2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.9	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	27MAY2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	79.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	28JUN2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	20JUL2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	16AUG2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	20OCT2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.17878	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	28NOV2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
140091002/52/F/W	Screening	23JUN2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	31AUG2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	78.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 4	26SEP2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	25OCT2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 12	05DEC2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	33.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	15	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	28.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	21DEC2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	15MAR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	28MAR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	29.1	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	14NOV2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	107.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	11.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
140181004/46/F/W	Screening	30NOV2021	Thyrotropin	3.42	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	60.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	14JAN2022	Thyrotropin	2.97	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	67	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	09FEB2022	Thyrotropin	3.36	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	29	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	135.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	24.0	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.27	HIGH	0.00000000	0.13000000	ug/L
	Week 8	09MAR2022	Thyrotropin	3.49	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	54.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 12	07APR2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.55472	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	03MAY2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12JUL2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	39.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	70.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	21.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.31	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	05AUG2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	29.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	43.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	24JAN2022	Thyrotropin	3.41	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	58.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.2	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.52005	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
140181025/60/F/W	Screening	10OCT2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	145.7	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	67.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	14DEC2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	146.5	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	62.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	8.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	05JAN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	141.8	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	9.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 8	07FEB2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	129.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	08MAR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	138.5	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	04APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	142.1	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	8.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13JUN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	139.4	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	12JUL2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	145.6	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69	HIGH	7.70000000	58.50000000	U/L
			Estradiol	5.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
140191005/51/F/W	Screening	11NOV2021	Thyrotropin	1.61	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	80.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.28279	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	14DEC2021	Thyrotropin	1.07	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	55.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	65.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.62949	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 4	05JAN2022	Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	42.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	107.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	19.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.80284	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Week 8	02FEB2022	Thyrotropin	0.93	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	46.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	50.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	2.11487	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 12	08MAR2022	Thyrotropin	0.86	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	73.1	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	53.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.35213	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	31MAR2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.84	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	23.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	2.11487	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.47	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	09JUN2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.66416	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	07JUL2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.83751	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
140191007/58/F/W	Screening	28DEC2021	Thyrotropin	2.14	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	117.4	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	51.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	24JAN2022	Thyrotropin	3.4	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	106.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	17FEB2022	Thyrotropin	2.59	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	109.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	17MAR2022	Thyrotropin	2.42	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	111.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	21APR2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	12MAY2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	108.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	21JUL2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	94.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	18AUG2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	108.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140191012/60/F/W	Screening	25JUL2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	113	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin			.	.	
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone			.	.	
	Baseline	25AUG2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	113	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	19SEP2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	17OCT2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	103	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	21NOV2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	115	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.14	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.2	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	35.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	12DEC2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	101	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.07	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	20FEB2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	20MAR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	04AUG2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140191013/53/F/W	Screening	21SEP2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	02NOV2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	28NOV2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	7.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	28DEC2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	25JAN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	27FEB2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	111.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	01MAY2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	103.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	22MAY2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140191019/54/F/W	Screening	16JAN2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Baseline	09FEB2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	02MAR2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.48	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	03APR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.5	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	08MAY2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.0	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	25MAY2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.7	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	08AUG2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.2	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	05SEP2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.95	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140201002/53/F/B	Screening	18NOV2021	Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	42	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	10FEB2022	Thyrotropin	0.68	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	18.9	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	118.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
	Week 4	07MAR2022	Thyrotropin	0.9	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	30.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	12.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	05APR2022	Thyrotropin	0.84	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	42.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	04MAY2022	Thyrotropin	0.71	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	39.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	01JUN2022	Thyrotropin	1.25	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	42.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	10AUG2022	Thyrotropin	0.87	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	41.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	26SEP2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	40.3	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	26.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
140301008/52/F/B	Screening	16MAY2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.5	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	28JUL2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	25AUG2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	26SEP2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.96	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	20OCT2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	110	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	17NOV2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	105	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	26JAN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	6.65	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	20FEB2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140371004/63/F/W	Screening	01JUN2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	23.9	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.1	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.7335	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20JUN2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	25.4	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	18	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.94152	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	07JUL2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	22.1	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	15.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.0	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.69883	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	09AUG2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	21.3	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	16.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.1	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.31746	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	12SEP2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	22.9	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	18.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.5	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.21345	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	05OCT2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	24.2	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	11.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.2	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.90685	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	14DEC2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	22	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	11.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	12JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	23.2	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	18.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.69883	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
140371010/51/F/W	Screening	18JUL2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	03OCT2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	27OCT2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.26	HIGH	0.00000000	0.13000000	ug/L
	Week 8	21NOV2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	27DEC2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	19JAN2023	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.92	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.91	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	28MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	24APR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140371013/46/F/NR	Screening	16AUG2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Baseline	12OCT2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.95	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	02NOV2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	51.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	30NOV2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	66.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	14.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	09JAN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.7	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	78.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 16	31JAN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	28.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	04APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	03MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	83.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
140371014/58/F/NR	Screening	02AUG2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	16AUG2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	19SEP2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	2.9	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	05OCT2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	08NOV2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	23NOV2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	07FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.2	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	13MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.1	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	25.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140371017/56/F/W	Screening	15AUG2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	03OCT2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	25OCT2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 8	22NOV2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	27DEC2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.48	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	18JAN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	30MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	26APR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140371019/64/F/W	Screening	17AUG2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	11OCT2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 4	02NOV2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	49.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	29NOV2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	44.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	03JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	25JAN2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	04APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	02MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140371027/55/F/W	Screening	22SEP2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	101.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Baseline	20OCT2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	116.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	62.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.24	HIGH	0.00000000	0.13000000	ug/L
	Week 4	15NOV2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	114.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	08DEC2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	113.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 12	12JAN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.2	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 16	02FEB2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	51	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.08	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	108.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.5	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13APR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	45	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.9	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	17MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	47	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
140371036/51/F/W	Screening	14FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	123.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	68.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	22.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Baseline	09MAR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	7.16	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	41.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	117.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	22.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	03APR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	6.44	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	145.3	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	65.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	5.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	03MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	10.5	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	152	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	81.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	05JUN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.79	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.21	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.71	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	167.8	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	78	HIGH	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 16	27JUN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.79	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.06	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	168.2	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	66.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	05SEP2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	2.02	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.06	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	148.4	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	67.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	05OCT2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.94	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.05	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	151.9	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	17MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	149.6	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140371040/53/F/W	Screening	01MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.48	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	116.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	64.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	8.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	30MAR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	107.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	20APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	61.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	18MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	27JUN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	125.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	65.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	5.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	17JUL2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	129	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	71.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	21SEP2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	134.2	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	70.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	24OCT2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	124.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140401001/55/F/W	Screening	05OCT2021	Thyrotropin	1.15	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	70.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	07DEC2021	Thyrotropin	1.18	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	70.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	03JAN2022	Thyrotropin	1.43	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	58.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.48	HIGH	0.00000000	0.13000000	ug/L
	Week 8	01FEB2022	Thyrotropin	1.14	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	61.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.7	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.29	HIGH	0.00000000	0.13000000	ug/L
	Week 12	01MAR2022	Thyrotropin	1.61	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	60.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	22MAR2022	Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	65.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	01JUN2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.48	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	30JUN2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.08	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Unscheduled	15DEC2021	Thyrotropin	1.06	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	67.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140401017/54/F/W	Screening	12JAN2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	22FEB2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	107	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	20MAR2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 8	24APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	22MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	12JUN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	108.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	20SEP2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.1	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	82.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	04OCT2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140431004/57/F/W	Screening	08APR2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	13JUN2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	07JUL2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	04AUG2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	06SEP2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	29SEP2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	08DEC2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	44.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	29.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	10JAN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
140431037/52/F/W	Screening	13DEC2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	13FEB2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.32	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	9.4	LOW	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	13.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	375.4	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	12.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	7.89	HIGH	0.00000000	0.13000000	ug/L
140461013/60/F/W	Screening	25AUG2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.61	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Baseline	06OCT2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	6.98	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 8	29NOV2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	101	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.94	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.13	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	03JAN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.71	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.03	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	09NOV2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	5.94	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	02SEP2022	Thyrotropin	3.48	NORMAL	0.27000000	4.20000000	mU/L
		14OCT2022	Thyrotropin	4.44	HIGH	0.27000000	4.20000000	mU/L
		13JAN2023	Thyroxine, Free	1.79	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.06	LOW	0.27000000	4.20000000	mU/L
140471005/53/F/AI	Screening	28MAR2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	29.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	45.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	19MAY2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	21	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	49.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	13JUN2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	20.2	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	88.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	07JUL2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	26.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	49.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	11AUG2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	22.8	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	18.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	43.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	01SEP2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	23.1	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	36.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.30	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	10NOV2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	19.1	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	37.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	15DEC2022	Triiodothyronine	1.56	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	120	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	18.8	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	14.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	61.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
140471011/61/F/W	Screening	22JUN2022	Triiodothyronine	2.08	HIGH	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.95	HIGH	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	118.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	9.0	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Baseline	21SEP2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.71	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	106.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	13.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 4	12OCT2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.78	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	10.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 8	09NOV2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.78	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	107.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	7.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 12	21DEC2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.78	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.46	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	11.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.24	HIGH	0.00000000	0.13000000	ug/L
	Week 16	06JAN2023	Triiodothyronine	1.56	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.78	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.97	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	05APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	29.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	17APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	66.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	45.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Unscheduled	08AUG2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.78	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
140471030/50/F/W	Screening	02FEB2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Baseline	13APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	09MAY2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.5	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	09JUN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
140491029/58/F/B	Screening	20MAR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	19APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	11MAY2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	07JUN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	12JUL2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	03AUG2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	11OCT2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	09NOV2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140511010/45/F/W	Screening	08NOV2022	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	41.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	9.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	23FEB2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	30.8	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	5.6	LOW	7.70000000	58.50000000	U/L
			Estradiol	10.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	22MAR2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	29	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	7.4	LOW	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.8	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	25APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	119	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.79	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	15.6	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	1.4	LOW	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	43.6	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	31MAY2023	Triiodothyronine	1.56	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.23	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	9.3	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	1.4	LOW	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	13JUN2023	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.97	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	16.9	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	1.8	LOW	7.70000000	58.50000000	U/L
			Estradiol	6.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	21AUG2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	31.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	7.1	LOW	7.70000000	58.50000000	U/L
			Estradiol	7.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	19SEP2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.5	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140531006/41/F/B	Screening	28SEP2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.7	LOW	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.3467	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Baseline	27OCT2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
	Week 4	17NOV2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.1	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	15DEC2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	19JAN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	86.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	09FEB2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	22.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	25APR2023	Triiodothyronine	0.65	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	51	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	1.95	LOW	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	113.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	19MAY2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140541014/53/F/W	Screening	03JUN2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	05JUL2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	27JUL2022	Triiodothyronine	1.76	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.67	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.10	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
	Week 8	25AUG2022	Triiodothyronine	1.69	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.91	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	12.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.47	HIGH	0.00000000	0.13000000	ug/L
	Week 12	04OCT2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	24OCT2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	24.4	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
140541021/59/F/B	Screening	29JUL2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	02SEP2022	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.54	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.91	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	20.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 4	23SEP2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	21OCT2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	20.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.10944	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.26	HIGH	0.00000000	0.13000000	ug/L
	Week 12	28NOV2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 16	19DEC2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	101	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	93.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
140541023/46/F/B	Screening	01AUG2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	36.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	18.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	06SEP2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	38.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.21345	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140541027/59/F/B	Screening	06MAR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	36.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.1	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	17.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	07APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	33.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	12.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	08MAY2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	41.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140581010/56/F/B	Screening	13JUL2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	06SEP2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	0.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	27SEP2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Week 8	27OCT2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.19	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.8	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	30NOV2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.2	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	21DEC2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	01MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	28MAR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
140601012/54/F/W	Screening	06FEB2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.9	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	53.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	27MAR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	19APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	24MAY2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	41.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	20JUN2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	19.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	10JUL2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.07	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	18SEP2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	19.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	18OCT2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.5	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140601013/62/F/W	Screening	06FEB2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	94.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	27MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	18APR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.3868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	15MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	90.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	14JUN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	10JUL2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	94.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.21345	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	18SEP2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	106.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	16OCT2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140601018/57/F/W	Screening	27FEB2023	Triiodothyronine	0.65	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	43	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	13APR2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	48	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	04MAY2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	47	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	01JUN2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	42	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	06JUL2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	47	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	02AUG2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	48	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	05OCT2023	Triiodothyronine	0.65	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	44	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.6	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	08NOV2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	49	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	14MAR2023	Triiodothyronine	0.65	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	49	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
140601021/52/F/W	Screening	28FEB2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Baseline	11APR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	02MAY2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	05JUN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	05JUL2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.84	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.2	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	22.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.25	HIGH	0.00000000	0.13000000	ug/L
	Week 16	31JUL2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	106.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	19.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	05OCT2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.36	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	19.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	02NOV2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	101.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140841009/62/F/W	Screening	23AUG2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	04OCT2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	24OCT2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	22NOV2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	28DEC2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	19JAN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.67	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	28MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	27APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.7	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	31.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140841038/57/F/W	Screening	01FEB2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	100	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	64.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	5.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Baseline	06APR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	62.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	03MAY2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	108	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.71	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	62.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	31MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	65.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	12.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	29JUN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.07	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	70.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	21JUL2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	100	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.71	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.21	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	09OCT2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.63	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.98	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.69	HIGH	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	1.28279	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	01NOV2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	100	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.71	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	62.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	2.27	HIGH	0.00000000	0.13000000	ug/L
140851011/45/F/W	Screening	01FEB2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	31.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	15MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	05APR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	94.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	04MAY2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	28.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	07JUN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	28.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	29JUN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13SEP2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	09OCT2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
140931005/52/F/W	Screening	12APR2022	Triiodothyronine	1.56	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.84	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.90685	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.23	HIGH	0.00000000	0.13000000	ug/L
	Baseline	24MAY2022	Triiodothyronine	1.76	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.04	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.28279	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	14JUN2022	Triiodothyronine	1.56	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.04	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.45614	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 8	21JUL2022	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	20.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.17878	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 12	17AUG2022	Triiodothyronine	1.56	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.52548	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Week 16	14SEP2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.82	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.7335	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	21NOV2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.42147	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	20DEC2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.69	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Unscheduled	25APR2022	Triiodothyronine	2.86	HIGH	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.24812	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.27	HIGH	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
140981009/58/F/W	Screening	17NOV2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	106	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	34.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	05JAN2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	33.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	02FEB2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	97	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	36.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 8	02MAR2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	33.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.5	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	9.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	30MAR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	33.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	27APR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	98	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	32.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	26JUN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	34.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	25AUG2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	0.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	36.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140981013/55/F/W	Screening	29DEC2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	21FEB2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	111.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	16MAR2023	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone			.	.	

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone			.	.	
	Week 26/End of Treatment	07MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140981014/55/F/W	Screening	12JAN2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	25APR2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	23MAY2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.7	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	24.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13JUN2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140991043/51/F/B	Screening	22SEP2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	10NOV2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	94.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	182.8	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	13.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	1.03	HIGH	0.00000000	0.13000000	ug/L
	Week 4	06DEC2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	21.5	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	12.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	57.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	05JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	44.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	02FEB2023	Triiodothyronine	0.65	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	5.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	28FEB2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	71.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	10MAY2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	06JUN2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	25.1	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	116.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.25	HIGH	0.00000000	0.13000000	ug/L
	Unscheduled	17NOV2022	Triiodothyronine	0.65	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	16.9	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	295.6	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	15.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.92	HIGH	0.00000000	0.13000000	ug/L
140991048/51/F/W	Screening	21NOV2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	200	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	88.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	8.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
	Baseline	09JAN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	200	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	75.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	8.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.24	HIGH	0.00000000	0.13000000	ug/L
	Week 4	30JAN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.07	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	104.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.51	HIGH	0.00000000	0.13000000	ug/L
	Week 8	08MAR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	187	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	76.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	8.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	04APR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	184.2	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Week 16	03MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	200	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	82.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.26	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	11JUL2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	200	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	68	HIGH	7.70000000	58.50000000	U/L
			Estradiol	13.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.41	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	09AUG2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	200	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	65	HIGH	7.70000000	58.50000000	U/L
			Estradiol	7.4	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
140991049/49/F/B	Screening	01DEC2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.35213	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	19DEC2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	2.66959	HIGH	0.27736000	1.66416000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	12JAN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.7335	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 8	09FEB2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	2.28822	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
140991053/62/F/B	Screening	16FEB2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	13MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	06APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.14	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 8	02MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	05JUN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	30JUN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	05SEP2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.3	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	03OCT2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	11JUL2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.67	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141051002/58/F/B	Screening	27OCT2021	Thyrotropin	2.2	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	163.7	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	68	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	22DEC2021	Thyrotropin	1.25	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	178.5	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	86.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 4	18JAN2022	Thyrotropin	2.47	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	166.9	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	82.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	09FEB2022	Thyrotropin	2.11	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	124.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	66.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	5.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	16MAR2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	118.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	12APR2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	127.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	17JUN2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	104	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.13	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	134	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.10944	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	15JUL2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	110	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	120.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
141051005/63/F/B	Screening	15DEC2021	Thyrotropin	1.21	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	95.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	13JAN2022	Thyrotropin	1.61	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	90.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	09FEB2022	Thyrotropin	0.86	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	86.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 8	09MAR2022	Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	78.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	08APR2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	03MAY2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13JUL2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	04AUG2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.67	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141051007/62/F/W	Screening	11MAR2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.14	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	22APR2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	23MAY2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	18MAR2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141051012/55/F/B	Screening	12MAY2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	10JUN2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	04AUG2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.25	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	07SEP2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	30SEP2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	01DEC2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Follow-up	29DEC2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
141051015/55/F/W	Screening	23JUN2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	09AUG2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 4	01SEP2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.3	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	5.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 8	05OCT2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	01NOV2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	28NOV2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	06FEB2023	Triiodothyronine	1.63	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	03MAR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.32	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	38.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141051017/56/F/B	Screening	31AUG2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	102	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.71	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.35213	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
	Baseline	19OCT2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	106	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.79	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
	Week 4	09NOV2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	07DEC2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.63	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	11JAN2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.71	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	20.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	13FEB2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.9	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	39	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	10MAY2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	21.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
141051019/58/F/W	Screening	09SEP2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.48	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Baseline	21NOV2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.97	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	13DEC2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 8	11JAN2023	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.26	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.26	HIGH	0.00000000	0.13000000	ug/L
	Week 12	10FEB2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	10MAR2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	22MAY2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	19JUN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	108	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141051020/52/F/W	Screening	03OCT2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	130	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	75.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	30NOV2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	154.4	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	83.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	22DEC2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	128.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	77.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	18JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	131.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	81.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	7.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.17878	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	23FEB2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	142.6	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	77.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	9.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	20MAR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	148.9	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	90.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	30DEC2022	Triiodothyronine	0.52	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	1.69	LOW	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	117.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	91	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141051021/52/F/W	Screening	05OCT2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	02NOV2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	02DEC2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	21DEC2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	25JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.6	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	15FEB2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	26APR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	24MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
141051026/57/F/W	Screening	22NOV2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	28.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	18.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	09JAN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	50	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	28.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	15	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 4	31JAN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	50	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.22	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	28.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	14.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	28FEB2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	47	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	29.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	15.1	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	03APR2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	43	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.13	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	30.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	15	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	24APR2023	Triiodothyronine	0.59	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	39	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.70	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	1.69	LOW	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	27.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	14	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	18JUL2023	Triiodothyronine	0.65	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	33	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.70	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	30.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	18.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	01AUG2023	Triiodothyronine	0.65	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	41	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.78	LOW	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	31.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	16.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	08FEB2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.19	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	30.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	16.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
141051035/54/F/W	Screening	06JAN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	23.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.0	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	14MAR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	43.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	12APR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	44.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	19.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	02MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	06JUN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	9.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	27JUN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.07	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.3	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	57.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	30AUG2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.8	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	03OCT2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141051036/56/F/B	Screening	24JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	136.2	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	03MAR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	137	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	24MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	126.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 8	24APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	122.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	05JUN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.38	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	123.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.3	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
	Week 16	21JUN2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.38	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	125.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	31AUG2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	139.2	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	04OCT2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	149.5	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
141101007/56/F/W	Screening	15FEB2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.98	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	135.1	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	93.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	15.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.28279	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.50	HIGH	0.00000000	0.13000000	ug/L
	Baseline	07APR2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	112	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	03MAY2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	132.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	68.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	11.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	31MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	116.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	66.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	6.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	05JUL2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	124.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	10.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	31JUL2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	126.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	05OCT2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.14	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	141.8	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	12.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.45614	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	30OCT2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	131.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	77.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	6.8	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
141131005/56/F/W	Screening	03MAY2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	14JUN2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.71	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	07JUL2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	23.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.35	HIGH	0.00000000	0.13000000	ug/L
	Week 8	04AUG2022	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.66	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.84	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	15AUG2022	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.04	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 16	06OCT2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12DEC2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Follow-up	11JAN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
141131008/57/F/W	Screening	16MAY2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	23JUN2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	14JUL2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.1	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	17.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	11AUG2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	24.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.28	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	06OCT2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.51	HIGH	0.00000000	0.13000000	ug/L
141131024/51/F/W	Screening	09AUG2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.32	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	44.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	20.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	2.01086	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Baseline	26SEP2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	2.18421	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 4	19OCT2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	104	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.87218	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 12	20DEC2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.66416	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	10APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.10944	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141131032/55/F/W	Screening	12SEP2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.78	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	03NOV2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	05DEC2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141131050/56/F/W	Screening	07FEB2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	48.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	13MAR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.67	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	07APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	03MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	12JUN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	30JUN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13SEP2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	04OCT2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.6	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141141025/63/F/W	Screening	10JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	34.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	35.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.9	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	17APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	34.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	18.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.2	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	15MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.95	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	33.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.8	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	12JUN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	31.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.8	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	07JUL2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	33.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	11SEP2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	36.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	11OCT2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	33	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.0	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141191006/57/F/W	Screening	08APR2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.32	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	19MAY2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	16JUN2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.8	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	07JUL2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	16AUG2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	07SEP2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	22NOV2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.57	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.37	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	13DEC2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
141191021/61/F/B	Screening	28DEC2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	20.7	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	94.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	08FEB2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	16.5	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	16.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	138.7	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	20.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 4	01MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	10.7	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	8.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	69.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	25.9	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	03APR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	26.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	88.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	23.7	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	04MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	22.8	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	13	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	60.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	24MAY2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	27.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	46.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	29JUL2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	33.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	22.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141251001/61/F/B	Screening	13SEP2021	Thyrotropin	0.79	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	43.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	14OCT2021	Thyrotropin	0.68	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	39.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	08NOV2021	Thyrotropin	0.25	LOW	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	47.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	06DEC2021	Thyrotropin	1.11	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	47.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	22DEC2021	Thyrotropin	0.92	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	44.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	18JAN2022	Thyrotropin	1.3	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	46.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	10DEC2021	Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	44.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141251005/54/F/B	Screening	09NOV2021	Thyrotropin	2.47	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	35.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	21DEC2021	Thyrotropin	1.39	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	40.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	17JAN2022	Thyrotropin	1.43	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	40.7	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	22.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	14FEB2022	Thyrotropin	2.67	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	37.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	15MAR2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	51	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	39.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	07APR2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	34.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	12.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	14JUN2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	51	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	35	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	20.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	12JUL2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	37.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone			.	.	
	Unscheduled	13DEC2021	Thyrotropin	1.28	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	40.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141251010/55/F/B	Screening	01MAR2022	Thyrotropin	2.26	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	33.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	18.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	22.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	07APR2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	32.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	03MAY2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	31.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	18.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	31MAY2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	31.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	14.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	28JUN2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.63	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.67	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	36.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	18.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	26JUL2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.71	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	32.1	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	20.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.25	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	04OCT2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	31.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	15.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	08NOV2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	31.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
141331004/53/F/B	Screening	21OCT2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Baseline	09DEC2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	5.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	03JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.08	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	94	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	31JAN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	09MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	04APR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	06JUN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	11JUL2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	23.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141361007/48/F/W	Screening	05MAY2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	113.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Baseline	16JUN2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.37	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	25.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	11JUL2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	113	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	08AUG2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	27.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	12SEP2022	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.08	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	114.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	03OCT2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	124.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12DEC2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	124.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.53	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	09JAN2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	56.0	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.61	HIGH	0.00000000	0.13000000	ug/L
141361012/56/F/W	Screening	17JUN2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	29JUL2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	29AUG2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	16SEP2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	5.1	HIGH	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	21OCT2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.68	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 16	11NOV2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.95	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	26JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Follow-up	20FEB2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141361014/53/F/W	Screening	20JUN2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20JUL2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	15AUG2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.7	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	8.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	12SEP2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	17OCT2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	8.6	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	13.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	179.8	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	16.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.26	HIGH	0.00000000	0.13000000	ug/L
	Week 16	03NOV2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	12.4	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	8.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	49.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12JAN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	16FEB2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
141361016/44/F/W	Screening	24JUN2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	167.2	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	78.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	6.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	08AUG2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	157.2	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	65.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.27736000	1.66416000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	02SEP2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	162.2	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	74.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	6.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 8	30SEP2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	157.2	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	74.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	7.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.1	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	04NOV2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	104	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	141.6	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	73.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	7.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	28NOV2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	175.8	HIGH	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	73.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.3	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	02FEB2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	182.4	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	73.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	10.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	10MAR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	183	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	77.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	12.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141361017/58/F/NR	Screening	08JUL2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.5	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.34	HIGH	0.00000000	0.13000000	ug/L
	Baseline	18AUG2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	09SEP2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	10OCT2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	11NOV2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	29NOV2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.95	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	09FEB2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	17MAR2023	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.2	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141361024/56/F/W	Screening	25AUG2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	137.6	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Baseline	10OCT2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	130.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	03NOV2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	127	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	29NOV2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	138.9	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 12	03JAN2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	137.8	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.26	HIGH	0.00000000	0.13000000	ug/L
	Week 16	23JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	143.9	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	03APR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	149.3	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	05MAY2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	142.6	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	64.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	13.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
141361035/62/F/W	Screening	19DEC2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.11	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20JAN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.09	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.1	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	10FEB2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.18	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	10MAR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.31	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	14APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	05MAY2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.13	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	20JUL2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.24	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Follow-up	11AUG2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
141361037/56/F/W	Screening	12JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	16FEB2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	09MAR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	39	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	68.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	13APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	41.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	18.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	15MAY2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.56	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	27.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	172.9	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	24.3	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	01JUN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	14.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	16AUG2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	3.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	07SEP2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141431002/56/F/W	Screening	26APR2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.69883	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	31MAY2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	43.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	23JUN2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	22JUL2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	39.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	30AUG2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 16	19SEP2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.7	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	27.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	29NOV2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	05JAN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
141431003/56/F/W	Baseline	08JUN2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.69	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.97	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	12.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	18JUL2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.07	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	24.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
141431012/53/F/W	Screening	19SEP2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	04NOV2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	100	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	22NOV2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.6	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	28DEC2022	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	11.7	LOW	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	251.9	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	16.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	7.96	HIGH	0.00000000	0.13000000	ug/L
	Unscheduled	07NOV2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
		15NOV2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
141431015/52/F/W	Screening	23JAN2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	134.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	68.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	01MAR2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	138	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	68.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	23MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	132.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	65.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 8	18APR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	138.4	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	75.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	01JUN2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.61	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	148.9	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	72.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	15JUN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	146.4	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	71.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	18AUG2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	132	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	74.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	13SEP2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.98	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	137.1	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	70.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	13.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141791013/54/F/W	Screening	06MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	30MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.37	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	25APR2023	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone			.	.	
	Week 8	17MAY2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	29JUN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	26JUL2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	17OCT2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	15.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Follow-up	20NOV2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	41.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	11.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	17MAY2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.14	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141801004/60/F/W	Screening	18NOV2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	141.7	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	66.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	27DEC2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	143.7	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	74.3	HIGH	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	17JAN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	138.6	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	64.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	14FEB2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	122	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	64.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	20MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	131.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	11APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	137.8	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	64.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	22JUN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	143.5	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	67.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	20JUL2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	146.3	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	62.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141801008/55/F/W	Screening	11JAN2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	02MAR2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.63	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	23MAR2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.38	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	24APR2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.63	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	31MAY2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.71	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.07	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.6	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	21.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	15JUN2023	Triiodothyronine	0.46	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	1.69	LOW	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	24AUG2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	25SEP2023	Triiodothyronine	0.59	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.87	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	1.82	LOW	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141891008/55/F/B	Screening	21DEC2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	28FEB2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	23MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	18APR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	25MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	13JUN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.07	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	24AUG2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	2.8	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.27	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	26SEP2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	88.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.9	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	10JAN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
141891017/54/F/B	Screening	09FEB2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	28MAR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	20APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	19MAY2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	20JUN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	11JUL2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.55	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	4.1	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	20SEP2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.5	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141891027/57/F/B	Screening	17FEB2023	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	35.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	31MAR2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	38.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	21APR2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.1	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	36.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	19MAY2023	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	101	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	34.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	23JUN2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	37.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	14JUL2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	38.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 26/End of Treatment	27SEP2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	35.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	27OCT2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	36.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	30JUN2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	98	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	37.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141901001/48/F/W	Screening	31AUG2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.6	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Baseline	09NOV2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	30NOV2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	29DEC2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	02FEB2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	24FEB2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	05MAY2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	41.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	109.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	06JUN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	36.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	241.9	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.27736000	1.66416000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.36	HIGH	0.00000000	0.13000000	ug/L
141901007/55/F/W	Screening	10OCT2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	12JAN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	127.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	02FEB2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	120.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	10FEB2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	124.1	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	49.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141901030/58/F/B	Screening	02FEB2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.10944	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.26	HIGH	0.00000000	0.13000000	ug/L
	Baseline	19APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	10MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 8	13JUN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 12	12JUL2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.24	HIGH	0.00000000	0.13000000	ug/L
	Week 16	02AUG2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.23	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13OCT2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	08NOV2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
141901032/61/F/W	Screening	15FEB2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	31MAR2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	22.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.67	HIGH	0.00000000	0.13000000	ug/L
	Week 4	26APR2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.15	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	100.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	2.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.31	HIGH	0.00000000	0.13000000	ug/L
	Week 8	25MAY2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.5	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 12	27JUN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.94	HIGH	0.00000000	0.13000000	ug/L
	Week 16	18JUL2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	28SEP2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	20OCT2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	21.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141901034/65/F/B	Screening	17FEB2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20APR2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	12MAY2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	08JUN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	16.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	13JUL2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	04AUG2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.27	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13OCT2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	10NOV2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141951001/55/F/B	Screening	10NOV2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	81.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	29.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.59482	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Baseline	28DEC2022	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	90.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	25.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.62949	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	19JAN2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	86.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	19.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.28279	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	17FEB2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	74.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	13.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.62949	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	22MAR2023	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.67	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	119	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	71.1	HIGH	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	15.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.52548	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 16	14APR2023	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	118.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	68.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	8.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.31746	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	27JUN2023	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	117.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	13.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.3868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	20JUL2023	Triiodothyronine	1.50	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	32.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.49081	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
141951007/55/F/W	Screening	27DEC2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.3868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	02FEB2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.78	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	23FEB2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	50	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.55	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	23MAR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	50	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13APR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	50	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	27APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141971002/62/F/B	Screening	20OCT2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Baseline	30NOV2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.6	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	37.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	27DEC2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	24JAN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	22FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	22MAR2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141971007/61/F/W	Screening	08NOV2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	37.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	19DEC2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	18JAN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	15FEB2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone			.	.	
	Week 12	14MAR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	18.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	2.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	11APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13JUN2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.02	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.04	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	35.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	2.9	LOW	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	11JUL2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141971008/57/F/B	Screening	15NOV2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.10944	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20DEC2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	40.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.17878	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	19JAN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	40.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	21FEB2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.07	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.66416	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	14MAR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	25.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.90685	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	04APR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	32.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	16.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.4	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13JUN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	37.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.31746	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	11JUL2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	38.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.3868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	19APR2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	40.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.56015	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141971010/51/F/B	Screening	17NOV2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.79	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	06FEB2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13APR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
141971012/49/F/B	Screening	01DEC2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Baseline	26JAN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.48	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	51.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
141971014/61/F/B	Screening	07DEC2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	17JAN2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	15FEB2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.3	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	12.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	07MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.95	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
142031004/54/F/W	Screening	02MAR2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	155.9	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	81.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	21APR2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	136.6	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	71.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	19MAY2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	137.2	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	74.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	16JUN2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	125.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	71.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	14JUL2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	132.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	71.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	09AUG2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	138.1	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	74.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	5.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	16OCT2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	146.2	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	16NOV2023	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.69	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	118.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	74.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	20.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
142111009/46/F/W	Screening	21MAR2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	13APR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.8	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	44.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 4	04MAY2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	01JUN2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	11JUL2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	31JUL2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	09OCT2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	09NOV2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.5	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
142111014/58/F/W	Screening	03APR2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	25APR2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	46.6	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 4	19MAY2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.78	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.48	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	16JUN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	18JUL2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	86.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	08AUG2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.2	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	17OCT2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	52	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.78	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
142111017/56/F/W	Screening	23MAR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	16MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	12JUN2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	50	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	13JUL2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	50	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	08AUG2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	46	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.85	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	16OCT2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.98	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	09NOV2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
220011010/60/F/W	Screening	25NOV2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.37	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.68	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.10	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Baseline	12JAN2023	Triiodothyronine	0.87	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.49	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	09FEB2023	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.31	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.57	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	07MAR2023	Triiodothyronine	0.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.81	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 12	06APR2023	Triiodothyronine	0.77	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.27	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.68	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	27APR2023	Triiodothyronine	0.84	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.66	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	24JUL2023	Triiodothyronine	0.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.25	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.69	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	21SEP2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.43	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.55	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.4	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
220011012/48/F/W	Screening	13DEC2022	Triiodothyronine	1.55	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.03	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	101.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	62.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.31	HIGH	0.00000000	0.13000000	ug/L
	Baseline	02FEB2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.48	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	107.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.24	HIGH	0.00000000	0.13000000	ug/L
	Week 4	21FEB2023	Triiodothyronine	1.21	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.56	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
	Week 8	28MAR2023	Triiodothyronine	1.35	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.88	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	112.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.23	HIGH	0.00000000	0.13000000	ug/L
	Week 12	27APR2023	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol	5.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone			.	.	
	Week 16	29MAY2023	Triiodothyronine	1.33	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.16	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	108.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.24	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	31JUL2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.55	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.27736000	1.66416000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	18SEP2023	Triiodothyronine	1.42	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.35	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.48	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
220021002/59/F/W	Screening	21SEP2022	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	23NOV2022	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.27	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.24	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.13	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
220031003/49/F/W	Screening	07APR2022	Thyrotropin	1.32	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	138.5	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	04MAY2022	Triiodothyronine	1.54	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.76	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	155	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	30MAY2022	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	130.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 8	20JUN2022	Triiodothyronine	1.19	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	123	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	22JUL2022	Triiodothyronine	1.36	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.79	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	151.7	HIGH	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	44.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	06SEP2022	Triiodothyronine	1.51	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	133.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	17NOV2022	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	135.2	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
220031006/55/F/W	Screening	20MAY2022	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.64	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Baseline	30JUN2022	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	100	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.45	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.92	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	104.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	66.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
	Week 4	02AUG2022	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	101	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.45	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.32	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.11	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	62.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	12.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 8	02SEP2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.31	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.29	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.77	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	70.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	07OCT2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	100	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.39	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	67.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	5.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.9	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	1.17878	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 16	21OCT2022	Triiodothyronine	0.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	5.71	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.71	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	66.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	22DEC2022	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.35	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.56	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.63	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	19JAN2023	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	101	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.43	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	5.11	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	70	HIGH	7.70000000	58.50000000	U/L
			Estradiol	12.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
220031008/52/F/W	Screening	10JUN2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.31	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.84	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	77.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Baseline	12JUL2022	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	135.9	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	05AUG2022	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.35	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.32	HIGH	0.00000000	0.13000000	ug/L
	Week 8	06SEP2022	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.36	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	07OCT2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.43	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.98	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	04NOV2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.52	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	10JAN2023	Triiodothyronine	1.22	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	114	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.79	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.27	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	07FEB2023	Triiodothyronine	1.18	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	100	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.44	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.83	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	43.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	25.8	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.30	HIGH	0.00000000	0.13000000	ug/L
220031009/58/F/W	Screening	14JUN2022	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.43	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	131	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.43	HIGH	0.00000000	0.13000000	ug/L
	Baseline	12JUL2022	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	97	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.69	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.24	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	05AUG2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.69	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	128.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	06SEP2022	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.89	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.16	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	130	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	07OCT2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.22	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	126.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	07NOV2022	Triiodothyronine	0.90	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.04	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.11	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	130.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	64.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	10JAN2023	Triiodothyronine	1.22	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	118.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.24	HIGH	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Follow-up	07FEB2023	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.95	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	112	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
220031012/48/F/W	Screening	01AUG2022	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.34	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.13	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	94.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	14SEP2022	Triiodothyronine	1.23	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.57	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	13OCT2022	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.33	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.5	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.57	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.9	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	10NOV2022	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.33	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	15DEC2022	Triiodothyronine	1.32	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.25	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.77	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	12JAN2023	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.39	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	09MAR2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.54	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.30	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.21345	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	06APR2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.38	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.66	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
220031013/53/F/W	Screening	08SEP2022	Triiodothyronine	1.19	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.04	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.25	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	21OCT2022	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	17NOV2022	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	15DEC2022	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	12JAN2023	Triiodothyronine	0.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.59	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	09FEB2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.25	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.95	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	102.4	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	32.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	20APR2023	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.05	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	18MAY2023	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.43	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	104.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
220031023/62/F/W	Screening	09MAR2023	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.92	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	16MAR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.04	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	06APR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.02	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	11MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.97	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.97	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	08JUN2023	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.92	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	29JUN2023	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.04	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	07SEP2023	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.94	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.32	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.97	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	26OCT2023	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.61	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
220051004/51/F/W	Screening	10OCT2022	Triiodothyronine	0.81	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.82	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	117.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.45614	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.28	HIGH	0.00000000	0.13000000	ug/L
	Baseline	21FEB2023	Triiodothyronine	0.79	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.36	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.82	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	108	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	3.29365	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 4	20MAR2023	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.79	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.42147	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.51	HIGH	0.00000000	0.13000000	ug/L
	Unscheduled	13FEB2023	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	101	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.1	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.66416	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.23	HIGH	0.00000000	0.13000000	ug/L
220051006/49/F/W	Screening	24OCT2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.95	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.94	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	15NOV2022	Triiodothyronine	0.84	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.76	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	108	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	12DEC2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.87	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	10JAN2023	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.83	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	2.04553	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 12	13FEB2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.40	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	40.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	64.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	02MAR2023	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	16MAY2023	Triiodothyronine	0.87	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.88	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	164.8	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	12.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.28	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	29JUN2023	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.89	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.69	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
220071004/59/F/W	Screening	16FEB2023	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.96	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	40.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	07APR2023	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.90	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.24	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	41.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	02MAY2023	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	40.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 8	31MAY2023	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.88	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	03JUL2023	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.91	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.01	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 16	01AUG2023	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.00	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	03OCT2023	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.05	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.9	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	02NOV2023	Triiodothyronine	1.23	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.14	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.27	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	43.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
300011008/56/F/W	Screening	31JAN2023	Triiodothyronine	1.54	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.29	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Baseline	27MAR2023	Triiodothyronine	1.39	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	98	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.16	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	24APR2023	Triiodothyronine	1.41	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	102	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	0.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.44	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	17MAY2023	Triiodothyronine	1.55	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	105	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.34	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.57	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	23JUN2023	Triiodothyronine	1.61	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	103	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone	85.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	14JUL2023	Triiodothyronine	1.68	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.71	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	25SEP2023	Triiodothyronine	1.59	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	108	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	23OCT2023	Triiodothyronine	1.63	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.68	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
300011009/49/F/W	Screening	06FEB2023	Triiodothyronine	1.21	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.98	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.72	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.3	NORMAL	7.70000000	58.50000000	U/L
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
	Baseline	06FEB2023	Estradiol	11.9	NORMAL	0.00000000	138.00000000	pg/mL
			Testosterone	0.27736	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
		08MAR2023	Triiodothyronine	1.31	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.50	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.2	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	30.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol			.	.	
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone			.	.	
			Progesterone			.	.	
	Week 4	03APR2023	Triiodothyronine	1.25	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.57	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone			.	.	
			Progesterone			.	.	
	Week 8	26APR2023	Triiodothyronine	1.25	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.32	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	01JUN2023	Triiodothyronine	1.29	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.72	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	26JUN2023	Triiodothyronine	1.26	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.51	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	04SEP2023	Triiodothyronine	1.32	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.40	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	09OCT2023	Triiodothyronine	1.20	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.10	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
300011011/59/F/W	Screening	17FEB2023	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.34	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.04	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20MAR2023	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.39	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	11APR2023	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.5	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.24	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	09MAY2023	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	15JUN2023	Triiodothyronine	0.88	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.70	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	53.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	03JUL2023	Triiodothyronine	0.90	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.38	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	19SEP2023	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.35	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.22	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	12OCT2023	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.31	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.38	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
300021007/53/F/W	Screening	29AUG2022	Triiodothyronine	1.19	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	15.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	03OCT2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	13.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.35213	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 4	24OCT2022	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.27	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.37	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	28.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	14.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	125.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 8	28NOV2022	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.95	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.40	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	27DEC2022	Triiodothyronine	1.21	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	16JAN2023	Triiodothyronine	1.20	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.31	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	27MAR2023	Triiodothyronine	1.20	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.31	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.45614	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	31MAY2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.14	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	18.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
300031003/59/F/W	Screening	20JUN2022	Triiodothyronine	0.76	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	46	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.83	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.77	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	27JUL2022	Triiodothyronine	0.62	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	40	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.82	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.50	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	107.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	16AUG2022	Triiodothyronine	0.71	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	39	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.76	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	94.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 8	15SEP2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	47	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.86	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.03	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	21OCT2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.98	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.05	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	17NOV2022	Triiodothyronine	0.87	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.99	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.87	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	23JAN2023	Triiodothyronine	0.53	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	44	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.84	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	1.83	LOW	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.3	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	16FEB2023	Triiodothyronine	0.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.25	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	19.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
300031004/52/F/W	Screening	23JUN2022	Triiodothyronine	0.68	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	170.2	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	64.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	27JUL2022	Triiodothyronine	0.66	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.05	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.53	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	179.9	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	64.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	29.4	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	23AUG2022	Triiodothyronine	0.70	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.27	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	165.8	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	66	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	23.4	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	14SEP2022	Triiodothyronine	0.68	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.25	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	183.4	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
300031009/52/F/W	Screening	24AUG2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	157.5	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	64.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	17.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	28SEP2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.04	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	119.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	64.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	25OCT2022	Triiodothyronine	1.23	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.44	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	130.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	81.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	6.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	22NOV2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.07	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	127.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	71.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.56015	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	21DEC2022	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.69	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.91	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	127.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	68.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	17JAN2023	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.96	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	107.6	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	65.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	28MAR2023	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.34	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.95	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.27	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	116.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	70.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	13.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	25APR2023	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.37	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.10	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	135.8	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	77.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	10.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
300031011/55/F/W	Screening	06OCT2022	Triiodothyronine	0.75	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.88	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	04NOV2022	Triiodothyronine	0.67	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.14	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.63	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	01DEC2022	Triiodothyronine	0.73	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.75	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	22DEC2022	Triiodothyronine	0.80	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.72	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	31JAN2023	Triiodothyronine	0.76	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.62	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	16FEB2023	Triiodothyronine	0.76	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	51	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.27	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.76	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	02MAY2023	Triiodothyronine	0.76	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.82	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	01JUN2023	Triiodothyronine	0.64	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	49	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.05	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
300031013/54/F/W	Screening	07NOV2022	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.35	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	90.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	65.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	28NOV2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.48	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 4	22DEC2022	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.67	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.42	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	62.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.21345	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 8	16JAN2023	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.08	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.14	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.17878	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 12	13FEB2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.4	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.17878	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 16	14MAR2023	Triiodothyronine	1.18	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	6.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.31746	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.26	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	23MAY2023	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	20JUN2023	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.67	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.33	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	13.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.35213	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
380011001/60/F/W	Screening	14MAR2022	Thyrotropin	2.75	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	97.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	08APR2022	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.97	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.66416	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	29APR2022	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	31MAY2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.98	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	01JUL2022	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.88	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	22JUL2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.37	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.88	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	30SEP2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.56015	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	04NOV2022	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.65	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.98	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380011002/53/F/W	Screening	20APR2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	31.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	22JUN2022	Triiodothyronine	0.90	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.16	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	35.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	19JUL2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.17	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	35.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 8	16AUG2022	Triiodothyronine	1.39	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	32.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 12	14SEP2022	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.97	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	34.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	11OCT2022	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.24	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	33.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	15DEC2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.27	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	34.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.1	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	18JAN2023	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	30.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380011004/52/F/W	Screening	16JUN2022	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	02AUG2022	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.94	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.9	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	29AUG2022	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.04	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	3.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.9	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	20SEP2022	Triiodothyronine	0.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.05	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.94	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.69883	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	25OCT2022	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.02	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	21NOV2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.96	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	24JAN2023	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.75	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.76817	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	21FEB2023	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.96	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
380011019/50/F/W	Screening	14DEC2022	Triiodothyronine	0.86	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.02	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.63	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	26JAN2023	Triiodothyronine	0.79	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.90	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	1.97	LOW	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	30.2	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	28	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	67.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	16FEB2023	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.82	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	21MAR2023	Triiodothyronine	0.86	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.70	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	20APR2023	Triiodothyronine	0.80	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.95	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.64	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	41.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	62.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	11MAY2023	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.69	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	20JUL2023	Triiodothyronine	0.88	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	52	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.92	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.43	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	17AUG2023	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.89	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380011020/54/F/W	Screening	12JAN2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.04	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.94	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	1.07477	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	28MAR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.61	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.90	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.31746	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	19APR2023	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.34	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.97	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	42.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	20.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.17878	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	18MAY2023	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.96	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.91	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.88	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	44.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	21.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	22JUN2023	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.82	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	49.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.35213	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	13JUL2023	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.94	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.48	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	21SEP2023	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.90	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	19OCT2023	Triiodothyronine	1.18	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.88	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.90	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	22.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Unscheduled	23MAR2023	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.95	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.97	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.28279	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
380021002/55/F/W	Screening	10FEB2022	Thyrotropin	2	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	82.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.8	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	21MAR2022	Thyrotropin	2.03	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	88.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	11APR2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.37	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	10MAY2022	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.30	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	82.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	29.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	15JUN2022	Triiodothyronine	0.75	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.27	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	13JUL2022	Triiodothyronine	0.66	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.20	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13SEP2022	Triiodothyronine	0.80	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.44	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.50	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	10OCT2022	Triiodothyronine	0.81	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.55	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.51	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
380051001/48/F/W	Screening	05JAN2022	Thyrotropin	1.37	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	39.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	28JAN2022	Thyrotropin	1.58	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	63.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	18FEB2022	Thyrotropin	1.28	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	62.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	18MAR2022	Thyrotropin	1.43	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	62.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	22APR2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.33	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.44	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	13MAY2022	Triiodothyronine	0.81	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.00	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.23	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	29.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	92.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.42	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	22JUL2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.57	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	44.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	39.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	26AUG2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.31	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.71	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	14JAN2022	Thyrotropin	1.86	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	63.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380051002/64/F/W	Screening	04MAR2022	Thyrotropin	2.72	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	76.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Baseline	01APR2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.23	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.14	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 4	22APR2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.01	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	25MAY2022	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	0.92	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	5.03	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.33	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	24JUN2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.94	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.24	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.35213	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 16	22JUL2022	Triiodothyronine			.	.	
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	5.65	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone	92.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	23SEP2022	Triiodothyronine	0.86	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.98	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.91	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	21.3	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	14NOV2022	Triiodothyronine	0.75	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	52	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.90	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.31	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Unscheduled	21OCT2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.02	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.96	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
380051003/64/F/W	Screening	08APR2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.96	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.48	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.77	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.17878	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	29APR2022	Triiodothyronine	0.90	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.91	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.61	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	45.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.63	HIGH	0.00000000	0.13000000	ug/L
	Week 4	20MAY2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.91	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	17JUN2022	Triiodothyronine	0.86	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.94	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.93	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	22JUL2022	Triiodothyronine	0.88	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.96	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	17.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	16AUG2022	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.00	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.67	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	21OCT2022	Triiodothyronine	0.71	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	51	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.91	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.50	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	43.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	25NOV2022	Triiodothyronine	0.76	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.98	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.68	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	40.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380051004/52/F/W	Screening	08JUL2022	Triiodothyronine	1.34	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.62	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.4	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	14.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	15AUG2022	Triiodothyronine	1.32	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.42	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	08SEP2022	Triiodothyronine	1.33	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.48	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	30.3	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	03OCT2022	Triiodothyronine	1.26	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	07NOV2022	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.31	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	01DEC2022	Triiodothyronine	1.18	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	13FEB2023	Triiodothyronine	1.54	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.33	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.81	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	22.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	14MAR2023	Triiodothyronine	1.32	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.24	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
380051005/55/F/W	Screening	21OCT2022	Triiodothyronine	0.84	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.44	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin			.	.	
			Triiodothyronine, Free	2.90	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone			.	.	
			Progesterone			.	.	
	Baseline	25NOV2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.46	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.48	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	36.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.21	HIGH	0.00000000	0.13000000	ug/L
	Week 4	21DEC2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	47.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	20JAN2023	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.59	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	113.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.1	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	14.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	17FEB2023	Triiodothyronine	0.82	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.44	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.98	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.92	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	126.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	10MAR2023	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	123.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	62	HIGH	7.70000000	58.50000000	U/L
			Estradiol	5.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	19MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.00	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	21JUN2023	Triiodothyronine	1.18	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.53	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.53	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	123.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
380061005/42/F/W	Screening	06JAN2022	Thyrotropin	1.17	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	55.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	28FEB2022	Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	55.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.5	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.21345	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	23MAR2022	Thyrotropin	0.71	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	51.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	18.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	21APR2022	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin	0.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone	55.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	20.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 12	23MAY2022	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	98	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.21345	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.29	HIGH	0.00000000	0.13000000	ug/L
	Week 16	20JUN2022	Triiodothyronine			.	.	
			Thyroxine	135	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	2.59	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.005	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone	21.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.17878	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	25AUG2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.04	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin			.	.	
			Triiodothyronine, Free	2.50	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol	14.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone			.	.	
	Follow-up	21SEP2022	Triiodothyronine	1.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	97	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.67	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.04	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	5.90	HIGH	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.7	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	10.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
380061010/55/F/W	Screening	02JUN2022	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.17	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	25JUL2022	Triiodothyronine	1.23	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.07	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	22AUG2022	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.22	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	15SEP2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.04	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	17OCT2022	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	10NOV2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.22	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	16JAN2023	Triiodothyronine	1.46	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.36	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	15FEB2023	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.18	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380061011/50/F/W	Screening	02JUN2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	56	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Triiodothyronine, Free	3.16	NORMAL	2.00000000	4.40000000	pg/mL
	Baseline	02JUN2022	Thyrotropin	4	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	119.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.26	HIGH	0.00000000	0.13000000	ug/L
		18JUL2022	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.04	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin			.	.	
			Triiodothyronine, Free	2.84	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone			.	.	
			Progesterone			.	.	
	Week 4	01AUG2022	Triiodothyronine	0.87	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	46	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin			.	.	
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone			.	.	

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	61.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	11.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
	Week 8	07SEP2022	Triiodothyronine	0.88	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	52	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.95	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	111.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	12OCT2022	Triiodothyronine	0.81	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	53	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.10	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	125.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	02NOV2022	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	54	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.72	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	127.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	71.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	11JAN2023	Triiodothyronine	0.84	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.68	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	119.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	15FEB2023	Triiodothyronine	0.79	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	47	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.76	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	113.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
380061015/52/F/W	Screening	24OCT2022	Triiodothyronine			.	.	
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	23JAN2023	Triiodothyronine	1.83	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.31	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.69	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.97	HIGH	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	142	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	80.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	11.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.2	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	1.14411	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.28	HIGH	0.00000000	0.13000000	ug/L
	Week 4	13FEB2023	Triiodothyronine	1.28	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.42	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.48	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	154	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	78.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.3868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 8	16MAR2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.34	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.74	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	140	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	76	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 12	20APR2023	Triiodothyronine	1.32	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.36	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.89	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	128.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	70.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	14.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.28279	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 16	11MAY2023	Triiodothyronine	1.28	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.43	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.62	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	142.6	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	73.3	HIGH	7.70000000	58.50000000	U/L
			Estradiol	9.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	17JUL2023	Triiodothyronine	1.26	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.14	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.61	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	134.9	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	5.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	21AUG2023	Triiodothyronine	1.19	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.25	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.31	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	135	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	69.1	HIGH	7.70000000	58.50000000	U/L
			Estradiol	10.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	03NOV2022	Triiodothyronine	1.31	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.36	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.61	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	144.7	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	84.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
		12JAN2023	Triiodothyronine	1.29	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.34	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.40	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	136.6	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	70.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
380061020/58/F/W	Screening	05JAN2023	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.27	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.85	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Baseline	13FEB2023	Triiodothyronine	0.90	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	07MAR2023	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.48	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.96	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	20.6	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.28	HIGH	0.00000000	0.13000000	ug/L
	Week 8	06APR2023	Triiodothyronine	1.41	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.69	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.27	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.1	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	11MAY2023	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.18	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	30MAY2023	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.34	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.91	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.38	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	07AUG2023	Triiodothyronine	1.22	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.31	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.47	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	07SEP2023	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.84	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380071009/57/F/W	Screening	11JUL2022	Triiodothyronine	0.86	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	65	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.75	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	44.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	150.4	HIGH	0.00000000	138.00000000	pg/mL
			Prolactin	25.6	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	22SEP2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.77	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 4	17OCT2022	Triiodothyronine	0.88	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 8	14NOV2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.55	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone	36.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.22	HIGH	0.00000000	0.13000000	ug/L
	Week 12	19DEC2022	Triiodothyronine	0.83	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.87	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	37.5	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 16	05JAN2023	Triiodothyronine	0.83	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.11	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.1	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	30MAR2023	Triiodothyronine	0.90	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	20APR2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	15SEP2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.79	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	87.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
380071014/53/F/W	Screening	23FEB2023	Triiodothyronine	1.28	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.16	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	12APR2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.42	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	04MAY2023	Triiodothyronine	1.20	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.05	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.92	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	31MAY2023	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.99	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	10JUL2023	Triiodothyronine	1.18	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.92	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.67	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.81	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	26JUL2023	Triiodothyronine			.	.	
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.77	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone	85.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	10OCT2023	Triiodothyronine	1.25	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.89	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	7.89	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.79	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	06NOV2023	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.95	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.32	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.82	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.6	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	48.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380091004/44/F/W	Screening	02JUN2022	Triiodothyronine	1.22	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.96	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.0	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.52548	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Baseline	23JUN2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.97	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.3	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.24812	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	21JUL2022	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	94.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.35213	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	15AUG2022	Triiodothyronine	1.18	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.94	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.7	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.42147	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	19SEP2022	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.67	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	93.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.1	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.21345	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	06OCT2022	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.92	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.9	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.45614	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	15DEC2022	Triiodothyronine	1.27	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.89	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.0	LOW	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	1.21345	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	02FEB2023	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.25	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.98	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.4	LOW	4.80000000	23.30000000	ug/L
			Testosterone	1.31746	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
380091005/65/F/W	Screening	14JUL2022	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	131	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.88	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.85	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	24AUG2022	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	116	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.69	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.11	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	18.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	2.0802	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	19SEP2022	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	125	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.85	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.23	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	51.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	13OCT2022	Triiodothyronine	0.72	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	109	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.90	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	16NOV2022	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	118	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.85	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.25	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	08DEC2022	Triiodothyronine	0.84	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	109	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.76	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.57	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	16FEB2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	136	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	2.22	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.85	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	23MAR2023	Triiodothyronine	0.76	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	110	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.97	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.66	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	03AUG2022	Triiodothyronine	1.28	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	137	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.97	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
380101004/45/F/W	Screening	03MAR2022	Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	81	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	31MAR2022	Thyrotropin	0.24	LOW	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	84.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	21APR2022	Thyrotropin	2.41	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	85.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	19MAY2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.33	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.89	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	23JUN2022	Triiodothyronine	0.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.87	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	19JUL2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.56	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.01	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	81.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	22SEP2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.01	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	27OCT2022	Triiodothyronine	0.83	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.01	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.71	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380101006/48/F/W	Screening	14APR2022	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	09JUN2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 4	28JUN2022	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.35	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	28JUL2022	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.14	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	25.4	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	01SEP2022	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.36	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.20	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 16	26SEP2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.04	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	07DEC2022	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.38	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.40	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	05JAN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.26	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
380101008/48/F/W	Screening	28APR2022	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.68	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.90142	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	02JUN2022	Triiodothyronine	0.83	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.34	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.56	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	28JUN2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.87	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.55	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.59482	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	21JUL2022	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.34	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.38	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 12	30AUG2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.56	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	21SEP2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.17	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	18.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	30NOV2022	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.54	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.05	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	22DEC2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.41	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.2	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
380101009/47/F/W	Screening	03MAY2022	Triiodothyronine	1.28	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.63	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20JUN2022	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.07	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.43	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	13JUL2022	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.02	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	15AUG2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.18	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	20.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	15SEP2022	Triiodothyronine	1.19	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.61	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	26SEP2022	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.18	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
380101014/46/F/W	Screening	24JUN2022	Triiodothyronine	1.23	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	LOW	0.27736000	1.66416000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	05AUG2022	Triiodothyronine	1.29	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.1	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.68	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	25.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	31AUG2022	Triiodothyronine	1.38	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.09	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.59	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	26SEP2022	Triiodothyronine	0.96	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.86	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	31OCT2022	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.86	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.48	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.77	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.8	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	27.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	21NOV2022	Triiodothyronine	0.91	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.91	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	30JAN2023	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	52	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.80	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.55	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.66	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	13MAR2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.86	LOW	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.90	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	21.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380101019/56/F/W	Screening	06DEC2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.44	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	19JAN2023	Triiodothyronine	1.20	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.38	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	107.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60	HIGH	7.70000000	58.50000000	U/L
			Estradiol	9.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.00543	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	14FEB2023	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.22	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	103.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.90685	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	09MAR2023	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.17	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	13APR2023	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.59	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.51	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	04MAY2023	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.25	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.15	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	99.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	21JUL2023	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.76	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	114	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	17AUG2023	Triiodothyronine	0.84	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	58	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.85	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	109.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.8	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
380101023/47/F/W	Screening	06JAN2023	Triiodothyronine	1.51	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	16FEB2023	Triiodothyronine	1.53	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.49	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.75	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	09MAR2023	Triiodothyronine	1.43	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.31	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	06APR2023	Triiodothyronine	1.58	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.90	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	11MAY2023	Triiodothyronine	1.47	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.41	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.42	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	08JUN2023	Triiodothyronine	1.54	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.76	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	14AUG2023	Triiodothyronine	1.47	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.51	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.1	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	LOW	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	22SEP2023	Triiodothyronine	1.47	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.50	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
380101024/48/F/W	Screening	28FEB2023	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	59	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.25	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.62	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	06APR2023	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	50	LOW	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.61	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	58.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	17.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 4	04MAY2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.11	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	50.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	25MAY2023	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	60	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	97.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 12	29JUN2023	Triiodothyronine	1.07	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	55	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.48	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	19.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	20JUL2023	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.57	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	90.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	16.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 26/End of Treatment	04OCT2023	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	57	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.61	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	02NOV2023	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	52	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.11	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	23MAR2023	Follicle Stimulating Hormone	67.1	NORMAL	25.80000000	134.80000000	U/L
			Estradiol	69.8	NORMAL	0.00000000	138.00000000	pg/mL
		30MAR2023	Follicle Stimulating Hormone	78.4	NORMAL	25.80000000	134.80000000	U/L
			Estradiol	24.5	NORMAL	0.00000000	138.00000000	pg/mL
380111006/51/F/W	Screening	20OCT2022	Triiodothyronine	0.81	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	62	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.99	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.69	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	08DEC2022	Triiodothyronine	0.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.10	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	04JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone			.	.	
	Week 8	01FEB2023	Triiodothyronine			.	.	
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone	54	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone			.	.	
			Progesterone			.	.	
	Week 12	02MAR2023	Triiodothyronine	0.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.27	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.09	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.58939	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 16	29MAR2023	Triiodothyronine	0.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.18	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	19.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.5	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	01JUN2023	Triiodothyronine	0.81	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.90	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	29JUN2023	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.79	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
440011009/57/F/W	Screening	30MAR2022	Thyrotropin	3.57	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	71.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.80284	HIGH	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	27APR2022	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.28279	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	23MAY2022	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.03	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.3868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	07JUN2022	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.15	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.45614	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	20JUL2022	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.04	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.6	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	41.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.35213	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	12AUG2022	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.95	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.56015	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	24OCT2022	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	4.61	HIGH	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.23	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.45614	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	21NOV2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	68	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.25	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.66416	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
440011010/49/F/W	Screening	04APR2022	Triiodothyronine	0.83	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.58	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	42.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	22.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.42	HIGH	0.00000000	0.13000000	ug/L
	Baseline	24MAY2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.98	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	40.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	61.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 4	14JUN2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.33	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
	Week 8	12JUL2022	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.47	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	19AUG2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.77	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	21.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 16	06SEP2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.55	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.91	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
440011012/56/F/W	Screening	03MAY2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.41	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.01	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.48	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	119.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.31	HIGH	0.00000000	0.13000000	ug/L
	Baseline	07JUN2022	Triiodothyronine	1.54	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.04	LOW	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.52	HIGH	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	113.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	26.4	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.18	HIGH	0.00000000	0.13000000	ug/L
440011016/58/F/W	Screening	13JUN2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	108	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.37	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20JUL2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	101	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	50.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	10AUG2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	114	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.46	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	62.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	8.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.21345	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	07SEP2022	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	104	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.50	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.43	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	19.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 12	12OCT2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	105	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.41	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.55	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.76	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	81.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	12.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	02NOV2022	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	98	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.38	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.62	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.60	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	56.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	11JAN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	113	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.45	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.37	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	19.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
440011028/59/F/W	Screening	10FEB2023	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.42	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.83	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	28MAR2023	Triiodothyronine	1.36	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.38	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	20.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	24APR2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.38	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	74.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	22.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	26MAY2023	Triiodothyronine	1.20	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.86	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.96	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	26JUN2023	Triiodothyronine	1.20	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.96	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
440021002/52/F/W	Screening	14FEB2022	Thyrotropin	1.17	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	78.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	23MAR2022	Thyrotropin	1.2	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	83.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 4	19APR2022	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.66	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	17MAY2022	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.01	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	20JUN2022	Triiodothyronine	0.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.07	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	12JUL2022	Triiodothyronine	0.95	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	90.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	59.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	20OCT2022	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.31	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.17	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone			.	.	
			Progesterone			.	.	
	Follow-up	23NOV2022	Triiodothyronine	1.00	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.40	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.25	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
440021006/51/F/W	Screening	24MAY2022	Triiodothyronine	0.85	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.25	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.82	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	23JUN2022	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.42	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.99	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 8	16AUG2022	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.36	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.95	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	26.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	22SEP2022	Triiodothyronine	0.69	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.33	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.66	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	14OCT2022	Triiodothyronine	0.74	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.34	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.67	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	53.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	12JAN2023	Triiodothyronine	0.90	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.42	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.74	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	45.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.1	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	02FEB2023	Triiodothyronine	0.86	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.41	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.64	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.68	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Unscheduled	06SEP2022	Triiodothyronine	0.87	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.54	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.29	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.87	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
440021011/60/F/W	Screening	12DEC2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.51	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.05	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	24.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.8	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	17JAN2023	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2.24	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.36	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	22.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	09FEB2023	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.39	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.84	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	09MAR2023	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.11	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	13APR2023	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.46	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	09MAY2023	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.03	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.07	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	19JUL2023	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.01	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	14AUG2023	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
440031006/54/F/W	Screening	25MAY2022	Triiodothyronine	1.18	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	114	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.46	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.07	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.7	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	43.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	11JUL2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	109	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.57	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	08AUG2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	98	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.42	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.04	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	31AUG2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	101	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.37	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.53	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.96	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	04OCT2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	98	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.45	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.00	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	27OCT2022	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	108	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.52	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.52	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.70	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	05DEC2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	107	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.81	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
440031012/50/F/W	Screening	23JUN2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.39	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.42	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20JUL2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.13	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	16AUG2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.11	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	09SEP2022	Triiodothyronine	1.21	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.33	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.50	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	13OCT2022	Triiodothyronine	1.24	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.31	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.47	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	61.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	08NOV2022	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.48	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.12	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	23JAN2023	Triiodothyronine	1.21	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.36	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.24	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	13FEB2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.57	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.06	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.29	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
440031024/53/F/W	Screening	14NOV2022	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.88	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	12DEC2022	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.82	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.82	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	109.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.19	HIGH	0.00000000	0.13000000	ug/L
	Week 4	05JAN2023	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.56	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	10FEB2023	Triiodothyronine	1.18	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.37	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.98	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	33.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.1	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	10MAR2023	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.08	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	16.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	28MAR2023	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.92	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	02JUN2023	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free	2.96	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	92.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	19JUL2023	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.08	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	85.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
440031025/56/F/W	Screening	21NOV2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.23	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	111.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	91.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	28DEC2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.81	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.9	HIGH	7.70000000	58.50000000	U/L
			Estradiol	110.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 4	19JAN2023	Triiodothyronine	1.06	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.05	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.94	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	28.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 8	16FEB2023	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.38	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	70	HIGH	7.70000000	58.50000000	U/L
			Estradiol	9.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	14APR2023	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.92	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	11.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	21.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
440051002/64/F/W	Screening	08FEB2022	Thyrotropin	1.26	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	73.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	22MAR2022	Thyrotropin	1.07	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	75.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	13APR2022	Thyrotropin	1.4	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	73.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	11MAY2022	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	63	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.2	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	21JUN2022	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.01	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	11JUL2022	Triiodothyronine	0.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.98	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.66	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	21SEP2022	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.93	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	2.66	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
440051016/62/F/W	Screening	29NOV2022	Triiodothyronine	0.98	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone	40.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	12JAN2023	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.75	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	07FEB2023	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	69	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.45	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.65	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 8	14MAR2023	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.7	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.01	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	12APR2023	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone	66.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	27APR2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.13	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	11JUL2023	Triiodothyronine			.	.	
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin			.	.	
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone			.	.	
			Luteinizing Hormone			.	.	

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol			.	.	
			Prolactin			.	.	
			Testosterone			.	.	
			Progesterone			.	.	
	Follow-up	18AUG2023	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.16	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.20	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
460031004/60/F/W	Screening	15NOV2022	Triiodothyronine	1.18	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.33	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	19DEC2022	Triiodothyronine	1.29	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.51	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	104.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	13JAN2023	Triiodothyronine	1.25	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	2.26	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	08FEB2023	Triiodothyronine	1.44	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.51	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	108.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	16MAR2023	Triiodothyronine	1.22	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.28	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	100.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	03APR2023	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.00	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	117.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	26JUN2023	Triiodothyronine	1.28	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.33	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	15.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	12JUL2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.17	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	105.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
460061014/55/F/W	Screening	07FEB2023	Triiodothyronine	1.38	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.12	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.35	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	56.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.28279	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	29MAR2023	Triiodothyronine	1.42	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.9	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.90	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.8	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	36	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	25.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.76817	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	28APR2023	Triiodothyronine	1.27	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.35	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.64	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	20.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	18MAY2023	Triiodothyronine	1.22	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.40	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	51.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	18.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.3868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	22JUN2023	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine			.	.	
			Thyroxine, Free			.	.	
			Thyrotropin	2.58	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.29	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	58.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	17JUL2023	Triiodothyronine	1.44	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.75	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	59.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.10944	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	27SEP2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.25	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.23	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.27	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	57.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	26OCT2023	Triiodothyronine	1.45	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	72	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.71	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.75	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.2	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.31746	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
460071001/57/F/W	Screening	08APR2022	Triiodothyronine	1.27	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	106	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.8	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.22	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	122.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.9	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	25MAY2022	Triiodothyronine	1.35	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	109	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.13	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	109.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	21JUN2022	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.13	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	111.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	5.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	15JUL2022	Triiodothyronine	1.34	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	106	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.20	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.16	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	108.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.14	HIGH	0.00000000	0.13000000	ug/L
	Week 12	22AUG2022	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	109	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.33	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.27	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	113.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	60.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	16SEP2022	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	112	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.39	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.41	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	124.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61.6	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	30NOV2022	Triiodothyronine	1.51	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	120	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.50	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.75	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	113.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	72.5	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	05JAN2023	Triiodothyronine	1.47	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	106	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.02	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.35	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	113.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
460071003/53/F/W	Screening	23MAY2022	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.43	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.78	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.07	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.5	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	01JUL2022	Triiodothyronine	0.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.83	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	71.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.31	HIGH	0.00000000	0.13000000	ug/L
	Week 4	25JUL2022	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.32	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.75	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	22.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	3.9	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	22AUG2022	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.81	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.8	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	11.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 12	23SEP2022	Triiodothyronine	0.81	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.27	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.83	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	27.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	17OCT2022	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.42	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.56	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	94.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	29DEC2022	Triiodothyronine	1.02	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.41	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.68	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.90	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.5	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	23JAN2023	Triiodothyronine	0.97	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.44	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.4	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone	86	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
460071007/62/F/W	Screening	29JUL2022	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.72	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.42	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	83.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	26AUG2022	Triiodothyronine	1.03	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.10	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.92	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	88.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	26SEP2022	Triiodothyronine	0.99	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.94	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.05	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 8	20OCT2022	Triiodothyronine	0.93	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.12	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.96	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.85	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	18NOV2022	Triiodothyronine	0.94	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	70	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.17878	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	09DEC2022	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.76	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.98	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	23FEB2023	Triiodothyronine	1.14	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.77	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.10	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.7	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	6.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	24MAR2023	Triiodothyronine	0.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	75	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.19	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.79	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	72.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
460071010/40/F/W	Screening	08AUG2022	Triiodothyronine	1.45	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	107	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.58	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.02	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	129.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	54.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Baseline	02SEP2022	Triiodothyronine	1.38	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	99	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.38	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.38	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.55	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	140.6	HIGH	25.80000000	134.80000000	U/L
			Luteinizing Hormone	61	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	29SEP2022	Triiodothyronine	1.92	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.34	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	5.05	HIGH	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	121.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.86675	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.24	HIGH	0.00000000	0.13000000	ug/L
	Week 8	26OCT2022	Triiodothyronine	1.32	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	103	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.44	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.55	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	112.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	25NOV2022	Triiodothyronine	1.26	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.35	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.81	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.56	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	123.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
	Week 16	16DEC2022	Triiodothyronine	1.45	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.43	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.01	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.80	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	124.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.07477	NORMAL	0.27736000	1.66416000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	02MAR2023	Triiodothyronine	1.44	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	91	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.47	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.73	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.81	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	31MAR2023	Triiodothyronine	1.38	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.47	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.17	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	127	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.83208	NORMAL	0.27736000	1.66416000	nmol/L
			Progesterone	0.17	HIGH	0.00000000	0.13000000	ug/L
460071011/52/F/W	Screening	29AUG2022	Triiodothyronine	1.11	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.03	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	113.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	55.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	24OCT2022	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.05	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.6	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	47.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	22NOV2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.23	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.98	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	98.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	09DEC2022	Triiodothyronine	1.15	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	81	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.25	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.13	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	94.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	48.5	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	13.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	02FEB2023	Triiodothyronine	1.19	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.27	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.09	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	71	HIGH	7.70000000	58.50000000	U/L
			Estradiol	30.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.97076	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
460071024/53/F/W	Screening	12JAN2023	Triiodothyronine	1.37	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.11	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	09MAR2023	Triiodothyronine	1.28	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.05	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Week 4	03APR2023	Triiodothyronine	1.12	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.09	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.32	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.94	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.20	HIGH	0.00000000	0.13000000	ug/L
	Week 8	28APR2023	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.06	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	63.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	02JUN2023	Triiodothyronine	1.20	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.28	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.43	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.87	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	70.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	23JUN2023	Triiodothyronine	1.04	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.55	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	28AUG2023	Triiodothyronine	1.22	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	80	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.06	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.04	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.87	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Follow-up	25SEP2023	Triiodothyronine	1.08	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	0.96	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.6	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.69	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	66.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
460071028/54/F/W	Screening	09FEB2023	Triiodothyronine	0.81	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.62	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.75	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	52	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	6.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Baseline	21MAR2023	Triiodothyronine	0.73	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	89	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.77	HIGH	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.28	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.82	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	13APR2023	Triiodothyronine	0.81	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	92	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.65	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.37	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.00	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.6	LOW	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	11MAY2023	Triiodothyronine	0.64	LOW	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	82	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.64	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	47.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	15JUN2023	Triiodothyronine	0.66	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.67	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.89	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.49	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	06JUL2023	Triiodothyronine	0.78	LOW	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.57	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.31	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.63	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	65	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.16	HIGH	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	28SEP2023	Triiodothyronine	0.81	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.56	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.83	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.79	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Prolactin	9.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	19OCT2023	Triiodothyronine	0.89	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.57	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.42	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.64	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	66.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
460091006/53/F/W	Screening	24JAN2023	Triiodothyronine	1.54	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	67	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.13	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.19	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.72	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	52.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.79741	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.15	HIGH	0.00000000	0.13000000	ug/L
	Baseline	06MAR2023	Triiodothyronine	1.40	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.14	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.73	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.10	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	27MAR2023	Triiodothyronine	1.23	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.21	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.86	NORMAL	0.27000000	4.20000000	mU/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Triiodothyronine, Free	3.51	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	46.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	27APR2023	Triiodothyronine	1.25	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	66	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.05	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.86	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.78	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	48.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	12.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.38137	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	01JUN2023	Triiodothyronine	1.88	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	73	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.17	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.4	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	5.43	HIGH	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	50.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	22JUN2023	Triiodothyronine	1.32	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	77	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.16	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	49.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.3467	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
	Week 26/End of Treatment	31AUG2023	Triiodothyronine	1.33	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	71	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.11	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.88	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.50	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	47	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	31.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	11.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	28SEP2023	Triiodothyronine	1.56	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.39	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	4.21	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	54.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	7.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
460091009/56/F/W	Screening	09MAR2023	Triiodothyronine	1.22	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	79	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.26	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.32	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.31	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	30.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.93609	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	20APR2023	Triiodothyronine	1.27	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	93	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.25	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.65	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.59	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	68.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	37.1	NORMAL	7.70000000	58.50000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Estradiol	19.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	15MAY2023	Triiodothyronine	1.18	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.84	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.34	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	69.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	20.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	14.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.76274	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	13JUN2023	Triiodothyronine	1.10	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.08	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.61	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.16	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	71.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	36.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	9.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	14JUL2023	Triiodothyronine	1.13	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	61	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.00	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.93	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.05	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	75.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	09AUG2023	Triiodothyronine	1.47	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	74	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyrotropin	1.5	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.98	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	35	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	7.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	17OCT2023	Triiodothyronine	1.23	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.74	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.86	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	78.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	46.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.55472	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.13	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	09NOV2023	Triiodothyronine	1.25	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.18	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.48	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.43	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	67.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	17.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.72807	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
490031003/50/F/W	Screening	27MAY2022	Triiodothyronine	1.05	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	111	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.66	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.84	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	82.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	63.2	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.3	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.0401	NORMAL	0.10401000	1.42147000	nmol/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Progesterone	0.12	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	21SEP2022	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	102	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.55	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	0.97	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.00	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	86.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	64.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	5.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	09AUG2022	Triiodothyronine	1.01	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	96	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.60	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.34	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.00	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	76.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	49.1	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	17.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	1.52548	HIGH	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
490031009/52/F/W	Screening	20JAN2023	Triiodothyronine	1.38	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	83	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.31	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	80.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	41.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	10.7	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.31203	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	21FEB2023	Triiodothyronine	1.36	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	88	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.31	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.45	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	73.7	NORMAL	25.80000000	134.80000000	U/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Luteinizing Hormone	36.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.17335	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	20MAR2023	Triiodothyronine	1.27	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	90	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.30	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.22	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.39	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.6	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.09	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	12APR2023	Triiodothyronine	1.27	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	87	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.14	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.92	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.44	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	77.4	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.6	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.10401	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	16MAY2023	Triiodothyronine	1.35	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	84	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.24	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.54	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	79.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	38.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.1	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	4.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	09JUN2023	Triiodothyronine	1.35	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	85	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.34	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.57	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	96.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	43.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.24269	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	17AUG2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	76	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.15	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.21	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	91.5	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	50	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	13SEP2023	Triiodothyronine	1.17	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	86	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.91	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.25	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	5.9	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.27736	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.08	NORMAL	0.00000000	0.13000000	ug/L
490061002/58/F/W	Screening	06JUL2022	Thyrotropin	1.39	NORMAL	0.27000000	4.20000000	mU/L
			Follicle Stimulating Hormone	92.7	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	51.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	8.8	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	110.8	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.13868	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	17OCT2022	Triiodothyronine	1.32	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	112	NORMAL	51.00000000	141.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine, Free	1.38	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	110.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	65.7	HIGH	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.1	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	10NOV2022	Triiodothyronine	1.28	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	121	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.51	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.54	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.19	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	95.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	57.2	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Unscheduled	05SEP2022	Triiodothyronine	1.34	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	121	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.60	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.3	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.22	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	107.6	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	53.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	9.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
		19SEP2022	Triiodothyronine	0.90	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	97	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.62	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.14	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.98	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	89.8	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	39.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	6.1	NORMAL	4.80000000	23.30000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Testosterone	0.20802	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
		30SEP2022	Triiodothyronine	1.16	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.39	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.48	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.32	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	64.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	45.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.48538	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
490061003/57/F/W	Screening	07DEC2022	Triiodothyronine	0.83	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	64	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.59	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	3.79	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.52	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	84.1	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	44.4	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	33.7	HIGH	4.80000000	23.30000000	ug/L
			Testosterone	0.052005	LOW	0.10401000	1.42147000	nmol/L
			Progesterone	0.11	NORMAL	0.00000000	0.13000000	ug/L
	Baseline	01FEB2023	Triiodothyronine	1.22	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	106	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.42	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.46	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.00	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	60.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	32.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	15.9	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.8	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.62406	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.05	NORMAL	0.00000000	0.13000000	ug/L
	Week 4	28FEB2023	Triiodothyronine	1.09	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.51	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.35	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	2.98	NORMAL	2.00000000	4.40000000	pg/mL

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Follicle Stimulating Hormone	28.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	60.4	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.6934	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.07	NORMAL	0.00000000	0.13000000	ug/L
	Week 8	29MAR2023	Triiodothyronine	1.25	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	97	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.46	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.14	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.48	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	55.2	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	28.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	13.3	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	8.2	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 12	04MAY2023	Triiodothyronine	1.30	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	104	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.45	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.18	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.24	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	35	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	23.9	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	68.6	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.4	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.52005	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.06	NORMAL	0.00000000	0.13000000	ug/L
	Week 16	29MAY2023	Triiodothyronine			.	.	
			Thyroxine	95	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.49	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.47	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free			.	.	
			Follicle Stimulating Hormone	56.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	34.8	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	14.0	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	12.5	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.65873	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Week 26/End of Treatment	28JUL2023	Triiodothyronine	1.20	NORMAL	0.80000000	2.00000000	ug/L

Listing 10.2.8.1 / 4: Clinical laboratory data: Hormones (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/ Age/ Sex/ Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Analysis Normal Range Lower Limit	Analysis Normal Range Upper Limit	Unit
			Thyroxine	78	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.29	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	1.57	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.14	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	62.3	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	40.7	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	10.7	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.41604	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L
	Follow-up	29SEP2023	Triiodothyronine	1.42	NORMAL	0.80000000	2.00000000	ug/L
			Thyroxine	94	NORMAL	51.00000000	141.00000000	ug/L
			Thyroxine, Free	1.22	NORMAL	0.93000000	1.70000000	ng/dL
			Thyrotropin	2.08	NORMAL	0.27000000	4.20000000	mU/L
			Triiodothyronine, Free	3.62	NORMAL	2.00000000	4.40000000	pg/mL
			Follicle Stimulating Hormone	61.9	NORMAL	25.80000000	134.80000000	U/L
			Luteinizing Hormone	29.3	NORMAL	7.70000000	58.50000000	U/L
			Estradiol	2.5	NORMAL	0.00000000	138.00000000	pg/mL
			Prolactin	11.0	NORMAL	4.80000000	23.30000000	ug/L
			Testosterone	0.45071	NORMAL	0.10401000	1.42147000	nmol/L
			Progesterone	0.025	NORMAL	0.00000000	0.13000000	ug/L

Sex is identified as: M = Male, F = Female.
Race is identified as: A = Asian, B = Black, W = White, AI = American Indian or Alaska Native, NH = Native Hawaiian or Other Pacific Islander, NR = Not Reported, MUL=Multiple.
The unit for "Age" is years.
Bayer: /var/swan/root/bhc/3427080/21651/stat/main01/prod/analysis/pgms/l_10_2_8_1_adlb_horm.sas 09JAN2024 16:22
End of table

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
140011004/56/F/W	Baseline	17JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	06JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140031003/48/F/B	Baseline	16JUN2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	1+	ABNORMAL	.	.	None
	Week 26/End of Treatment	08FEB2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	20JUL2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
140031015/48/F/W	Baseline	01MAR2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	27SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140051001/63/F/W	Baseline	01FEB2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
		02FEB2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	12SEP2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140051007/54/F/A	Baseline	30NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	06JUL2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140061015/60/F/B	Baseline	01DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	17APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140061018/49/F/W	Baseline	14FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 26/End of Treatment	30AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140091011/63/F/B	Baseline	07MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	10OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	16MAR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
140171004/56/F/W	Baseline	04OCT2021	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
140171008/53/F/B	Baseline	18MAY2022	Choriogonadotropin Beta	NEGATIVE		.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
		24MAY2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	18OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140181029/56/F/W	Baseline	10JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	09JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	21FEB2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		31MAR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
140181032/60/F/W	Baseline	22FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	05OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140251008/65/F/W	Screening	28MAR2022	pH			.	.	
			Glucose			.	.	
			Protein			.	.	
			Ketones			.	.	
			Blood			.	.	
			Nitrite			.	.	
			Leukocytes			.	.	
			Bilirubin			.	.	
			Urobilinogen			.	.	
	Baseline	28MAR2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	31OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	26APR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140251011/55/F/B	Baseline	17AUG2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	31MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140301007/55/F/B	Baseline	09MAY2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	12JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140301017/61/F/W	Baseline	13DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	24AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140301020/57/F/W	Baseline	12JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	08SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
140301031/62/F/W	Baseline	27FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	11OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140371001/57/F/W	Baseline	08JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	13DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140371002/55/F/AI	Screening	29APR2022	pH			.	.	
			Glucose			.	.	

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Protein			.	.	
			Ketones			.	.	
			Blood			.	.	
			Nitrite			.	.	
			Leukocytes			.	.	
			Bilirubin			.	.	
			Urobilinogen			.	.	
	Baseline	29APR2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	29DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	10MAY2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
140371012/61/F/W	Baseline	28JUL2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	02FEB2023	pH			.	.	
			Glucose			.	.	
			Protein			.	.	

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Ketones			.	.	
			Blood			.	.	
			Nitrite			.	.	
			Leukocytes			.	.	
			Bilirubin			.	.	
			Urobilinogen			.	.	
140371020/63/F/W	Baseline	18AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	28MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140371024/54/F/W	Baseline	24AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	13APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140371029/51/F/W	Baseline	19OCT2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	08JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140371030/60/F/W	Baseline	31OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	16MAY2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140371033/47/F/NR	Baseline	22NOV2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	2+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	11JUL2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140371035/57/F/W	Baseline	10JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	01AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
140371038/55/F/W	Baseline	14FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	2+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	19SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	3+	ABNORMAL	.	.	None
			Blood	5+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140401003/59/F/B	Baseline	27OCT2021	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	02JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140401010/54/F/W	Baseline	22AUG2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
		23AUG2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	05JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140401011/52/F/W	Baseline	25AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	01FEB2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140401018/60/F/W	Baseline	31JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	18SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140431028/58/F/W	Baseline	25AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	20OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140431033/60/F/W	Baseline	11OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	24MAY2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	4+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140461003/59/F/B	Baseline	14SEP2021	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	08APR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140461007/62/F/B	Baseline	09NOV2021	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	14JUL2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	2+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	10MAR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	2+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140461014/55/F/B	Baseline	08SEP2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
		31OCT2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
140471001/59/F/W	Baseline	27OCT2021	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	13JUN2022	pH	6.0	NORMAL	4.80000000	7.40000000	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140471014/56/F/W	Baseline	10AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	3+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	26APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140471022/54/F/B	Baseline	09JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	08AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140491010/51/F/MUL	Baseline	18JUL2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	17APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140491014/49/F/B	Baseline	25JUL2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	02MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140491025/55/F/MUL	Baseline	27FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	10AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140531001/53/F/W	Screening	01APR2022	pH			.	.	
			Glucose			.	.	
			Protein			.	.	
			Ketones			.	.	
			Blood			.	.	
			Nitrite			.	.	
			Leukocytes			.	.	
			Bilirubin			.	.	
			Urobilinogen			.	.	
	Week 26/End of Treatment	27MAY2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	13APR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140531002/60/F/W	Baseline	04AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	28FEB2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140531004/61/F/W	Baseline	12SEP2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	22MAY2023	pH	7.0	NORMAL	4.80000000	7.40000000	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140541005/51/F/W	Baseline	22APR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	07NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140541028/54/F/W	Baseline	13MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	4+	ABNORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	25OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Ketones	1+	ABNORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140601005/65/F/W	Baseline	12JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	23AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140601010/59/F/W	Baseline	01FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	26APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140841008/51/F/B	Baseline	24AUG2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	27MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	3+	ABNORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	1+	ABNORMAL	.	.	None
140841019/56/F/B	Baseline	01SEP2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	02MAY2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140851003/53/F/B	Baseline	13DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
140931006/56/F/W	Baseline	15JUL2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	06APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140931008/64/F/W	Baseline	31JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	07SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140991018/58/F/W	Baseline	26APR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	30NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140991025/53/F/W	Baseline	09JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	07MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140991032/56/F/B	Baseline	13JUL2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	09FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140991045/51/F/W	Baseline	05OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
140991050/55/F/B	Baseline	05JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	26JUL2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141051004/50/F/MUL	Screening	12NOV2021	pH			.	.	
			Glucose			.	.	
			Protein			.	.	
			Ketones			.	.	
			Blood			.	.	
			Nitrite			.	.	
			Leukocytes			.	.	
			Bilirubin			.	.	
			Urobilinogen			.	.	
	Baseline	12NOV2021	Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	28JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	19NOV2021	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
		10DEC2021	Choriogonadotropin Beta	NEGATIVE		.	.	None
141051008/51/F/A	Baseline	14MAR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	12OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141051010/53/F/W	Baseline	25APR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	08DEC2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
141051024/57/F/W	Baseline	14NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	27JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141051033/49/F/W	Baseline	19DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	18JUL2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141131009/52/F/W	Baseline	18MAY2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	12DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141131015/53/F/W	Baseline	13JUL2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	24OCT2022	pH			.	.	
			Glucose			.	.	
			Protein			.	.	
			Ketones			.	.	
			Blood			.	.	
			Nitrite			.	.	
			Leukocytes			.	.	
			Bilirubin			.	.	
			Urobilinogen			.	.	
141131017/52/F/W	Baseline	21JUL2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Unscheduled	02AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141131021/52/F/NR	Baseline	19AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	01MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141131048/41/F/W	Baseline	20JAN2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		23JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	25AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141141006/58/F/W	Baseline	13APR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	5+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	19DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	25MAY2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
		19DEC2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
141141014/52/F/W	Baseline	28JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	30JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141141017/51/F/W	Baseline	23AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	14APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	19SEP2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
		28APR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
141141026/62/F/W	Baseline	17JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	22AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141191001/54/F/W	Baseline	31JAN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	26SEP2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	08FEB2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
141191007/55/F/B	Baseline	19APR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	21NOV2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	26APR2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
141191010/61/F/B	Baseline	27JUL2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	13FEB2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141191015/57/F/B	Baseline	27SEP2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 26/End of Treatment	12APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	4+	ABNORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	1+	ABNORMAL	.	.	None
	Unscheduled	03OCT2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
141191016/52/F/W	Baseline	28SEP2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	04MAY2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	06OCT2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
		15MAY2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
141251002/62/F/B	Baseline	14SEP2021	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	12APR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141251003/61/F/B	Baseline	21SEP2021	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	12APR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141251008/65/F/B	Baseline	14DEC2021	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	21JUL2022	pH	5.0	NORMAL	4.80000000	7.40000000	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141251014/56/F/B	Baseline	12MAY2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	08DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141251019/63/F/W	Baseline	29NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	28JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141251021/55/F/B	Baseline	31JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Unscheduled	27FEB2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
141361009/57/F/W	Baseline	13MAY2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	12JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141361013/62/F/W	Baseline	11JUL2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	27FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141361025/56/F/NR	Baseline	29AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	03JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	3+	ABNORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141361038/60/F/W	Baseline	13JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	10AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141361042/55/F/W	Baseline	30JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	25MAY2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141431001/49/F/W	Baseline	23FEB2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	07OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141431004/49/F/W	Baseline	01JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	12JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141431005/46/F/W	Baseline	20JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	05OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141431010/45/F/W	Baseline	24AUG2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	1+	ABNORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	12JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141431013/59/F/W	Baseline	22NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	14JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141791001/52/F/B	Baseline	19DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	12JUL2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141791010/62/F/W	Screening	21FEB2023	pH			.	.	
			Glucose			.	.	
			Protein			.	.	
			Ketones			.	.	
			Blood			.	.	
			Nitrite			.	.	
			Leukocytes			.	.	
			Bilirubin			.	.	
			Urobilinogen			.	.	
	Baseline	21FEB2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	03OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141801001/57/F/W	Baseline	06OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	08MAY2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141801003/54/F/W	Baseline	20OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	13JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141801010/53/F/W	Baseline	18JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	14JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141801014/55/F/W	Baseline	13FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
141881001/42/F/W	Screening	20DEC2022	pH			.	.	
			Glucose			.	.	
			Protein			.	.	
			Ketones			.	.	
			Blood			.	.	
			Nitrite			.	.	
			Leukocytes			.	.	
			Bilirubin			.	.	
			Urobilinogen			.	.	

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Baseline	20DEC2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	31JUL2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	10JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141891023/59/F/W	Baseline	15FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	11SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	08MAR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		11SEP2023	Choriogonadotropin Beta	NEGATIVE		.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
141891028/54/F/W	Baseline	23FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	27SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	06MAR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		27SEP2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		02OCT2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
141891029/46/F/B	Baseline	24FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	08JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
141901009/47/F/B	Baseline	12OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
141901013/50/F/W	Baseline	03NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	06JUL2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	3+	ABNORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	5+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	18JUL2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	1+	ABNORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141901022/55/F/B	Baseline	30NOV2022	pH	7.0	NORMAL	4.80000000	7.40000000	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	03AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141901023/47/F/NR	Baseline	05DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	25JUL2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141901029/53/F/B	Baseline	04JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	09OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	17MAR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
141901035/51/F/B	Baseline	01MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	13OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	2+	ABNORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	10NOV2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141901037/59/F/B	Baseline	09MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	22MAR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
141931021/58/F/B	Baseline	03FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	13OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141931024/57/F/B	Baseline	26JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	2+	ABNORMAL	.	.	None
			Ketones	2+	ABNORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	1+	ABNORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	20SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	1+	ABNORMAL	.	.	None
	Unscheduled	03MAR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
141951013/61/F/W	Screening	02MAR2023	pH			.	.	
			Glucose			.	.	
			Protein			.	.	
			Ketones			.	.	
			Blood			.	.	
			Nitrite			.	.	
			Leukocytes			.	.	
			Bilirubin			.	.	
			Urobilinogen			.	.	
	Baseline	02MAR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	17OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	23MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
		28MAR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		17OCT2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
141971005/50/F/B	Baseline	01NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	20MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	29NOV2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
		13MAR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
141971015/54/F/B	Baseline	13DEC2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Unscheduled	19DEC2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
		20APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
142111018/50/F/W	Baseline	20MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	16OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220011006/52/F/W	Baseline	20JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	4+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	19JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220031004/61/F/W	Baseline	20APR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	18NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220031005/53/F/W	Baseline	29APR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	14SEP2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
220031016/59/F/W	Baseline	01DEC2022	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	02AUG2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	26JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220041004/53/F/W	Baseline	07FEB2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	26SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220041005/59/F/W	Baseline	13FEB2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	15SEP2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220051005/55/F/W	Baseline	24OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	06JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220051007/53/F/W	Baseline	14MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	11OCT2023	pH	9.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	5+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220051008/51/F/W	Baseline	09FEB2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	02OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220071001/60/F/W	Baseline	02DEC2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	20JUL2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
300021001/52/F/W	Baseline	23MAY2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
		24MAY2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	27DEC2022	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
300021003/59/F/W	Baseline	15JUN2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
		16JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	09JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	5+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
300021004/57/F/B	Baseline	22JUN2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	23JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
300021005/61/F/W	Baseline	27JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	4+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	19JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
300031002/62/F/W	Baseline	01JUN2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	03JAN2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
300031006/59/F/W	Baseline	07JUL2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	20DEC2022	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380011005/52/F/W	Baseline	21JUN2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	03FEB2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	03FEB2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
380011008/52/F/W	Baseline	22JUL2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	2+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	09MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	04AUG2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
		09MAR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		06APR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
380011014/51/F/W	Baseline	06OCT2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	23MAY2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	23MAY2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
380011016/49/F/W	Baseline	25NOV2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	15FEB2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	08DEC2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
		15FEB2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
380011017/52/F/W	Baseline	08DEC2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
		15DEC2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	18JUL2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	18JUL2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		14AUG2023	Choriogonadotropin Beta	NEGATIVE		.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
380011023/54/F/W	Baseline	09FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	20SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	16FEB2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		21JUN2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		20SEP2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		31OCT2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
380011024/48/F/W	Baseline	10FEB2023	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	10OCT2023	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	15FEB2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		31MAR2023	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
		30JUN2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		25JUL2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		10OCT2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		07NOV2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
380011025/52/F/W	Baseline	14FEB2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	20SEP2023	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	16FEB2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		29MAR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		22JUN2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		20SEP2023	Choriogonadotropin Beta	NEGATIVE		.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
		18OCT2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
380021001/50/F/W	Baseline	12JAN2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
		09FEB2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	23AUG2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380061001/45/F/W	Baseline	27DEC2021	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	24AUG2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380061007/59/F/W	Baseline	21FEB2022	pH	7.0	NORMAL	4.80000000	7.40000000	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	15SEP2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	2+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380061019/56/F/W	Baseline	05JAN2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	21AUG2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	2+	ABNORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	12JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380071001/49/F/W	Baseline	17FEB2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	26SEP2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380071002/49/F/W	Baseline	28MAR2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	21NOV2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380071004/49/F/W	Baseline	05MAY2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	04JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	04JAN2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
380071005/44/F/W	Baseline	09MAY2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	07DEC2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	2+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380071007/53/F/W	Baseline	07JUN2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	11JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380071010/50/F/W	Baseline	12JUL2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	15FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380091001/44/F/W	Baseline	06JAN2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 26/End of Treatment	14JUL2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	3+	ABNORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380091003/65/F/W	Baseline	02JUN2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	22DEC2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380091007/63/F/W	Baseline	05JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	2+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	20JUL2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380091009/55/F/W	Baseline	23FEB2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	05OCT2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380101001/53/F/W	Baseline	15FEB2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	23SEP2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380101002/53/F/W	Baseline	15FEB2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	03OCT2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380101003/56/F/W	Baseline	22FEB2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	24OCT2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380101007/46/F/W	Baseline	26APR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	28NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380101010/52/F/W	Baseline	10MAY2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	16DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380101011/51/F/W	Baseline	07JUN2022	pH	7.0	NORMAL	4.80000000	7.40000000	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	18JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380101012/46/F/W	Baseline	20JUN2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	30JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380101016/46/F/W	Baseline	16AUG2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	2+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	5+	ABNORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	24MAR2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380101017/50/F/W	Baseline	20SEP2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	05MAY2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380101018/52/F/W	Baseline	11OCT2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	30MAY2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	30MAY2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
380101021/49/F/W	Baseline	20DEC2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	28JUL2023	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380101022/58/F/W	Baseline	03JAN2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 26/End of Treatment	12JUN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	18APR2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380111001/52/F/W	Baseline	31MAR2022	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	27OCT2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380111004/54/F/W	Baseline	09JUN2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	22DEC2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380111005/52/F/W	Baseline	06OCT2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	26JAN2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	3+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380111010/49/F/W	Baseline	26JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	31AUG2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
390071002/57/F/W	Baseline	24AUG2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	19MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
390081001/60/F/W	Baseline	08FEB2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 26/End of Treatment	11SEP2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
440011001/60/F/W	Baseline	21DEC2021	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	27SEP2022	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	25JAN2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
440011007/52/F/W	Baseline	28FEB2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	13OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
440011020/54/F/W	Baseline	09AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	15MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	2+	ABNORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	1+	ABNORMAL	.	.	None
	Unscheduled	16AUG2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
440011023/54/F/W	Baseline	07NOV2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	12JUN2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
440021013/55/F/W	Baseline	19DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	20JUL2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
440031004/54/F/W	Baseline	16MAY2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	13JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
440031005/55/F/W	Baseline	19MAY2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	03JAN2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	03JAN2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
440031007/51/F/W	Baseline	30MAY2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	14DEC2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	1+	ABNORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
440031017/57/F/W	Baseline	26AUG2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	24APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	2+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	24APR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
440031023/56/F/W	Baseline	21OCT2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
440031026/58/F/W	Baseline	19JAN2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	17AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
440051011/56/F/W	Baseline	23JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	24JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	04JUL2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
440051013/56/F/W	Baseline	12JUL2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
		09AUG2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	21FEB2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
460031005/58/F/W	Baseline	18JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	17AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
460061002/53/F/W	Baseline	06SEP2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	18MAY2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	14OCT2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
		18MAY2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
460061008/53/F/W	Baseline	03JAN2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	29JUN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	26JAN2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
460071014/54/F/W	Baseline	23SEP2022	pH	9.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	20APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
460071019/54/F/W	Baseline	07NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	08JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
460071020/53/F/W	Baseline	18NOV2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 26/End of Treatment	22JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
460071021/56/F/W	Baseline	18NOV2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	06JUL2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
460071025/53/F/W	Baseline	30JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	03JUL2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
460091005/55/F/W	Baseline	20JAN2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	25AUG2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
460091008/58/F/W	Baseline	09FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	14SEP2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
490021005/41/F/B	Baseline	14SEP2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	4+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
490021010/51/F/W	Baseline	08FEB2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	04SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None

Sex is identified as: M = Male, F = Female.
Race is identified as: A = Asian, B = Black, W = White, AI = American Indian or Alaska Native, NH = Native Hawaiian or Other Pacific Islander, NR = Not Reported, MUL=Multiple.
The unit for "Age" is years.
Bayer: /var/swan/root/bhc/3427080/21651/stat/main01/prod/analysis/pgms/l_10_2_8_1_adlb_urin.sas 09JAN2024 16:28

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
140031002/56/F/B	Baseline	22FEB2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	19SEP2022	pH			.	.	
			Glucose			.	.	
			Protein			.	.	
			Ketones			.	.	
			Blood			.	.	
			Nitrite			.	.	
			Leukocytes			.	.	
			Bilirubin			.	.	
			Urobilinogen			.	.	
140031010/54/F/B	Baseline	02DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	26JUL2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	26JUL2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
140031011/59/F/B	Baseline	29DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	12JUL2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140051002/54/F/B	Baseline	14MAR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	20OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	22MAR2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
140091002/52/F/W	Baseline	23JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	15MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	07MAR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
140181004/46/F/W	Baseline	30NOV2021	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	12JUL2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	14JAN2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
140181025/60/F/W	Baseline	10OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	13JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140191005/51/F/W	Baseline	11NOV2021	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	09JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	09JUN2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
140191007/58/F/W	Baseline	28DEC2021	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	21JUL2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140191012/60/F/W	Baseline	25JUL2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	4+	ABNORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	2+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	20FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	4+	ABNORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140191013/53/F/W	Baseline	21SEP2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
		22SEP2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	01MAY2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140191019/54/F/W	Baseline	16JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	08AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140201002/53/F/B	Baseline	18NOV2021	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 26/End of Treatment	10AUG2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	10AUG2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
140301008/52/F/B	Baseline	16MAY2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	26JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140371004/63/F/W	Baseline	01JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	14DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	4+	ABNORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140371010/51/F/W	Baseline	18JUL2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	28MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140371013/46/F/NR	Baseline	16AUG2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	3+	ABNORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	04APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140371014/58/F/NR	Baseline	02AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	07FEB2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140371017/56/F/W	Baseline	15AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	30MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140371019/64/F/W	Baseline	17AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	04APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140371027/55/F/W	Baseline	22SEP2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	13APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
140371036/51/F/W	Baseline	14FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	05SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140371040/53/F/W	Baseline	01MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	21SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140401001/55/F/W	Baseline	05OCT2021	pH	5.0	NORMAL	4.80000000	7.40000000	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	01JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140401017/54/F/W	Baseline	12JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	20SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140431004/57/F/W	Baseline	08APR2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	08DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140431037/52/F/W	Baseline	13DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
140461013/60/F/W	Baseline	25AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
		25SEP2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	09NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140471005/53/F/AI	Baseline	28MAR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
		04APR2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	10NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140471011/61/F/W	Baseline	22JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	05APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140471030/50/F/W	Baseline	02FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
140491029/58/F/B	Baseline	06MAR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		20MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	3+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	11OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140511010/45/F/W	Baseline	08NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	21AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140531006/41/F/B	Baseline	28SEP2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	25APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140541014/53/F/W	Baseline	03JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
140541021/59/F/B	Baseline	29JUL2022	pH	6.0	NORMAL	4.80000000	7.40000000	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
140541023/46/F/B	Baseline	01AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
140541027/59/F/B	Screening	06MAR2023	pH			.	.	
			Glucose			.	.	
			Protein			.	.	
			Ketones			.	.	
			Blood			.	.	
			Nitrite			.	.	
			Leukocytes			.	.	
			Bilirubin			.	.	
			Urobilinogen			.	.	
	Baseline	06MAR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	08MAY2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	20MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140581010/56/F/B	Baseline	13JUL2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	01MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	01AUG2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
140601012/54/F/W	Baseline	06FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	18SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140601013/62/F/W	Baseline	06FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	18SEP2023	pH			.	.	
			Glucose			.	.	
			Protein			.	.	
			Ketones			.	.	
			Blood			.	.	
			Nitrite			.	.	
			Leukocytes			.	.	
			Bilirubin			.	.	
			Urobilinogen			.	.	
	Unscheduled	19OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140601018/57/F/W	Baseline	27FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	05OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140601021/52/F/W	Baseline	28FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	05OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140841009/62/F/W	Baseline	23AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	28MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140841038/57/F/W	Baseline	01FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	09OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140851011/45/F/W	Baseline	01FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 26/End of Treatment	13SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140931005/52/F/W	Screening	12APR2022	pH			.	.	
			Glucose			.	.	
			Protein			.	.	
			Ketones			.	.	
			Blood			.	.	
			Nitrite			.	.	
			Leukocytes			.	.	
			Bilirubin			.	.	
			Urobilinogen			.	.	
	Baseline	12APR2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	21NOV2022	pH			.	.	
			Glucose			.	.	
			Protein			.	.	
			Ketones			.	.	
			Blood			.	.	
			Nitrite			.	.	
			Leukocytes			.	.	
			Bilirubin			.	.	
			Urobilinogen			.	.	
	Unscheduled	25APR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140981009/58/F/W	Baseline	17NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	26JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140981013/55/F/W	Baseline	29DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	07MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140981014/55/F/W	Baseline	12JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	13JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140991043/51/F/B	Baseline	22SEP2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	10MAY2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140991048/51/F/W	Baseline	21NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	11JUL2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
140991049/49/F/B	Baseline	01DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
		05DEC2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
140991053/62/F/B	Baseline	16FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	05SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
141051002/58/F/B	Baseline	27OCT2021	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	17JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	2+	ABNORMAL	.	.	None
	Unscheduled	19NOV2021	Choriogonadotropin Beta	NEGATIVE		.	.	None
141051005/63/F/B	Baseline	15DEC2021	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	13JUL2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
141051007/62/F/W	Screening	11MAR2022	pH			.	.	
			Glucose			.	.	
			Protein			.	.	
			Ketones			.	.	
			Blood			.	.	
			Nitrite			.	.	
			Leukocytes			.	.	
			Bilirubin			.	.	
			Urobilinogen			.	.	
	Baseline	11MAR2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
	Unscheduled	18MAR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141051012/55/F/B	Baseline	12MAY2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	01DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141051015/55/F/W	Baseline	23JUN2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	06FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141051017/56/F/B	Baseline	31AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	12APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141051019/58/F/W	Baseline	09SEP2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	22MAY2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141051020/52/F/W	Baseline	28SEP2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
		03OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	2+	ABNORMAL	.	.	None
141051021/52/F/W	Baseline	05OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	26APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141051026/57/F/W	Baseline	22NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	18JUL2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141051035/54/F/W	Baseline	06JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	4+	ABNORMAL	.	.	None
			Protein	2+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	30AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	4+	ABNORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
141051036/56/F/B	Baseline	24JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	31AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141101007/56/F/W	Baseline	15FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	05OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	10MAR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
141131005/56/F/W	Screening	03MAY2022	pH			.	.	
			Glucose			.	.	

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Protein			.	.	
			Ketones			.	.	
			Blood			.	.	
			Nitrite			.	.	
			Leukocytes			.	.	
			Bilirubin			.	.	
			Urobilinogen			.	.	
	Baseline	10MAY2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	12DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	10MAY2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
		12DEC2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
141131008/57/F/W	Baseline	16MAY2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	06OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141131024/51/F/W	Baseline	09AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	10APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	10APR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
141131032/55/F/W	Baseline	12SEP2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
141131050/56/F/W	Baseline	07FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	13SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	05SEP2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
141141025/63/F/W	Baseline	10JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	11SEP2023	pH			.	.	
			Glucose			.	.	
			Protein			.	.	
			Ketones			.	.	
			Blood			.	.	
			Nitrite			.	.	
			Leukocytes			.	.	
			Bilirubin			.	.	
			Urobilinogen			.	.	
141191006/57/F/W	Baseline	08APR2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	22NOV2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	19APR2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
		09NOV2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
141191021/61/F/B	Baseline	28DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	29JUL2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141251001/61/F/B	Baseline	13SEP2021	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	4+	ABNORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	22DEC2021	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141251005/54/F/B	Baseline	09NOV2021	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	14JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141251010/55/F/B	Baseline	01MAR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	04OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141331004/53/F/B	Baseline	21OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	06JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141361007/48/F/W	Baseline	05MAY2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 26/End of Treatment	12DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141361012/56/F/W	Baseline	17JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	26JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141361014/53/F/W	Baseline	20JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	12JAN2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141361016/44/F/W	Baseline	24JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	2+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	02FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141361017/58/F/NR	Baseline	08JUL2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	4+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	09FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141361024/56/F/W	Baseline	25AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	03APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141361035/62/F/W	Baseline	19DEC2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	20JUL2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141361037/56/F/W	Baseline	12JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	16AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141431002/56/F/W	Baseline	26APR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	29NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	19MAY2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141431003/56/F/W	Baseline	08JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	18JUL2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141431012/53/F/W	Baseline	19SEP2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	22NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141431015/52/F/W	Baseline	23JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	18AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141791013/54/F/W	Baseline	06MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	17OCT2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141801004/60/F/W	Baseline	18NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	22JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141801008/55/F/W	Baseline	11JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	24AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141891008/55/F/B	Screening	21DEC2022	pH			.	.	
			Glucose			.	.	
			Protein			.	.	
			Ketones			.	.	
			Blood			.	.	
			Nitrite			.	.	
			Leukocytes			.	.	
			Bilirubin			.	.	
			Urobilinogen			.	.	
	Baseline	21DEC2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	24AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	1+	ABNORMAL	.	.	None
	Unscheduled	10JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
		23JAN2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		24AUG2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
141891017/54/F/B	Baseline	09FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	20SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	22FEB2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		20SEP2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
141891027/57/F/B	Baseline	17FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	27SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	08MAR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		27SEP2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
141901001/48/F/W	Baseline	31AUG2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	05MAY2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	16SEP2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
141901007/55/F/W	Baseline	10OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	10FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141901030/58/F/B	Baseline	02FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	13OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	09FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141901032/61/F/W	Baseline	15FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	28SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141901034/65/F/B	Baseline	17FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	13OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141951001/55/F/B	Baseline	10NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	27JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141951007/55/F/W	Baseline	27DEC2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	13APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	13APR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
141971002/62/F/B	Baseline	20OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Unscheduled	22MAR2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141971007/61/F/W	Baseline	08NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	2+	ABNORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	13JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
141971008/57/F/B	Baseline	15NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	13JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	11JUL2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
141971010/51/F/B	Baseline	17NOV2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	13APR2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	09JAN2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		13APR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
141971012/49/F/B	Baseline	01DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Unscheduled	13DEC2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
141971014/61/F/B	Baseline	07DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
142031004/54/F/W	Baseline	02MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	16OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
142111009/46/F/W	Baseline	21MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	09OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
142111014/58/F/W	Baseline	03APR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	17OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
142111017/56/F/W	Baseline	23MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	16OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220011010/60/F/W	Baseline	25NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	24JUL2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220011012/48/F/W	Baseline	13DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	31JUL2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220021002/59/F/W	Baseline	21SEP2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
220031003/49/F/W	Baseline	07APR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	17NOV2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220031006/55/F/W	Baseline	20MAY2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	22DEC2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	3+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220031008/52/F/W	Baseline	10JUN2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	10JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220031009/58/F/W	Baseline	14JUN2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	10JAN2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220031012/48/F/W	Baseline	01AUG2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	09MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220031013/53/F/W	Baseline	08SEP2022	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	20APR2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220031023/62/F/W	Baseline	09MAR2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	07SEP2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220051004/51/F/W	Baseline	10OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	2+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Unscheduled	13FEB2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	2+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220051006/49/F/W	Baseline	24OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 26/End of Treatment	16MAY2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
220071004/59/F/W	Baseline	16FEB2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	03OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
300011008/56/F/W	Baseline	31JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	25SEP2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	06MAR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		25SEP2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
300011009/49/F/W	Baseline	06FEB2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	04SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	04SEP2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
300011011/59/F/W	Baseline	17FEB2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	19SEP2023	pH	7.0	NORMAL	4.80000000	7.40000000	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	19SEP2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
300021007/53/F/W	Baseline	29AUG2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	27MAR2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	31MAY2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
300031003/59/F/W	Baseline	20JUN2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	23JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	5+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
300031004/52/F/W	Baseline	23JUN2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	23AUG2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
300031009/52/F/W	Baseline	24AUG2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	28MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
300031011/55/F/W	Baseline	06OCT2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	02MAY2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
300031013/54/F/W	Baseline	07NOV2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	23MAY2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
380011001/60/F/W	Baseline	28FEB2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
		14MAR2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	30SEP2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	14MAR2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
		30SEP2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
380011002/53/F/W	Baseline	20APR2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	15DEC2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	15DEC2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
380011004/52/F/W	Baseline	16JUN2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	24JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380011019/50/F/W	Baseline	14DEC2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	20JUL2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Unscheduled	20DEC2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
		20JUL2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		17AUG2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
380011020/54/F/W	Baseline	12JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	21SEP2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	19JAN2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		23MAR2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
		22JUN2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		21SEP2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
		19OCT2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
380021002/55/F/W	Baseline	10FEB2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	13SEP2022	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380051001/48/F/W	Baseline	05JAN2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	4+	ABNORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	22JUL2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	4+	ABNORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380051002/64/F/W	Baseline	04MAR2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	2+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	23SEP2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380051003/64/F/W	Baseline	08APR2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	21OCT2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380051004/52/F/W	Baseline	08JUL2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	13FEB2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380051005/55/F/W	Baseline	21OCT2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	19MAY2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380061005/42/F/W	Baseline	06JAN2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 26/End of Treatment	25AUG2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380061010/55/F/W	Baseline	02JUN2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	16JAN2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380061011/50/F/W	Baseline	02JUN2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	11JAN2023	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380061015/52/F/W	Baseline	24OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	17JUL2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	12JAN2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380061020/58/F/W	Baseline	05JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	07AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380071009/57/F/W	Baseline	11JUL2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	30MAR2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	15SEP2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380071014/53/F/W	Baseline	23FEB2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	10OCT2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	16MAR2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
380091004/44/F/W	Baseline	02JUN2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	15DEC2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
380091005/65/F/W	Baseline	14JUL2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	16FEB2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380101004/45/F/W	Baseline	03MAR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	22SEP2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	27OCT2022	pH	6.0	NORMAL	4.80000000	7.40000000	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380101006/48/F/W	Baseline	14APR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	07DEC2022	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380101008/48/F/W	Baseline	28APR2022	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	30NOV2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380101009/47/F/W	Baseline	03MAY2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	26SEP2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380101014/46/F/W	Baseline	24JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	30JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
380101019/56/F/W	Baseline	06DEC2022	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	21JUL2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380101023/47/F/W	Baseline	06JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	14AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380101024/48/F/W	Baseline	28FEB2023	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	04OCT2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
380111006/51/F/W	Baseline	20OCT2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	01JUN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
440011009/57/F/W	Baseline	30MAR2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	24OCT2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
440011010/49/F/W	Baseline	04APR2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
440011012/56/F/W	Baseline	03MAY2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
440011016/58/F/W	Baseline	13JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	11JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	POSITIVE	ABNORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
440011028/59/F/W	Baseline	10FEB2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
440021002/52/F/W	Baseline	14FEB2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	20OCT2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Urobilinogen	NORMAL	NORMAL	.	.	None
440021006/51/F/W	Baseline	24MAY2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	3+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	12JAN2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	06SEP2022	pH			.	.	
			Glucose			.	.	
			Protein			.	.	
			Ketones			.	.	
			Blood			.	.	
			Nitrite			.	.	
			Leukocytes			.	.	
			Bilirubin			.	.	
			Urobilinogen			.	.	
		02FEB2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	2+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
440021011/60/F/W	Baseline	12DEC2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	19JUL2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
440031006/54/F/W	Baseline	25MAY2022	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
440031012/50/F/W	Baseline	23JUN2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	23JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	25MAR2022	Choriogonadotropin Beta	NEGATIVE		.	.	None
440031024/53/F/W	Baseline	14NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	02JUN2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	19JUL2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
440031025/56/F/W	Baseline	21NOV2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Unscheduled	31MAY2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
440051002/64/F/W	Baseline	08FEB2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	21SEP2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
440051016/62/F/W	Baseline	29NOV2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	4+	ABNORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	4+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	11JUL2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	4+	ABNORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	3+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
460031004/60/F/W	Baseline	15NOV2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	26JUN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
460061014/55/F/W	Baseline	07FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	27SEP2023	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	5+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	27SEP2023	Choriogonadotropin Beta	NEGATIVE		.	.	None
460071001/57/F/W	Baseline	08APR2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	30NOV2022	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
460071003/53/F/W	Baseline	23MAY2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	29DEC2022	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
460071007/62/F/W	Baseline	29JUL2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	1+	ABNORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	23FEB2023	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
460071010/40/F/W	Baseline	08AUG2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	02MAR2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
460071011/52/F/W	Baseline	29AUG2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	02FEB2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
460071024/53/F/W	Baseline	12JAN2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	28AUG2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
460071028/54/F/W	Baseline	09FEB2023	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	28SEP2023	pH	8.0	HIGH	4.80000000	7.40000000	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	3+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
460091006/53/F/W	Baseline	24JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	31AUG2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	2+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	5+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
460091009/56/F/W	Baseline	09MAR2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	17OCT2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
490031003/50/F/W	Baseline	27MAY2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	3+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Unscheduled	09AUG2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	1+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	2+	ABNORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
490031009/52/F/W	Baseline	20JAN2023	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Week 26/End of Treatment	17AUG2023	pH	8.0	HIGH	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
490061002/58/F/W	Baseline	06JUL2022	pH	7.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	1+	ABNORMAL	.	.	None
			Ketones	1+	ABNORMAL	.	.	None
			Blood	5+	ABNORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Unscheduled	05SEP2022	pH	6.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
490061003/57/F/W	Baseline	07DEC2022	pH	5.0	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	NEGATIVE	NORMAL	.	.	None
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
			Choriogonadotropin Beta	NEGATIVE		.	.	None
	Week 26/End of Treatment	28JUL2023	pH	6.5	NORMAL	4.80000000	7.40000000	None
			Glucose	NORMAL	NORMAL	.	.	None
			Protein	NEGATIVE	NORMAL	.	.	None
			Ketones	NEGATIVE	NORMAL	.	.	None
			Blood	NEGATIVE	NORMAL	.	.	None
			Nitrite	NEGATIVE	NORMAL	.	.	None
			Leukocytes	1+	ABNORMAL	.	.	None

Listing 10.2.8.1 / 5: Clinical laboratory data: Urine Analysis (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
			Bilirubin	NEGATIVE	NORMAL	.	.	None
			Urobilinogen	NORMAL	NORMAL	.	.	None
	Unscheduled	28JUL2023	Choriogonadotropin Beta	NEGATIVE		.	.	None

Sex is identified as: M = Male, F = Female.
Race is identified as: A = Asian, B = Black, W = White, AI = American Indian or Alaska Native, NH = Native Hawaiian or Other Pacific Islander, NR = Not Reported, MUL=Multiple.
The unit for "Age" is years.
Bayer: /var/swan/root/bhc/3427080/21651/stat/main01/prod/analysis/pgms/l_10_2_8_1_adlb_urin.sas 09JAN2024 16:28
End of table

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
140011004/56/F/W	Screening	17JAN2023	25-Hydroxyvitamin D	80.6208	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	07MAR2023	25-Hydroxyvitamin D	89.68128	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	28MAR2023	25-Hydroxyvitamin D	96.07104	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	25APR2023	25-Hydroxyvitamin D	84.76416	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	06JUN2023	25-Hydroxyvitamin D	86.91072	NORMAL	74.88000000	249597.50400000	nmol/L
140031003/48/F/B	Screening	16JUN2022	25-Hydroxyvitamin D	38.5632	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	08AUG2022	25-Hydroxyvitamin D	38.41344	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	29AUG2022	25-Hydroxyvitamin D	39.5616	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	27SEP2022	25-Hydroxyvitamin D	47.72352	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	01NOV2022	25-Hydroxyvitamin D	38.28864	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	22NOV2022	25-Hydroxyvitamin D	34.24512	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	08FEB2023	25-Hydroxyvitamin D	33.87072	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	08MAR2023	25-Hydroxyvitamin D	41.73312	LOW	74.88000000	249597.50400000	nmol/L
140031015/48/F/W	Screening	01MAR2023	25-Hydroxyvitamin D	66.31872	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	03APR2023	25-Hydroxyvitamin D	103.7088	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	24APR2023	25-Hydroxyvitamin D	112.74432	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	22MAY2023	25-Hydroxyvitamin D	103.55904	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	27JUN2023	25-Hydroxyvitamin D	111.79584	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	20JUL2023	25-Hydroxyvitamin D	101.26272	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	27SEP2023	25-Hydroxyvitamin D	107.10336	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	25OCT2023	25-Hydroxyvitamin D	84.6144	NORMAL	74.88000000	249597.50400000	nmol/L
140051001/63/F/W	Screening	02FEB2022	25-Hydroxyvitamin D	133.536	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	07MAR2022	25-Hydroxyvitamin D	112.32	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	04APR2022	25-Hydroxyvitamin D	249.6	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	02MAY2022	25-Hydroxyvitamin D	226.61184	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	31MAY2022	25-Hydroxyvitamin D	205.72032	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	21JUN2022	25-Hydroxyvitamin D	203.87328	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	12SEP2022	25-Hydroxyvitamin D	210.68736	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	28SEP2022	25-Hydroxyvitamin D	204.94656	NORMAL	74.88000000	249597.50400000	nmol/L
140051007/54/F/A	Screening	30NOV2022	25-Hydroxyvitamin D	54.58752	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	06JAN2023	25-Hydroxyvitamin D	47.27424	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	30JAN2023	25-Hydroxyvitamin D	50.06976	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	02MAR2023	25-Hydroxyvitamin D	39.98592	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	31MAR2023	25-Hydroxyvitamin D	39.08736	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	27APR2023	25-Hydroxyvitamin D	35.64288	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	06JUL2023	25-Hydroxyvitamin D	48.62208	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	10AUG2023	25-Hydroxyvitamin D	40.13568	LOW	74.88000000	249597.50400000	nmol/L
140061015/60/F/B	Screening	01DEC2022	25-Hydroxyvitamin D	180.2112	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	20DEC2022	25-Hydroxyvitamin D	180.73536	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	11JAN2023	25-Hydroxyvitamin D	157.4976	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	09FEB2023	25-Hydroxyvitamin D	151.008	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 12	15MAR2023	25-Hydroxyvitamin D	185.328	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	05APR2023	25-Hydroxyvitamin D	190.0704	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	17APR2023	25-Hydroxyvitamin D	182.28288	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	16MAY2023	25-Hydroxyvitamin D	236.8704	NORMAL	74.88000000	249597.50400000	nmol/L
140061018/49/F/W	Screening	14FEB2023	25-Hydroxyvitamin D	114.26688	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	06MAR2023	25-Hydroxyvitamin D	122.87808	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	05APR2023	25-Hydroxyvitamin D	82.64256	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	24APR2023	25-Hydroxyvitamin D	85.6128	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	31MAY2023	25-Hydroxyvitamin D	76.27776	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	20JUN2023	25-Hydroxyvitamin D	88.65792	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	30AUG2023	25-Hydroxyvitamin D	99.19104	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	27SEP2023	25-Hydroxyvitamin D	92.42688	NORMAL	74.88000000	249597.50400000	nmol/L
140091011/63/F/B	Screening	07MAR2023	25-Hydroxyvitamin D	154.55232	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	12APR2023	25-Hydroxyvitamin D	156.92352	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	04MAY2023	25-Hydroxyvitamin D	134.2848	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	08JUN2023	25-Hydroxyvitamin D	164.9856	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	05JUL2023	25-Hydroxyvitamin D	135.38304	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	10AUG2023	25-Hydroxyvitamin D	126.02304	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	10OCT2023	25-Hydroxyvitamin D	155.77536	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	14NOV2023	25-Hydroxyvitamin D	199.87968	NORMAL	74.88000000	249597.50400000	nmol/L
140171004/56/F/W	Screening	04OCT2021	25-Hydroxyvitamin D	53.63904	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	20DEC2021	25-Hydroxyvitamin D	64.7712	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	12JAN2022	25-Hydroxyvitamin D	78.09984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	08FEB2022	25-Hydroxyvitamin D	64.94592	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	22MAR2022	25-Hydroxyvitamin D	71.90976	LOW	74.88000000	249597.50400000	nmol/L
140171008/53/F/B	Screening	24MAY2022	25-Hydroxyvitamin D	50.56896	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	02AUG2022	25-Hydroxyvitamin D	39.36192	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	01SEP2022	25-Hydroxyvitamin D	34.0704	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	22SEP2022	25-Hydroxyvitamin D	33.84576	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	18OCT2022	25-Hydroxyvitamin D	45.77664	LOW	74.88000000	249597.50400000	nmol/L
140181029/56/F/W	Screening	10JAN2023	25-Hydroxyvitamin D	86.83584	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	26APR2023	25-Hydroxyvitamin D	130.09152	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	09JUN2023	25-Hydroxyvitamin D	97.41888	NORMAL	74.88000000	249597.50400000	nmol/L
140181032/60/F/W	Screening	22FEB2023	25-Hydroxyvitamin D	217.22688	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	10APR2023	25-Hydroxyvitamin D	206.24448	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	11MAY2023	25-Hydroxyvitamin D	253.0944	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	07JUL2023	25-Hydroxyvitamin D	212.6592	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	31JUL2023	25-Hydroxyvitamin D	214.35648	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	05OCT2023	25-Hydroxyvitamin D	196.36032	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	03NOV2023	25-Hydroxyvitamin D	210.18816	NORMAL	74.88000000	249597.50400000	nmol/L
140251008/65/F/W	Screening	28MAR2022	25-Hydroxyvitamin D	116.66304	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Baseline	09MAY2022	25-Hydroxyvitamin D	117.16224	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	01JUN2022	25-Hydroxyvitamin D	122.4288	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	29JUN2022	25-Hydroxyvitamin D	119.13408	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	02AUG2022	25-Hydroxyvitamin D	155.5008	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	23AUG2022	25-Hydroxyvitamin D	144.19392	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	31OCT2022	25-Hydroxyvitamin D	108.65088	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	01DEC2022	25-Hydroxyvitamin D	131.9136	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	26APR2022	25-Hydroxyvitamin D	123.40224	NORMAL	74.88000000	249597.50400000	nmol/L
140251011/55/F/B	Screening	17AUG2022	25-Hydroxyvitamin D	284.7936	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	27SEP2022	25-Hydroxyvitamin D	278.5536	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	21OCT2022	25-Hydroxyvitamin D	253.344	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	18NOV2022	25-Hydroxyvitamin D	297.7728	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	20DEC2022	25-Hydroxyvitamin D	253.344	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	20JAN2023	25-Hydroxyvitamin D	259.8336	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	31MAR2023	25-Hydroxyvitamin D	205.296	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	26APR2023	25-Hydroxyvitamin D	237.02016	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	09SEP2022	25-Hydroxyvitamin D	251.5968	NORMAL	74.88000000	249597.50400000	nmol/L
140301007/55/F/B	Screening	09MAY2022	25-Hydroxyvitamin D	103.68384	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	21JUL2022	25-Hydroxyvitamin D	104.65728	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	17AUG2022	25-Hydroxyvitamin D	112.64448	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	13OCT2022	25-Hydroxyvitamin D	100.28928	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	03NOV2022	25-Hydroxyvitamin D	98.4672	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	12JAN2023	25-Hydroxyvitamin D	113.89248	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	13FEB2023	25-Hydroxyvitamin D	105.90528	NORMAL	74.88000000	249597.50400000	nmol/L
140301017/61/F/W	Screening	13DEC2022	25-Hydroxyvitamin D	77.5008	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	23FEB2023	25-Hydroxyvitamin D	58.9056	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	23MAR2023	25-Hydroxyvitamin D	78.82368	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	19APR2023	25-Hydroxyvitamin D	90.08064	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	30MAY2023	25-Hydroxyvitamin D	106.25472	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	15JUN2023	25-Hydroxyvitamin D	94.87296	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	24AUG2023	25-Hydroxyvitamin D	83.39136	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	19SEP2023	25-Hydroxyvitamin D	82.51776	NORMAL	74.88000000	249597.50400000	nmol/L
140301020/57/F/W	Screening	12JAN2023	25-Hydroxyvitamin D	90.25536	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	16MAR2023	25-Hydroxyvitamin D	94.39872	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	13APR2023	25-Hydroxyvitamin D	77.02656	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	05MAY2023	25-Hydroxyvitamin D	86.28672	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	09JUN2023	25-Hydroxyvitamin D	90.75456	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	30JUN2023	25-Hydroxyvitamin D	82.64256	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	08SEP2023	25-Hydroxyvitamin D	96.49536	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	12OCT2023	25-Hydroxyvitamin D	95.14752	NORMAL	74.88000000	249597.50400000	nmol/L
140301031/62/F/W	Screening	27FEB2023	25-Hydroxyvitamin D	132.23808	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Baseline	12APR2023	25-Hydroxyvitamin D	96.94464	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	05MAY2023	25-Hydroxyvitamin D	121.056	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	02JUN2023	25-Hydroxyvitamin D	112.96896	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	07JUL2023	25-Hydroxyvitamin D	92.40192	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	04AUG2023	25-Hydroxyvitamin D	124.75008	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	11OCT2023	25-Hydroxyvitamin D	121.87968	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	06NOV2023	25-Hydroxyvitamin D	90.62976	NORMAL	74.88000000	249597.50400000	nmol/L
140371001/57/F/W	Screening	08JUN2022	25-Hydroxyvitamin D	72.33408	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	21JUN2022	25-Hydroxyvitamin D	80.27136	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	12JUL2022	25-Hydroxyvitamin D	71.2608	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	09AUG2022	25-Hydroxyvitamin D	81.54432	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	15SEP2022	25-Hydroxyvitamin D	93.15072	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	06OCT2022	25-Hydroxyvitamin D	98.9664	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13DEC2022	25-Hydroxyvitamin D	80.59584	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	11JAN2023	25-Hydroxyvitamin D	81.81888	NORMAL	74.88000000	249597.50400000	nmol/L
140371002/55/F/AI	Screening	29APR2022	25-Hydroxyvitamin D	59.55456	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	05JUL2022	25-Hydroxyvitamin D	75.6288	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	26JUL2022	25-Hydroxyvitamin D	61.12704	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	23AUG2022	25-Hydroxyvitamin D	64.69632	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	27SEP2022	25-Hydroxyvitamin D	68.36544	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	24OCT2022	25-Hydroxyvitamin D	59.1552	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	29DEC2022	25-Hydroxyvitamin D	67.09248	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	31JAN2023	25-Hydroxyvitamin D	59.00544	LOW	74.88000000	249597.50400000	nmol/L
	Unscheduled	10MAY2022	25-Hydroxyvitamin D	53.18976	LOW	74.88000000	249597.50400000	nmol/L
140371012/61/F/W	Screening	28JUL2022	25-Hydroxyvitamin D	77.15136	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	11AUG2022	25-Hydroxyvitamin D	100.68864	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	01SEP2022	25-Hydroxyvitamin D	94.94784	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	04OCT2022	25-Hydroxyvitamin D	81.21984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	03NOV2022	25-Hydroxyvitamin D	85.33824	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	29NOV2022	25-Hydroxyvitamin D	84.66432	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	02FEB2023	25-Hydroxyvitamin D	73.18272	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	02MAR2023	25-Hydroxyvitamin D	83.14176	NORMAL	74.88000000	249597.50400000	nmol/L
140371020/63/F/W	Screening	18AUG2022	25-Hydroxyvitamin D	77.77536	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	04OCT2022	25-Hydroxyvitamin D	68.3904	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	26OCT2022	25-Hydroxyvitamin D	59.42976	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	22NOV2022	25-Hydroxyvitamin D	56.18496	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	27DEC2022	25-Hydroxyvitamin D	56.93376	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	17JAN2023	25-Hydroxyvitamin D	58.85568	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	28MAR2023	25-Hydroxyvitamin D	47.62368	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	25APR2023	25-Hydroxyvitamin D	57.1584	LOW	74.88000000	249597.50400000	nmol/L
140371024/54/F/W	Screening	24AUG2022	25-Hydroxyvitamin D	105.23136	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Baseline	18OCT2022	25-Hydroxyvitamin D	111.34656	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	09NOV2022	25-Hydroxyvitamin D	101.76192	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	08DEC2022	25-Hydroxyvitamin D	87.65952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	11JAN2023	25-Hydroxyvitamin D	103.43424	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	06FEB2023	25-Hydroxyvitamin D	88.03392	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13APR2023	25-Hydroxyvitamin D	115.26528	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	17MAY2023	25-Hydroxyvitamin D	114.54144	NORMAL	74.88000000	249597.50400000	nmol/L
140371029/51/F/W	Screening	19OCT2022	25-Hydroxyvitamin D	101.8368	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	12DEC2022	25-Hydroxyvitamin D	70.93632	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	03JAN2023	25-Hydroxyvitamin D	81.81888	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	02FEB2023	25-Hydroxyvitamin D	70.21248	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	06MAR2023	25-Hydroxyvitamin D	71.43552	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	27MAR2023	25-Hydroxyvitamin D	67.34208	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	08JUN2023	25-Hydroxyvitamin D	65.17056	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	10JUL2023	25-Hydroxyvitamin D	66.81792	LOW	74.88000000	249597.50400000	nmol/L
140371030/60/F/W	Screening	31OCT2022	25-Hydroxyvitamin D	146.98944	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	16NOV2022	25-Hydroxyvitamin D	115.41504	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	07DEC2022	25-Hydroxyvitamin D	103.3344	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	10JAN2023	25-Hydroxyvitamin D	110.14848	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	15FEB2023	25-Hydroxyvitamin D	93.17568	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	07MAR2023	25-Hydroxyvitamin D	106.12992	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	16MAY2023	25-Hydroxyvitamin D	117.58656	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	15JUN2023	25-Hydroxyvitamin D	101.68704	NORMAL	74.88000000	249597.50400000	nmol/L
140371033/47/F/NR	Screening	22NOV2022	25-Hydroxyvitamin D	102.61056	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	11JAN2023	25-Hydroxyvitamin D	123.25248	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	07FEB2023	25-Hydroxyvitamin D	103.15968	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	02MAR2023	25-Hydroxyvitamin D	100.16448	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	10APR2023	25-Hydroxyvitamin D	119.23392	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	02MAY2023	25-Hydroxyvitamin D	106.9536	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	11JUL2023	25-Hydroxyvitamin D	99.81504	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	08AUG2023	25-Hydroxyvitamin D	119.58336	NORMAL	74.88000000	249597.50400000	nmol/L
140371035/57/F/W	Screening	10JAN2023	25-Hydroxyvitamin D	86.01216	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	07FEB2023	25-Hydroxyvitamin D	79.44768	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	02MAR2023	25-Hydroxyvitamin D	84.28992	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	03APR2023	25-Hydroxyvitamin D	70.7616	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	02MAY2023	25-Hydroxyvitamin D	86.38656	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	23MAY2023	25-Hydroxyvitamin D	92.8512	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	01AUG2023	25-Hydroxyvitamin D	114.6912	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	07SEP2023	25-Hydroxyvitamin D	108.22656	NORMAL	74.88000000	249597.50400000	nmol/L
140371038/55/F/W	Screening	14FEB2023	25-Hydroxyvitamin D	91.52832	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	23MAR2023	25-Hydroxyvitamin D	88.75776	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 4	19APR2023	25-Hydroxyvitamin D	79.52256	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	15MAY2023	25-Hydroxyvitamin D	97.11936	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	20JUN2023	25-Hydroxyvitamin D	91.15392	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	11JUL2023	25-Hydroxyvitamin D	97.56864	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	19SEP2023	25-Hydroxyvitamin D	115.48992	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	19OCT2023	25-Hydroxyvitamin D	102.98496	NORMAL	74.88000000	249597.50400000	nmol/L
140401003/59/F/B	Screening	27OCT2021	25-Hydroxyvitamin D	39.0624	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	09DEC2021	25-Hydroxyvitamin D	38.48832	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	05JAN2022	25-Hydroxyvitamin D	31.9488	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	27JAN2022	25-Hydroxyvitamin D	33.5712	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	03MAR2022	25-Hydroxyvitamin D	32.3232	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	28MAR2022	25-Hydroxyvitamin D	25.23456	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	02JUN2022	25-Hydroxyvitamin D	50.34432	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	30JUN2022	25-Hydroxyvitamin D	56.25984	LOW	74.88000000	249597.50400000	nmol/L
140401010/54/F/W	Screening	22AUG2022	25-Hydroxyvitamin D	216.87744	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	20OCT2022	25-Hydroxyvitamin D	187.34976	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	16NOV2022	25-Hydroxyvitamin D	194.71296	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	08DEC2022	25-Hydroxyvitamin D	199.00608	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	05JAN2023	25-Hydroxyvitamin D	162.76416	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	27JAN2023	25-Hydroxyvitamin D	162.51456	NORMAL	74.88000000	249597.50400000	nmol/L
140401011/52/F/W	Screening	25AUG2022	25-Hydroxyvitamin D	67.91616	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	10OCT2022	25-Hydroxyvitamin D	39.26208	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	04NOV2022	25-Hydroxyvitamin D	30.50112	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	30NOV2022	25-Hydroxyvitamin D	37.76448	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	01FEB2023	25-Hydroxyvitamin D	45.8016	LOW	74.88000000	249597.50400000	nmol/L
140401018/60/F/W	Screening	31JAN2023	25-Hydroxyvitamin D	76.5024	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	13MAR2023	25-Hydroxyvitamin D	79.52256	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	03APR2023	25-Hydroxyvitamin D	54.31296	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	02MAY2023	25-Hydroxyvitamin D	53.18976	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	05JUN2023	25-Hydroxyvitamin D	57.0336	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	27JUN2023	25-Hydroxyvitamin D	72.05952	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	18SEP2023	25-Hydroxyvitamin D	99.61536	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	10OCT2023	25-Hydroxyvitamin D	84.3648	NORMAL	74.88000000	249597.50400000	nmol/L
140431028/58/F/W	Screening	25AUG2022	25-Hydroxyvitamin D	261.5808	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	27SEP2022	25-Hydroxyvitamin D	256.8384	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	20OCT2022	25-Hydroxyvitamin D	230.95488	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	17NOV2022	25-Hydroxyvitamin D	201.00288	NORMAL	74.88000000	249597.50400000	nmol/L
140431033/60/F/W	Screening	11OCT2022	25-Hydroxyvitamin D	146.31552	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	30NOV2022	25-Hydroxyvitamin D	139.9008	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	21DEC2022	25-Hydroxyvitamin D	114.39168	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	23JAN2023	25-Hydroxyvitamin D	109.29984	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 12	27FEB2023	25-Hydroxyvitamin D	120.83136	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	24MAY2023	25-Hydroxyvitamin D	119.88288	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	22JUN2023	25-Hydroxyvitamin D	131.08992	NORMAL	74.88000000	249597.50400000	nmol/L
140461003/59/F/B	Screening	14SEP2021	25-Hydroxyvitamin D	44.6784	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	21OCT2021	25-Hydroxyvitamin D	45.45216	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	11NOV2021	25-Hydroxyvitamin D	60.25344	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	09DEC2021	25-Hydroxyvitamin D	82.6176	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	14JAN2022	25-Hydroxyvitamin D	74.7552	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	03FEB2022	25-Hydroxyvitamin D	63.69792	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	08APR2022	25-Hydroxyvitamin D	61.0272	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	12MAY2022	25-Hydroxyvitamin D	66.91776	LOW	74.88000000	249597.50400000	nmol/L
140461007/62/F/B	Screening	09NOV2021	25-Hydroxyvitamin D	122.75328	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	20JAN2022	25-Hydroxyvitamin D	133.68576	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	10FEB2022	25-Hydroxyvitamin D	134.63424	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	15APR2022	25-Hydroxyvitamin D	106.35456	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	14JUL2022	25-Hydroxyvitamin D	113.4432	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	10MAR2022	25-Hydroxyvitamin D	128.34432	NORMAL	74.88000000	249597.50400000	nmol/L
		11AUG2022	25-Hydroxyvitamin D	105.23136	NORMAL	74.88000000	249597.50400000	nmol/L
140461014/55/F/B	Screening	08SEP2022	25-Hydroxyvitamin D	90.65472	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	31OCT2022	25-Hydroxyvitamin D	51.56736	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	21NOV2022	25-Hydroxyvitamin D	45.00288	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	20DEC2022	25-Hydroxyvitamin D	49.39584	LOW	74.88000000	249597.50400000	nmol/L
140471001/59/F/W	Screening	27OCT2021	25-Hydroxyvitamin D	154.3776	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	15DEC2021	25-Hydroxyvitamin D	160.39296	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	06JAN2022	25-Hydroxyvitamin D	153.07968	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	03FEB2022	25-Hydroxyvitamin D	125.22432	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	10MAR2022	25-Hydroxyvitamin D	149.80992	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	31MAR2022	25-Hydroxyvitamin D	123.552	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13JUN2022	25-Hydroxyvitamin D	139.30176	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	12JUL2022	25-Hydroxyvitamin D	148.31232	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	24JAN2022	25-Hydroxyvitamin D	145.96608	NORMAL	74.88000000	249597.50400000	nmol/L
140471014/56/F/W	Screening	10AUG2022	25-Hydroxyvitamin D	63.5232	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	31OCT2022	25-Hydroxyvitamin D	84.28992	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	21NOV2022	25-Hydroxyvitamin D	116.96256	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	20DEC2022	25-Hydroxyvitamin D	112.17024	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	25JAN2023	25-Hydroxyvitamin D	116.03904	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	22FEB2023	25-Hydroxyvitamin D	140.32512	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	26APR2023	25-Hydroxyvitamin D	144.8928	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	23MAY2023	25-Hydroxyvitamin D	139.70112	NORMAL	74.88000000	249597.50400000	nmol/L
140471022/54/F/B	Screening	09JAN2023	25-Hydroxyvitamin D	94.49856	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	14FEB2023	25-Hydroxyvitamin D	81.34464	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 4	14MAR2023	25-Hydroxyvitamin D	75.70368	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	05APR2023	25-Hydroxyvitamin D	88.63296	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	09MAY2023	25-Hydroxyvitamin D	93.25056	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	05JUN2023	25-Hydroxyvitamin D	83.56608	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	08AUG2023	25-Hydroxyvitamin D	77.376	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	05SEP2023	25-Hydroxyvitamin D	63.87264	LOW	74.88000000	249597.50400000	nmol/L
140491010/51/F/MUL	Screening	18JUL2022	25-Hydroxyvitamin D	89.18208	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	20OCT2022	25-Hydroxyvitamin D	84.51456	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	10NOV2022	25-Hydroxyvitamin D	78.42432	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	08DEC2022	25-Hydroxyvitamin D	73.08288	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	12JAN2023	25-Hydroxyvitamin D	80.04672	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	02FEB2023	25-Hydroxyvitamin D	82.91712	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	17APR2023	25-Hydroxyvitamin D	103.63392	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	18MAY2023	25-Hydroxyvitamin D	105.75552	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	01DEC2022	25-Hydroxyvitamin D	76.90176	NORMAL	74.88000000	249597.50400000	nmol/L
140491014/49/F/B	Screening	25JUL2022	25-Hydroxyvitamin D	61.20192	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	08SEP2022	25-Hydroxyvitamin D	59.904	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	05OCT2022	25-Hydroxyvitamin D	57.30816	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	02NOV2022	25-Hydroxyvitamin D	47.59872	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	05DEC2022	25-Hydroxyvitamin D	48.12288	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	28DEC2022	25-Hydroxyvitamin D	51.9168	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	02MAR2023	25-Hydroxyvitamin D	57.68256	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	19APR2023	25-Hydroxyvitamin D	148.68672	NORMAL	74.88000000	249597.50400000	nmol/L
140491025/55/F/MUL	Screening	27FEB2023	25-Hydroxyvitamin D	55.18656	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	17APR2023	25-Hydroxyvitamin D	59.5296	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	22MAY2023	25-Hydroxyvitamin D	55.13664	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	09JUN2023	25-Hydroxyvitamin D	46.15104	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	10AUG2023	25-Hydroxyvitamin D	51.168	LOW	74.88000000	249597.50400000	nmol/L
140531001/53/F/W	Screening	01APR2022	25-Hydroxyvitamin D	107.15328	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	05MAY2022	25-Hydroxyvitamin D	123.25248	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	27MAY2022	25-Hydroxyvitamin D	100.48896	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	23JUN2022	25-Hydroxyvitamin D	103.93344	NORMAL	74.88000000	249597.50400000	nmol/L
140531002/60/F/W	Screening	04AUG2022	25-Hydroxyvitamin D	140.72448	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	01SEP2022	25-Hydroxyvitamin D	124.57536	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	29SEP2022	25-Hydroxyvitamin D	122.20416	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	25OCT2022	25-Hydroxyvitamin D	105.78048	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	29NOV2022	25-Hydroxyvitamin D	98.04288	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	24JAN2023	25-Hydroxyvitamin D	105.9552	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	28FEB2023	25-Hydroxyvitamin D	103.43424	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	04APR2023	25-Hydroxyvitamin D	91.67808	NORMAL	74.88000000	249597.50400000	nmol/L
140531004/61/F/W	Screening	12SEP2022	25-Hydroxyvitamin D	159.69408	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Baseline	07NOV2022	25-Hydroxyvitamin D	151.98144	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	30NOV2022	25-Hydroxyvitamin D	145.04256	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	21DEC2022	25-Hydroxyvitamin D	153.6288	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	06FEB2023	25-Hydroxyvitamin D	158.07168	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	22FEB2023	25-Hydroxyvitamin D	151.53216	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	22MAY2023	25-Hydroxyvitamin D	148.98624	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	08JUN2023	25-Hydroxyvitamin D	145.74144	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	05JAN2023	25-Hydroxyvitamin D	141.97248	NORMAL	74.88000000	249597.50400000	nmol/L
140541005/51/F/W	Screening	22APR2022	25-Hydroxyvitamin D	50.26944	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	30MAY2022	25-Hydroxyvitamin D	38.46336	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	23JUN2022	25-Hydroxyvitamin D	51.168	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	19JUL2022	25-Hydroxyvitamin D	62.97408	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	23AUG2022	25-Hydroxyvitamin D	69.48864	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	12SEP2022	25-Hydroxyvitamin D	82.8672	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	07NOV2022	25-Hydroxyvitamin D	65.86944	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	05DEC2022	25-Hydroxyvitamin D	83.29152	NORMAL	74.88000000	249597.50400000	nmol/L
140541028/54/F/W	Screening	13MAR2023	25-Hydroxyvitamin D	108.85056	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	26APR2023	25-Hydroxyvitamin D	92.40192	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	22MAY2023	25-Hydroxyvitamin D	93.1008	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	15JUN2023	25-Hydroxyvitamin D	91.62816	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	24JUL2023	25-Hydroxyvitamin D	118.48512	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	14AUG2023	25-Hydroxyvitamin D	93.87456	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	25OCT2023	25-Hydroxyvitamin D	81.94368	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	20NOV2023	25-Hydroxyvitamin D	94.0992	NORMAL	74.88000000	249597.50400000	nmol/L
140601005/65/F/W	Screening	12JAN2023	25-Hydroxyvitamin D	73.68192	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	28FEB2023	25-Hydroxyvitamin D	80.42112	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	27MAR2023	25-Hydroxyvitamin D	68.44032	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	20APR2023	25-Hydroxyvitamin D	59.904	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	23MAY2023	25-Hydroxyvitamin D	73.68192	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	14JUN2023	25-Hydroxyvitamin D	79.34784	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	23AUG2023	25-Hydroxyvitamin D	72.8832	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	12OCT2023	25-Hydroxyvitamin D	72.40896	LOW	74.88000000	249597.50400000	nmol/L
140601010/59/F/W	Screening	01FEB2023	25-Hydroxyvitamin D	117.1872	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	03APR2023	25-Hydroxyvitamin D	114.04224	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	26APR2023	25-Hydroxyvitamin D	92.15232	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	22MAY2023	25-Hydroxyvitamin D	95.62176	NORMAL	74.88000000	249597.50400000	nmol/L
140841008/51/F/B	Screening	24AUG2022	25-Hydroxyvitamin D	71.83488	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	03OCT2022	25-Hydroxyvitamin D	118.58496	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	27OCT2022	25-Hydroxyvitamin D	123.22752	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	21NOV2022	25-Hydroxyvitamin D	128.7936	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	28DEC2022	25-Hydroxyvitamin D	105.9552	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 16	18JAN2023	25-Hydroxyvitamin D	107.05344	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	27MAR2023	25-Hydroxyvitamin D	102.78528	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	28APR2023	25-Hydroxyvitamin D	112.29504	NORMAL	74.88000000	249597.50400000	nmol/L
140841019/56/F/B	Screening	01SEP2022	25-Hydroxyvitamin D	71.5104	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	07NOV2022	25-Hydroxyvitamin D	71.66016	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	29NOV2022	25-Hydroxyvitamin D	70.03776	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	28DEC2022	25-Hydroxyvitamin D	77.70048	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	31JAN2023	25-Hydroxyvitamin D	69.43872	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	21FEB2023	25-Hydroxyvitamin D	75.52896	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	02MAY2023	25-Hydroxyvitamin D	72.48384	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	30MAY2023	25-Hydroxyvitamin D	66.24384	LOW	74.88000000	249597.50400000	nmol/L
140851003/53/F/B	Screening	13DEC2022	25-Hydroxyvitamin D	120.38208	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	22FEB2023	25-Hydroxyvitamin D	132.63744	NORMAL	74.88000000	249597.50400000	nmol/L
140931006/56/F/W	Screening	15JUL2022	25-Hydroxyvitamin D	299.52	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	10OCT2022	25-Hydroxyvitamin D	159.96864	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	31OCT2022	25-Hydroxyvitamin D	161.3664	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	02DEC2022	25-Hydroxyvitamin D	165.36	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	04JAN2023	25-Hydroxyvitamin D	185.05344	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	27JAN2023	25-Hydroxyvitamin D	206.01984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	06APR2023	25-Hydroxyvitamin D	198.58176	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	08MAY2023	25-Hydroxyvitamin D	207.64224	NORMAL	74.88000000	249597.50400000	nmol/L
140931008/64/F/W	Screening	31JAN2023	25-Hydroxyvitamin D	140.2752	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	14MAR2023	25-Hydroxyvitamin D	106.90368	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	10APR2023	25-Hydroxyvitamin D	107.952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	08MAY2023	25-Hydroxyvitamin D	99.79008	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	06JUN2023	25-Hydroxyvitamin D	108.97536	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	28JUN2023	25-Hydroxyvitamin D	115.09056	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	07SEP2023	25-Hydroxyvitamin D	97.16928	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	05OCT2023	25-Hydroxyvitamin D	85.16352	NORMAL	74.88000000	249597.50400000	nmol/L
140991018/58/F/W	Screening	26APR2022	25-Hydroxyvitamin D	65.86944	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	02JUN2022	25-Hydroxyvitamin D	70.58688	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	12JUL2022	25-Hydroxyvitamin D	63.29856	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	28JUL2022	25-Hydroxyvitamin D	50.09472	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	25AUG2022	25-Hydroxyvitamin D	51.99168	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	22SEP2022	25-Hydroxyvitamin D	53.23968	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	30NOV2022	25-Hydroxyvitamin D	52.21632	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	09JAN2023	25-Hydroxyvitamin D	44.95296	LOW	74.88000000	249597.50400000	nmol/L
140991025/53/F/W	Screening	09JUN2022	25-Hydroxyvitamin D	124.27584	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	13SEP2022	25-Hydroxyvitamin D	102.06144	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	05OCT2022	25-Hydroxyvitamin D	101.76192	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	07NOV2022	25-Hydroxyvitamin D	114.59136	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 12	07DEC2022	25-Hydroxyvitamin D	122.25408	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	28DEC2022	25-Hydroxyvitamin D	95.54688	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	07MAR2023	25-Hydroxyvitamin D	88.93248	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	05APR2023	25-Hydroxyvitamin D	99.56544	NORMAL	74.88000000	249597.50400000	nmol/L
140991032/56/F/B	Screening	13JUL2022	25-Hydroxyvitamin D	88.7328	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	18AUG2022	25-Hydroxyvitamin D	65.19552	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	08SEP2022	25-Hydroxyvitamin D	66.16896	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	06OCT2022	25-Hydroxyvitamin D	60.22848	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	02NOV2022	25-Hydroxyvitamin D	61.50144	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	01DEC2022	25-Hydroxyvitamin D	58.38144	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	09FEB2023	25-Hydroxyvitamin D	57.88224	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	09MAR2023	25-Hydroxyvitamin D	65.74464	LOW	74.88000000	249597.50400000	nmol/L
140991045/51/F/W	Screening	05OCT2022	25-Hydroxyvitamin D	94.32384	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	22NOV2022	25-Hydroxyvitamin D	92.352	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	19DEC2022	25-Hydroxyvitamin D	95.37216	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	10JAN2023	25-Hydroxyvitamin D	89.50656	NORMAL	74.88000000	249597.50400000	nmol/L
140991050/55/F/B	Screening	05JAN2023	25-Hydroxyvitamin D	29.92704	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	01FEB2023	25-Hydroxyvitamin D	56.13504	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	23FEB2023	25-Hydroxyvitamin D	72.95808	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	05APR2023	25-Hydroxyvitamin D	60.45312	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	25APR2023	25-Hydroxyvitamin D	60.80256	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	23MAY2023	25-Hydroxyvitamin D	67.59168	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	26JUL2023	25-Hydroxyvitamin D	62.20032	LOW	74.88000000	249597.50400000	nmol/L
141051004/50/F/MUL	Screening	12NOV2021	25-Hydroxyvitamin D	92.976	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	27DEC2021	25-Hydroxyvitamin D	101.3376	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	17JAN2022	25-Hydroxyvitamin D	103.35936	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	18FEB2022	25-Hydroxyvitamin D	87.01056	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	21MAR2022	25-Hydroxyvitamin D	83.14176	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	15APR2022	25-Hydroxyvitamin D	78.8736	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	28JUN2022	25-Hydroxyvitamin D	89.83104	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	27JUL2022	25-Hydroxyvitamin D	77.2512	NORMAL	74.88000000	249597.50400000	nmol/L
141051008/51/F/A	Screening	14MAR2022	25-Hydroxyvitamin D	65.1456	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	20APR2022	25-Hydroxyvitamin D	87.38496	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	11MAY2022	25-Hydroxyvitamin D	89.83104	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	09JUN2022	25-Hydroxyvitamin D	64.67136	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	13JUL2022	25-Hydroxyvitamin D	76.70208	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	03AUG2022	25-Hydroxyvitamin D	77.22624	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	12OCT2022	25-Hydroxyvitamin D	117.4368	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	09NOV2022	25-Hydroxyvitamin D	104.13312	NORMAL	74.88000000	249597.50400000	nmol/L
141051010/53/F/W	Screening	25APR2022	25-Hydroxyvitamin D	62.05056	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	16JUN2022	25-Hydroxyvitamin D	59.08032	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 4	08JUL2022	25-Hydroxyvitamin D	49.0464	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	04AUG2022	25-Hydroxyvitamin D	61.62624	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	14SEP2022	25-Hydroxyvitamin D	57.85728	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	06OCT2022	25-Hydroxyvitamin D	80.7456	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	08DEC2022	25-Hydroxyvitamin D	49.59552	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	18JAN2023	25-Hydroxyvitamin D	50.49408	LOW	74.88000000	249597.50400000	nmol/L
141051024/57/F/W	Screening	14NOV2022	25-Hydroxyvitamin D	123.35232	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	27DEC2022	25-Hydroxyvitamin D	94.5984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	23JAN2023	25-Hydroxyvitamin D	89.18208	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	17FEB2023	25-Hydroxyvitamin D	92.02752	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	21MAR2023	25-Hydroxyvitamin D	93.00096	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	17APR2023	25-Hydroxyvitamin D	88.7328	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	27JUN2023	25-Hydroxyvitamin D	82.71744	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	18JUL2023	25-Hydroxyvitamin D	94.54848	NORMAL	74.88000000	249597.50400000	nmol/L
141051033/49/F/W	Screening	19DEC2022	25-Hydroxyvitamin D	50.09472	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	24JAN2023	25-Hydroxyvitamin D	56.83392	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	21FEB2023	25-Hydroxyvitamin D	58.30656	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	17MAR2023	25-Hydroxyvitamin D	46.4256	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	18APR2023	25-Hydroxyvitamin D	41.33376	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	09MAY2023	25-Hydroxyvitamin D	41.58336	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	18JUL2023	25-Hydroxyvitamin D	160.26816	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	15AUG2023	25-Hydroxyvitamin D	145.06752	NORMAL	74.88000000	249597.50400000	nmol/L
141131009/52/F/W	Screening	18MAY2022	25-Hydroxyvitamin D			.	.	
	Baseline	14JUN2022	25-Hydroxyvitamin D	104.90688	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	06JUL2022	25-Hydroxyvitamin D	93.00096	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	04AUG2022	25-Hydroxyvitamin D	111.79584	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	14SEP2022	25-Hydroxyvitamin D	119.48352	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	03OCT2022	25-Hydroxyvitamin D	140.0256	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	12DEC2022	25-Hydroxyvitamin D	138.87744	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	10JAN2023	25-Hydroxyvitamin D	153.07968	NORMAL	74.88000000	249597.50400000	nmol/L
141131015/53/F/W	Baseline	11AUG2022	25-Hydroxyvitamin D	126.09792	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	12SEP2022	25-Hydroxyvitamin D	114.51648	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	03OCT2022	25-Hydroxyvitamin D	138.12864	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	24OCT2022	25-Hydroxyvitamin D	116.11392	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	19JUL2022	25-Hydroxyvitamin D	102.11136	NORMAL	74.88000000	249597.50400000	nmol/L
141131017/52/F/W	Screening	21JUL2022	25-Hydroxyvitamin D	117.13728	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	26AUG2022	25-Hydroxyvitamin D	108.02688	NORMAL	74.88000000	249597.50400000	nmol/L
141131021/52/F/NR	Baseline	07SEP2022	25-Hydroxyvitamin D	68.24064	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	01DEC2022	25-Hydroxyvitamin D	53.18976	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	28DEC2022	25-Hydroxyvitamin D	44.22912	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	01MAR2023	25-Hydroxyvitamin D	80.77056	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
141131048/41/F/W	Screening	23JAN2023	25-Hydroxyvitamin D	180.76032	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	22FEB2023	25-Hydroxyvitamin D	162.04032	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	22MAR2023	25-Hydroxyvitamin D	117.83616	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	18APR2023	25-Hydroxyvitamin D	129.69216	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	07JUN2023	25-Hydroxyvitamin D	121.1808	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	25AUG2023	25-Hydroxyvitamin D	212.13504	NORMAL	74.88000000	249597.50400000	nmol/L
141141006/58/F/W	Screening	13APR2022	25-Hydroxyvitamin D	143.74464	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	24JUN2022	25-Hydroxyvitamin D	130.14144	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	22JUL2022	25-Hydroxyvitamin D	126.97152	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	17AUG2022	25-Hydroxyvitamin D	154.47744	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	21SEP2022	25-Hydroxyvitamin D	139.35168	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	11OCT2022	25-Hydroxyvitamin D	122.12928	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	19DEC2022	25-Hydroxyvitamin D	107.52768	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	26JAN2023	25-Hydroxyvitamin D	117.61152	NORMAL	74.88000000	249597.50400000	nmol/L
141141014/52/F/W	Screening	28JUN2022	25-Hydroxyvitamin D	120.10752	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	04AUG2022	25-Hydroxyvitamin D	130.14144	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	31AUG2022	25-Hydroxyvitamin D	124.94976	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	22SEP2022	25-Hydroxyvitamin D	122.82816	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	27OCT2022	25-Hydroxyvitamin D	92.976	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	21NOV2022	25-Hydroxyvitamin D	99.4656	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	30JAN2023	25-Hydroxyvitamin D	86.8608	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	28FEB2023	25-Hydroxyvitamin D	94.44864	NORMAL	74.88000000	249597.50400000	nmol/L
141141017/51/F/W	Screening	23AUG2022	25-Hydroxyvitamin D	91.05408	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	21OCT2022	25-Hydroxyvitamin D	87.1104	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	17NOV2022	25-Hydroxyvitamin D	79.22304	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	09DEC2022	25-Hydroxyvitamin D	80.94528	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	13JAN2023	25-Hydroxyvitamin D	60.72768	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	09FEB2023	25-Hydroxyvitamin D	71.23584	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	14APR2023	25-Hydroxyvitamin D	93.45024	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	16MAY2023	25-Hydroxyvitamin D	115.6896	NORMAL	74.88000000	249597.50400000	nmol/L
141141026/62/F/W	Screening	17JAN2023	25-Hydroxyvitamin D	291.0336	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	28FEB2023	25-Hydroxyvitamin D	293.28	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	19APR2023	25-Hydroxyvitamin D	275.3088	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	23MAY2023	25-Hydroxyvitamin D	289.536	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	14JUN2023	25-Hydroxyvitamin D	272.064	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	22AUG2023	25-Hydroxyvitamin D	298.0224	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	19SEP2023	25-Hydroxyvitamin D	299.52	NORMAL	74.88000000	249597.50400000	nmol/L
141191001/54/F/W	Screening	31JAN2022	25-Hydroxyvitamin D	62.17536	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	29MAR2022	25-Hydroxyvitamin D	61.5264	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	22APR2022	25-Hydroxyvitamin D	69.3888	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	16MAY2022	25-Hydroxyvitamin D	82.71744	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 12	21JUN2022	25-Hydroxyvitamin D	93.74976	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	18JUL2022	25-Hydroxyvitamin D	113.568	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	26SEP2022	25-Hydroxyvitamin D	131.31456	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	19OCT2022	25-Hydroxyvitamin D	126.49728	NORMAL	74.88000000	249597.50400000	nmol/L
141191007/55/F/B	Screening	19APR2022	25-Hydroxyvitamin D	33.92064	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	26MAY2022	25-Hydroxyvitamin D	47.82336	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	22JUN2022	25-Hydroxyvitamin D	59.08032	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	14JUL2022	25-Hydroxyvitamin D	51.0432	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	23AUG2022	25-Hydroxyvitamin D	45.35232	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	19SEP2022	25-Hydroxyvitamin D	46.97472	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	21NOV2022	25-Hydroxyvitamin D	52.1664	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	19DEC2022	25-Hydroxyvitamin D	37.26528	LOW	74.88000000	249597.50400000	nmol/L
141191010/61/F/B	Screening	27JUL2022	25-Hydroxyvitamin D	194.26368	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	22AUG2022	25-Hydroxyvitamin D	164.736	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	19SEP2022	25-Hydroxyvitamin D	182.53248	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	17OCT2022	25-Hydroxyvitamin D	214.48128	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	14NOV2022	25-Hydroxyvitamin D	223.41696	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	08DEC2022	25-Hydroxyvitamin D	181.05984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13FEB2023	25-Hydroxyvitamin D	172.02432	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	14MAR2023	25-Hydroxyvitamin D	148.43712	NORMAL	74.88000000	249597.50400000	nmol/L
141191015/57/F/B	Baseline	27SEP2022	25-Hydroxyvitamin D	22.76352	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	09NOV2022	25-Hydroxyvitamin D	30.72576	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	13DEC2022	25-Hydroxyvitamin D	100.464	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	12JAN2023	25-Hydroxyvitamin D	117.36192	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	02FEB2023	25-Hydroxyvitamin D	100.7136	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	12APR2023	25-Hydroxyvitamin D	74.80512	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	09MAY2023	25-Hydroxyvitamin D	54.1632	LOW	74.88000000	249597.50400000	nmol/L
	Unscheduled	24OCT2022	25-Hydroxyvitamin D	25.30944	LOW	74.88000000	249597.50400000	nmol/L
141191016/52/F/W	Screening	28SEP2022	25-Hydroxyvitamin D	110.79744	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	10NOV2022	25-Hydroxyvitamin D	113.49312	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	07DEC2022	25-Hydroxyvitamin D	112.29504	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	03JAN2023	25-Hydroxyvitamin D	101.66208	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	02FEB2023	25-Hydroxyvitamin D	111.02208	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	28FEB2023	25-Hydroxyvitamin D	112.61952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	04MAY2023	25-Hydroxyvitamin D	107.7024	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	31MAY2023	25-Hydroxyvitamin D	101.4624	NORMAL	74.88000000	249597.50400000	nmol/L
141251002/62/F/B	Screening	14SEP2021	25-Hydroxyvitamin D	75.10464	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	19OCT2021	25-Hydroxyvitamin D	84.1152	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	11NOV2021	25-Hydroxyvitamin D	94.4736	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	13DEC2021	25-Hydroxyvitamin D	94.87296	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	11JAN2022	25-Hydroxyvitamin D	104.93184	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 16	07FEB2022	25-Hydroxyvitamin D	98.8416	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	12APR2022	25-Hydroxyvitamin D	96.04608	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	10MAY2022	25-Hydroxyvitamin D	104.55744	NORMAL	74.88000000	249597.50400000	nmol/L
141251003/61/F/B	Screening	21SEP2021	25-Hydroxyvitamin D	78.3744	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	19OCT2021	25-Hydroxyvitamin D	78.9984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	11NOV2021	25-Hydroxyvitamin D	72.5088	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	07DEC2021	25-Hydroxyvitamin D	71.78496	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	11JAN2022	25-Hydroxyvitamin D	60.80256	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	07FEB2022	25-Hydroxyvitamin D	71.95968	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	12APR2022	25-Hydroxyvitamin D	58.30656	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	10MAY2022	25-Hydroxyvitamin D	61.776	LOW	74.88000000	249597.50400000	nmol/L
141251008/65/F/B	Screening	14DEC2021	25-Hydroxyvitamin D	88.65792	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	25JAN2022	25-Hydroxyvitamin D	94.89792	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	21FEB2022	25-Hydroxyvitamin D	99.51552	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	22MAR2022	25-Hydroxyvitamin D	86.33664	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	19APR2022	25-Hydroxyvitamin D	69.71328	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	16MAY2022	25-Hydroxyvitamin D	70.36224	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	21JUL2022	25-Hydroxyvitamin D	67.74144	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	16AUG2022	25-Hydroxyvitamin D	90.3552	NORMAL	74.88000000	249597.50400000	nmol/L
141251014/56/F/B	Screening	12MAY2022	25-Hydroxyvitamin D	52.96512	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	16JUN2022	25-Hydroxyvitamin D	56.01024	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	12JUL2022	25-Hydroxyvitamin D	63.79776	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	09AUG2022	25-Hydroxyvitamin D	73.33248	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	13SEP2022	25-Hydroxyvitamin D	73.23264	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	04OCT2022	25-Hydroxyvitamin D	71.41056	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	08DEC2022	25-Hydroxyvitamin D	55.4112	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	12JAN2023	25-Hydroxyvitamin D	46.84992	LOW	74.88000000	249597.50400000	nmol/L
141251019/63/F/W	Screening	29NOV2022	25-Hydroxyvitamin D	74.30592	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	29DEC2022	25-Hydroxyvitamin D	71.11104	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	24JAN2023	25-Hydroxyvitamin D	73.35744	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	21FEB2023	25-Hydroxyvitamin D	82.16832	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	28MAR2023	25-Hydroxyvitamin D	74.60544	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	17APR2023	25-Hydroxyvitamin D	81.76896	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	28JUN2023	25-Hydroxyvitamin D	75.02976	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	24JUL2023	25-Hydroxyvitamin D	78.9984	NORMAL	74.88000000	249597.50400000	nmol/L
141251021/55/F/B	Screening	31JAN2023	25-Hydroxyvitamin D	165.08544	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	28MAR2023	25-Hydroxyvitamin D	195.46176	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	18APR2023	25-Hydroxyvitamin D	159.46944	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	22MAY2023	25-Hydroxyvitamin D	197.95776	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	20JUN2023	25-Hydroxyvitamin D	154.6272	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	11JUL2023	25-Hydroxyvitamin D	161.41632	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
141361009/57/F/W	Screening	13MAY2022	25-Hydroxyvitamin D	261.3312	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	20JUL2022	25-Hydroxyvitamin D	299.52	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	12AUG2022	25-Hydroxyvitamin D	287.7888	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	08SEP2022	25-Hydroxyvitamin D	254.8416	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	06OCT2022	25-Hydroxyvitamin D	228.43392	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	03NOV2022	25-Hydroxyvitamin D	229.632	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	12JAN2023	25-Hydroxyvitamin D	185.92704	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	20FEB2023	25-Hydroxyvitamin D	176.8416	NORMAL	74.88000000	249597.50400000	nmol/L
141361013/62/F/W	Screening	11JUL2022	25-Hydroxyvitamin D	131.98848	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	02SEP2022	25-Hydroxyvitamin D	156.92352	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	26SEP2022	25-Hydroxyvitamin D	131.1648	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	24OCT2022	25-Hydroxyvitamin D	133.88544	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	28NOV2022	25-Hydroxyvitamin D	120.73152	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	22DEC2022	25-Hydroxyvitamin D	144.81792	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	27FEB2023	25-Hydroxyvitamin D	110.42304	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	27MAR2023	25-Hydroxyvitamin D	109.97376	NORMAL	74.88000000	249597.50400000	nmol/L
141361025/56/F/NR	Screening	29AUG2022	25-Hydroxyvitamin D	171.6	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	03OCT2022	25-Hydroxyvitamin D	158.9952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	24OCT2022	25-Hydroxyvitamin D	167.63136	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	21NOV2022	25-Hydroxyvitamin D	146.41536	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	03JAN2023	25-Hydroxyvitamin D	145.81632	NORMAL	74.88000000	249597.50400000	nmol/L
141361038/60/F/W	Screening	13JAN2023	25-Hydroxyvitamin D	68.96448	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	10FEB2023	25-Hydroxyvitamin D	69.21408	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	06MAR2023	25-Hydroxyvitamin D	60.45312	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	03APR2023	25-Hydroxyvitamin D	59.13024	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	11MAY2023	25-Hydroxyvitamin D	56.70912	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	26MAY2023	25-Hydroxyvitamin D	77.40096	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	10AUG2023	25-Hydroxyvitamin D	65.19552	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	14SEP2023	25-Hydroxyvitamin D	64.0224	LOW	74.88000000	249597.50400000	nmol/L
141361042/55/F/W	Screening	30JAN2023	25-Hydroxyvitamin D	63.84768	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	16MAR2023	25-Hydroxyvitamin D	58.23168	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	13APR2023	25-Hydroxyvitamin D	65.04576	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	04MAY2023	25-Hydroxyvitamin D	56.2848	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	25MAY2023	25-Hydroxyvitamin D	69.16416	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	26JUN2023	25-Hydroxyvitamin D	76.82688	NORMAL	74.88000000	249597.50400000	nmol/L
141431001/49/F/W	Screening	23FEB2022	25-Hydroxyvitamin D	68.36544	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	11APR2022	25-Hydroxyvitamin D	62.82432	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	06MAY2022	25-Hydroxyvitamin D	56.2848	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	31MAY2022	25-Hydroxyvitamin D	73.5072	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	06JUL2022	25-Hydroxyvitamin D	68.59008	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	28JUL2022	25-Hydroxyvitamin D	73.55712	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 26/End of Treatment	07OCT2022	25-Hydroxyvitamin D	78.47424	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	05DEC2022	25-Hydroxyvitamin D	61.12704	LOW	74.88000000	249597.50400000	nmol/L
141431004/49/F/W	Screening	01JUN2022	25-Hydroxyvitamin D	78.94848	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	11JUL2022	25-Hydroxyvitamin D	92.05248	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	04AUG2022	25-Hydroxyvitamin D	109.47456	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	30AUG2022	25-Hydroxyvitamin D	89.65632	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	06OCT2022	25-Hydroxyvitamin D	85.46304	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	18OCT2022	25-Hydroxyvitamin D	80.3712	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	12JAN2023	25-Hydroxyvitamin D	74.1312	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	16FEB2023	25-Hydroxyvitamin D	73.15776	LOW	74.88000000	249597.50400000	nmol/L
141431005/46/F/W	Screening	20JUN2022	25-Hydroxyvitamin D	127.34592	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	08AUG2022	25-Hydroxyvitamin D	171.89952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	31AUG2022	25-Hydroxyvitamin D	130.26624	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	05OCT2022	25-Hydroxyvitamin D	125.27424	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	03NOV2022	25-Hydroxyvitamin D	208.81536	NORMAL	74.88000000	249597.50400000	nmol/L
141431010/45/F/W	Screening	24AUG2022	25-Hydroxyvitamin D	49.37088	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	10OCT2022	25-Hydroxyvitamin D	51.09312	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	01NOV2022	25-Hydroxyvitamin D	39.26208	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	21NOV2022	25-Hydroxyvitamin D	38.38848	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	12JAN2023	25-Hydroxyvitamin D	59.30496	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	10MAR2023	25-Hydroxyvitamin D	58.7808	LOW	74.88000000	249597.50400000	nmol/L
	Unscheduled	20SEP2022	25-Hydroxyvitamin D	49.74528	LOW	74.88000000	249597.50400000	nmol/L
141431013/59/F/W	Screening	22NOV2022	25-Hydroxyvitamin D	127.39584	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	20DEC2022	25-Hydroxyvitamin D	70.03776	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	13JAN2023	25-Hydroxyvitamin D	66.81792	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	09FEB2023	25-Hydroxyvitamin D	66.24384	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	15MAR2023	25-Hydroxyvitamin D	53.96352	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	06APR2023	25-Hydroxyvitamin D	77.2512	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	14JUN2023	25-Hydroxyvitamin D	68.71488	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	11JUL2023	25-Hydroxyvitamin D	75.77856	NORMAL	74.88000000	249597.50400000	nmol/L
141791001/52/F/B	Screening	19DEC2022	25-Hydroxyvitamin D	66.29376	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	12JAN2023	25-Hydroxyvitamin D	51.94176	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	02FEB2023	25-Hydroxyvitamin D	62.84928	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	02MAR2023	25-Hydroxyvitamin D	70.1376	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	11APR2023	25-Hydroxyvitamin D	68.16576	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	03MAY2023	25-Hydroxyvitamin D	65.2704	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	12JUL2023	25-Hydroxyvitamin D	80.97024	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	10AUG2023	25-Hydroxyvitamin D	54.98688	LOW	74.88000000	249597.50400000	nmol/L
141791010/62/F/W	Screening	21FEB2023	25-Hydroxyvitamin D	174.27072	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	04APR2023	25-Hydroxyvitamin D	71.98464	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	26APR2023	25-Hydroxyvitamin D	73.83168	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 8	24MAY2023	25-Hydroxyvitamin D	70.6368	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	27JUN2023	25-Hydroxyvitamin D	89.95584	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	19JUL2023	25-Hydroxyvitamin D	84.4896	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	03OCT2023	25-Hydroxyvitamin D	85.58784	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	02NOV2023	25-Hydroxyvitamin D	93.87456	NORMAL	74.88000000	249597.50400000	nmol/L
141801001/57/F/W	Screening	06OCT2022	25-Hydroxyvitamin D	134.0352	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	10NOV2022	25-Hydroxyvitamin D	139.5264	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	06DEC2022	25-Hydroxyvitamin D	140.72448	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	03JAN2023	25-Hydroxyvitamin D	148.21248	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	02FEB2023	25-Hydroxyvitamin D	151.28256	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	28FEB2023	25-Hydroxyvitamin D	137.72928	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	08MAY2023	25-Hydroxyvitamin D	174.94464	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	06JUN2023	25-Hydroxyvitamin D	145.79136	NORMAL	74.88000000	249597.50400000	nmol/L
141801003/54/F/W	Screening	20OCT2022	25-Hydroxyvitamin D	112.46976	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	15DEC2022	25-Hydroxyvitamin D	102.26112	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	11JAN2023	25-Hydroxyvitamin D	95.82144	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	03FEB2023	25-Hydroxyvitamin D	104.48256	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	13MAR2023	25-Hydroxyvitamin D	149.46048	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	04APR2023	25-Hydroxyvitamin D	138.20352	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13JUN2023	25-Hydroxyvitamin D	107.65248	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	17JUL2023	25-Hydroxyvitamin D	148.81152	NORMAL	74.88000000	249597.50400000	nmol/L
141801010/53/F/W	Screening	18JAN2023	25-Hydroxyvitamin D	60.32832	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	23FEB2023	25-Hydroxyvitamin D	79.1232	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	20MAR2023	25-Hydroxyvitamin D	70.33728	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	14APR2023	25-Hydroxyvitamin D	86.18688	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	18MAY2023	25-Hydroxyvitamin D	90.77952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	14JUN2023	25-Hydroxyvitamin D	73.78176	LOW	74.88000000	249597.50400000	nmol/L
	Unscheduled	20APR2023	25-Hydroxyvitamin D	92.7264	NORMAL	74.88000000	249597.50400000	nmol/L
141801014/55/F/W	Screening	13FEB2023	25-Hydroxyvitamin D	212.33472	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	30MAR2023	25-Hydroxyvitamin D	203.5488	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	25APR2023	25-Hydroxyvitamin D	174.02112	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	23MAY2023	25-Hydroxyvitamin D	140.07552	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	22JUN2023	25-Hydroxyvitamin D	129.64224	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	17JUL2023	25-Hydroxyvitamin D	172.79808	NORMAL	74.88000000	249597.50400000	nmol/L
141881001/42/F/W	Screening	20DEC2022	25-Hydroxyvitamin D	55.46112	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	30JAN2023	25-Hydroxyvitamin D	50.56896	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	14MAR2023	25-Hydroxyvitamin D	49.19616	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	23MAR2023	25-Hydroxyvitamin D	50.544	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	26APR2023	25-Hydroxyvitamin D	54.36288	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	23MAY2023	25-Hydroxyvitamin D	42.73152	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	31JUL2023	25-Hydroxyvitamin D	49.74528	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Unscheduled	10JAN2023	25-Hydroxyvitamin D	49.1712	LOW	74.88000000	249597.50400000	nmol/L
141891023/59/F/W	Screening	15FEB2023	25-Hydroxyvitamin D	217.57632	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	12APR2023	25-Hydroxyvitamin D	193.6896	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	03MAY2023	25-Hydroxyvitamin D	159.91872	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	21JUN2023	25-Hydroxyvitamin D	205.44576	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	05JUL2023	25-Hydroxyvitamin D	202.70016	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	01AUG2023	25-Hydroxyvitamin D	243.63456	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	11SEP2023	25-Hydroxyvitamin D	241.08864	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	10OCT2023	25-Hydroxyvitamin D	213.63264	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	29JUN2023	25-Hydroxyvitamin D	201.72672	NORMAL	74.88000000	249597.50400000	nmol/L
141891028/54/F/W	Screening	23FEB2023	25-Hydroxyvitamin D	79.9968	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	05APR2023	25-Hydroxyvitamin D	77.15136	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	26APR2023	25-Hydroxyvitamin D	64.07232	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	24MAY2023	25-Hydroxyvitamin D	80.79552	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	29JUN2023	25-Hydroxyvitamin D	77.70048	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	20JUL2023	25-Hydroxyvitamin D	90.80448	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	27SEP2023	25-Hydroxyvitamin D	114.49152	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	06NOV2023	25-Hydroxyvitamin D	103.35936	NORMAL	74.88000000	249597.50400000	nmol/L
141891029/46/F/B	Screening	24FEB2023	25-Hydroxyvitamin D	27.2064	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	29MAR2023	25-Hydroxyvitamin D	24.48576	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	19APR2023	25-Hydroxyvitamin D	29.97696	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	17MAY2023	25-Hydroxyvitamin D	35.1936	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	08JUN2023	25-Hydroxyvitamin D	31.02528	LOW	74.88000000	249597.50400000	nmol/L
141901009/47/F/B	Screening	12OCT2022	25-Hydroxyvitamin D	61.50144	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	01DEC2022	25-Hydroxyvitamin D	53.93856	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	27DEC2022	25-Hydroxyvitamin D	52.26624	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	24JAN2023	25-Hydroxyvitamin D	53.88864	LOW	74.88000000	249597.50400000	nmol/L
141901013/50/F/W	Screening	03NOV2022	25-Hydroxyvitamin D	42.83136	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	10JAN2023	25-Hydroxyvitamin D	54.31296	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	01FEB2023	25-Hydroxyvitamin D	65.61984	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	02MAR2023	25-Hydroxyvitamin D	67.56672	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	04APR2023	25-Hydroxyvitamin D	66.86784	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	27APR2023	25-Hydroxyvitamin D	74.88	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	06JUL2023	25-Hydroxyvitamin D	34.24512	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	04AUG2023	25-Hydroxyvitamin D	30.50112	LOW	74.88000000	249597.50400000	nmol/L
	Unscheduled	09FEB2023	25-Hydroxyvitamin D	57.1584	LOW	74.88000000	249597.50400000	nmol/L
141901022/55/F/B	Screening	30NOV2022	25-Hydroxyvitamin D	60.37824	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	06FEB2023	25-Hydroxyvitamin D	76.30272	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	02MAR2023	25-Hydroxyvitamin D	78.92352	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	29MAR2023	25-Hydroxyvitamin D	81.9936	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	02MAY2023	25-Hydroxyvitamin D	95.12256	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 16	22MAY2023	25-Hydroxyvitamin D	91.3536	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	03AUG2023	25-Hydroxyvitamin D	90.1056	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	01SEP2023	25-Hydroxyvitamin D	67.31712	LOW	74.88000000	249597.50400000	nmol/L
141901023/47/F/NR	Baseline	05DEC2022	25-Hydroxyvitamin D	115.14048	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	16FEB2023	25-Hydroxyvitamin D	116.73792	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	20MAR2023	25-Hydroxyvitamin D	113.9424	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	24APR2023	25-Hydroxyvitamin D	115.34016	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	25JUL2023	25-Hydroxyvitamin D	141.47328	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	23AUG2023	25-Hydroxyvitamin D	102.61056	NORMAL	74.88000000	249597.50400000	nmol/L
141901029/53/F/B	Screening	04JAN2023	25-Hydroxyvitamin D	164.31168	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	17APR2023	25-Hydroxyvitamin D	145.86624	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	12MAY2023	25-Hydroxyvitamin D	156.09984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	05JUN2023	25-Hydroxyvitamin D	175.91808	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	10JUL2023	25-Hydroxyvitamin D	151.03296	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	31JUL2023	25-Hydroxyvitamin D	153.82848	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	09OCT2023	25-Hydroxyvitamin D	174.72	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	10NOV2023	25-Hydroxyvitamin D	180.7104	NORMAL	74.88000000	249597.50400000	nmol/L
141901035/51/F/B	Screening	01MAR2023	25-Hydroxyvitamin D	21.36576	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	20APR2023	25-Hydroxyvitamin D	33.97056	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	15MAY2023	25-Hydroxyvitamin D	40.36032	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	09JUN2023	25-Hydroxyvitamin D	32.02368	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	18JUL2023	25-Hydroxyvitamin D	36.26688	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	07AUG2023	25-Hydroxyvitamin D	67.59168	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13OCT2023	25-Hydroxyvitamin D	45.77664	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	10NOV2023	25-Hydroxyvitamin D	42.9312	LOW	74.88000000	249597.50400000	nmol/L
141901037/59/F/B	Screening	09MAR2023	25-Hydroxyvitamin D	126.37248	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	24APR2023	25-Hydroxyvitamin D	131.1648	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	16MAY2023	25-Hydroxyvitamin D	132.7872	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	13JUN2023	25-Hydroxyvitamin D	112.27008	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	19JUL2023	25-Hydroxyvitamin D	133.56096	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	08AUG2023	25-Hydroxyvitamin D	146.1408	NORMAL	74.88000000	249597.50400000	nmol/L
141931021/58/F/B	Screening	03FEB2023	25-Hydroxyvitamin D	95.89632	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	21APR2023	25-Hydroxyvitamin D	101.76192	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	16MAY2023	25-Hydroxyvitamin D	82.2432	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	13JUN2023	25-Hydroxyvitamin D	84.96384	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	14JUL2023	25-Hydroxyvitamin D	85.51296	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	04AUG2023	25-Hydroxyvitamin D	63.17376	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13OCT2023	25-Hydroxyvitamin D	94.19904	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	17NOV2023	25-Hydroxyvitamin D	88.25856	NORMAL	74.88000000	249597.50400000	nmol/L
141931024/57/F/B	Screening	26JAN2023	25-Hydroxyvitamin D	82.09344	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	29MAR2023	25-Hydroxyvitamin D	68.34048	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 4	25APR2023	25-Hydroxyvitamin D	102.86016	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	18MAY2023	25-Hydroxyvitamin D	72.45888	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	23JUN2023	25-Hydroxyvitamin D			.	.	
	Week 16	18JUL2023	25-Hydroxyvitamin D	94.848	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	20SEP2023	25-Hydroxyvitamin D	79.07328	NORMAL	74.88000000	249597.50400000	nmol/L
141951013/61/F/W	Screening	02MAR2023	25-Hydroxyvitamin D	122.12928	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	20APR2023	25-Hydroxyvitamin D	124.6752	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	11MAY2023	25-Hydroxyvitamin D	108.7008	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	08JUN2023	25-Hydroxyvitamin D	125.37408	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	13JUL2023	25-Hydroxyvitamin D	126.02304	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	03AUG2023	25-Hydroxyvitamin D	136.43136	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	17OCT2023	25-Hydroxyvitamin D	106.8288	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	14NOV2023	25-Hydroxyvitamin D	117.16224	NORMAL	74.88000000	249597.50400000	nmol/L
141971005/50/F/B	Screening	01NOV2022	25-Hydroxyvitamin D	70.56192	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	28DEC2022	25-Hydroxyvitamin D	57.58272	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	24JAN2023	25-Hydroxyvitamin D	50.09472	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	21FEB2023	25-Hydroxyvitamin D	55.43616	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	20MAR2023	25-Hydroxyvitamin D	53.58912	LOW	74.88000000	249597.50400000	nmol/L
141971015/54/F/B	Screening	13DEC2022	25-Hydroxyvitamin D	51.39264	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	26JAN2023	25-Hydroxyvitamin D	38.96256	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	27FEB2023	25-Hydroxyvitamin D	41.98272	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	06APR2023	25-Hydroxyvitamin D	42.23232	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	20APR2023	25-Hydroxyvitamin D	47.34912	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	08MAY2023	25-Hydroxyvitamin D	42.38208	LOW	74.88000000	249597.50400000	nmol/L
142111018/50/F/W	Screening	20MAR2023	25-Hydroxyvitamin D	123.37728	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	21APR2023	25-Hydroxyvitamin D	129.51744	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	15MAY2023	25-Hydroxyvitamin D	122.72832	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	09JUN2023	25-Hydroxyvitamin D	98.41728	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	17JUL2023	25-Hydroxyvitamin D	109.84896	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	07AUG2023	25-Hydroxyvitamin D	96.096	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	16OCT2023	25-Hydroxyvitamin D	92.25216	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	10NOV2023	25-Hydroxyvitamin D	99.44064	NORMAL	74.88000000	249597.50400000	nmol/L
220011006/52/F/W	Screening	20JUN2022	25-Hydroxyvitamin D	78.47424	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	20JUL2022	25-Hydroxyvitamin D	79.02336	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	01SEP2022	25-Hydroxyvitamin D	89.45664	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	12SEP2022	25-Hydroxyvitamin D	89.856	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	17OCT2022	25-Hydroxyvitamin D	84.14016	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	14NOV2022	25-Hydroxyvitamin D	73.10784	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	19JAN2023	25-Hydroxyvitamin D	64.54656	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	01MAR2023	25-Hydroxyvitamin D	59.13024	LOW	74.88000000	249597.50400000	nmol/L
220031004/61/F/W	Screening	20APR2022	25-Hydroxyvitamin D	75.52896	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Baseline	16MAY2022	25-Hydroxyvitamin D	79.248	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	10JUN2022	25-Hydroxyvitamin D	86.01216	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	07JUL2022	25-Hydroxyvitamin D	92.02752	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	05AUG2022	25-Hydroxyvitamin D	108.12672	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	02SEP2022	25-Hydroxyvitamin D	109.3248	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	18NOV2022	25-Hydroxyvitamin D	98.36736	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	20DEC2022	25-Hydroxyvitamin D	91.27872	NORMAL	74.88000000	249597.50400000	nmol/L
220031005/53/F/W	Screening	29APR2022	25-Hydroxyvitamin D	53.96352	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	07JUN2022	25-Hydroxyvitamin D	52.39104	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	05JUL2022	25-Hydroxyvitamin D	61.152	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	01AUG2022	25-Hydroxyvitamin D	61.95072	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	14SEP2022	25-Hydroxyvitamin D	69.66336	LOW	74.88000000	249597.50400000	nmol/L
220031016/59/F/W	Screening	01DEC2022	25-Hydroxyvitamin D	127.69536	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	02FEB2023	25-Hydroxyvitamin D	82.84224	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	02MAR2023	25-Hydroxyvitamin D	86.91072	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	23MAR2023	25-Hydroxyvitamin D	80.09664	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	27APR2023	25-Hydroxyvitamin D	83.01696	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	18MAY2023	25-Hydroxyvitamin D	73.80672	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	02AUG2023	25-Hydroxyvitamin D	77.10144	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	06SEP2023	25-Hydroxyvitamin D	86.38656	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	26JAN2023	25-Hydroxyvitamin D	75.30432	NORMAL	74.88000000	249597.50400000	nmol/L
220041004/53/F/W	Screening	07FEB2023	25-Hydroxyvitamin D	111.37152	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	04APR2023	25-Hydroxyvitamin D	95.7216	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	27APR2023	25-Hydroxyvitamin D	88.80768	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	24MAY2023	25-Hydroxyvitamin D	87.45984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	28JUN2023	25-Hydroxyvitamin D	77.67552	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	24JUL2023	25-Hydroxyvitamin D	76.8768	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	18OCT2023	25-Hydroxyvitamin D	71.80992	LOW	74.88000000	249597.50400000	nmol/L
220041005/59/F/W	Screening	13FEB2023	25-Hydroxyvitamin D	81.64416	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	16MAR2023	25-Hydroxyvitamin D	83.16672	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	12MAY2023	25-Hydroxyvitamin D	74.40576	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	09JUN2023	25-Hydroxyvitamin D	76.47744	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	30JUN2023	25-Hydroxyvitamin D	13.104	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	25OCT2023	25-Hydroxyvitamin D	86.03712	NORMAL	74.88000000	249597.50400000	nmol/L
220051005/55/F/W	Screening	24OCT2022	25-Hydroxyvitamin D	107.05344	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	06DEC2022	25-Hydroxyvitamin D	64.54656	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	22DEC2022	25-Hydroxyvitamin D	75.55392	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	30JAN2023	25-Hydroxyvitamin D	64.22208	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	01MAR2023	25-Hydroxyvitamin D	61.152	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	23MAR2023	25-Hydroxyvitamin D	59.32992	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	06JUN2023	25-Hydroxyvitamin D	65.04576	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Follow-up	14JUL2023	25-Hydroxyvitamin D	72.2592	LOW	74.88000000	249597.50400000	nmol/L
220051007/53/F/W	Screening	14MAR2023	25-Hydroxyvitamin D	50.544	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	12APR2023	25-Hydroxyvitamin D	89.856	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	09MAY2023	25-Hydroxyvitamin D	56.784	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	07JUN2023	25-Hydroxyvitamin D	51.76704	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	06JUL2023	25-Hydroxyvitamin D	46.10112	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	26JUL2023	25-Hydroxyvitamin D	59.7792	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	11OCT2023	25-Hydroxyvitamin D	61.82592	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	15NOV2023	25-Hydroxyvitamin D	70.73664	LOW	74.88000000	249597.50400000	nmol/L
220051008/51/F/W	Screening	09FEB2023	25-Hydroxyvitamin D	54.81216	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	31MAR2023	25-Hydroxyvitamin D	62.22528	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	28APR2023	25-Hydroxyvitamin D	61.05216	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	26MAY2023	25-Hydroxyvitamin D	55.38624	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	27JUN2023	25-Hydroxyvitamin D	61.60128	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	26JUL2023	25-Hydroxyvitamin D	60.30336	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	02OCT2023	25-Hydroxyvitamin D	82.84224	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	16NOV2023	25-Hydroxyvitamin D	73.03296	LOW	74.88000000	249597.50400000	nmol/L
	Unscheduled	23MAR2023	25-Hydroxyvitamin D	57.20832	LOW	74.88000000	249597.50400000	nmol/L
220071001/60/F/W	Screening	02DEC2022	25-Hydroxyvitamin D	31.824	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	26JAN2023	25-Hydroxyvitamin D	41.48352	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	22FEB2023	25-Hydroxyvitamin D	48.77184	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	22MAR2023	25-Hydroxyvitamin D	33.39648	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	19APR2023	25-Hydroxyvitamin D	30.4512	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	17MAY2023	25-Hydroxyvitamin D	43.25568	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	20JUL2023	25-Hydroxyvitamin D	67.392	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	14AUG2023	25-Hydroxyvitamin D	72.80832	LOW	74.88000000	249597.50400000	nmol/L
300021001/52/F/W	Screening	24MAY2022	25-Hydroxyvitamin D	147.43872	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	04JUL2022	25-Hydroxyvitamin D	156.97344	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	27JUL2022	25-Hydroxyvitamin D	152.58048	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	24AUG2022	25-Hydroxyvitamin D	132.81216	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	28SEP2022	25-Hydroxyvitamin D	104.208	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	18OCT2022	25-Hydroxyvitamin D	98.76672	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	27DEC2022	25-Hydroxyvitamin D	106.65408	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	25JAN2023	25-Hydroxyvitamin D	111.84576	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	08JUL2022	25-Hydroxyvitamin D	158.6208	NORMAL	74.88000000	249597.50400000	nmol/L
300021003/59/F/W	Screening	16JUN2022	25-Hydroxyvitamin D	83.51616	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	13JUL2022	25-Hydroxyvitamin D	67.29216	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	03AUG2022	25-Hydroxyvitamin D	69.31392	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	31AUG2022	25-Hydroxyvitamin D	79.52256	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	05OCT2022	25-Hydroxyvitamin D	58.5312	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	26OCT2022	25-Hydroxyvitamin D	54.0384	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 26/End of Treatment	09JAN2023	25-Hydroxyvitamin D	69.08928	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	08FEB2023	25-Hydroxyvitamin D	75.0048	NORMAL	74.88000000	249597.50400000	nmol/L
300021004/57/F/B	Screening	22JUN2022	25-Hydroxyvitamin D	50.51904	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	29JUL2022	25-Hydroxyvitamin D	36.24192	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	24AUG2022	25-Hydroxyvitamin D	29.50272	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	20SEP2022	25-Hydroxyvitamin D	19.04448	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	01NOV2022	25-Hydroxyvitamin D	26.88192	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	14NOV2022	25-Hydroxyvitamin D	22.91328	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	23JAN2023	25-Hydroxyvitamin D	29.05344	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	28FEB2023	25-Hydroxyvitamin D	49.7952	LOW	74.88000000	249597.50400000	nmol/L
300021005/61/F/W	Screening	27JUN2022	25-Hydroxyvitamin D	98.06784	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	25JUL2022	25-Hydroxyvitamin D	114.54144	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	22AUG2022	25-Hydroxyvitamin D	113.01888	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	12SEP2022	25-Hydroxyvitamin D	88.40832	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	17OCT2022	25-Hydroxyvitamin D	84.41472	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	07NOV2022	25-Hydroxyvitamin D	78.4992	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	19JAN2023	25-Hydroxyvitamin D	72.05952	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	22FEB2023	25-Hydroxyvitamin D	87.28512	NORMAL	74.88000000	249597.50400000	nmol/L
300031002/62/F/W	Screening	01JUN2022	25-Hydroxyvitamin D	88.33344	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	06JUL2022	25-Hydroxyvitamin D	86.16192	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	02AUG2022	25-Hydroxyvitamin D	67.79136	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	30AUG2022	25-Hydroxyvitamin D	71.06112	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	28SEP2022	25-Hydroxyvitamin D	79.6224	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	25OCT2022	25-Hydroxyvitamin D	65.2704	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	03JAN2023	25-Hydroxyvitamin D	78.64896	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	01FEB2023	25-Hydroxyvitamin D	72.1344	LOW	74.88000000	249597.50400000	nmol/L
300031006/59/F/W	Screening	07JUL2022	25-Hydroxyvitamin D	117.58656	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	17AUG2022	25-Hydroxyvitamin D	91.17888	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	13SEP2022	25-Hydroxyvitamin D	85.13856	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	05OCT2022	25-Hydroxyvitamin D	78.22464	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	10NOV2022	25-Hydroxyvitamin D	76.752	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	02DEC2022	25-Hydroxyvitamin D	79.9968	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	20DEC2022	25-Hydroxyvitamin D	88.93248	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	12JAN2023	25-Hydroxyvitamin D	79.84704	NORMAL	74.88000000	249597.50400000	nmol/L
380011005/52/F/W	Screening	21JUN2022	25-Hydroxyvitamin D	61.97568	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	09AUG2022	25-Hydroxyvitamin D	72.18432	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	01SEP2022	25-Hydroxyvitamin D	64.74624	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	27SEP2022	25-Hydroxyvitamin D	54.96192	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	01NOV2022	25-Hydroxyvitamin D	44.5536	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	28NOV2022	25-Hydroxyvitamin D	48.32256	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	03FEB2023	25-Hydroxyvitamin D	52.6656	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Follow-up	28FEB2023	25-Hydroxyvitamin D	47.7984	LOW	74.88000000	249597.50400000	nmol/L
380011008/52/F/W	Screening	22JUL2022	25-Hydroxyvitamin D	119.20896	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	15SEP2022	25-Hydroxyvitamin D	124.37568	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	07OCT2022	25-Hydroxyvitamin D	119.73312	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	04NOV2022	25-Hydroxyvitamin D	108.60096	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	09DEC2022	25-Hydroxyvitamin D	111.99552	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	04JAN2023	25-Hydroxyvitamin D	127.19616	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	09MAR2023	25-Hydroxyvitamin D	109.824	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	11APR2023	25-Hydroxyvitamin D	123.552	NORMAL	74.88000000	249597.50400000	nmol/L
380011014/51/F/W	Screening	06OCT2022	25-Hydroxyvitamin D	71.2608	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	25NOV2022	25-Hydroxyvitamin D	70.61184	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	16DEC2022	25-Hydroxyvitamin D	65.61984	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	17JAN2023	25-Hydroxyvitamin D	51.06816	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	20FEB2023	25-Hydroxyvitamin D	48.7968	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	10MAR2023	25-Hydroxyvitamin D	51.5424	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	23MAY2023	25-Hydroxyvitamin D	65.7696	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	20JUN2023	25-Hydroxyvitamin D	55.96032	LOW	74.88000000	249597.50400000	nmol/L
380011016/49/F/W	Screening	25NOV2022	25-Hydroxyvitamin D	96.72	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	12JAN2023	25-Hydroxyvitamin D	99.36576	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	09FEB2023	25-Hydroxyvitamin D	88.28352	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	15FEB2023	25-Hydroxyvitamin D	98.04288	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	10MAR2023	25-Hydroxyvitamin D	87.01056	NORMAL	74.88000000	249597.50400000	nmol/L
380011017/52/F/W	Screening	08DEC2022	25-Hydroxyvitamin D	77.07648	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	19JAN2023	25-Hydroxyvitamin D	80.6208	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	13FEB2023	25-Hydroxyvitamin D	66.06912	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	09MAR2023	25-Hydroxyvitamin D	70.68672	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	13APR2023	25-Hydroxyvitamin D	75.0048	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	10MAY2023	25-Hydroxyvitamin D	79.3728	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	18JUL2023	25-Hydroxyvitamin D	76.57728	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	14AUG2023	25-Hydroxyvitamin D	81.21984	NORMAL	74.88000000	249597.50400000	nmol/L
380011023/54/F/W	Screening	09FEB2023	25-Hydroxyvitamin D	65.3952	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	29MAR2023	25-Hydroxyvitamin D	71.33568	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	25APR2023	25-Hydroxyvitamin D	59.47968	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	18MAY2023	25-Hydroxyvitamin D	52.69056	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	21JUN2023	25-Hydroxyvitamin D	58.93056	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	17JUL2023	25-Hydroxyvitamin D	59.55456	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	20SEP2023	25-Hydroxyvitamin D	87.13536	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	31OCT2023	25-Hydroxyvitamin D	69.33888	LOW	74.88000000	249597.50400000	nmol/L
380011024/48/F/W	Screening	10FEB2023	25-Hydroxyvitamin D	96.44544	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	12APR2023	25-Hydroxyvitamin D	112.32	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	05MAY2023	25-Hydroxyvitamin D	110.27328	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 8	05JUN2023	25-Hydroxyvitamin D	96.4704	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	25JUL2023	25-Hydroxyvitamin D	81.12	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	01AUG2023	25-Hydroxyvitamin D	91.25376	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	10OCT2023	25-Hydroxyvitamin D	90.9792	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	07NOV2023	25-Hydroxyvitamin D	71.36064	LOW	74.88000000	249597.50400000	nmol/L
	Unscheduled	31MAR2023	25-Hydroxyvitamin D	85.31328	NORMAL	74.88000000	249597.50400000	nmol/L
		30JUN2023	25-Hydroxyvitamin D	92.352	NORMAL	74.88000000	249597.50400000	nmol/L
380011025/52/F/W	Screening	14FEB2023	25-Hydroxyvitamin D	57.85728	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	29MAR2023	25-Hydroxyvitamin D	55.96032	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	19APR2023	25-Hydroxyvitamin D	57.408	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	17MAY2023	25-Hydroxyvitamin D	46.84992	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	22JUN2023	25-Hydroxyvitamin D	57.5328	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	17JUL2023	25-Hydroxyvitamin D	53.48928	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	20SEP2023	25-Hydroxyvitamin D	91.87776	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	18OCT2023	25-Hydroxyvitamin D	78.44928	NORMAL	74.88000000	249597.50400000	nmol/L
380021001/50/F/W	Screening	12JAN2022	25-Hydroxyvitamin D	85.13856	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	24FEB2022	25-Hydroxyvitamin D	79.07328	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	21MAR2022	25-Hydroxyvitamin D	96.07104	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	20APR2022	25-Hydroxyvitamin D	98.41728	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	19MAY2022	25-Hydroxyvitamin D	107.52768	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	09JUN2022	25-Hydroxyvitamin D	112.91904	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	23AUG2022	25-Hydroxyvitamin D	132.93696	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	22SEP2022	25-Hydroxyvitamin D	116.58816	NORMAL	74.88000000	249597.50400000	nmol/L
380061001/45/F/W	Screening	27DEC2021	25-Hydroxyvitamin D	86.03712	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	28FEB2022	25-Hydroxyvitamin D	85.1136	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	21MAR2022	25-Hydroxyvitamin D	86.06208	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	20APR2022	25-Hydroxyvitamin D	97.99296	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	25MAY2022	25-Hydroxyvitamin D	104.88192	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	15JUN2022	25-Hydroxyvitamin D	118.13568	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	24AUG2022	25-Hydroxyvitamin D	117.1872	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	21SEP2022	25-Hydroxyvitamin D	131.63904	NORMAL	74.88000000	249597.50400000	nmol/L
380061007/59/F/W	Screening	21FEB2022	25-Hydroxyvitamin D	73.33248	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	21MAR2022	25-Hydroxyvitamin D	67.46688	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	12APR2022	25-Hydroxyvitamin D	55.73568	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	12MAY2022	25-Hydroxyvitamin D	67.2672	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	16JUN2022	25-Hydroxyvitamin D	68.41536	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	11JUL2022	25-Hydroxyvitamin D	81.34464	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	15SEP2022	25-Hydroxyvitamin D	88.43328	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	13OCT2022	25-Hydroxyvitamin D	71.16096	LOW	74.88000000	249597.50400000	nmol/L
380061019/56/F/W	Baseline	27FEB2023	25-Hydroxyvitamin D	80.77056	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	20MAR2023	25-Hydroxyvitamin D	72.78336	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 8	17APR2023	25-Hydroxyvitamin D	80.79552	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	22MAY2023	25-Hydroxyvitamin D	66.2688	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	12JUN2023	25-Hydroxyvitamin D	67.392	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	21AUG2023	25-Hydroxyvitamin D	65.2704	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	19SEP2023	25-Hydroxyvitamin D	78.4992	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	12JAN2023	25-Hydroxyvitamin D	75.57888	NORMAL	74.88000000	249597.50400000	nmol/L
380071001/49/F/W	Screening	17FEB2022	25-Hydroxyvitamin D	51.99168	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	24MAR2022	25-Hydroxyvitamin D	62.49984	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	20APR2022	25-Hydroxyvitamin D	51.6672	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	12MAY2022	25-Hydroxyvitamin D	65.79456	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	16JUN2022	25-Hydroxyvitamin D	91.90272	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	07JUL2022	25-Hydroxyvitamin D	91.40352	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	26SEP2022	25-Hydroxyvitamin D	82.51776	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	13OCT2022	25-Hydroxyvitamin D	82.6176	NORMAL	74.88000000	249597.50400000	nmol/L
380071002/49/F/W	Screening	28MAR2022	25-Hydroxyvitamin D	66.34368	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	24MAY2022	25-Hydroxyvitamin D	97.31904	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	21JUN2022	25-Hydroxyvitamin D	99.51552	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	18JUL2022	25-Hydroxyvitamin D	98.41728	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	18AUG2022	25-Hydroxyvitamin D	109.15008	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	12SEP2022	25-Hydroxyvitamin D	81.26976	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	21NOV2022	25-Hydroxyvitamin D	70.6368	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	19DEC2022	25-Hydroxyvitamin D	80.34624	NORMAL	74.88000000	249597.50400000	nmol/L
380071004/49/F/W	Screening	05MAY2022	25-Hydroxyvitamin D	54.63744	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	29JUN2022	25-Hydroxyvitamin D	93.40032	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	28JUL2022	25-Hydroxyvitamin D	89.1072	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	23AUG2022	25-Hydroxyvitamin D	92.37696	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	21SEP2022	25-Hydroxyvitamin D	73.15776	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	18OCT2022	25-Hydroxyvitamin D	69.68832	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	04JAN2023	25-Hydroxyvitamin D	50.544	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	25JAN2023	25-Hydroxyvitamin D	62.87424	LOW	74.88000000	249597.50400000	nmol/L
380071005/44/F/W	Screening	09MAY2022	25-Hydroxyvitamin D	75.30432	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	14JUN2022	25-Hydroxyvitamin D	116.08896	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	12JUL2022	25-Hydroxyvitamin D	98.94144	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	03AUG2022	25-Hydroxyvitamin D	95.79648	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	07SEP2022	25-Hydroxyvitamin D	98.11776	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	29SEP2022	25-Hydroxyvitamin D	77.65056	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	07DEC2022	25-Hydroxyvitamin D	89.25696	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	04JAN2023	25-Hydroxyvitamin D	89.13216	NORMAL	74.88000000	249597.50400000	nmol/L
380071007/53/F/W	Screening	07JUN2022	25-Hydroxyvitamin D	54.21312	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	20JUL2022	25-Hydroxyvitamin D	77.60064	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	16AUG2022	25-Hydroxyvitamin D	94.94784	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 8	07SEP2022	25-Hydroxyvitamin D	62.79936	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	12OCT2022	25-Hydroxyvitamin D	66.29376	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	02NOV2022	25-Hydroxyvitamin D	62.49984	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	11JAN2023	25-Hydroxyvitamin D	64.34688	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	01FEB2023	25-Hydroxyvitamin D	63.024	LOW	74.88000000	249597.50400000	nmol/L
380071010/50/F/W	Screening	12JUL2022	25-Hydroxyvitamin D	64.84608	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	23AUG2022	25-Hydroxyvitamin D	67.34208	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	16SEP2022	25-Hydroxyvitamin D	53.93856	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	12OCT2022	25-Hydroxyvitamin D	50.31936	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	16NOV2022	25-Hydroxyvitamin D	51.76704	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	09DEC2022	25-Hydroxyvitamin D	56.83392	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	15FEB2023	25-Hydroxyvitamin D	57.98208	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	15MAR2023	25-Hydroxyvitamin D	52.1664	LOW	74.88000000	249597.50400000	nmol/L
380091001/44/F/W	Screening	06JAN2022	25-Hydroxyvitamin D	53.93856	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	20JAN2022	25-Hydroxyvitamin D	51.11808	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	10FEB2022	25-Hydroxyvitamin D	52.34112	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	10MAR2022	25-Hydroxyvitamin D	57.35808	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	21APR2022	25-Hydroxyvitamin D	53.04	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	12MAY2022	25-Hydroxyvitamin D	54.71232	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	14JUL2022	25-Hydroxyvitamin D	62.2752	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	24AUG2022	25-Hydroxyvitamin D	59.23008	LOW	74.88000000	249597.50400000	nmol/L
380091003/65/F/W	Screening	02JUN2022	25-Hydroxyvitamin D	76.80192	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	23JUN2022	25-Hydroxyvitamin D	87.31008	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	21JUL2022	25-Hydroxyvitamin D	89.45664	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	15AUG2022	25-Hydroxyvitamin D	128.4192	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	19SEP2022	25-Hydroxyvitamin D	100.41408	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	06OCT2022	25-Hydroxyvitamin D	93.89952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	22DEC2022	25-Hydroxyvitamin D	78.77376	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	19JAN2023	25-Hydroxyvitamin D	63.49824	LOW	74.88000000	249597.50400000	nmol/L
380091007/63/F/W	Screening	05JAN2023	25-Hydroxyvitamin D	67.16736	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	26JAN2023	25-Hydroxyvitamin D	66.46848	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	16FEB2023	25-Hydroxyvitamin D	61.776	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	23MAR2023	25-Hydroxyvitamin D	54.13824	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	20APR2023	25-Hydroxyvitamin D	63.34848	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	11MAY2023	25-Hydroxyvitamin D	66.768	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	20JUL2023	25-Hydroxyvitamin D	94.224	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	17AUG2023	25-Hydroxyvitamin D	102.93504	NORMAL	74.88000000	249597.50400000	nmol/L
380091009/55/F/W	Screening	23FEB2023	25-Hydroxyvitamin D	66.59328	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	23MAR2023	25-Hydroxyvitamin D	68.1408	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	13APR2023	25-Hydroxyvitamin D	69.71328	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	18MAY2023	25-Hydroxyvitamin D	71.6352	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 12	15JUN2023	25-Hydroxyvitamin D	79.89696	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	20JUL2023	25-Hydroxyvitamin D	86.13696	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	05OCT2023	25-Hydroxyvitamin D	94.224	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	02NOV2023	25-Hydroxyvitamin D	84.19008	NORMAL	74.88000000	249597.50400000	nmol/L
380101001/53/F/W	Screening	15FEB2022	25-Hydroxyvitamin D	64.09728	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	29MAR2022	25-Hydroxyvitamin D	60.9024	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	21APR2022	25-Hydroxyvitamin D	62.10048	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	23MAY2022	25-Hydroxyvitamin D	66.41856	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	22JUN2022	25-Hydroxyvitamin D	74.7552	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	18JUL2022	25-Hydroxyvitamin D	96.32064	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	23SEP2022	25-Hydroxyvitamin D	78.89856	NORMAL	74.88000000	249597.50400000	nmol/L
380101002/53/F/W	Screening	15FEB2022	25-Hydroxyvitamin D	56.95872	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	05APR2022	25-Hydroxyvitamin D	61.85088	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	28APR2022	25-Hydroxyvitamin D	62.22528	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	27MAY2022	25-Hydroxyvitamin D	76.80192	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	29JUN2022	25-Hydroxyvitamin D	88.53312	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	01AUG2022	25-Hydroxyvitamin D	73.78176	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	03OCT2022	25-Hydroxyvitamin D	97.79328	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	07NOV2022	25-Hydroxyvitamin D	93.99936	NORMAL	74.88000000	249597.50400000	nmol/L
380101003/56/F/W	Screening	22FEB2022	25-Hydroxyvitamin D	50.64384	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	03MAY2022	25-Hydroxyvitamin D	77.1264	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	30MAY2022	25-Hydroxyvitamin D	73.15776	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	24JUN2022	25-Hydroxyvitamin D	68.64	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	29JUL2022	25-Hydroxyvitamin D	67.79136	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	15AUG2022	25-Hydroxyvitamin D	67.46688	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	24OCT2022	25-Hydroxyvitamin D	63.7728	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	28NOV2022	25-Hydroxyvitamin D	60.67776	LOW	74.88000000	249597.50400000	nmol/L
380101007/46/F/W	Screening	26APR2022	25-Hydroxyvitamin D	35.6928	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	06JUN2022	25-Hydroxyvitamin D	44.27904	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	30JUN2022	25-Hydroxyvitamin D	51.01824	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	27JUL2022	25-Hydroxyvitamin D	56.58432	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	31AUG2022	25-Hydroxyvitamin D	53.2896	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	22SEP2022	25-Hydroxyvitamin D	52.49088	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	28NOV2022	25-Hydroxyvitamin D	59.35488	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	24JAN2023	25-Hydroxyvitamin D	58.68096	LOW	74.88000000	249597.50400000	nmol/L
380101010/52/F/W	Screening	10MAY2022	25-Hydroxyvitamin D	40.23552	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	21JUN2022	25-Hydroxyvitamin D	82.368	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	13JUL2022	25-Hydroxyvitamin D	73.70688	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	12AUG2022	25-Hydroxyvitamin D	74.58048	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	16SEP2022	25-Hydroxyvitamin D	97.36896	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	04OCT2022	25-Hydroxyvitamin D	89.55648	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 26/End of Treatment	16DEC2022	25-Hydroxyvitamin D	70.33728	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	18JAN2023	25-Hydroxyvitamin D	64.1472	LOW	74.88000000	249597.50400000	nmol/L
380101011/51/F/W	Screening	07JUN2022	25-Hydroxyvitamin D	61.05216	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	22JUL2022	25-Hydroxyvitamin D	63.94752	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	15AUG2022	25-Hydroxyvitamin D	69.66336	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	12SEP2022	25-Hydroxyvitamin D	63.84768	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	18OCT2022	25-Hydroxyvitamin D	45.85152	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	07NOV2022	25-Hydroxyvitamin D	50.39424	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	18JAN2023	25-Hydroxyvitamin D	44.304	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	20FEB2023	25-Hydroxyvitamin D	37.91424	LOW	74.88000000	249597.50400000	nmol/L
380101012/46/F/W	Screening	20JUN2022	25-Hydroxyvitamin D	63.24864	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	05AUG2022	25-Hydroxyvitamin D	57.88224	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	29AUG2022	25-Hydroxyvitamin D	87.7344	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	31OCT2022	25-Hydroxyvitamin D	63.2736	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	21NOV2022	25-Hydroxyvitamin D	48.49728	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	30JAN2023	25-Hydroxyvitamin D	60.25344	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	28FEB2023	25-Hydroxyvitamin D	50.0448	LOW	74.88000000	249597.50400000	nmol/L
380101016/46/F/W	Screening	16AUG2022	25-Hydroxyvitamin D	57.10848	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	26SEP2022	25-Hydroxyvitamin D	68.56512	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	20OCT2022	25-Hydroxyvitamin D	62.62464	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	16NOV2022	25-Hydroxyvitamin D	57.80736	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	22DEC2022	25-Hydroxyvitamin D	42.48192	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	17JAN2023	25-Hydroxyvitamin D	39.48672	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	24MAR2023	25-Hydroxyvitamin D	34.64448	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	27APR2023	25-Hydroxyvitamin D	31.37472	LOW	74.88000000	249597.50400000	nmol/L
380101017/50/F/W	Screening	20SEP2022	25-Hydroxyvitamin D	104.00832	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	10NOV2022	25-Hydroxyvitamin D	128.14464	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	07DEC2022	25-Hydroxyvitamin D	92.8512	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	05JAN2023	25-Hydroxyvitamin D	101.61216	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	02FEB2023	25-Hydroxyvitamin D	98.99136	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	01MAR2023	25-Hydroxyvitamin D	93.12576	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	05MAY2023	25-Hydroxyvitamin D	85.63776	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	08JUN2023	25-Hydroxyvitamin D	92.87616	NORMAL	74.88000000	249597.50400000	nmol/L
380101018/52/F/W	Screening	11OCT2022	25-Hydroxyvitamin D	76.45248	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	29NOV2022	25-Hydroxyvitamin D	57.18336	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	20DEC2022	25-Hydroxyvitamin D	65.6448	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	17JAN2023	25-Hydroxyvitamin D	56.85888	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	27FEB2023	25-Hydroxyvitamin D	58.93056	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	14MAR2023	25-Hydroxyvitamin D	53.98848	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	30MAY2023	25-Hydroxyvitamin D	64.74624	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	19JUL2023	25-Hydroxyvitamin D	73.35744	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
380101021/49/F/W	Screening	20DEC2022	25-Hydroxyvitamin D	83.39136	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	03FEB2023	25-Hydroxyvitamin D	74.35584	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	01MAR2023	25-Hydroxyvitamin D	81.51936	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	29MAR2023	25-Hydroxyvitamin D	78.4992	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	02MAY2023	25-Hydroxyvitamin D	83.84064	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	23MAY2023	25-Hydroxyvitamin D	83.46624	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	28JUL2023	25-Hydroxyvitamin D	89.38176	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	05SEP2023	25-Hydroxyvitamin D	115.21536	NORMAL	74.88000000	249597.50400000	nmol/L
380101022/58/F/W	Screening	03JAN2023	25-Hydroxyvitamin D	53.04	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	21APR2023	25-Hydroxyvitamin D	58.95552	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	19MAY2023	25-Hydroxyvitamin D	46.35072	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	12JUN2023	25-Hydroxyvitamin D	47.0496	LOW	74.88000000	249597.50400000	nmol/L
	Unscheduled	18APR2023	25-Hydroxyvitamin D	56.18496	LOW	74.88000000	249597.50400000	nmol/L
380111001/52/F/W	Screening	31MAR2022	25-Hydroxyvitamin D	58.75584	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	05MAY2022	25-Hydroxyvitamin D	68.11584	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	01JUN2022	25-Hydroxyvitamin D	71.08608	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	30JUN2022	25-Hydroxyvitamin D	72.5088	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	08AUG2022	25-Hydroxyvitamin D	87.50976	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	25AUG2022	25-Hydroxyvitamin D	72.03456	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	27OCT2022	25-Hydroxyvitamin D	69.73824	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	24NOV2022	25-Hydroxyvitamin D	64.37184	LOW	74.88000000	249597.50400000	nmol/L
380111004/54/F/W	Screening	09JUN2022	25-Hydroxyvitamin D	66.46848	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	30JUN2022	25-Hydroxyvitamin D	76.2528	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	28JUL2022	25-Hydroxyvitamin D	74.80512	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	25AUG2022	25-Hydroxyvitamin D	79.69728	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	22SEP2022	25-Hydroxyvitamin D	75.92832	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	13OCT2022	25-Hydroxyvitamin D	71.83488	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	22DEC2022	25-Hydroxyvitamin D	59.37984	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	19JAN2023	25-Hydroxyvitamin D	71.78496	LOW	74.88000000	249597.50400000	nmol/L
380111005/52/F/W	Screening	06OCT2022	25-Hydroxyvitamin D	104.28288	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	05JAN2023	25-Hydroxyvitamin D	85.6128	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	26JAN2023	25-Hydroxyvitamin D	72.45888	LOW	74.88000000	249597.50400000	nmol/L
	Unscheduled	08DEC2022	25-Hydroxyvitamin D	110.99712	NORMAL	74.88000000	249597.50400000	nmol/L
380111010/49/F/W	Screening	26JAN2023	25-Hydroxyvitamin D	35.76768	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	09MAR2023	25-Hydroxyvitamin D	40.38528	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	30MAR2023	25-Hydroxyvitamin D	43.20576	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	04MAY2023	25-Hydroxyvitamin D	35.01888	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	06JUN2023	25-Hydroxyvitamin D	33.37152	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	22JUN2023	25-Hydroxyvitamin D	40.90944	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	31AUG2023	25-Hydroxyvitamin D	55.76064	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	03OCT2023	25-Hydroxyvitamin D	58.98048	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Unscheduled	16FEB2023	25-Hydroxyvitamin D	43.63008	LOW	74.88000000	249597.50400000	nmol/L
390071002/57/F/W	Screening	24AUG2022	25-Hydroxyvitamin D	107.77728	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	21SEP2022	25-Hydroxyvitamin D	104.90688	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	19OCT2022	25-Hydroxyvitamin D	92.30208	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	14NOV2022	25-Hydroxyvitamin D	82.94208	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	19DEC2022	25-Hydroxyvitamin D	60.97728	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	01FEB2023	25-Hydroxyvitamin D	62.5248	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	19MAR2023	25-Hydroxyvitamin D	75.45408	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	24APR2023	25-Hydroxyvitamin D	71.98464	LOW	74.88000000	249597.50400000	nmol/L
390081001/60/F/W	Screening	08FEB2023	25-Hydroxyvitamin D	88.75776	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	27MAR2023	25-Hydroxyvitamin D	127.7952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	23APR2023	25-Hydroxyvitamin D	284.2944	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	07JUN2023	25-Hydroxyvitamin D	139.22688	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	19JUN2023	25-Hydroxyvitamin D	140.8992	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	11SEP2023	25-Hydroxyvitamin D	74.35584	LOW	74.88000000	249597.50400000	nmol/L
440011001/60/F/W	Screening	21DEC2021	25-Hydroxyvitamin D	121.20576	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	01APR2022	25-Hydroxyvitamin D	108.05184	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	22APR2022	25-Hydroxyvitamin D	125.39904	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	20MAY2022	25-Hydroxyvitamin D	118.0608	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	24JUN2022	25-Hydroxyvitamin D	121.03104	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	18JUL2022	25-Hydroxyvitamin D	140.7744	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	27SEP2022	25-Hydroxyvitamin D	146.41536	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	21OCT2022	25-Hydroxyvitamin D	145.19232	NORMAL	74.88000000	249597.50400000	nmol/L
440011007/52/F/W	Screening	28FEB2022	25-Hydroxyvitamin D	105.65568	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	20APR2022	25-Hydroxyvitamin D	109.37472	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	13MAY2022	25-Hydroxyvitamin D	100.56384	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	10JUN2022	25-Hydroxyvitamin D	101.38752	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	13JUL2022	25-Hydroxyvitamin D	96.76992	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	05AUG2022	25-Hydroxyvitamin D	110.99712	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13OCT2022	25-Hydroxyvitamin D	122.72832	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	23NOV2022	25-Hydroxyvitamin D	98.24256	NORMAL	74.88000000	249597.50400000	nmol/L
440011020/54/F/W	Screening	09AUG2022	25-Hydroxyvitamin D	99.79008	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	09SEP2022	25-Hydroxyvitamin D	94.87296	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	05OCT2022	25-Hydroxyvitamin D	86.38656	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	02NOV2022	25-Hydroxyvitamin D	90.6048	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	06DEC2022	25-Hydroxyvitamin D	86.8608	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	23DEC2022	25-Hydroxyvitamin D	95.54688	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	15MAR2023	25-Hydroxyvitamin D	73.15776	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	31MAR2023	25-Hydroxyvitamin D	88.40832	NORMAL	74.88000000	249597.50400000	nmol/L
440011023/54/F/W	Screening	07NOV2022	25-Hydroxyvitamin D	116.08896	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	16DEC2022	25-Hydroxyvitamin D	119.45856	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 4	10JAN2023	25-Hydroxyvitamin D	105.63072	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	07FEB2023	25-Hydroxyvitamin D	98.89152	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	14MAR2023	25-Hydroxyvitamin D	137.75424	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	03APR2023	25-Hydroxyvitamin D	108.60096	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	12JUN2023	25-Hydroxyvitamin D	113.0688	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	18JUL2023	25-Hydroxyvitamin D	113.1936	NORMAL	74.88000000	249597.50400000	nmol/L
440021013/55/F/W	Screening	19DEC2022	25-Hydroxyvitamin D	59.82912	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	19JAN2023	25-Hydroxyvitamin D	53.08992	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	13FEB2023	25-Hydroxyvitamin D	69.888	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	13MAR2023	25-Hydroxyvitamin D	68.016	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	17APR2023	25-Hydroxyvitamin D	69.98784	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	10MAY2023	25-Hydroxyvitamin D	69.33888	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	20JUL2023	25-Hydroxyvitamin D	73.78176	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	11SEP2023	25-Hydroxyvitamin D	98.3424	NORMAL	74.88000000	249597.50400000	nmol/L
440031004/54/F/W	Screening	16MAY2022	25-Hydroxyvitamin D	91.70304	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	15JUL2022	25-Hydroxyvitamin D	114.61632	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	08AUG2022	25-Hydroxyvitamin D	133.56096	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	08SEP2022	25-Hydroxyvitamin D	115.14048	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	10OCT2022	25-Hydroxyvitamin D	98.24256	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	03NOV2022	25-Hydroxyvitamin D	93.62496	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13JAN2023	25-Hydroxyvitamin D	76.70208	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	10FEB2023	25-Hydroxyvitamin D	82.7424	NORMAL	74.88000000	249597.50400000	nmol/L
440031005/55/F/W	Screening	19MAY2022	25-Hydroxyvitamin D	66.5184	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	07JUL2022	25-Hydroxyvitamin D	70.8864	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	03AUG2022	25-Hydroxyvitamin D	81.41952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	29AUG2022	25-Hydroxyvitamin D	77.6256	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	04OCT2022	25-Hydroxyvitamin D	66.91776	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	28OCT2022	25-Hydroxyvitamin D	75.3792	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	03JAN2023	25-Hydroxyvitamin D	71.93472	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	07FEB2023	25-Hydroxyvitamin D	83.89056	NORMAL	74.88000000	249597.50400000	nmol/L
440031007/51/F/W	Screening	30MAY2022	25-Hydroxyvitamin D	81.31968	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	22JUN2022	25-Hydroxyvitamin D	93.74976	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	13JUL2022	25-Hydroxyvitamin D	99.11616	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	10AUG2022	25-Hydroxyvitamin D	105.85536	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	19SEP2022	25-Hydroxyvitamin D	92.352	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	05OCT2022	25-Hydroxyvitamin D	88.75776	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	14DEC2022	25-Hydroxyvitamin D	95.57184	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	04JAN2023	25-Hydroxyvitamin D	119.45856	NORMAL	74.88000000	249597.50400000	nmol/L
440031017/57/F/W	Screening	26AUG2022	25-Hydroxyvitamin D	72.43392	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	14OCT2022	25-Hydroxyvitamin D	56.45952	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	07NOV2022	25-Hydroxyvitamin D	84.6144	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 8	05DEC2022	25-Hydroxyvitamin D	81.44448	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	09JAN2023	25-Hydroxyvitamin D	95.89632	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	07FEB2023	25-Hydroxyvitamin D	98.56704	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	24APR2023	25-Hydroxyvitamin D	92.8512	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	23MAY2023	25-Hydroxyvitamin D	76.10304	NORMAL	74.88000000	249597.50400000	nmol/L
440031023/56/F/W	Screening	21OCT2022	25-Hydroxyvitamin D	77.47584	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	24NOV2022	25-Hydroxyvitamin D	72.08448	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	22DEC2022	25-Hydroxyvitamin D	67.11744	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	01FEB2023	25-Hydroxyvitamin D	68.2656	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	24FEB2023	25-Hydroxyvitamin D	66.79296	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	31MAR2023	25-Hydroxyvitamin D	79.54752	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	24APR2023	25-Hydroxyvitamin D	75.20448	NORMAL	74.88000000	249597.50400000	nmol/L
440031026/58/F/W	Screening	19JAN2023	25-Hydroxyvitamin D	67.94112	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	02FEB2023	25-Hydroxyvitamin D	66.19392	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	02MAR2023	25-Hydroxyvitamin D	64.24704	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	04APR2023	25-Hydroxyvitamin D	61.97568	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	02MAY2023	25-Hydroxyvitamin D	71.66016	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	30MAY2023	25-Hydroxyvitamin D	65.24544	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	17AUG2023	25-Hydroxyvitamin D	98.14272	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	12SEP2023	25-Hydroxyvitamin D	101.56224	NORMAL	74.88000000	249597.50400000	nmol/L
440051011/56/F/W	Screening	23JUN2022	25-Hydroxyvitamin D	73.93152	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	02AUG2022	25-Hydroxyvitamin D	80.09664	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	24AUG2022	25-Hydroxyvitamin D	108.0768	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	26SEP2022	25-Hydroxyvitamin D	105.78048	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	25OCT2022	25-Hydroxyvitamin D	95.54688	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	15NOV2022	25-Hydroxyvitamin D	77.35104	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	24JAN2023	25-Hydroxyvitamin D	105.2064	NORMAL	74.88000000	249597.50400000	nmol/L
440051013/56/F/W	Screening	12JUL2022	25-Hydroxyvitamin D	89.78112	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	30AUG2022	25-Hydroxyvitamin D	95.62176	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	21SEP2022	25-Hydroxyvitamin D	83.79072	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	18OCT2022	25-Hydroxyvitamin D	73.008	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	23NOV2022	25-Hydroxyvitamin D	72.55872	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	19DEC2022	25-Hydroxyvitamin D	83.34144	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	21FEB2023	25-Hydroxyvitamin D	83.29152	NORMAL	74.88000000	249597.50400000	nmol/L
460031005/58/F/W	Screening	18JAN2023	25-Hydroxyvitamin D	46.10112	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	22FEB2023	25-Hydroxyvitamin D	40.13568	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	16MAR2023	25-Hydroxyvitamin D	41.10912	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	12APR2023	25-Hydroxyvitamin D	45.27744	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	22MAY2023	25-Hydroxyvitamin D	58.60608	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	09JUN2023	25-Hydroxyvitamin D	60.42816	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	17AUG2023	25-Hydroxyvitamin D	83.8656	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Follow-up	14SEP2023	25-Hydroxyvitamin D	80.82048	NORMAL	74.88000000	249597.50400000	nmol/L
460061002/53/F/W	Screening	06SEP2022	25-Hydroxyvitamin D	75.1296	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	11NOV2022	25-Hydroxyvitamin D	57.05856	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	07DEC2022	25-Hydroxyvitamin D	50.1696	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	04JAN2023	25-Hydroxyvitamin D	46.70016	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	03FEB2023	25-Hydroxyvitamin D	52.86528	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	02MAR2023	25-Hydroxyvitamin D	65.81952	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	01AUG2023	25-Hydroxyvitamin D	47.39904	LOW	74.88000000	249597.50400000	nmol/L
460061008/53/F/W	Screening	03JAN2023	25-Hydroxyvitamin D	129.4176	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	21FEB2023	25-Hydroxyvitamin D	150.33408	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	16MAR2023	25-Hydroxyvitamin D	162.19008	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	13APR2023	25-Hydroxyvitamin D	169.80288	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	29JUN2023	25-Hydroxyvitamin D	111.696	NORMAL	74.88000000	249597.50400000	nmol/L
460071014/54/F/W	Screening	23SEP2022	25-Hydroxyvitamin D	94.5984	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	17OCT2022	25-Hydroxyvitamin D	76.35264	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	11NOV2022	25-Hydroxyvitamin D	63.12384	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	09DEC2022	25-Hydroxyvitamin D	67.49184	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	13JAN2023	25-Hydroxyvitamin D	72.80832	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	03FEB2023	25-Hydroxyvitamin D	74.5056	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	20APR2023	25-Hydroxyvitamin D	71.2608	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	18MAY2023	25-Hydroxyvitamin D	69.78816	LOW	74.88000000	249597.50400000	nmol/L
460071019/54/F/W	Screening	07NOV2022	25-Hydroxyvitamin D	81.8688	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	12DEC2022	25-Hydroxyvitamin D	71.31072	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	06JAN2023	25-Hydroxyvitamin D	73.05792	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	03FEB2023	25-Hydroxyvitamin D	82.2432	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	10MAR2023	25-Hydroxyvitamin D	65.42016	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	31MAR2023	25-Hydroxyvitamin D	69.96288	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	08JUN2023	25-Hydroxyvitamin D	70.43712	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	03JUL2023	25-Hydroxyvitamin D	85.28832	NORMAL	74.88000000	249597.50400000	nmol/L
460071020/53/F/W	Screening	18NOV2022	25-Hydroxyvitamin D	96.67008	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	05JAN2023	25-Hydroxyvitamin D	76.72704	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	27JAN2023	25-Hydroxyvitamin D	82.31808	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	24FEB2023	25-Hydroxyvitamin D	87.36	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	30MAR2023	25-Hydroxyvitamin D	86.93568	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	27APR2023	25-Hydroxyvitamin D	63.34848	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	22JUN2023	25-Hydroxyvitamin D	80.1216	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	13JUL2023	25-Hydroxyvitamin D	85.33824	NORMAL	74.88000000	249597.50400000	nmol/L
460071021/56/F/W	Screening	18NOV2022	25-Hydroxyvitamin D	105.18144	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	06JAN2023	25-Hydroxyvitamin D	93.02592	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	27JAN2023	25-Hydroxyvitamin D	93.3504	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	24FEB2023	25-Hydroxyvitamin D	92.1024	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 12	31MAR2023	25-Hydroxyvitamin D	121.75488	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	27APR2023	25-Hydroxyvitamin D	97.69344	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	06JUL2023	25-Hydroxyvitamin D	110.6976	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	27JUL2023	25-Hydroxyvitamin D	108.55104	NORMAL	74.88000000	249597.50400000	nmol/L
460071025/53/F/W	Screening	30JAN2023	25-Hydroxyvitamin D	65.8944	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	10MAR2023	25-Hydroxyvitamin D	73.18272	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	06APR2023	25-Hydroxyvitamin D	64.94592	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	02MAY2023	25-Hydroxyvitamin D	46.99968	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	02JUN2023	25-Hydroxyvitamin D	50.86848	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	03JUL2023	25-Hydroxyvitamin D	61.35168	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	31JUL2023	25-Hydroxyvitamin D	60.528	LOW	74.88000000	249597.50400000	nmol/L
460091005/55/F/W	Screening	20JAN2023	25-Hydroxyvitamin D	157.34784	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	28FEB2023	25-Hydroxyvitamin D	174.81984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	24MAR2023	25-Hydroxyvitamin D	151.23264	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	21APR2023	25-Hydroxyvitamin D	140.2752	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	25MAY2023	25-Hydroxyvitamin D	134.08512	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	16JUN2023	25-Hydroxyvitamin D	118.65984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	25AUG2023	25-Hydroxyvitamin D	119.48352	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	29SEP2023	25-Hydroxyvitamin D	115.86432	NORMAL	74.88000000	249597.50400000	nmol/L
460091008/58/F/W	Screening	09FEB2023	25-Hydroxyvitamin D	128.11968	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	23MAR2023	25-Hydroxyvitamin D	139.50144	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	17APR2023	25-Hydroxyvitamin D	120.40704	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	11MAY2023	25-Hydroxyvitamin D	140.59968	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	19JUN2023	25-Hydroxyvitamin D	153.55392	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	06JUL2023	25-Hydroxyvitamin D	165.21024	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	14SEP2023	25-Hydroxyvitamin D	171.2256	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	12OCT2023	25-Hydroxyvitamin D	171.2256	NORMAL	74.88000000	249597.50400000	nmol/L
490021005/41/F/B	Screening	14SEP2022	25-Hydroxyvitamin D	78.39936	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	21OCT2022	25-Hydroxyvitamin D	80.34624	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	14NOV2022	25-Hydroxyvitamin D	67.46688	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	19DEC2022	25-Hydroxyvitamin D	77.80032	NORMAL	74.88000000	249597.50400000	nmol/L
490021010/51/F/W	Screening	08FEB2023	25-Hydroxyvitamin D	54.18816	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	07MAR2023	25-Hydroxyvitamin D	36.86592	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	06APR2023	25-Hydroxyvitamin D	30.35136	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	28APR2023	25-Hydroxyvitamin D	33.3216	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	01JUN2023	25-Hydroxyvitamin D	40.26048	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	26JUN2023	25-Hydroxyvitamin D	43.63008	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	04SEP2023	25-Hydroxyvitamin D	62.10048	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Follow-up	06OCT2023	25-Hydroxyvitamin D	45.07776	LOW	74.88000000	249597.50400000	nmol/L

Sex is identified as: M = Male, F = Female.
Race is identified as: A = Asian, B = Black, W = White, AI = American Indian or Alaska Native, NH = Native Hawaiian or Other Pacific Islander, NR = Not Reported, MUL=Multiple.
The unit for "Age" is years.
Bayer: /var/swan/root/bhc/3427080/21651/stat/main01/prod/analysis/pgms/l_10_2_8_1_adlb_vitm.sas 09JAN2024 16:31

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
140031002/56/F/B	Screening	22FEB2022	25-Hydroxyvitamin D	26.85696	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	25MAR2022	25-Hydroxyvitamin D	39.6864	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	20APR2022	25-Hydroxyvitamin D	40.78464	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	16MAY2022	25-Hydroxyvitamin D	41.6832	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	20JUN2022	25-Hydroxyvitamin D	39.58656	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	11JUL2022	25-Hydroxyvitamin D	57.48288	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	19SEP2022	25-Hydroxyvitamin D	47.57376	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	07NOV2022	25-Hydroxyvitamin D	44.22912	LOW	74.88000000	249597.50400000	nmol/L
140031010/54/F/B	Screening	02DEC2022	25-Hydroxyvitamin D	105.10656	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	30JAN2023	25-Hydroxyvitamin D	104.60736	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	22FEB2023	25-Hydroxyvitamin D	93.40032	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	20MAR2023	25-Hydroxyvitamin D	91.20384	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	24APR2023	25-Hydroxyvitamin D	94.49856	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	15MAY2023	25-Hydroxyvitamin D	86.9856	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	26JUL2023	25-Hydroxyvitamin D	75.82848	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	24AUG2023	25-Hydroxyvitamin D	93.92448	NORMAL	74.88000000	249597.50400000	nmol/L
140031011/59/F/B	Screening	29DEC2022	25-Hydroxyvitamin D	20.592	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	17JAN2023	25-Hydroxyvitamin D	24.53568	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	08FEB2023	25-Hydroxyvitamin D	115.04064	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	08MAR2023	25-Hydroxyvitamin D	23.712	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	12APR2023	25-Hydroxyvitamin D	24.81024	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	03MAY2023	25-Hydroxyvitamin D	23.93664	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	12JUL2023	25-Hydroxyvitamin D	44.45376	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	10AUG2023	25-Hydroxyvitamin D	65.09568	LOW	74.88000000	249597.50400000	nmol/L
140051002/54/F/B	Screening	14MAR2022	25-Hydroxyvitamin D	122.45376	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	27APR2022	25-Hydroxyvitamin D	129.64224	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	27MAY2022	25-Hydroxyvitamin D	135.38304	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	28JUN2022	25-Hydroxyvitamin D	122.87808	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	20JUL2022	25-Hydroxyvitamin D	111.74592	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	16AUG2022	25-Hydroxyvitamin D	107.12832	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	20OCT2022	25-Hydroxyvitamin D	79.54752	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	28NOV2022	25-Hydroxyvitamin D	81.84384	NORMAL	74.88000000	249597.50400000	nmol/L
140091002/52/F/W	Screening	23JUN2022	25-Hydroxyvitamin D	158.9952	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	31AUG2022	25-Hydroxyvitamin D	174.04608	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	26SEP2022	25-Hydroxyvitamin D	173.3472	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	25OCT2022	25-Hydroxyvitamin D	172.92288	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	05DEC2022	25-Hydroxyvitamin D	152.55552	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	21DEC2022	25-Hydroxyvitamin D	122.97792	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	15MAR2023	25-Hydroxyvitamin D	152.5056	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	28MAR2023	25-Hydroxyvitamin D	151.48224	NORMAL	74.88000000	249597.50400000	nmol/L
140181004/46/F/W	Screening	30NOV2021	25-Hydroxyvitamin D	46.57536	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Baseline	14JAN2022	25-Hydroxyvitamin D	46.65024	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	09FEB2022	25-Hydroxyvitamin D	38.61312	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	09MAR2022	25-Hydroxyvitamin D	45.32736	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	07APR2022	25-Hydroxyvitamin D	44.27904	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	03MAY2022	25-Hydroxyvitamin D	44.5536	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	12JUL2022	25-Hydroxyvitamin D	55.63584	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	05AUG2022	25-Hydroxyvitamin D	35.46816	LOW	74.88000000	249597.50400000	nmol/L
140181025/60/F/W	Screening	10OCT2022	25-Hydroxyvitamin D	98.56704	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	14DEC2022	25-Hydroxyvitamin D	106.17984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	05JAN2023	25-Hydroxyvitamin D	94.24896	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	07FEB2023	25-Hydroxyvitamin D	100.06464	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	08MAR2023	25-Hydroxyvitamin D	100.68864	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	04APR2023	25-Hydroxyvitamin D	91.2288	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13JUN2023	25-Hydroxyvitamin D	97.89312	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	12JUL2023	25-Hydroxyvitamin D	90.15552	NORMAL	74.88000000	249597.50400000	nmol/L
140191005/51/F/W	Screening	11NOV2021	25-Hydroxyvitamin D	67.36704	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	14DEC2021	25-Hydroxyvitamin D	68.29056	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	05JAN2022	25-Hydroxyvitamin D	60.4032	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	02FEB2022	25-Hydroxyvitamin D	60.82752	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	08MAR2022	25-Hydroxyvitamin D	50.86848	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	31MAR2022	25-Hydroxyvitamin D	58.85568	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	09JUN2022	25-Hydroxyvitamin D	87.88416	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	07JUL2022	25-Hydroxyvitamin D	77.80032	NORMAL	74.88000000	249597.50400000	nmol/L
140191007/58/F/W	Screening	28DEC2021	25-Hydroxyvitamin D	164.53632	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	24JAN2022	25-Hydroxyvitamin D	181.80864	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	17FEB2022	25-Hydroxyvitamin D	176.14272	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	17MAR2022	25-Hydroxyvitamin D	206.81856	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	21APR2022	25-Hydroxyvitamin D	188.79744	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	12MAY2022	25-Hydroxyvitamin D	181.9584	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	21JUL2022	25-Hydroxyvitamin D	196.46016	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	18AUG2022	25-Hydroxyvitamin D	240.864	NORMAL	74.88000000	249597.50400000	nmol/L
140191012/60/F/W	Screening	25JUL2022	25-Hydroxyvitamin D	205.62048	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	25AUG2022	25-Hydroxyvitamin D	196.1856	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	19SEP2022	25-Hydroxyvitamin D	176.51712	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	17OCT2022	25-Hydroxyvitamin D	172.67328	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	21NOV2022	25-Hydroxyvitamin D	181.63392	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	12DEC2022	25-Hydroxyvitamin D	145.69152	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	20FEB2023	25-Hydroxyvitamin D	132.98688	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	20MAR2023	25-Hydroxyvitamin D	134.6592	NORMAL	74.88000000	249597.50400000	nmol/L
140191013/53/F/W	Screening	21SEP2022	25-Hydroxyvitamin D	159.19488	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	02NOV2022	25-Hydroxyvitamin D	134.01024	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 4	28NOV2022	25-Hydroxyvitamin D	128.24448	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	28DEC2022	25-Hydroxyvitamin D	129.06816	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	25JAN2023	25-Hydroxyvitamin D	121.82976	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	27FEB2023	25-Hydroxyvitamin D	106.92864	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	01MAY2023	25-Hydroxyvitamin D	109.27488	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	22MAY2023	25-Hydroxyvitamin D	104.7072	NORMAL	74.88000000	249597.50400000	nmol/L
140191019/54/F/W	Screening	16JAN2023	25-Hydroxyvitamin D	135.13344	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	09FEB2023	25-Hydroxyvitamin D	137.37984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	02MAR2023	25-Hydroxyvitamin D	145.06752	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	03APR2023	25-Hydroxyvitamin D	162.09024	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	08MAY2023	25-Hydroxyvitamin D	148.03776	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	25MAY2023	25-Hydroxyvitamin D	131.38944	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	08AUG2023	25-Hydroxyvitamin D	130.46592	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	05SEP2023	25-Hydroxyvitamin D	132.68736	NORMAL	74.88000000	249597.50400000	nmol/L
140201002/53/F/B	Screening	18NOV2021	25-Hydroxyvitamin D	26.55744	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	10FEB2022	25-Hydroxyvitamin D	30.0768	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	07MAR2022	25-Hydroxyvitamin D	18.8448	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	05APR2022	25-Hydroxyvitamin D	20.29248	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	04MAY2022	25-Hydroxyvitamin D	22.53888	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	01JUN2022	25-Hydroxyvitamin D	40.98432	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	10AUG2022	25-Hydroxyvitamin D	41.63328	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	26SEP2022	25-Hydroxyvitamin D	41.38368	LOW	74.88000000	249597.50400000	nmol/L
140301008/52/F/B	Screening	16MAY2022	25-Hydroxyvitamin D	35.3184	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	28JUL2022	25-Hydroxyvitamin D	44.4288	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	20OCT2022	25-Hydroxyvitamin D	40.26048	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	17NOV2022	25-Hydroxyvitamin D	38.46336	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	26JAN2023	25-Hydroxyvitamin D	35.1936	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	20FEB2023	25-Hydroxyvitamin D	39.312	LOW	74.88000000	249597.50400000	nmol/L
140371004/63/F/W	Screening	01JUN2022	25-Hydroxyvitamin D	85.38816	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	20JUN2022	25-Hydroxyvitamin D	88.83264	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	07JUL2022	25-Hydroxyvitamin D	99.31584	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	09AUG2022	25-Hydroxyvitamin D	82.31808	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	12SEP2022	25-Hydroxyvitamin D	102.96	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	05OCT2022	25-Hydroxyvitamin D	101.3376	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	14DEC2022	25-Hydroxyvitamin D	67.29216	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	12JAN2023	25-Hydroxyvitamin D	74.60544	LOW	74.88000000	249597.50400000	nmol/L
140371010/51/F/W	Screening	18JUL2022	25-Hydroxyvitamin D	59.00544	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	03OCT2022	25-Hydroxyvitamin D	63.2736	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	27OCT2022	25-Hydroxyvitamin D	60.55296	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	21NOV2022	25-Hydroxyvitamin D	51.76704	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	27DEC2022	25-Hydroxyvitamin D	63.44832	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 16	19JAN2023	25-Hydroxyvitamin D	65.69472	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	28MAR2023	25-Hydroxyvitamin D	50.1696	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	24APR2023	25-Hydroxyvitamin D	45.12768	LOW	74.88000000	249597.50400000	nmol/L
140371013/46/F/NR	Screening	16AUG2022	25-Hydroxyvitamin D	99.01632	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	12OCT2022	25-Hydroxyvitamin D	98.49216	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	02NOV2022	25-Hydroxyvitamin D	107.67744	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	30NOV2022	25-Hydroxyvitamin D	89.88096	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	09JAN2023	25-Hydroxyvitamin D	73.03296	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	31JAN2023	25-Hydroxyvitamin D	78.29952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	04APR2023	25-Hydroxyvitamin D	88.78272	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	03MAY2023	25-Hydroxyvitamin D	91.82784	NORMAL	74.88000000	249597.50400000	nmol/L
140371014/58/F/NR	Screening	02AUG2022	25-Hydroxyvitamin D	38.13888	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	16AUG2022	25-Hydroxyvitamin D	48.2976	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	19SEP2022	25-Hydroxyvitamin D	46.10112	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	05OCT2022	25-Hydroxyvitamin D	46.32576	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	08NOV2022	25-Hydroxyvitamin D	33.09696	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	23NOV2022	25-Hydroxyvitamin D	35.14368	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	07FEB2023	25-Hydroxyvitamin D	36.0672	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	13MAR2023	25-Hydroxyvitamin D	76.3776	NORMAL	74.88000000	249597.50400000	nmol/L
140371017/56/F/W	Screening	15AUG2022	25-Hydroxyvitamin D	87.58464	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	03OCT2022	25-Hydroxyvitamin D	96.99456	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	25OCT2022	25-Hydroxyvitamin D	74.43072	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	22NOV2022	25-Hydroxyvitamin D	68.2656	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	27DEC2022	25-Hydroxyvitamin D	74.78016	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	18JAN2023	25-Hydroxyvitamin D	70.78656	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	30MAR2023	25-Hydroxyvitamin D	72.73344	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	26APR2023	25-Hydroxyvitamin D	71.48544	LOW	74.88000000	249597.50400000	nmol/L
140371019/64/F/W	Screening	17AUG2022	25-Hydroxyvitamin D	114.14208	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	11OCT2022	25-Hydroxyvitamin D	130.39104	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	02NOV2022	25-Hydroxyvitamin D	118.8096	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	29NOV2022	25-Hydroxyvitamin D	91.52832	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	03JAN2023	25-Hydroxyvitamin D	95.7216	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	25JAN2023	25-Hydroxyvitamin D	100.8384	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	04APR2023	25-Hydroxyvitamin D	107.00352	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	02MAY2023	25-Hydroxyvitamin D	110.02368	NORMAL	74.88000000	249597.50400000	nmol/L
140371027/55/F/W	Screening	22SEP2022	25-Hydroxyvitamin D	199.4304	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	20OCT2022	25-Hydroxyvitamin D	211.4112	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	15NOV2022	25-Hydroxyvitamin D	153.67872	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	08DEC2022	25-Hydroxyvitamin D	143.07072	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	12JAN2023	25-Hydroxyvitamin D	143.17056	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	02FEB2023	25-Hydroxyvitamin D	136.656	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 26/End of Treatment	13APR2023	25-Hydroxyvitamin D	168.2304	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	17MAY2023	25-Hydroxyvitamin D	188.3232	NORMAL	74.88000000	249597.50400000	nmol/L
140371036/51/F/W	Screening	14FEB2023	25-Hydroxyvitamin D	100.36416	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	09MAR2023	25-Hydroxyvitamin D	98.11776	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	03APR2023	25-Hydroxyvitamin D	100.0896	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	03MAY2023	25-Hydroxyvitamin D	118.98432	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	05JUN2023	25-Hydroxyvitamin D	129.01824	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	27JUN2023	25-Hydroxyvitamin D	124.8	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	05SEP2023	25-Hydroxyvitamin D	127.37088	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	05OCT2023	25-Hydroxyvitamin D	132.76224	NORMAL	74.88000000	249597.50400000	nmol/L
140371040/53/F/W	Screening	01MAR2023	25-Hydroxyvitamin D	71.08608	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	30MAR2023	25-Hydroxyvitamin D	78.4992	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	20APR2023	25-Hydroxyvitamin D	66.09408	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	18MAY2023	25-Hydroxyvitamin D	78.3744	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	27JUN2023	25-Hydroxyvitamin D	77.40096	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	17JUL2023	25-Hydroxyvitamin D	73.008	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	21SEP2023	25-Hydroxyvitamin D	70.8864	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	24OCT2023	25-Hydroxyvitamin D	56.16	LOW	74.88000000	249597.50400000	nmol/L
140401001/55/F/W	Screening	05OCT2021	25-Hydroxyvitamin D	101.4624	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	07DEC2021	25-Hydroxyvitamin D	88.53312	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	03JAN2022	25-Hydroxyvitamin D	71.28576	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	01FEB2022	25-Hydroxyvitamin D	74.23104	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	01MAR2022	25-Hydroxyvitamin D	75.05472	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	22MAR2022	25-Hydroxyvitamin D	74.18112	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	01JUN2022	25-Hydroxyvitamin D	92.37696	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	30JUN2022	25-Hydroxyvitamin D	122.35392	NORMAL	74.88000000	249597.50400000	nmol/L
140401017/54/F/W	Screening	12JAN2023	25-Hydroxyvitamin D	88.05888	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	22FEB2023	25-Hydroxyvitamin D	127.44576	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	20MAR2023	25-Hydroxyvitamin D	97.66848	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	24APR2023	25-Hydroxyvitamin D	97.14432	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	22MAY2023	25-Hydroxyvitamin D	94.62336	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	12JUN2023	25-Hydroxyvitamin D	102.23616	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	20SEP2023	25-Hydroxyvitamin D	86.3616	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	04OCT2023	25-Hydroxyvitamin D	74.20608	LOW	74.88000000	249597.50400000	nmol/L
140431004/57/F/W	Screening	08APR2022	25-Hydroxyvitamin D	232.67712	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	13JUN2022	25-Hydroxyvitamin D	182.0832	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	07JUL2022	25-Hydroxyvitamin D	166.1088	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	04AUG2022	25-Hydroxyvitamin D	154.47744	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	06SEP2022	25-Hydroxyvitamin D	217.60128	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	29SEP2022	25-Hydroxyvitamin D	186.42624	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	08DEC2022	25-Hydroxyvitamin D	131.11488	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Follow-up	10JAN2023	25-Hydroxyvitamin D	129.0432	NORMAL	74.88000000	249597.50400000	nmol/L
140431037/52/F/W	Screening	13DEC2022	25-Hydroxyvitamin D	86.112	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	13FEB2023	25-Hydroxyvitamin D	73.15776	LOW	74.88000000	249597.50400000	nmol/L
140461013/60/F/W	Screening	25AUG2022	25-Hydroxyvitamin D	103.35936	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	06OCT2022	25-Hydroxyvitamin D	105.73056	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	29NOV2022	25-Hydroxyvitamin D	155.376	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	03JAN2023	25-Hydroxyvitamin D	139.30176	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	09NOV2022	25-Hydroxyvitamin D	159.76896	NORMAL	74.88000000	249597.50400000	nmol/L
140471005/53/F/AI	Screening	28MAR2022	25-Hydroxyvitamin D	68.8896	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	19MAY2022	25-Hydroxyvitamin D	80.9952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	13JUN2022	25-Hydroxyvitamin D	83.616	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	07JUL2022	25-Hydroxyvitamin D	81.3696	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	11AUG2022	25-Hydroxyvitamin D	75.2544	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	01SEP2022	25-Hydroxyvitamin D	74.6304	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	10NOV2022	25-Hydroxyvitamin D	83.81568	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	15DEC2022	25-Hydroxyvitamin D	93.89952	NORMAL	74.88000000	249597.50400000	nmol/L
140471011/61/F/W	Screening	22JUN2022	25-Hydroxyvitamin D	110.89728	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	21SEP2022	25-Hydroxyvitamin D	122.00448	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	12OCT2022	25-Hydroxyvitamin D	112.29504	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	09NOV2022	25-Hydroxyvitamin D	103.4592	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	21DEC2022	25-Hydroxyvitamin D	118.78464	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	06JAN2023	25-Hydroxyvitamin D	105.8304	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	05APR2023	25-Hydroxyvitamin D	121.20576	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	17APR2023	25-Hydroxyvitamin D	121.72992	NORMAL	74.88000000	249597.50400000	nmol/L
140471030/50/F/W	Screening	02FEB2023	25-Hydroxyvitamin D	105.456	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	13APR2023	25-Hydroxyvitamin D	109.12512	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	09MAY2023	25-Hydroxyvitamin D	118.26048	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	09JUN2023	25-Hydroxyvitamin D	126.47232	NORMAL	74.88000000	249597.50400000	nmol/L
140491029/58/F/B	Screening	20MAR2023	25-Hydroxyvitamin D	153.70368	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	19APR2023	25-Hydroxyvitamin D	129.14304	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	11MAY2023	25-Hydroxyvitamin D	135.93216	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	07JUN2023	25-Hydroxyvitamin D	106.72896	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	12JUL2023	25-Hydroxyvitamin D	96.5952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	03AUG2023	25-Hydroxyvitamin D	98.76672	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	11OCT2023	25-Hydroxyvitamin D	108.0768	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	09NOV2023	25-Hydroxyvitamin D	109.4496	NORMAL	74.88000000	249597.50400000	nmol/L
140511010/45/F/W	Screening	08NOV2022	25-Hydroxyvitamin D	44.65344	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	23FEB2023	25-Hydroxyvitamin D	39.16224	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	22MAR2023	25-Hydroxyvitamin D	36.84096	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	25APR2023	25-Hydroxyvitamin D	42.78144	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	31MAY2023	25-Hydroxyvitamin D	67.11744	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 16	13JUN2023	25-Hydroxyvitamin D	77.6256	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	21AUG2023	25-Hydroxyvitamin D	65.37024	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	19SEP2023	25-Hydroxyvitamin D	60.82752	LOW	74.88000000	249597.50400000	nmol/L
140531006/41/F/B	Screening	28SEP2022	25-Hydroxyvitamin D	75.7536	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	27OCT2022	25-Hydroxyvitamin D	65.99424	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	17NOV2022	25-Hydroxyvitamin D	63.19872	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	15DEC2022	25-Hydroxyvitamin D	72.90816	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	19JAN2023	25-Hydroxyvitamin D	70.96128	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	09FEB2023	25-Hydroxyvitamin D	74.18112	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	25APR2023	25-Hydroxyvitamin D	77.82528	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	19MAY2023	25-Hydroxyvitamin D	68.1408	LOW	74.88000000	249597.50400000	nmol/L
140541014/53/F/W	Screening	03JUN2022	25-Hydroxyvitamin D	147.06432	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	05JUL2022	25-Hydroxyvitamin D	136.43136	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	27JUL2022	25-Hydroxyvitamin D	122.70336	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	25AUG2022	25-Hydroxyvitamin D	100.93824	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	04OCT2022	25-Hydroxyvitamin D	119.5584	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	24OCT2022	25-Hydroxyvitamin D	110.02368	NORMAL	74.88000000	249597.50400000	nmol/L
140541021/59/F/B	Screening	29JUL2022	25-Hydroxyvitamin D	47.99808	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	02SEP2022	25-Hydroxyvitamin D	62.42496	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	23SEP2022	25-Hydroxyvitamin D	55.43616	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	21OCT2022	25-Hydroxyvitamin D	62.30016	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	28NOV2022	25-Hydroxyvitamin D	44.32896	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	19DEC2022	25-Hydroxyvitamin D	52.0416	LOW	74.88000000	249597.50400000	nmol/L
140541023/46/F/B	Screening	01AUG2022	25-Hydroxyvitamin D	44.77824	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	06SEP2022	25-Hydroxyvitamin D	68.31552	LOW	74.88000000	249597.50400000	nmol/L
140541027/59/F/B	Screening	06MAR2023	25-Hydroxyvitamin D	42.28224	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	07APR2023	25-Hydroxyvitamin D	65.17056	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	08MAY2023	25-Hydroxyvitamin D	70.73664	LOW	74.88000000	249597.50400000	nmol/L
140581010/56/F/B	Screening	13JUL2022	25-Hydroxyvitamin D	94.92288	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	06SEP2022	25-Hydroxyvitamin D	106.00512	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	27SEP2022	25-Hydroxyvitamin D	111.62112	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	27OCT2022	25-Hydroxyvitamin D	95.07264	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	30NOV2022	25-Hydroxyvitamin D	159.4944	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	21DEC2022	25-Hydroxyvitamin D	135.98208	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	01MAR2023	25-Hydroxyvitamin D	122.62848	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	28MAR2023	25-Hydroxyvitamin D	121.97952	NORMAL	74.88000000	249597.50400000	nmol/L
140601012/54/F/W	Screening	06FEB2023	25-Hydroxyvitamin D	64.0224	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	27MAR2023	25-Hydroxyvitamin D	57.83232	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	19APR2023	25-Hydroxyvitamin D	63.54816	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	24MAY2023	25-Hydroxyvitamin D	54.63744	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	20JUN2023	25-Hydroxyvitamin D	57.6576	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 16	10JUL2023	25-Hydroxyvitamin D	68.71488	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	18SEP2023	25-Hydroxyvitamin D	47.52384	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	18OCT2023	25-Hydroxyvitamin D	68.34048	LOW	74.88000000	249597.50400000	nmol/L
140601013/62/F/W	Screening	06FEB2023	25-Hydroxyvitamin D	69.03936	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	27MAR2023	25-Hydroxyvitamin D	68.59008	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	18APR2023	25-Hydroxyvitamin D	81.26976	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	15MAY2023	25-Hydroxyvitamin D	86.08704	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	14JUN2023	25-Hydroxyvitamin D	83.64096	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	10JUL2023	25-Hydroxyvitamin D	78.57408	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	18SEP2023	25-Hydroxyvitamin D	52.14144	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	16OCT2023	25-Hydroxyvitamin D	57.83232	LOW	74.88000000	249597.50400000	nmol/L
140601018/57/F/W	Screening	27FEB2023	25-Hydroxyvitamin D	84.53952	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	13APR2023	25-Hydroxyvitamin D	207.76704	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	04MAY2023	25-Hydroxyvitamin D	221.99424	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	01JUN2023	25-Hydroxyvitamin D	207.74208	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	06JUL2023	25-Hydroxyvitamin D	183.25632	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	02AUG2023	25-Hydroxyvitamin D	190.29504	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	05OCT2023	25-Hydroxyvitamin D	166.13376	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	08NOV2023	25-Hydroxyvitamin D	174.37056	NORMAL	74.88000000	249597.50400000	nmol/L
140601021/52/F/W	Screening	28FEB2023	25-Hydroxyvitamin D	112.8192	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	11APR2023	25-Hydroxyvitamin D	110.97216	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	02MAY2023	25-Hydroxyvitamin D	109.52448	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	05JUN2023	25-Hydroxyvitamin D	82.81728	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	05JUL2023	25-Hydroxyvitamin D	112.84416	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	31JUL2023	25-Hydroxyvitamin D	101.98656	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	05OCT2023	25-Hydroxyvitamin D	87.4848	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	02NOV2023	25-Hydroxyvitamin D	96.62016	NORMAL	74.88000000	249597.50400000	nmol/L
140841009/62/F/W	Screening	23AUG2022	25-Hydroxyvitamin D	126.47232	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	04OCT2022	25-Hydroxyvitamin D	116.4384	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	24OCT2022	25-Hydroxyvitamin D	139.85088	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	22NOV2022	25-Hydroxyvitamin D	182.13312	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	28DEC2022	25-Hydroxyvitamin D	244.53312	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	19JAN2023	25-Hydroxyvitamin D	284.544	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	28MAR2023	25-Hydroxyvitamin D	151.93152	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	27APR2023	25-Hydroxyvitamin D	235.97184	NORMAL	74.88000000	249597.50400000	nmol/L
140841038/57/F/W	Screening	01FEB2023	25-Hydroxyvitamin D	223.59168	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	06APR2023	25-Hydroxyvitamin D	208.89024	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	03MAY2023	25-Hydroxyvitamin D	225.31392	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	31MAY2023	25-Hydroxyvitamin D	220.82112	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	29JUN2023	25-Hydroxyvitamin D	217.45152	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	21JUL2023	25-Hydroxyvitamin D	270.0672	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 26/End of Treatment	09OCT2023	25-Hydroxyvitamin D	257.088	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	01NOV2023	25-Hydroxyvitamin D	243.01056	NORMAL	74.88000000	249597.50400000	nmol/L
140851011/45/F/W	Screening	01FEB2023	25-Hydroxyvitamin D	103.05984	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	15MAR2023	25-Hydroxyvitamin D	81.89376	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	05APR2023	25-Hydroxyvitamin D	104.35776	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	04MAY2023	25-Hydroxyvitamin D	87.7344	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	07JUN2023	25-Hydroxyvitamin D	86.88576	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	29JUN2023	25-Hydroxyvitamin D	104.28288	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13SEP2023	25-Hydroxyvitamin D	92.352	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	09OCT2023	25-Hydroxyvitamin D	93.42528	NORMAL	74.88000000	249597.50400000	nmol/L
140931005/52/F/W	Baseline	12APR2022	25-Hydroxyvitamin D	33.3216	LOW	74.88000000	249597.50400000	nmol/L
		24MAY2022	25-Hydroxyvitamin D			.	.	
	Week 4	14JUN2022	25-Hydroxyvitamin D	37.51488	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	21JUL2022	25-Hydroxyvitamin D	68.59008	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	17AUG2022	25-Hydroxyvitamin D	73.98144	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	14SEP2022	25-Hydroxyvitamin D	69.73824	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	21NOV2022	25-Hydroxyvitamin D	41.88288	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	20DEC2022	25-Hydroxyvitamin D	43.35552	LOW	74.88000000	249597.50400000	nmol/L
	Unscheduled	25APR2022	25-Hydroxyvitamin D	32.9472	LOW	74.88000000	249597.50400000	nmol/L
140981009/58/F/W	Screening	17NOV2022	25-Hydroxyvitamin D	98.14272	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	05JAN2023	25-Hydroxyvitamin D	90.33024	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	02FEB2023	25-Hydroxyvitamin D	94.02432	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	02MAR2023	25-Hydroxyvitamin D	132.96192	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	30MAR2023	25-Hydroxyvitamin D	109.24992	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	27APR2023	25-Hydroxyvitamin D	97.69344	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	26JUN2023	25-Hydroxyvitamin D	70.83648	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	25AUG2023	25-Hydroxyvitamin D	102.53568	NORMAL	74.88000000	249597.50400000	nmol/L
140981013/55/F/W	Screening	29DEC2022	25-Hydroxyvitamin D	66.09408	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	21FEB2023	25-Hydroxyvitamin D	69.93792	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	07MAR2023	25-Hydroxyvitamin D	93.7248	NORMAL	74.88000000	249597.50400000	nmol/L
140981014/55/F/W	Screening	12JAN2023	25-Hydroxyvitamin D	67.1424	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	25APR2023	25-Hydroxyvitamin D	81.6192	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	23MAY2023	25-Hydroxyvitamin D	65.91936	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13JUN2023	25-Hydroxyvitamin D	68.64	LOW	74.88000000	249597.50400000	nmol/L
140991043/51/F/B	Screening	22SEP2022	25-Hydroxyvitamin D	100.7136	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	10NOV2022	25-Hydroxyvitamin D	87.78432	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	06DEC2022	25-Hydroxyvitamin D	72.6336	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	05JAN2023	25-Hydroxyvitamin D	81.4944	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	02FEB2023	25-Hydroxyvitamin D	99.04128	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	28FEB2023	25-Hydroxyvitamin D	96.39552	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	10MAY2023	25-Hydroxyvitamin D	103.88352	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Follow-up	06JUN2023	25-Hydroxyvitamin D	85.7376	NORMAL	74.88000000	249597.50400000	nmol/L
140991048/51/F/W	Screening	21NOV2022	25-Hydroxyvitamin D	137.47968	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	09JAN2023	25-Hydroxyvitamin D	142.3968	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	30JAN2023	25-Hydroxyvitamin D	129.94176	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	08MAR2023	25-Hydroxyvitamin D	144.96768	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	04APR2023	25-Hydroxyvitamin D	132.288	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	03MAY2023	25-Hydroxyvitamin D	131.83872	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	09AUG2023	25-Hydroxyvitamin D	106.87872	NORMAL	74.88000000	249597.50400000	nmol/L
140991049/49/F/B	Screening	01DEC2022	25-Hydroxyvitamin D	29.10336	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	19DEC2022	25-Hydroxyvitamin D	24.73536	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	12JAN2023	25-Hydroxyvitamin D	40.11072	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	09FEB2023	25-Hydroxyvitamin D	24.18624	LOW	74.88000000	249597.50400000	nmol/L
140991053/62/F/B	Screening	16FEB2023	25-Hydroxyvitamin D	89.08224	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	13MAR2023	25-Hydroxyvitamin D	85.96224	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	06APR2023	25-Hydroxyvitamin D	90.75456	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	02MAY2023	25-Hydroxyvitamin D	93.92448	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	05JUN2023	25-Hydroxyvitamin D	87.93408	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	30JUN2023	25-Hydroxyvitamin D	81.79392	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	05SEP2023	25-Hydroxyvitamin D	82.04352	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	03OCT2023	25-Hydroxyvitamin D	83.7408	NORMAL	74.88000000	249597.50400000	nmol/L
141051002/58/F/B	Screening	27OCT2021	25-Hydroxyvitamin D	50.56896	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	22DEC2021	25-Hydroxyvitamin D	46.60032	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	18JAN2022	25-Hydroxyvitamin D	55.98528	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	09FEB2022	25-Hydroxyvitamin D	46.97472	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	16MAR2022	25-Hydroxyvitamin D	41.5584	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	12APR2022	25-Hydroxyvitamin D	46.82496	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	17JUN2022	25-Hydroxyvitamin D	47.49888	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	15JUL2022	25-Hydroxyvitamin D	39.71136	LOW	74.88000000	249597.50400000	nmol/L
141051005/63/F/B	Screening	15DEC2021	25-Hydroxyvitamin D	78.42432	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	13JAN2022	25-Hydroxyvitamin D	67.31712	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	09FEB2022	25-Hydroxyvitamin D	81.21984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	09MAR2022	25-Hydroxyvitamin D	70.18752	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	08APR2022	25-Hydroxyvitamin D	77.5008	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	03MAY2022	25-Hydroxyvitamin D	67.16736	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13JUL2022	25-Hydroxyvitamin D	69.68832	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	04AUG2022	25-Hydroxyvitamin D	82.8672	NORMAL	74.88000000	249597.50400000	nmol/L
141051007/62/F/W	Screening	11MAR2022	25-Hydroxyvitamin D	85.53792	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	22APR2022	25-Hydroxyvitamin D	101.53728	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	23MAY2022	25-Hydroxyvitamin D	88.2336	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	18MAR2022	25-Hydroxyvitamin D	86.4864	NORMAL	74.88000000	249597.50400000	nmol/L
141051012/55/F/B	Screening	12MAY2022	25-Hydroxyvitamin D	86.68608	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Baseline	10JUN2022	25-Hydroxyvitamin D	86.08704	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	06JUL2022	25-Hydroxyvitamin D	93.12576	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	04AUG2022	25-Hydroxyvitamin D	112.34496	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	07SEP2022	25-Hydroxyvitamin D	105.10656	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	30SEP2022	25-Hydroxyvitamin D	114.39168	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	01DEC2022	25-Hydroxyvitamin D	86.26176	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	29DEC2022	25-Hydroxyvitamin D	70.61184	LOW	74.88000000	249597.50400000	nmol/L
141051015/55/F/W	Screening	23JUN2022	25-Hydroxyvitamin D	81.04512	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	09AUG2022	25-Hydroxyvitamin D	84.16512	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	01SEP2022	25-Hydroxyvitamin D	84.28992	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	05OCT2022	25-Hydroxyvitamin D	104.00832	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	01NOV2022	25-Hydroxyvitamin D	100.23936	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	28NOV2022	25-Hydroxyvitamin D	99.04128	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	06FEB2023	25-Hydroxyvitamin D	78.29952	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	03MAR2023	25-Hydroxyvitamin D	67.81632	LOW	74.88000000	249597.50400000	nmol/L
141051017/56/F/B	Screening	31AUG2022	25-Hydroxyvitamin D	68.3904	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	19OCT2022	25-Hydroxyvitamin D	87.45984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	09NOV2022	25-Hydroxyvitamin D	63.17376	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	07DEC2022	25-Hydroxyvitamin D	44.22912	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	11JAN2023	25-Hydroxyvitamin D	41.03424	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	13FEB2023	25-Hydroxyvitamin D	32.84736	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	12APR2023	25-Hydroxyvitamin D	37.24032	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	10MAY2023	25-Hydroxyvitamin D	46.10112	LOW	74.88000000	249597.50400000	nmol/L
141051019/58/F/W	Screening	09SEP2022	25-Hydroxyvitamin D	126.7968	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	21NOV2022	25-Hydroxyvitamin D	159.31968	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	13DEC2022	25-Hydroxyvitamin D	127.82016	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	11JAN2023	25-Hydroxyvitamin D	105.35616	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	10FEB2023	25-Hydroxyvitamin D	113.04384	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	10MAR2023	25-Hydroxyvitamin D	133.56096	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	22MAY2023	25-Hydroxyvitamin D	104.3328	NORMAL	74.88000000	249597.50400000	nmol/L
141051020/52/F/W	Screening	03OCT2022	25-Hydroxyvitamin D	143.81952	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	30NOV2022	25-Hydroxyvitamin D	127.37088	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	22DEC2022	25-Hydroxyvitamin D	117.58656	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	18JAN2023	25-Hydroxyvitamin D	109.2	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	23FEB2023	25-Hydroxyvitamin D	115.48992	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	20MAR2023	25-Hydroxyvitamin D	127.12128	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	30DEC2022	25-Hydroxyvitamin D	123.552	NORMAL	74.88000000	249597.50400000	nmol/L
141051021/52/F/W	Screening	05OCT2022	25-Hydroxyvitamin D	131.58912	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	02NOV2022	25-Hydroxyvitamin D	143.42016	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	02DEC2022	25-Hydroxyvitamin D	143.52	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	21DEC2022	25-Hydroxyvitamin D	132.61248	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 12	25JAN2023	25-Hydroxyvitamin D	97.4688	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	15FEB2023	25-Hydroxyvitamin D	98.64192	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	26APR2023	25-Hydroxyvitamin D	146.34048	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	24MAY2023	25-Hydroxyvitamin D	152.18112	NORMAL	74.88000000	249597.50400000	nmol/L
141051026/57/F/W	Screening	22NOV2022	25-Hydroxyvitamin D	143.29536	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	09JAN2023	25-Hydroxyvitamin D	260.3328	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	31JAN2023	25-Hydroxyvitamin D	296.7744	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	28FEB2023	25-Hydroxyvitamin D	231.17952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	03APR2023	25-Hydroxyvitamin D	183.05664	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	24APR2023	25-Hydroxyvitamin D	162.06528	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	18JUL2023	25-Hydroxyvitamin D	138.82752	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	01AUG2023	25-Hydroxyvitamin D	118.16064	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	08FEB2023	25-Hydroxyvitamin D	299.52	NORMAL	74.88000000	249597.50400000	nmol/L
141051035/54/F/W	Screening	06JAN2023	25-Hydroxyvitamin D	157.248	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	14MAR2023	25-Hydroxyvitamin D	140.10048	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	12APR2023	25-Hydroxyvitamin D	118.78464	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	02MAY2023	25-Hydroxyvitamin D	101.23776	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	06JUN2023	25-Hydroxyvitamin D	100.76352	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	27JUN2023	25-Hydroxyvitamin D	110.62272	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	30AUG2023	25-Hydroxyvitamin D	123.52704	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	03OCT2023	25-Hydroxyvitamin D	146.8896	NORMAL	74.88000000	249597.50400000	nmol/L
141051036/56/F/B	Screening	24JAN2023	25-Hydroxyvitamin D	70.41216	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	03MAR2023	25-Hydroxyvitamin D	65.07072	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	24MAR2023	25-Hydroxyvitamin D	57.6576	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	24APR2023	25-Hydroxyvitamin D	53.81376	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	05JUN2023	25-Hydroxyvitamin D	65.37024	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	21JUN2023	25-Hydroxyvitamin D	58.43136	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	31AUG2023	25-Hydroxyvitamin D	79.22304	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	04OCT2023	25-Hydroxyvitamin D	73.98144	LOW	74.88000000	249597.50400000	nmol/L
141101007/56/F/W	Screening	15FEB2023	25-Hydroxyvitamin D	59.42976	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	07APR2023	25-Hydroxyvitamin D	68.016	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	03MAY2023	25-Hydroxyvitamin D	68.16576	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	31MAY2023	25-Hydroxyvitamin D	62.12544	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	05JUL2023	25-Hydroxyvitamin D	73.70688	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	31JUL2023	25-Hydroxyvitamin D	70.06272	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	05OCT2023	25-Hydroxyvitamin D	72.35904	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	30OCT2023	25-Hydroxyvitamin D	59.00544	LOW	74.88000000	249597.50400000	nmol/L
141131005/56/F/W	Screening	03MAY2022	25-Hydroxyvitamin D			.	.	
	Baseline	14JUN2022	25-Hydroxyvitamin D	93.12576	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	15AUG2022	25-Hydroxyvitamin D	79.67232	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	06OCT2022	25-Hydroxyvitamin D	82.992	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 26/End of Treatment	12DEC2022	25-Hydroxyvitamin D	75.0048	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	11JAN2023	25-Hydroxyvitamin D	61.95072	LOW	74.88000000	249597.50400000	nmol/L
141131008/57/F/W	Screening	16MAY2022	25-Hydroxyvitamin D			.	.	
	Baseline	23JUN2022	25-Hydroxyvitamin D	112.0704	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	14JUL2022	25-Hydroxyvitamin D	109.00032	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	11AUG2022	25-Hydroxyvitamin D	132.21312	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	06OCT2022	25-Hydroxyvitamin D	138.0288	NORMAL	74.88000000	249597.50400000	nmol/L
141131024/51/F/W	Screening	09AUG2022	25-Hydroxyvitamin D	87.21024	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	26SEP2022	25-Hydroxyvitamin D	92.90112	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	19OCT2022	25-Hydroxyvitamin D	75.82848	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	20DEC2022	25-Hydroxyvitamin D	67.66656	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	10APR2023	25-Hydroxyvitamin D	77.47584	NORMAL	74.88000000	249597.50400000	nmol/L
141131032/55/F/W	Screening	12SEP2022	25-Hydroxyvitamin D	83.89056	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	03NOV2022	25-Hydroxyvitamin D	91.52832	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	05DEC2022	25-Hydroxyvitamin D	73.55712	LOW	74.88000000	249597.50400000	nmol/L
141131050/56/F/W	Screening	07FEB2023	25-Hydroxyvitamin D	84.46464	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	13MAR2023	25-Hydroxyvitamin D	103.4592	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	07APR2023	25-Hydroxyvitamin D	77.45088	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	03MAY2023	25-Hydroxyvitamin D	100.16448	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	12JUN2023	25-Hydroxyvitamin D	86.08704	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	30JUN2023	25-Hydroxyvitamin D	107.2032	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13SEP2023	25-Hydroxyvitamin D	102.336	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	04OCT2023	25-Hydroxyvitamin D	74.05632	LOW	74.88000000	249597.50400000	nmol/L
141141025/63/F/W	Screening	10JAN2023	25-Hydroxyvitamin D	105.28128	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	20MAR2023	25-Hydroxyvitamin D	116.96256	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	17APR2023	25-Hydroxyvitamin D	135.83232	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	15MAY2023	25-Hydroxyvitamin D	143.47008	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	12JUN2023	25-Hydroxyvitamin D	123.90144	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	07JUL2023	25-Hydroxyvitamin D	217.5264	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	11SEP2023	25-Hydroxyvitamin D	139.95072	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	11OCT2023	25-Hydroxyvitamin D	146.49024	NORMAL	74.88000000	249597.50400000	nmol/L
141191006/57/F/W	Screening	08APR2022	25-Hydroxyvitamin D	70.08768	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	19MAY2022	25-Hydroxyvitamin D	62.67456	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	16JUN2022	25-Hydroxyvitamin D	75.60384	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	07JUL2022	25-Hydroxyvitamin D	91.25376	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	16AUG2022	25-Hydroxyvitamin D	73.33248	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	07SEP2022	25-Hydroxyvitamin D	92.12736	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	22NOV2022	25-Hydroxyvitamin D	79.92192	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	13DEC2022	25-Hydroxyvitamin D	80.04672	NORMAL	74.88000000	249597.50400000	nmol/L
141191021/61/F/B	Screening	28DEC2022	25-Hydroxyvitamin D	58.2816	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	08FEB2023	25-Hydroxyvitamin D	65.84448	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 4	01MAR2023	25-Hydroxyvitamin D	66.86784	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	03APR2023	25-Hydroxyvitamin D	84.96384	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	04MAY2023	25-Hydroxyvitamin D	80.67072	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	24MAY2023	25-Hydroxyvitamin D	74.05632	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	29JUL2023	25-Hydroxyvitamin D	74.1312	LOW	74.88000000	249597.50400000	nmol/L
141251001/61/F/B	Screening	13SEP2021	25-Hydroxyvitamin D	38.688	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	14OCT2021	25-Hydroxyvitamin D	34.29504	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	08NOV2021	25-Hydroxyvitamin D	59.0304	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	06DEC2021	25-Hydroxyvitamin D	53.664	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	22DEC2021	25-Hydroxyvitamin D	71.28576	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	18JAN2022	25-Hydroxyvitamin D	58.5312	LOW	74.88000000	249597.50400000	nmol/L
141251005/54/F/B	Screening	09NOV2021	25-Hydroxyvitamin D	57.88224	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	21DEC2021	25-Hydroxyvitamin D	69.56352	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	17JAN2022	25-Hydroxyvitamin D	57.5328	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	14FEB2022	25-Hydroxyvitamin D	59.4048	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	15MAR2022	25-Hydroxyvitamin D	81.46944	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	07APR2022	25-Hydroxyvitamin D	57.05856	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	14JUN2022	25-Hydroxyvitamin D	57.68256	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	12JUL2022	25-Hydroxyvitamin D	81.02016	NORMAL	74.88000000	249597.50400000	nmol/L
141251010/55/F/B	Screening	01MAR2022	25-Hydroxyvitamin D	45.25248	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	07APR2022	25-Hydroxyvitamin D	51.14304	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	03MAY2022	25-Hydroxyvitamin D	45.65184	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	31MAY2022	25-Hydroxyvitamin D	54.18816	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	28JUN2022	25-Hydroxyvitamin D	68.8896	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	26JUL2022	25-Hydroxyvitamin D	73.8816	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	04OCT2022	25-Hydroxyvitamin D	70.61184	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	08NOV2022	25-Hydroxyvitamin D	44.1792	LOW	74.88000000	249597.50400000	nmol/L
141331004/53/F/B	Screening	21OCT2022	25-Hydroxyvitamin D	34.96896	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	09DEC2022	25-Hydroxyvitamin D	48.72192	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	03JAN2023	25-Hydroxyvitamin D	47.27424	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	31JAN2023	25-Hydroxyvitamin D	61.152	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	09MAR2023	25-Hydroxyvitamin D	61.70112	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	04APR2023	25-Hydroxyvitamin D	68.73984	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	06JUN2023	25-Hydroxyvitamin D	88.45824	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	11JUL2023	25-Hydroxyvitamin D	88.93248	NORMAL	74.88000000	249597.50400000	nmol/L
141361007/48/F/W	Screening	05MAY2022	25-Hydroxyvitamin D	127.07136	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	16JUN2022	25-Hydroxyvitamin D	131.18976	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	11JUL2022	25-Hydroxyvitamin D	118.70976	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	08AUG2022	25-Hydroxyvitamin D	113.11872	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	12SEP2022	25-Hydroxyvitamin D	126.1728	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	03OCT2022	25-Hydroxyvitamin D	114.59136	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 26/End of Treatment	12DEC2022	25-Hydroxyvitamin D	100.78848	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	09JAN2023	25-Hydroxyvitamin D	93.1008	NORMAL	74.88000000	249597.50400000	nmol/L
141361012/56/F/W	Screening	17JUN2022	25-Hydroxyvitamin D	101.43744	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	29JUL2022	25-Hydroxyvitamin D	92.55168	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	29AUG2022	25-Hydroxyvitamin D	96.76992	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	16SEP2022	25-Hydroxyvitamin D	86.53632	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	21OCT2022	25-Hydroxyvitamin D	97.5936	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	11NOV2022	25-Hydroxyvitamin D	77.95008	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	26JAN2023	25-Hydroxyvitamin D	71.33568	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	20FEB2023	25-Hydroxyvitamin D	83.31648	NORMAL	74.88000000	249597.50400000	nmol/L
141361014/53/F/W	Screening	20JUN2022	25-Hydroxyvitamin D	136.80576	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	20JUL2022	25-Hydroxyvitamin D	115.21536	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	15AUG2022	25-Hydroxyvitamin D	162.76416	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	12SEP2022	25-Hydroxyvitamin D	157.09824	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	17OCT2022	25-Hydroxyvitamin D	107.0784	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	03NOV2022	25-Hydroxyvitamin D	103.23456	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	12JAN2023	25-Hydroxyvitamin D	76.27776	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	16FEB2023	25-Hydroxyvitamin D	86.83584	NORMAL	74.88000000	249597.50400000	nmol/L
141361016/44/F/W	Screening	24JUN2022	25-Hydroxyvitamin D	75.47904	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	08AUG2022	25-Hydroxyvitamin D	84.38976	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	02SEP2022	25-Hydroxyvitamin D	80.34624	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	30SEP2022	25-Hydroxyvitamin D	75.80352	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	04NOV2022	25-Hydroxyvitamin D	74.20608	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	28NOV2022	25-Hydroxyvitamin D	69.68832	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	02FEB2023	25-Hydroxyvitamin D	70.48704	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	10MAR2023	25-Hydroxyvitamin D	73.45728	LOW	74.88000000	249597.50400000	nmol/L
141361017/58/F/NR	Screening	08JUL2022	25-Hydroxyvitamin D	47.5488	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	18AUG2022	25-Hydroxyvitamin D	44.1792	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	09SEP2022	25-Hydroxyvitamin D	41.88288	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	10OCT2022	25-Hydroxyvitamin D	42.25728	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	11NOV2022	25-Hydroxyvitamin D	37.53984	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	29NOV2022	25-Hydroxyvitamin D	55.68576	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	09FEB2023	25-Hydroxyvitamin D	88.55808	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	17MAR2023	25-Hydroxyvitamin D	84.28992	NORMAL	74.88000000	249597.50400000	nmol/L
141361024/56/F/W	Screening	25AUG2022	25-Hydroxyvitamin D	210.76224	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	10OCT2022	25-Hydroxyvitamin D	189.072	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	03NOV2022	25-Hydroxyvitamin D	191.34336	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	29NOV2022	25-Hydroxyvitamin D	168.2304	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	03JAN2023	25-Hydroxyvitamin D	140.54976	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	23JAN2023	25-Hydroxyvitamin D	130.59072	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	03APR2023	25-Hydroxyvitamin D	127.64544	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Follow-up	05MAY2023	25-Hydroxyvitamin D	141.49824	NORMAL	74.88000000	249597.50400000	nmol/L
141361035/62/F/W	Screening	19DEC2022	25-Hydroxyvitamin D	89.50656	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	20JAN2023	25-Hydroxyvitamin D	112.86912	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	10FEB2023	25-Hydroxyvitamin D	114.96576	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	10MAR2023	25-Hydroxyvitamin D	130.81536	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	14APR2023	25-Hydroxyvitamin D	125.89824	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	05MAY2023	25-Hydroxyvitamin D	128.01984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	20JUL2023	25-Hydroxyvitamin D	150.93312	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	11AUG2023	25-Hydroxyvitamin D	139.97568	NORMAL	74.88000000	249597.50400000	nmol/L
141361037/56/F/W	Screening	12JAN2023	25-Hydroxyvitamin D	107.40288	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	16FEB2023	25-Hydroxyvitamin D	103.8336	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	09MAR2023	25-Hydroxyvitamin D	105.8304	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	13APR2023	25-Hydroxyvitamin D	107.90208	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	15MAY2023	25-Hydroxyvitamin D	101.53728	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	01JUN2023	25-Hydroxyvitamin D	116.16384	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	16AUG2023	25-Hydroxyvitamin D	99.76512	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	07SEP2023	25-Hydroxyvitamin D	102.61056	NORMAL	74.88000000	249597.50400000	nmol/L
141431002/56/F/W	Screening	26APR2022	25-Hydroxyvitamin D	72.93312	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	31MAY2022	25-Hydroxyvitamin D	73.48224	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	23JUN2022	25-Hydroxyvitamin D	89.70624	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	22JUL2022	25-Hydroxyvitamin D	72.18432	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	30AUG2022	25-Hydroxyvitamin D	76.5024	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	19SEP2022	25-Hydroxyvitamin D	73.20768	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	29NOV2022	25-Hydroxyvitamin D	77.8752	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	05JAN2023	25-Hydroxyvitamin D	65.19552	LOW	74.88000000	249597.50400000	nmol/L
141431003/56/F/W	Screening	08JUN2022	25-Hydroxyvitamin D	144.29376	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	05JUL2022	25-Hydroxyvitamin D	171.9744	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	18JUL2022	25-Hydroxyvitamin D	167.90592	NORMAL	74.88000000	249597.50400000	nmol/L
141431012/53/F/W	Screening	19SEP2022	25-Hydroxyvitamin D	103.93344	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	04NOV2022	25-Hydroxyvitamin D	97.14432	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	22NOV2022	25-Hydroxyvitamin D	103.28448	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	28DEC2022	25-Hydroxyvitamin D	72.384	LOW	74.88000000	249597.50400000	nmol/L
	Unscheduled	07NOV2022	25-Hydroxyvitamin D	103.2096	NORMAL	74.88000000	249597.50400000	nmol/L
		15NOV2022	25-Hydroxyvitamin D	103.18464	NORMAL	74.88000000	249597.50400000	nmol/L
141431015/52/F/W	Screening	23JAN2023	25-Hydroxyvitamin D	92.77632	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	01MAR2023	25-Hydroxyvitamin D	68.61504	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	23MAR2023	25-Hydroxyvitamin D	76.92672	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	18APR2023	25-Hydroxyvitamin D	91.67808	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	01JUN2023	25-Hydroxyvitamin D	99.04128	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	15JUN2023	25-Hydroxyvitamin D	91.25376	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	18AUG2023	25-Hydroxyvitamin D	79.04832	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Follow-up	13SEP2023	25-Hydroxyvitamin D	97.4688	NORMAL	74.88000000	249597.50400000	nmol/L
141791013/54/F/W	Screening	06MAR2023	25-Hydroxyvitamin D	104.63232	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	30MAR2023	25-Hydroxyvitamin D	94.19904	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	25APR2023	25-Hydroxyvitamin D	93.92448	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	17MAY2023	25-Hydroxyvitamin D	93.57504	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	29JUN2023	25-Hydroxyvitamin D	99.66528	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	26JUL2023	25-Hydroxyvitamin D	102.43584	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	17OCT2023	25-Hydroxyvitamin D	72.5088	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	20NOV2023	25-Hydroxyvitamin D	73.632	LOW	74.88000000	249597.50400000	nmol/L
	Unscheduled	17MAY2023	25-Hydroxyvitamin D	103.3344	NORMAL	74.88000000	249597.50400000	nmol/L
141801004/60/F/W	Screening	18NOV2022	25-Hydroxyvitamin D	93.07584	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	27DEC2022	25-Hydroxyvitamin D	95.3472	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	17JAN2023	25-Hydroxyvitamin D	93.12576	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	14FEB2023	25-Hydroxyvitamin D	115.34016	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	20MAR2023	25-Hydroxyvitamin D	100.78848	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	11APR2023	25-Hydroxyvitamin D	107.65248	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	22JUN2023	25-Hydroxyvitamin D	108.35136	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	20JUL2023	25-Hydroxyvitamin D	124.37568	NORMAL	74.88000000	249597.50400000	nmol/L
141801008/55/F/W	Screening	11JAN2023	25-Hydroxyvitamin D	47.57376	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	02MAR2023	25-Hydroxyvitamin D	55.536	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	23MAR2023	25-Hydroxyvitamin D	55.18656	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	24APR2023	25-Hydroxyvitamin D	45.45216	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	31MAY2023	25-Hydroxyvitamin D	52.01664	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	15JUN2023	25-Hydroxyvitamin D	46.82496	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	24AUG2023	25-Hydroxyvitamin D	51.34272	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	25SEP2023	25-Hydroxyvitamin D	51.21792	LOW	74.88000000	249597.50400000	nmol/L
141891008/55/F/B	Screening	21DEC2022	25-Hydroxyvitamin D	102.4608	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	28FEB2023	25-Hydroxyvitamin D	99.216	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	23MAR2023	25-Hydroxyvitamin D	113.74272	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	18APR2023	25-Hydroxyvitamin D	101.712	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	25MAY2023	25-Hydroxyvitamin D	105.15648	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	13JUN2023	25-Hydroxyvitamin D	94.52352	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	24AUG2023	25-Hydroxyvitamin D	82.84224	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	26SEP2023	25-Hydroxyvitamin D	94.9728	NORMAL	74.88000000	249597.50400000	nmol/L
141891017/54/F/B	Screening	09FEB2023	25-Hydroxyvitamin D	44.4288	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	28MAR2023	25-Hydroxyvitamin D	41.4336	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	20APR2023	25-Hydroxyvitamin D	45.62688	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	19MAY2023	25-Hydroxyvitamin D	47.44896	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	20JUN2023	25-Hydroxyvitamin D	37.1904	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	11JUL2023	25-Hydroxyvitamin D	36.41664	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	20SEP2023	25-Hydroxyvitamin D	33.02208	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
141891027/57/F/B	Screening	17FEB2023	25-Hydroxyvitamin D	46.5504	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	31MAR2023	25-Hydroxyvitamin D	71.08608	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	21APR2023	25-Hydroxyvitamin D	59.05536	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	19MAY2023	25-Hydroxyvitamin D	61.70112	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	23JUN2023	25-Hydroxyvitamin D	54.7872	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	14JUL2023	25-Hydroxyvitamin D	74.88	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	27SEP2023	25-Hydroxyvitamin D	65.44512	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	27OCT2023	25-Hydroxyvitamin D	56.55936	LOW	74.88000000	249597.50400000	nmol/L
141901001/48/F/W	Screening	31AUG2022	25-Hydroxyvitamin D	73.48224	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	09NOV2022	25-Hydroxyvitamin D	54.33792	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	30NOV2022	25-Hydroxyvitamin D	68.09088	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	29DEC2022	25-Hydroxyvitamin D	71.98464	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	02FEB2023	25-Hydroxyvitamin D	73.15776	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	24FEB2023	25-Hydroxyvitamin D	77.30112	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	05MAY2023	25-Hydroxyvitamin D	72.73344	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	06JUN2023	25-Hydroxyvitamin D	72.95808	LOW	74.88000000	249597.50400000	nmol/L
141901007/55/F/W	Screening	10OCT2022	25-Hydroxyvitamin D	101.98656	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	12JAN2023	25-Hydroxyvitamin D	115.53984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	02FEB2023	25-Hydroxyvitamin D	122.90304	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	10FEB2023	25-Hydroxyvitamin D	128.11968	NORMAL	74.88000000	249597.50400000	nmol/L
141901030/58/F/B	Screening	02FEB2023	25-Hydroxyvitamin D	81.89376	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	19APR2023	25-Hydroxyvitamin D	60.60288	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	10MAY2023	25-Hydroxyvitamin D	78.92352	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	13JUN2023	25-Hydroxyvitamin D	66.66816	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	12JUL2023	25-Hydroxyvitamin D	59.6544	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	02AUG2023	25-Hydroxyvitamin D	72.43392	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13OCT2023	25-Hydroxyvitamin D	83.84064	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	08NOV2023	25-Hydroxyvitamin D	83.59104	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	09FEB2023	25-Hydroxyvitamin D	56.58432	LOW	74.88000000	249597.50400000	nmol/L
141901032/61/F/W	Screening	15FEB2023	25-Hydroxyvitamin D	85.2384	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	31MAR2023	25-Hydroxyvitamin D	83.616	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	26APR2023	25-Hydroxyvitamin D	94.57344	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	25MAY2023	25-Hydroxyvitamin D	95.49696	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	27JUN2023	25-Hydroxyvitamin D	112.49472	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	18JUL2023	25-Hydroxyvitamin D	123.1776	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	28SEP2023	25-Hydroxyvitamin D	111.1968	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	20OCT2023	25-Hydroxyvitamin D	112.84416	NORMAL	74.88000000	249597.50400000	nmol/L
141901034/65/F/B	Screening	17FEB2023	25-Hydroxyvitamin D	77.05152	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	20APR2023	25-Hydroxyvitamin D	61.9008	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	12MAY2023	25-Hydroxyvitamin D	68.46528	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	08JUN2023	25-Hydroxyvitamin D	56.11008	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 12	13JUL2023	25-Hydroxyvitamin D	91.80288	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	04AUG2023	25-Hydroxyvitamin D	86.4864	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13OCT2023	25-Hydroxyvitamin D	100.11456	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	10NOV2023	25-Hydroxyvitamin D	96.42048	NORMAL	74.88000000	249597.50400000	nmol/L
141951001/55/F/B	Screening	10NOV2022	25-Hydroxyvitamin D	109.22496	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	28DEC2022	25-Hydroxyvitamin D	116.38848	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	19JAN2023	25-Hydroxyvitamin D	114.49152	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	17FEB2023	25-Hydroxyvitamin D	94.02432	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	22MAR2023	25-Hydroxyvitamin D	92.90112	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	14APR2023	25-Hydroxyvitamin D	102.336	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	27JUN2023	25-Hydroxyvitamin D	105.48096	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	20JUL2023	25-Hydroxyvitamin D	102.11136	NORMAL	74.88000000	249597.50400000	nmol/L
141951007/55/F/W	Screening	27DEC2022	25-Hydroxyvitamin D	117.86112	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	02FEB2023	25-Hydroxyvitamin D	128.36928	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	23FEB2023	25-Hydroxyvitamin D	126.69696	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	23MAR2023	25-Hydroxyvitamin D	147.264	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13APR2023	25-Hydroxyvitamin D	127.39584	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	27APR2023	25-Hydroxyvitamin D	142.34688	NORMAL	74.88000000	249597.50400000	nmol/L
141971002/62/F/B	Screening	20OCT2022	25-Hydroxyvitamin D	87.06048	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	30NOV2022	25-Hydroxyvitamin D	102.96	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	27DEC2022	25-Hydroxyvitamin D	76.752	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	24JAN2023	25-Hydroxyvitamin D	83.79072	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	22FEB2023	25-Hydroxyvitamin D	75.07968	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	22MAR2023	25-Hydroxyvitamin D	87.18528	NORMAL	74.88000000	249597.50400000	nmol/L
141971007/61/F/W	Screening	08NOV2022	25-Hydroxyvitamin D	86.33664	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	19DEC2022	25-Hydroxyvitamin D	74.80512	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	18JAN2023	25-Hydroxyvitamin D	67.41696	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	15FEB2023	25-Hydroxyvitamin D	119.0592	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	14MAR2023	25-Hydroxyvitamin D	76.45248	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	11APR2023	25-Hydroxyvitamin D	74.5056	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13JUN2023	25-Hydroxyvitamin D	70.58688	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	11JUL2023	25-Hydroxyvitamin D	80.64576	NORMAL	74.88000000	249597.50400000	nmol/L
141971008/57/F/B	Screening	15NOV2022	25-Hydroxyvitamin D	76.17792	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	20DEC2022	25-Hydroxyvitamin D	78.69888	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	19JAN2023	25-Hydroxyvitamin D	85.63776	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	21FEB2023	25-Hydroxyvitamin D	98.06784	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	14MAR2023	25-Hydroxyvitamin D	91.75296	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	04APR2023	25-Hydroxyvitamin D	71.78496	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13JUN2023	25-Hydroxyvitamin D	98.94144	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	11JUL2023	25-Hydroxyvitamin D	87.53472	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	19APR2023	25-Hydroxyvitamin D	97.11936	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
141971010/51/F/B	Screening	17NOV2022	25-Hydroxyvitamin D	85.76256	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	06FEB2023	25-Hydroxyvitamin D	70.512	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13APR2023	25-Hydroxyvitamin D	81.744	NORMAL	74.88000000	249597.50400000	nmol/L
141971012/49/F/B	Screening	01DEC2022	25-Hydroxyvitamin D	118.46016	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	26JAN2023	25-Hydroxyvitamin D	135.1584	NORMAL	74.88000000	249597.50400000	nmol/L
141971014/61/F/B	Screening	07DEC2022	25-Hydroxyvitamin D	70.8864	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	17JAN2023	25-Hydroxyvitamin D	101.06304	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	15FEB2023	25-Hydroxyvitamin D	102.18624	NORMAL	74.88000000	249597.50400000	nmol/L
142031004/54/F/W	Screening	02MAR2023	25-Hydroxyvitamin D	82.59264	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	21APR2023	25-Hydroxyvitamin D	73.05792	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	19MAY2023	25-Hydroxyvitamin D	79.27296	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	16JUN2023	25-Hydroxyvitamin D	88.75776	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	14JUL2023	25-Hydroxyvitamin D	90.48	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	09AUG2023	25-Hydroxyvitamin D	91.27872	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	16OCT2023	25-Hydroxyvitamin D	88.50816	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	16NOV2023	25-Hydroxyvitamin D	100.91328	NORMAL	74.88000000	249597.50400000	nmol/L
142111009/46/F/W	Screening	21MAR2023	25-Hydroxyvitamin D	166.25856	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	13APR2023	25-Hydroxyvitamin D	125.07456	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	04MAY2023	25-Hydroxyvitamin D	156.34944	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	01JUN2023	25-Hydroxyvitamin D	149.23584	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	11JUL2023	25-Hydroxyvitamin D	203.424	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	31JUL2023	25-Hydroxyvitamin D	229.5072	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	09OCT2023	25-Hydroxyvitamin D	179.18784	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	09NOV2023	25-Hydroxyvitamin D	142.0224	NORMAL	74.88000000	249597.50400000	nmol/L
142111014/58/F/W	Screening	03APR2023	25-Hydroxyvitamin D	71.98464	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	25APR2023	25-Hydroxyvitamin D	80.496	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	19MAY2023	25-Hydroxyvitamin D	75.22944	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	16JUN2023	25-Hydroxyvitamin D	81.51936	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	18JUL2023	25-Hydroxyvitamin D	78.97344	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	08AUG2023	25-Hydroxyvitamin D	61.72608	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	17OCT2023	25-Hydroxyvitamin D	70.68672	LOW	74.88000000	249597.50400000	nmol/L
142111017/56/F/W	Screening	23MAR2023	25-Hydroxyvitamin D	61.17696	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	20APR2023	25-Hydroxyvitamin D	54.01344	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	16MAY2023	25-Hydroxyvitamin D	77.60064	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	12JUN2023	25-Hydroxyvitamin D	73.60704	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	13JUL2023	25-Hydroxyvitamin D	72.65856	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	08AUG2023	25-Hydroxyvitamin D	57.73248	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	16OCT2023	25-Hydroxyvitamin D	69.66336	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	09NOV2023	25-Hydroxyvitamin D	72.60864	LOW	74.88000000	249597.50400000	nmol/L
220011010/60/F/W	Screening	25NOV2022	25-Hydroxyvitamin D	119.73312	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	12JAN2023	25-Hydroxyvitamin D	111.9456	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 4	09FEB2023	25-Hydroxyvitamin D	115.98912	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	07MAR2023	25-Hydroxyvitamin D	104.7072	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	06APR2023	25-Hydroxyvitamin D	100.63872	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	27APR2023	25-Hydroxyvitamin D	86.71104	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	24JUL2023	25-Hydroxyvitamin D	96.89472	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	21SEP2023	25-Hydroxyvitamin D	116.78784	NORMAL	74.88000000	249597.50400000	nmol/L
220011012/48/F/W	Screening	13DEC2022	25-Hydroxyvitamin D	96.42048	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	02FEB2023	25-Hydroxyvitamin D	94.79808	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	21FEB2023	25-Hydroxyvitamin D	85.01376	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	28MAR2023	25-Hydroxyvitamin D	79.248	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	27APR2023	25-Hydroxyvitamin D	80.09664	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	29MAY2023	25-Hydroxyvitamin D	86.71104	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	31JUL2023	25-Hydroxyvitamin D	89.75616	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	18SEP2023	25-Hydroxyvitamin D	88.20864	NORMAL	74.88000000	249597.50400000	nmol/L
220021002/59/F/W	Screening	21SEP2022	25-Hydroxyvitamin D	101.5872	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	23NOV2022	25-Hydroxyvitamin D	91.05408	NORMAL	74.88000000	249597.50400000	nmol/L
220031003/49/F/W	Screening	07APR2022	25-Hydroxyvitamin D	55.11168	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	04MAY2022	25-Hydroxyvitamin D	54.81216	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	30MAY2022	25-Hydroxyvitamin D	48.99648	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	20JUN2022	25-Hydroxyvitamin D	52.94016	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	22JUL2022	25-Hydroxyvitamin D	93.57504	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	06SEP2022	25-Hydroxyvitamin D	82.56768	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	17NOV2022	25-Hydroxyvitamin D	69.08928	LOW	74.88000000	249597.50400000	nmol/L
220031006/55/F/W	Screening	20MAY2022	25-Hydroxyvitamin D	81.4944	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	30JUN2022	25-Hydroxyvitamin D	102.31104	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	02AUG2022	25-Hydroxyvitamin D	97.66848	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	02SEP2022	25-Hydroxyvitamin D	87.8592	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	07OCT2022	25-Hydroxyvitamin D	141.3984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	21OCT2022	25-Hydroxyvitamin D	87.7344	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	22DEC2022	25-Hydroxyvitamin D	84.24	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	19JAN2023	25-Hydroxyvitamin D	82.31808	NORMAL	74.88000000	249597.50400000	nmol/L
220031008/52/F/W	Screening	10JUN2022	25-Hydroxyvitamin D	80.97024	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	12JUL2022	25-Hydroxyvitamin D	75.52896	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	05AUG2022	25-Hydroxyvitamin D	90.45504	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	06SEP2022	25-Hydroxyvitamin D	103.25952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	07OCT2022	25-Hydroxyvitamin D	86.93568	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	04NOV2022	25-Hydroxyvitamin D	85.1136	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	10JAN2023	25-Hydroxyvitamin D	72.5088	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	07FEB2023	25-Hydroxyvitamin D	58.58112	LOW	74.88000000	249597.50400000	nmol/L
220031009/58/F/W	Screening	14JUN2022	25-Hydroxyvitamin D	59.87904	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	12JUL2022	25-Hydroxyvitamin D	93.30048	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 4	05AUG2022	25-Hydroxyvitamin D	73.43232	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	06SEP2022	25-Hydroxyvitamin D	79.04832	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	07OCT2022	25-Hydroxyvitamin D	76.8768	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	07NOV2022	25-Hydroxyvitamin D	75.6288	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	10JAN2023	25-Hydroxyvitamin D	76.27776	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	07FEB2023	25-Hydroxyvitamin D	57.20832	LOW	74.88000000	249597.50400000	nmol/L
220031012/48/F/W	Screening	01AUG2022	25-Hydroxyvitamin D	88.75776	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	14SEP2022	25-Hydroxyvitamin D	115.14048	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	13OCT2022	25-Hydroxyvitamin D	108.67584	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	10NOV2022	25-Hydroxyvitamin D	108.85056	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	15DEC2022	25-Hydroxyvitamin D	86.03712	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	12JAN2023	25-Hydroxyvitamin D	83.16672	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	09MAR2023	25-Hydroxyvitamin D	103.15968	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	06APR2023	25-Hydroxyvitamin D	81.51936	NORMAL	74.88000000	249597.50400000	nmol/L
220031013/53/F/W	Screening	08SEP2022	25-Hydroxyvitamin D	136.55616	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	21OCT2022	25-Hydroxyvitamin D	110.89728	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	17NOV2022	25-Hydroxyvitamin D	129.6672	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	15DEC2022	25-Hydroxyvitamin D	121.72992	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	12JAN2023	25-Hydroxyvitamin D	121.33056	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	09FEB2023	25-Hydroxyvitamin D	102.4608	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	20APR2023	25-Hydroxyvitamin D	97.344	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	18MAY2023	25-Hydroxyvitamin D	103.85856	NORMAL	74.88000000	249597.50400000	nmol/L
220031023/62/F/W	Screening	09MAR2023	25-Hydroxyvitamin D	50.6688	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	16MAR2023	25-Hydroxyvitamin D	46.40064	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	06APR2023	25-Hydroxyvitamin D	58.7808	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	11MAY2023	25-Hydroxyvitamin D	59.50464	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	08JUN2023	25-Hydroxyvitamin D	59.80416	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	29JUN2023	25-Hydroxyvitamin D	77.35104	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	07SEP2023	25-Hydroxyvitamin D	75.60384	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	26OCT2023	25-Hydroxyvitamin D	70.46208	LOW	74.88000000	249597.50400000	nmol/L
220051004/51/F/W	Screening	10OCT2022	25-Hydroxyvitamin D	82.94208	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	21FEB2023	25-Hydroxyvitamin D	75.0048	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	20MAR2023	25-Hydroxyvitamin D	68.61504	LOW	74.88000000	249597.50400000	nmol/L
	Unscheduled	13FEB2023	25-Hydroxyvitamin D	78.84864	NORMAL	74.88000000	249597.50400000	nmol/L
220051006/49/F/W	Screening	24OCT2022	25-Hydroxyvitamin D	70.11264	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	15NOV2022	25-Hydroxyvitamin D	64.49664	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	12DEC2022	25-Hydroxyvitamin D	58.48128	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	10JAN2023	25-Hydroxyvitamin D	57.38304	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	13FEB2023	25-Hydroxyvitamin D	44.72832	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	02MAR2023	25-Hydroxyvitamin D	46.00128	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	16MAY2023	25-Hydroxyvitamin D	42.8064	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Follow-up	29JUN2023	25-Hydroxyvitamin D	50.76864	LOW	74.88000000	249597.50400000	nmol/L
220071004/59/F/W	Screening	16FEB2023	25-Hydroxyvitamin D	71.68512	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	07APR2023	25-Hydroxyvitamin D	65.99424	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	02MAY2023	25-Hydroxyvitamin D	61.55136	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	31MAY2023	25-Hydroxyvitamin D	68.56512	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	03JUL2023	25-Hydroxyvitamin D	77.97504	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	01AUG2023	25-Hydroxyvitamin D	68.83968	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	03OCT2023	25-Hydroxyvitamin D	99.9648	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	02NOV2023	25-Hydroxyvitamin D	75.8784	NORMAL	74.88000000	249597.50400000	nmol/L
300011008/56/F/W	Screening	31JAN2023	25-Hydroxyvitamin D	38.064	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	27MAR2023	25-Hydroxyvitamin D	33.3216	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	24APR2023	25-Hydroxyvitamin D	35.49312	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	17MAY2023	25-Hydroxyvitamin D	53.61408	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	23JUN2023	25-Hydroxyvitamin D	62.37504	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	14JUL2023	25-Hydroxyvitamin D	78.97344	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	25SEP2023	25-Hydroxyvitamin D	76.32768	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	23OCT2023	25-Hydroxyvitamin D	45.40224	LOW	74.88000000	249597.50400000	nmol/L
300011009/49/F/W	Screening	06FEB2023	25-Hydroxyvitamin D	57.05856	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	08MAR2023	25-Hydroxyvitamin D	59.4048	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	03APR2023	25-Hydroxyvitamin D	57.93216	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	26APR2023	25-Hydroxyvitamin D	59.60448	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	01JUN2023	25-Hydroxyvitamin D	51.06816	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	26JUN2023	25-Hydroxyvitamin D	49.4208	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	04SEP2023	25-Hydroxyvitamin D	71.6352	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	09OCT2023	25-Hydroxyvitamin D	56.01024	LOW	74.88000000	249597.50400000	nmol/L
300011011/59/F/W	Screening	17FEB2023	25-Hydroxyvitamin D	131.86368	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	20MAR2023	25-Hydroxyvitamin D	118.48512	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	11APR2023	25-Hydroxyvitamin D	114.74112	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	09MAY2023	25-Hydroxyvitamin D	100.81344	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	15JUN2023	25-Hydroxyvitamin D	132.71232	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	03JUL2023	25-Hydroxyvitamin D	90.05568	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	19SEP2023	25-Hydroxyvitamin D	116.41344	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	12OCT2023	25-Hydroxyvitamin D	93.32544	NORMAL	74.88000000	249597.50400000	nmol/L
300021007/53/F/W	Screening	29AUG2022	25-Hydroxyvitamin D	82.1184	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	03OCT2022	25-Hydroxyvitamin D	57.38304	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	24OCT2022	25-Hydroxyvitamin D	81.6192	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	28NOV2022	25-Hydroxyvitamin D	62.79936	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	27DEC2022	25-Hydroxyvitamin D	67.74144	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	16JAN2023	25-Hydroxyvitamin D	65.44512	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	27MAR2023	25-Hydroxyvitamin D	60.07872	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	31MAY2023	25-Hydroxyvitamin D	65.66976	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
300031003/59/F/W	Screening	20JUN2022	25-Hydroxyvitamin D	109.29984	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	27JUL2022	25-Hydroxyvitamin D	107.05344	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	16AUG2022	25-Hydroxyvitamin D	117.61152	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	15SEP2022	25-Hydroxyvitamin D	108.8256	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	21OCT2022	25-Hydroxyvitamin D	90.65472	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	17NOV2022	25-Hydroxyvitamin D	77.82528	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	23JAN2023	25-Hydroxyvitamin D	87.31008	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	16FEB2023	25-Hydroxyvitamin D	85.08864	NORMAL	74.88000000	249597.50400000	nmol/L
300031004/52/F/W	Screening	23JUN2022	25-Hydroxyvitamin D	119.20896	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	27JUL2022	25-Hydroxyvitamin D	133.21152	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	23AUG2022	25-Hydroxyvitamin D	121.45536	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	14SEP2022	25-Hydroxyvitamin D	133.98528	NORMAL	74.88000000	249597.50400000	nmol/L
300031009/52/F/W	Screening	24AUG2022	25-Hydroxyvitamin D	78.59904	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	28SEP2022	25-Hydroxyvitamin D	72.58368	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	25OCT2022	25-Hydroxyvitamin D	66.36864	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	22NOV2022	25-Hydroxyvitamin D	75.42912	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	21DEC2022	25-Hydroxyvitamin D	75.42912	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	17JAN2023	25-Hydroxyvitamin D	74.80512	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	28MAR2023	25-Hydroxyvitamin D	75.90336	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	25APR2023	25-Hydroxyvitamin D	68.36544	LOW	74.88000000	249597.50400000	nmol/L
300031011/55/F/W	Screening	06OCT2022	25-Hydroxyvitamin D	81.81888	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	04NOV2022	25-Hydroxyvitamin D	80.77056	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	01DEC2022	25-Hydroxyvitamin D	83.46624	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	22DEC2022	25-Hydroxyvitamin D	77.85024	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	31JAN2023	25-Hydroxyvitamin D	79.32288	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	16FEB2023	25-Hydroxyvitamin D	77.8752	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	02MAY2023	25-Hydroxyvitamin D	72.68352	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	01JUN2023	25-Hydroxyvitamin D	72.55872	LOW	74.88000000	249597.50400000	nmol/L
300031013/54/F/W	Screening	07NOV2022	25-Hydroxyvitamin D	160.46784	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	28NOV2022	25-Hydroxyvitamin D	138.95232	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	22DEC2022	25-Hydroxyvitamin D	130.24128	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	16JAN2023	25-Hydroxyvitamin D	131.1648	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	13FEB2023	25-Hydroxyvitamin D	111.74592	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	14MAR2023	25-Hydroxyvitamin D	135.85728	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	23MAY2023	25-Hydroxyvitamin D	125.1744	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	20JUN2023	25-Hydroxyvitamin D	128.89344	NORMAL	74.88000000	249597.50400000	nmol/L
380011001/60/F/W	Screening	14MAR2022	25-Hydroxyvitamin D	89.05728	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	08APR2022	25-Hydroxyvitamin D	84.53952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	29APR2022	25-Hydroxyvitamin D	70.98624	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	31MAY2022	25-Hydroxyvitamin D	76.72704	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	01JUL2022	25-Hydroxyvitamin D	90.65472	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 16	22JUL2022	25-Hydroxyvitamin D	76.42752	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	30SEP2022	25-Hydroxyvitamin D	72.33408	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	04NOV2022	25-Hydroxyvitamin D	71.0112	LOW	74.88000000	249597.50400000	nmol/L
380011002/53/F/W	Screening	20APR2022	25-Hydroxyvitamin D	128.26944	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	22JUN2022	25-Hydroxyvitamin D	146.41536	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	19JUL2022	25-Hydroxyvitamin D	164.26176	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	16AUG2022	25-Hydroxyvitamin D	143.07072	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	14SEP2022	25-Hydroxyvitamin D	144.34368	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	11OCT2022	25-Hydroxyvitamin D	116.88768	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	15DEC2022	25-Hydroxyvitamin D	119.03424	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	18JAN2023	25-Hydroxyvitamin D	115.26528	NORMAL	74.88000000	249597.50400000	nmol/L
380011004/52/F/W	Screening	16JUN2022	25-Hydroxyvitamin D	78.34944	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	02AUG2022	25-Hydroxyvitamin D	89.30688	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	29AUG2022	25-Hydroxyvitamin D	104.93184	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	20SEP2022	25-Hydroxyvitamin D	107.952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	25OCT2022	25-Hydroxyvitamin D	85.63776	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	21NOV2022	25-Hydroxyvitamin D	75.52896	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	24JAN2023	25-Hydroxyvitamin D	68.86464	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	21FEB2023	25-Hydroxyvitamin D	72.43392	LOW	74.88000000	249597.50400000	nmol/L
380011019/50/F/W	Screening	14DEC2022	25-Hydroxyvitamin D	73.05792	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	26JAN2023	25-Hydroxyvitamin D	71.6352	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	16FEB2023	25-Hydroxyvitamin D	78.29952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	21MAR2023	25-Hydroxyvitamin D	87.984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	20APR2023	25-Hydroxyvitamin D	95.04768	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	11MAY2023	25-Hydroxyvitamin D	82.31808	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	20JUL2023	25-Hydroxyvitamin D	69.16416	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	17AUG2023	25-Hydroxyvitamin D	78.82368	NORMAL	74.88000000	249597.50400000	nmol/L
380011020/54/F/W	Screening	12JAN2023	25-Hydroxyvitamin D	55.83552	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	28MAR2023	25-Hydroxyvitamin D	59.72928	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	19APR2023	25-Hydroxyvitamin D	67.91616	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	18MAY2023	25-Hydroxyvitamin D	55.31136	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	22JUN2023	25-Hydroxyvitamin D	58.73088	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	13JUL2023	25-Hydroxyvitamin D	55.68576	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	21SEP2023	25-Hydroxyvitamin D	64.37184	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	19OCT2023	25-Hydroxyvitamin D	46.15104	LOW	74.88000000	249597.50400000	nmol/L
	Unscheduled	23MAR2023	25-Hydroxyvitamin D	51.4176	LOW	74.88000000	249597.50400000	nmol/L
380021002/55/F/W	Screening	10FEB2022	25-Hydroxyvitamin D	60.20352	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	21MAR2022	25-Hydroxyvitamin D	73.85664	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	11APR2022	25-Hydroxyvitamin D	65.09568	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	10MAY2022	25-Hydroxyvitamin D	73.7568	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	15JUN2022	25-Hydroxyvitamin D	74.83008	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 16	13JUL2022	25-Hydroxyvitamin D	76.27776	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13SEP2022	25-Hydroxyvitamin D	78.22464	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	10OCT2022	25-Hydroxyvitamin D	78.17472	NORMAL	74.88000000	249597.50400000	nmol/L
380051001/48/F/W	Screening	05JAN2022	25-Hydroxyvitamin D	75.10464	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	28JAN2022	25-Hydroxyvitamin D	81.02016	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	18FEB2022	25-Hydroxyvitamin D	81.12	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	18MAR2022	25-Hydroxyvitamin D	78.54912	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	22APR2022	25-Hydroxyvitamin D	87.80928	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	13MAY2022	25-Hydroxyvitamin D	79.92192	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	22JUL2022	25-Hydroxyvitamin D	81.91872	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	26AUG2022	25-Hydroxyvitamin D	79.44768	NORMAL	74.88000000	249597.50400000	nmol/L
380051002/64/F/W	Screening	04MAR2022	25-Hydroxyvitamin D	66.94272	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	01APR2022	25-Hydroxyvitamin D	67.19232	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	22APR2022	25-Hydroxyvitamin D	68.98944	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	25MAY2022	25-Hydroxyvitamin D	82.94208	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	24JUN2022	25-Hydroxyvitamin D	86.08704	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	22JUL2022	25-Hydroxyvitamin D	113.21856	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	23SEP2022	25-Hydroxyvitamin D	93.57504	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	14NOV2022	25-Hydroxyvitamin D	82.44288	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	21OCT2022	25-Hydroxyvitamin D	94.92288	NORMAL	74.88000000	249597.50400000	nmol/L
380051003/64/F/W	Screening	08APR2022	25-Hydroxyvitamin D	82.59264	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	29APR2022	25-Hydroxyvitamin D	83.2416	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	20MAY2022	25-Hydroxyvitamin D	96.49536	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	17JUN2022	25-Hydroxyvitamin D	102.31104	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	22JUL2022	25-Hydroxyvitamin D	86.38656	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	16AUG2022	25-Hydroxyvitamin D	101.48736	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	21OCT2022	25-Hydroxyvitamin D	90.05568	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	25NOV2022	25-Hydroxyvitamin D	80.77056	NORMAL	74.88000000	249597.50400000	nmol/L
380051004/52/F/W	Screening	08JUL2022	25-Hydroxyvitamin D	91.50336	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	15AUG2022	25-Hydroxyvitamin D	93.00096	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	08SEP2022	25-Hydroxyvitamin D	97.99296	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	03OCT2022	25-Hydroxyvitamin D	109.64928	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	07NOV2022	25-Hydroxyvitamin D	104.48256	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	01DEC2022	25-Hydroxyvitamin D	81.04512	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	13FEB2023	25-Hydroxyvitamin D	75.82848	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	14MAR2023	25-Hydroxyvitamin D	68.04096	LOW	74.88000000	249597.50400000	nmol/L
380051005/55/F/W	Screening	21OCT2022	25-Hydroxyvitamin D	144.19392	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	25NOV2022	25-Hydroxyvitamin D	92.50176	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	21DEC2022	25-Hydroxyvitamin D	96.49536	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	20JAN2023	25-Hydroxyvitamin D	90.9792	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	17FEB2023	25-Hydroxyvitamin D	81.51936	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 16	10MAR2023	25-Hydroxyvitamin D	81.79392	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	19MAY2023	25-Hydroxyvitamin D	72.0096	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	21JUN2023	25-Hydroxyvitamin D	67.7664	LOW	74.88000000	249597.50400000	nmol/L
380061005/42/F/W	Screening	06JAN2022	25-Hydroxyvitamin D	33.24672	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	28FEB2022	25-Hydroxyvitamin D	59.42976	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	23MAR2022	25-Hydroxyvitamin D	54.1632	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	21APR2022	25-Hydroxyvitamin D	59.75424	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	23MAY2022	25-Hydroxyvitamin D	70.41216	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	20JUN2022	25-Hydroxyvitamin D	70.3872	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	25AUG2022	25-Hydroxyvitamin D	56.75904	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	21SEP2022	25-Hydroxyvitamin D	53.26464	LOW	74.88000000	249597.50400000	nmol/L
380061010/55/F/W	Screening	02JUN2022	25-Hydroxyvitamin D	59.32992	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	25JUL2022	25-Hydroxyvitamin D	66.49344	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	22AUG2022	25-Hydroxyvitamin D	74.30592	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	15SEP2022	25-Hydroxyvitamin D	87.45984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	17OCT2022	25-Hydroxyvitamin D	68.7648	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	10NOV2022	25-Hydroxyvitamin D	63.1488	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	16JAN2023	25-Hydroxyvitamin D	76.27776	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	15FEB2023	25-Hydroxyvitamin D	61.75104	LOW	74.88000000	249597.50400000	nmol/L
380061011/50/F/W	Screening	02JUN2022	25-Hydroxyvitamin D	71.16096	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	18JUL2022	25-Hydroxyvitamin D	72.30912	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	01AUG2022	25-Hydroxyvitamin D	80.8704	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	07SEP2022	25-Hydroxyvitamin D	91.2288	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	12OCT2022	25-Hydroxyvitamin D	87.01056	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	02NOV2022	25-Hydroxyvitamin D	89.55648	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	11JAN2023	25-Hydroxyvitamin D	73.08288	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	15FEB2023	25-Hydroxyvitamin D	58.48128	LOW	74.88000000	249597.50400000	nmol/L
380061015/52/F/W	Screening	24OCT2022	25-Hydroxyvitamin D	81.71904	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	23JAN2023	25-Hydroxyvitamin D	63.32352	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	13FEB2023	25-Hydroxyvitamin D	83.46624	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	16MAR2023	25-Hydroxyvitamin D	100.56384	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	20APR2023	25-Hydroxyvitamin D	84.53952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	11MAY2023	25-Hydroxyvitamin D	80.54592	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	17JUL2023	25-Hydroxyvitamin D	87.03552	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	21AUG2023	25-Hydroxyvitamin D	83.19168	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	12JAN2023	25-Hydroxyvitamin D	66.94272	LOW	74.88000000	249597.50400000	nmol/L
380061020/58/F/W	Screening	05JAN2023	25-Hydroxyvitamin D	56.98368	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	13FEB2023	25-Hydroxyvitamin D	72.0096	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	07MAR2023	25-Hydroxyvitamin D	71.36064	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	06APR2023	25-Hydroxyvitamin D	74.20608	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	11MAY2023	25-Hydroxyvitamin D	68.04096	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 16	30MAY2023	25-Hydroxyvitamin D	71.6352	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	07AUG2023	25-Hydroxyvitamin D	65.2704	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	07SEP2023	25-Hydroxyvitamin D	82.81728	NORMAL	74.88000000	249597.50400000	nmol/L
380071009/57/F/W	Screening	11JUL2022	25-Hydroxyvitamin D	147.36384	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	22SEP2022	25-Hydroxyvitamin D	122.52864	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	17OCT2022	25-Hydroxyvitamin D	111.49632	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	14NOV2022	25-Hydroxyvitamin D	96.57024	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	19DEC2022	25-Hydroxyvitamin D	103.43424	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	05JAN2023	25-Hydroxyvitamin D	102.41088	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	30MAR2023	25-Hydroxyvitamin D	93.74976	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	20APR2023	25-Hydroxyvitamin D	94.14912	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	15SEP2022	25-Hydroxyvitamin D	127.09632	NORMAL	74.88000000	249597.50400000	nmol/L
380071014/53/F/W	Screening	23FEB2023	25-Hydroxyvitamin D	59.32992	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	12APR2023	25-Hydroxyvitamin D	56.93376	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	04MAY2023	25-Hydroxyvitamin D	47.64864	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	31MAY2023	25-Hydroxyvitamin D	63.2736	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	10JUL2023	25-Hydroxyvitamin D	69.43872	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	26JUL2023	25-Hydroxyvitamin D	72.15936	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	10OCT2023	25-Hydroxyvitamin D	80.09664	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	06NOV2023	25-Hydroxyvitamin D	63.69792	LOW	74.88000000	249597.50400000	nmol/L
380091004/44/F/W	Screening	02JUN2022	25-Hydroxyvitamin D	52.71552	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	23JUN2022	25-Hydroxyvitamin D	65.37024	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	21JUL2022	25-Hydroxyvitamin D	74.15616	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	15AUG2022	25-Hydroxyvitamin D	87.38496	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	19SEP2022	25-Hydroxyvitamin D	104.88192	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	06OCT2022	25-Hydroxyvitamin D	89.03232	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	15DEC2022	25-Hydroxyvitamin D	74.60544	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	02FEB2023	25-Hydroxyvitamin D	47.64864	LOW	74.88000000	249597.50400000	nmol/L
380091005/65/F/W	Screening	14JUL2022	25-Hydroxyvitamin D	90.03072	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	24AUG2022	25-Hydroxyvitamin D	85.18848	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	19SEP2022	25-Hydroxyvitamin D	94.27392	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	13OCT2022	25-Hydroxyvitamin D	76.95168	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	16NOV2022	25-Hydroxyvitamin D	68.19072	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	08DEC2022	25-Hydroxyvitamin D	62.05056	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	16FEB2023	25-Hydroxyvitamin D	68.73984	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	23MAR2023	25-Hydroxyvitamin D	69.93792	LOW	74.88000000	249597.50400000	nmol/L
	Unscheduled	03AUG2022	25-Hydroxyvitamin D	92.25216	NORMAL	74.88000000	249597.50400000	nmol/L
380101004/45/F/W	Screening	03MAR2022	25-Hydroxyvitamin D	45.47712	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	31MAR2022	25-Hydroxyvitamin D	53.11488	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	21APR2022	25-Hydroxyvitamin D	58.50624	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	19MAY2022	25-Hydroxyvitamin D	63.29856	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 12	23JUN2022	25-Hydroxyvitamin D	72.83328	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	19JUL2022	25-Hydroxyvitamin D	66.31872	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	22SEP2022	25-Hydroxyvitamin D	87.26016	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	27OCT2022	25-Hydroxyvitamin D	62.17536	LOW	74.88000000	249597.50400000	nmol/L
380101006/48/F/W	Screening	14APR2022	25-Hydroxyvitamin D	65.09568	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	09JUN2022	25-Hydroxyvitamin D	78.29952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	28JUN2022	25-Hydroxyvitamin D	82.4928	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	28JUL2022	25-Hydroxyvitamin D	60.32832	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	01SEP2022	25-Hydroxyvitamin D	78.44928	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	26SEP2022	25-Hydroxyvitamin D	90.05568	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	07DEC2022	25-Hydroxyvitamin D	75.6288	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	05JAN2023	25-Hydroxyvitamin D	81.81888	NORMAL	74.88000000	249597.50400000	nmol/L
380101008/48/F/W	Screening	28APR2022	25-Hydroxyvitamin D	65.74464	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	02JUN2022	25-Hydroxyvitamin D	73.48224	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	28JUN2022	25-Hydroxyvitamin D	85.56288	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	21JUL2022	25-Hydroxyvitamin D	78.59904	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	30AUG2022	25-Hydroxyvitamin D	83.09184	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	21SEP2022	25-Hydroxyvitamin D	85.7376	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	30NOV2022	25-Hydroxyvitamin D	76.45248	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	22DEC2022	25-Hydroxyvitamin D	75.47904	NORMAL	74.88000000	249597.50400000	nmol/L
380101009/47/F/W	Screening	03MAY2022	25-Hydroxyvitamin D	69.18912	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	20JUN2022	25-Hydroxyvitamin D	72.48384	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	13JUL2022	25-Hydroxyvitamin D	78.97344	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	15AUG2022	25-Hydroxyvitamin D	73.95648	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	15SEP2022	25-Hydroxyvitamin D	82.64256	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	26SEP2022	25-Hydroxyvitamin D	73.3824	LOW	74.88000000	249597.50400000	nmol/L
380101014/46/F/W	Screening	24JUN2022	25-Hydroxyvitamin D	68.36544	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	05AUG2022	25-Hydroxyvitamin D	81.07008	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	31AUG2022	25-Hydroxyvitamin D	77.02656	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	26SEP2022	25-Hydroxyvitamin D	92.70144	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	31OCT2022	25-Hydroxyvitamin D	95.02272	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	21NOV2022	25-Hydroxyvitamin D	87.31008	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	30JAN2023	25-Hydroxyvitamin D	85.1136	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	13MAR2023	25-Hydroxyvitamin D	75.2544	NORMAL	74.88000000	249597.50400000	nmol/L
380101019/56/F/W	Screening	06DEC2022	25-Hydroxyvitamin D	141.17376	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	19JAN2023	25-Hydroxyvitamin D	115.88928	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	09MAR2023	25-Hydroxyvitamin D	83.44128	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	13APR2023	25-Hydroxyvitamin D	87.33504	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	04MAY2023	25-Hydroxyvitamin D	71.78496	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	21JUL2023	25-Hydroxyvitamin D	85.9872	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	17AUG2023	25-Hydroxyvitamin D	79.9968	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
380101023/47/F/W	Screening	06JAN2023	25-Hydroxyvitamin D	70.73664	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	16FEB2023	25-Hydroxyvitamin D	46.25088	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	09MAR2023	25-Hydroxyvitamin D	48.37248	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	06APR2023	25-Hydroxyvitamin D	64.1472	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	11MAY2023	25-Hydroxyvitamin D	70.31232	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	08JUN2023	25-Hydroxyvitamin D	69.7632	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	14AUG2023	25-Hydroxyvitamin D	71.21088	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	22SEP2023	25-Hydroxyvitamin D	115.8144	NORMAL	74.88000000	249597.50400000	nmol/L
380101024/48/F/W	Screening	28FEB2023	25-Hydroxyvitamin D	55.68576	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	06APR2023	25-Hydroxyvitamin D	57.18336	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	04MAY2023	25-Hydroxyvitamin D	48.87168	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	25MAY2023	25-Hydroxyvitamin D	51.69216	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	29JUN2023	25-Hydroxyvitamin D	60.1536	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	20JUL2023	25-Hydroxyvitamin D	59.45472	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	04OCT2023	25-Hydroxyvitamin D	64.47168	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	02NOV2023	25-Hydroxyvitamin D	69.73824	LOW	74.88000000	249597.50400000	nmol/L
380111006/51/F/W	Screening	20OCT2022	25-Hydroxyvitamin D	104.38272	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	08DEC2022	25-Hydroxyvitamin D	83.2416	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	04JAN2023	25-Hydroxyvitamin D	84.19008	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	01FEB2023	25-Hydroxyvitamin D	86.96064	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	02MAR2023	25-Hydroxyvitamin D	80.22144	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	29MAR2023	25-Hydroxyvitamin D	80.92032	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	01JUN2023	25-Hydroxyvitamin D	81.09504	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	29JUN2023	25-Hydroxyvitamin D	68.5152	LOW	74.88000000	249597.50400000	nmol/L
440011009/57/F/W	Screening	30MAR2022	25-Hydroxyvitamin D	90.70464	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	27APR2022	25-Hydroxyvitamin D	93.15072	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	23MAY2022	25-Hydroxyvitamin D	110.6976	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	07JUN2022	25-Hydroxyvitamin D	125.24928	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	20JUL2022	25-Hydroxyvitamin D	176.19264	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	12AUG2022	25-Hydroxyvitamin D	157.9968	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	24OCT2022	25-Hydroxyvitamin D	134.48448	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	21NOV2022	25-Hydroxyvitamin D	123.22752	NORMAL	74.88000000	249597.50400000	nmol/L
440011010/49/F/W	Screening	04APR2022	25-Hydroxyvitamin D	90.77952	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	24MAY2022	25-Hydroxyvitamin D	97.79328	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	14JUN2022	25-Hydroxyvitamin D	111.3216	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	12JUL2022	25-Hydroxyvitamin D	112.79424	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	19AUG2022	25-Hydroxyvitamin D	100.63872	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	06SEP2022	25-Hydroxyvitamin D	104.38272	NORMAL	74.88000000	249597.50400000	nmol/L
440011012/56/F/W	Screening	03MAY2022	25-Hydroxyvitamin D	198.0576	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	07JUN2022	25-Hydroxyvitamin D	196.75968	NORMAL	74.88000000	249597.50400000	nmol/L
440011016/58/F/W	Screening	13JUN2022	25-Hydroxyvitamin D	67.34208	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Baseline	20JUL2022	25-Hydroxyvitamin D	64.87104	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	10AUG2022	25-Hydroxyvitamin D	62.30016	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	07SEP2022	25-Hydroxyvitamin D	65.37024	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	12OCT2022	25-Hydroxyvitamin D	79.32288	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	02NOV2022	25-Hydroxyvitamin D	61.37664	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	11JAN2023	25-Hydroxyvitamin D	60.05376	LOW	74.88000000	249597.50400000	nmol/L
440011028/59/F/W	Screening	10FEB2023	25-Hydroxyvitamin D	83.9904	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	28MAR2023	25-Hydroxyvitamin D	87.83424	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	24APR2023	25-Hydroxyvitamin D	78.97344	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	26MAY2023	25-Hydroxyvitamin D	76.47744	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	26JUN2023	25-Hydroxyvitamin D	91.87776	NORMAL	74.88000000	249597.50400000	nmol/L
440021002/52/F/W	Screening	14FEB2022	25-Hydroxyvitamin D	53.38944	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	23MAR2022	25-Hydroxyvitamin D	78.39936	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	19APR2022	25-Hydroxyvitamin D	68.59008	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	17MAY2022	25-Hydroxyvitamin D	100.7136	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	20JUN2022	25-Hydroxyvitamin D	108.05184	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	12JUL2022	25-Hydroxyvitamin D	100.8384	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	20OCT2022	25-Hydroxyvitamin D	85.53792	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	23NOV2022	25-Hydroxyvitamin D	70.53696	LOW	74.88000000	249597.50400000	nmol/L
440021006/51/F/W	Screening	24MAY2022	25-Hydroxyvitamin D	117.48672	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	23JUN2022	25-Hydroxyvitamin D	102.66048	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	16AUG2022	25-Hydroxyvitamin D	116.26368	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	22SEP2022	25-Hydroxyvitamin D	99.88992	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	14OCT2022	25-Hydroxyvitamin D	108.02688	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	12JAN2023	25-Hydroxyvitamin D	100.16448	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	02FEB2023	25-Hydroxyvitamin D	105.0816	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	06SEP2022	25-Hydroxyvitamin D	105.13152	NORMAL	74.88000000	249597.50400000	nmol/L
440021011/60/F/W	Screening	12DEC2022	25-Hydroxyvitamin D	68.34048	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	17JAN2023	25-Hydroxyvitamin D	78.4992	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	09FEB2023	25-Hydroxyvitamin D	100.11456	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	09MAR2023	25-Hydroxyvitamin D	113.11872	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	13APR2023	25-Hydroxyvitamin D	120.60672	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	09MAY2023	25-Hydroxyvitamin D	117.61152	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	19JUL2023	25-Hydroxyvitamin D	145.96608	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	14AUG2023	25-Hydroxyvitamin D	136.00704	NORMAL	74.88000000	249597.50400000	nmol/L
440031006/54/F/W	Screening	25MAY2022	25-Hydroxyvitamin D	128.86848	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	11JUL2022	25-Hydroxyvitamin D	150.85824	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	08AUG2022	25-Hydroxyvitamin D	154.82688	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	31AUG2022	25-Hydroxyvitamin D	142.5216	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	04OCT2022	25-Hydroxyvitamin D	133.2864	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	27OCT2022	25-Hydroxyvitamin D	133.58592	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Follow-up	05DEC2022	25-Hydroxyvitamin D	134.43456	NORMAL	74.88000000	249597.50400000	nmol/L
440031012/50/F/W	Screening	23JUN2022	25-Hydroxyvitamin D	52.86528	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	20JUL2022	25-Hydroxyvitamin D	58.9056	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	16AUG2022	25-Hydroxyvitamin D	63.69792	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	09SEP2022	25-Hydroxyvitamin D	55.48608	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	13OCT2022	25-Hydroxyvitamin D	57.83232	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	08NOV2022	25-Hydroxyvitamin D	49.96992	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	23JAN2023	25-Hydroxyvitamin D	43.50528	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	13FEB2023	25-Hydroxyvitamin D	46.00128	LOW	74.88000000	249597.50400000	nmol/L
440031024/53/F/W	Screening	14NOV2022	25-Hydroxyvitamin D	46.77504	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	12DEC2022	25-Hydroxyvitamin D	53.23968	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	05JAN2023	25-Hydroxyvitamin D	52.31616	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	10FEB2023	25-Hydroxyvitamin D	67.56672	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	10MAR2023	25-Hydroxyvitamin D	86.88576	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	28MAR2023	25-Hydroxyvitamin D	62.35008	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	02JUN2023	25-Hydroxyvitamin D	74.1312	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	19JUL2023	25-Hydroxyvitamin D	77.07648	NORMAL	74.88000000	249597.50400000	nmol/L
440031025/56/F/W	Screening	21NOV2022	25-Hydroxyvitamin D	68.04096	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	28DEC2022	25-Hydroxyvitamin D	65.2704	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	19JAN2023	25-Hydroxyvitamin D	60.87744	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	16FEB2023	25-Hydroxyvitamin D	58.43136	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	14APR2023	25-Hydroxyvitamin D	57.18336	LOW	74.88000000	249597.50400000	nmol/L
440051002/64/F/W	Screening	08FEB2022	25-Hydroxyvitamin D	77.2512	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	22MAR2022	25-Hydroxyvitamin D	66.36864	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	13APR2022	25-Hydroxyvitamin D	73.7568	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	11MAY2022	25-Hydroxyvitamin D	80.57088	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	21JUN2022	25-Hydroxyvitamin D	95.2224	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	11JUL2022	25-Hydroxyvitamin D	113.51808	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	21SEP2022	25-Hydroxyvitamin D	80.32128	NORMAL	74.88000000	249597.50400000	nmol/L
440051016/62/F/W	Screening	29NOV2022	25-Hydroxyvitamin D	72.6336	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	12JAN2023	25-Hydroxyvitamin D	69.08928	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	07FEB2023	25-Hydroxyvitamin D	67.36704	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	14MAR2023	25-Hydroxyvitamin D	70.03776	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	12APR2023	25-Hydroxyvitamin D	79.84704	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	27APR2023	25-Hydroxyvitamin D	71.2608	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	11JUL2023	25-Hydroxyvitamin D	77.20128	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	18AUG2023	25-Hydroxyvitamin D	104.80704	NORMAL	74.88000000	249597.50400000	nmol/L
460031004/60/F/W	Screening	15NOV2022	25-Hydroxyvitamin D	37.41504	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	19DEC2022	25-Hydroxyvitamin D	30.22656	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	13JAN2023	25-Hydroxyvitamin D	25.584	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	08FEB2023	25-Hydroxyvitamin D	44.52864	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 12	16MAR2023	25-Hydroxyvitamin D	53.83872	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	03APR2023	25-Hydroxyvitamin D	38.73792	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	26JUN2023	25-Hydroxyvitamin D	65.04576	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	12JUL2023	25-Hydroxyvitamin D	64.19712	LOW	74.88000000	249597.50400000	nmol/L
460061014/55/F/W	Screening	07FEB2023	25-Hydroxyvitamin D	76.128	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	29MAR2023	25-Hydroxyvitamin D	65.12064	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	28APR2023	25-Hydroxyvitamin D	52.44096	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	18MAY2023	25-Hydroxyvitamin D	51.36768	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	22JUN2023	25-Hydroxyvitamin D	56.45952	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	17JUL2023	25-Hydroxyvitamin D	43.95456	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	27SEP2023	25-Hydroxyvitamin D	69.6384	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	26OCT2023	25-Hydroxyvitamin D	56.70912	LOW	74.88000000	249597.50400000	nmol/L
460071001/57/F/W	Screening	08APR2022	25-Hydroxyvitamin D	81.69408	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	25MAY2022	25-Hydroxyvitamin D	93.3504	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	21JUN2022	25-Hydroxyvitamin D	93.6	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	15JUL2022	25-Hydroxyvitamin D	95.04768	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	22AUG2022	25-Hydroxyvitamin D	93.52512	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	16SEP2022	25-Hydroxyvitamin D	99.54048	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	30NOV2022	25-Hydroxyvitamin D	79.94688	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	05JAN2023	25-Hydroxyvitamin D	86.06208	NORMAL	74.88000000	249597.50400000	nmol/L
460071003/53/F/W	Screening	23MAY2022	25-Hydroxyvitamin D	100.11456	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	01JUL2022	25-Hydroxyvitamin D	83.19168	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	25JUL2022	25-Hydroxyvitamin D	74.0064	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	22AUG2022	25-Hydroxyvitamin D	84.88896	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	23SEP2022	25-Hydroxyvitamin D	82.71744	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	17OCT2022	25-Hydroxyvitamin D	89.53152	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	29DEC2022	25-Hydroxyvitamin D	153.504	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	23JAN2023	25-Hydroxyvitamin D	116.71296	NORMAL	74.88000000	249597.50400000	nmol/L
460071007/62/F/W	Screening	29JUL2022	25-Hydroxyvitamin D	81.09504	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	26AUG2022	25-Hydroxyvitamin D	95.3472	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	26SEP2022	25-Hydroxyvitamin D	89.53152	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	20OCT2022	25-Hydroxyvitamin D	82.51776	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	18NOV2022	25-Hydroxyvitamin D	83.31648	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	09DEC2022	25-Hydroxyvitamin D	77.35104	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	23FEB2023	25-Hydroxyvitamin D	68.86464	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	24MAR2023	25-Hydroxyvitamin D	62.5248	LOW	74.88000000	249597.50400000	nmol/L
460071010/40/F/W	Screening	08AUG2022	25-Hydroxyvitamin D	78.82368	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	02SEP2022	25-Hydroxyvitamin D	78.09984	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	29SEP2022	25-Hydroxyvitamin D	63.74784	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	26OCT2022	25-Hydroxyvitamin D	68.49024	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	25NOV2022	25-Hydroxyvitamin D	66.71808	LOW	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Week 16	16DEC2022	25-Hydroxyvitamin D	47.27424	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	02MAR2023	25-Hydroxyvitamin D	81.6192	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	31MAR2023	25-Hydroxyvitamin D	80.19648	NORMAL	74.88000000	249597.50400000	nmol/L
460071011/52/F/W	Screening	29AUG2022	25-Hydroxyvitamin D	59.67936	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	24OCT2022	25-Hydroxyvitamin D	41.53344	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	22NOV2022	25-Hydroxyvitamin D	39.26208	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	09DEC2022	25-Hydroxyvitamin D	36.01728	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	02FEB2023	25-Hydroxyvitamin D	41.38368	LOW	74.88000000	249597.50400000	nmol/L
460071024/53/F/W	Screening	12JAN2023	25-Hydroxyvitamin D	77.376	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	09MAR2023	25-Hydroxyvitamin D	78.19968	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	03APR2023	25-Hydroxyvitamin D	73.03296	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	28APR2023	25-Hydroxyvitamin D	66.41856	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	02JUN2023	25-Hydroxyvitamin D	82.84224	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	23JUN2023	25-Hydroxyvitamin D	96.07104	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	28AUG2023	25-Hydroxyvitamin D	101.76192	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	25SEP2023	25-Hydroxyvitamin D	103.584	NORMAL	74.88000000	249597.50400000	nmol/L
460071028/54/F/W	Screening	09FEB2023	25-Hydroxyvitamin D	253.0944	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	21MAR2023	25-Hydroxyvitamin D	205.12128	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 4	13APR2023	25-Hydroxyvitamin D	182.0832	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	11MAY2023	25-Hydroxyvitamin D	160.59264	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 12	15JUN2023	25-Hydroxyvitamin D	151.10784	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	06JUL2023	25-Hydroxyvitamin D	166.1088	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	28SEP2023	25-Hydroxyvitamin D	182.10816	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	19OCT2023	25-Hydroxyvitamin D	165.55968	NORMAL	74.88000000	249597.50400000	nmol/L
460091006/53/F/W	Screening	24JAN2023	25-Hydroxyvitamin D	59.55456	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	06MAR2023	25-Hydroxyvitamin D	50.6688	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	27MAR2023	25-Hydroxyvitamin D	51.56736	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	27APR2023	25-Hydroxyvitamin D	42.88128	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	01JUN2023	25-Hydroxyvitamin D	58.1568	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	22JUN2023	25-Hydroxyvitamin D	70.23744	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	31AUG2023	25-Hydroxyvitamin D	97.66848	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	28SEP2023	25-Hydroxyvitamin D	80.14656	NORMAL	74.88000000	249597.50400000	nmol/L
460091009/56/F/W	Screening	09MAR2023	25-Hydroxyvitamin D	84.04032	NORMAL	74.88000000	249597.50400000	nmol/L
	Baseline	20APR2023	25-Hydroxyvitamin D	69.43872	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	15MAY2023	25-Hydroxyvitamin D	80.09664	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 8	13JUN2023	25-Hydroxyvitamin D	67.46688	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	14JUL2023	25-Hydroxyvitamin D	78.29952	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 16	09AUG2023	25-Hydroxyvitamin D	75.60384	NORMAL	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	17OCT2023	25-Hydroxyvitamin D	56.70912	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	09NOV2023	25-Hydroxyvitamin D	62.94912	LOW	74.88000000	249597.50400000	nmol/L
490031003/50/F/W	Screening	27MAY2022	25-Hydroxyvitamin D	76.752	NORMAL	74.88000000	249597.50400000	nmol/L

Listing 10.2.8.1 / 6: Clinical laboratory data: Vitamin (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Laboratory Test	Value	Flag	Normal Range Lower Limit	Normal Range Upper Limit	Standard Unit
	Baseline	21SEP2022	25-Hydroxyvitamin D	85.7376	NORMAL	74.88000000	249597.50400000	nmol/L
	Unscheduled	09AUG2022	25-Hydroxyvitamin D	74.10624	LOW	74.88000000	249597.50400000	nmol/L
490031009/52/F/W	Screening	20JAN2023	25-Hydroxyvitamin D	59.904	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	21FEB2023	25-Hydroxyvitamin D	54.31296	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	20MAR2023	25-Hydroxyvitamin D	42.3072	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	12APR2023	25-Hydroxyvitamin D	40.51008	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	16MAY2023	25-Hydroxyvitamin D	46.72512	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	09JUN2023	25-Hydroxyvitamin D	46.97472	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	17AUG2023	25-Hydroxyvitamin D	95.42208	NORMAL	74.88000000	249597.50400000	nmol/L
	Follow-up	13SEP2023	25-Hydroxyvitamin D	103.00992	NORMAL	74.88000000	249597.50400000	nmol/L
490061002/58/F/W	Screening	06JUL2022	25-Hydroxyvitamin D	45.07776	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	17OCT2022	25-Hydroxyvitamin D	46.12608	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	10NOV2022	25-Hydroxyvitamin D			.	.	
	Unscheduled	05SEP2022	25-Hydroxyvitamin D	43.08096	LOW	74.88000000	249597.50400000	nmol/L
		19SEP2022	25-Hydroxyvitamin D	33.04704	LOW	74.88000000	249597.50400000	nmol/L
		30SEP2022	25-Hydroxyvitamin D	35.04384	LOW	74.88000000	249597.50400000	nmol/L
490061003/57/F/W	Screening	07DEC2022	25-Hydroxyvitamin D	69.11424	LOW	74.88000000	249597.50400000	nmol/L
	Baseline	01FEB2023	25-Hydroxyvitamin D	40.23552	LOW	74.88000000	249597.50400000	nmol/L
	Week 4	28FEB2023	25-Hydroxyvitamin D	39.23712	LOW	74.88000000	249597.50400000	nmol/L
	Week 8	29MAR2023	25-Hydroxyvitamin D	33.64608	LOW	74.88000000	249597.50400000	nmol/L
	Week 12	04MAY2023	25-Hydroxyvitamin D	53.7888	LOW	74.88000000	249597.50400000	nmol/L
	Week 16	29MAY2023	25-Hydroxyvitamin D	32.47296	LOW	74.88000000	249597.50400000	nmol/L
	Week 26/End of Treatment	28JUL2023	25-Hydroxyvitamin D	34.04544	LOW	74.88000000	249597.50400000	nmol/L
	Follow-up	29SEP2023	25-Hydroxyvitamin D	54.11328	LOW	74.88000000	249597.50400000	nmol/L

Sex is identified as: M = Male, F = Female.
Race is identified as: A = Asian, B = Black, W = White, AI = American Indian or Alaska Native, NH = Native Hawaiian or Other Pacific Islander, NR = Not Reported, MUL=Multiple.
The unit for "Age" is years.
Bayer: /var/swan/root/bhc/3427080/21651/stat/main01/prod/analysis/pgms/l_10_2_8_1_adlb_vitm.sas 09JAN2024 16:31
End of table

Listing 10.2.8.1 / 7: Clinical laboratory data: Immunology/ Virology

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Hepatitis B Virus Surface Antibody	Hepatitis C Virus Antibody	HCV-RNA
140011004/56/F/W	Baseline	17JAN2023	non reactive	non reactive	
140031003/48/F/B	Baseline	16JUN2022	non reactive	non reactive	
140031015/48/F/W	Baseline	01MAR2023	non reactive	non reactive	
140051001/63/F/W	Baseline	02FEB2022	non reactive	non reactive	
140051007/54/F/A	Baseline	30NOV2022	non reactive	non reactive	
140061015/60/F/B	Baseline	01DEC2022	non reactive	non reactive	
140061018/49/F/W	Baseline	14FEB2023	non reactive	non reactive	
140091011/63/F/B	Baseline	07MAR2023	non reactive	non reactive	
140171004/56/F/W	Baseline	04OCT2021	non reactive	non reactive	
140171008/53/F/B	Baseline	24MAY2022	non reactive	non reactive	
140181029/56/F/W	Baseline	10JAN2023	non reactive	non reactive	
140181032/60/F/W	Baseline	22FEB2023	non reactive	non reactive	
140251008/65/F/W	Screening	28MAR2022			
	Unscheduled	26APR2022	non reactive	non reactive	
140251011/55/F/B	Screening	17AUG2022			
	Baseline	17AUG2022	non reactive		
140301007/55/F/B	Baseline	09MAY2022	non reactive	non reactive	
140301017/61/F/W	Baseline	13DEC2022	non reactive	non reactive	
140301020/57/F/W	Baseline	12JAN2023	non reactive	non reactive	
140301031/62/F/W	Baseline	27FEB2023	non reactive	non reactive	
140371001/57/F/W	Baseline	08JUN2022	non reactive	non reactive	
140371002/55/F/AI	Baseline	29APR2022	non reactive	non reactive	
	Unscheduled	10MAY2022	non reactive	non reactive	
140371012/61/F/W	Baseline	28JUL2022	non reactive	non reactive	
140371020/63/F/W	Baseline	18AUG2022	non reactive	non reactive	
140371024/54/F/W	Baseline	24AUG2022	non reactive	non reactive	
140371029/51/F/W	Baseline	19OCT2022	non reactive	non reactive	
140371030/60/F/W	Baseline	31OCT2022	non reactive	non reactive	
140371033/47/F/NR	Baseline	22NOV2022	non reactive	non reactive	
140371035/57/F/W	Baseline	10JAN2023	non reactive	non reactive	
140371038/55/F/W	Baseline	14FEB2023	non reactive	non reactive	
	Close Liver Observation	---------		non reactive	
		30MAY2023	non reactive		
		---------			NEGATIVE
		11JUL2023			
140401003/59/F/B	Baseline	27OCT2021	non reactive	non reactive	
140401010/54/F/W	Baseline	22AUG2022	non reactive	non reactive	
140401011/52/F/W	Baseline	25AUG2022	non reactive	non reactive	
140401018/60/F/W	Baseline	31JAN2023	non reactive	non reactive	
140431028/58/F/W	Baseline	25AUG2022	non reactive	non reactive	
140431033/60/F/W	Baseline	11OCT2022	non reactive	non reactive	
140461003/59/F/B	Baseline	14SEP2021	non reactive	non reactive	
140461007/62/F/B	Baseline	09NOV2021	non reactive	non reactive	

Listing 10.2.8.1 / 7: Clinical laboratory data: Immunology/ Virology

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Hepatitis B Virus Surface Antibody	Hepatitis C Virus Antibody	HCV-RNA
140461014/55/F/B	Baseline	08SEP2022	non reactive	non reactive	
140471001/59/F/W	Baseline	27OCT2021	non reactive	non reactive	
140471014/56/F/W	Baseline	10AUG2022	non reactive	non reactive	
140471022/54/F/B	Baseline	09JAN2023	non reactive	non reactive	
140491010/51/F/MUL	Baseline	18JUL2022	non reactive	non reactive	
140491014/49/F/B	Baseline	25JUL2022	non reactive	non reactive	
140491025/55/F/MUL	Baseline	27FEB2023	non reactive	non reactive	
140531001/53/F/W	Baseline	01APR2022	non reactive	non reactive	
140531002/60/F/W	Baseline	04AUG2022	non reactive	non reactive	
140531004/61/F/W	Baseline	12SEP2022	non reactive	non reactive	
140541005/51/F/W	Baseline	22APR2022	non reactive	non reactive	
140541028/54/F/W	Baseline	13MAR2023	non reactive	non reactive	
140601005/65/F/W	Baseline	12JAN2023	non reactive	non reactive	
140601010/59/F/W	Baseline	01FEB2023	non reactive	non reactive	
140841008/51/F/B	Baseline	24AUG2022	non reactive	non reactive	
140841019/56/F/B	Baseline	01SEP2022	non reactive	non reactive	
140851003/53/F/B	Baseline	13DEC2022	non reactive	non reactive	
140931006/56/F/W	Baseline	15JUL2022	non reactive	non reactive	
140931008/64/F/W	Baseline	31JAN2023	non reactive	non reactive	
140991018/58/F/W	Baseline	26APR2022	non reactive	non reactive	
140991025/53/F/W	Baseline	09JUN2022	non reactive	non reactive	
140991032/56/F/B	Baseline	13JUL2022	non reactive	non reactive	
140991045/51/F/W	Baseline	05OCT2022	non reactive	non reactive	
140991050/55/F/B	Baseline	05JAN2023	non reactive	non reactive	
141051004/50/F/MUL	Baseline	12NOV2021	non reactive	non reactive	
	Unscheduled	19NOV2021	non reactive	non reactive	
141051008/51/F/A	Baseline	14MAR2022	non reactive	non reactive	
141051010/53/F/W	Baseline	25APR2022	non reactive	non reactive	
141051024/57/F/W	Baseline	14NOV2022	non reactive	non reactive	
141051033/49/F/W	Baseline	19DEC2022	non reactive	non reactive	
141131009/52/F/W	Baseline	18MAY2022	non reactive	non reactive	
141131015/53/F/W	Screening	13JUL2022			
	Unscheduled	19JUL2022	non reactive	non reactive	
141131017/52/F/W	Baseline	21JUL2022	non reactive	non reactive	
141131021/52/F/NR	Baseline	19AUG2022	non reactive	non reactive	
141131048/41/F/W	Baseline	23JAN2023	non reactive	non reactive	
141141006/58/F/W	Baseline	13APR2022	non reactive	non reactive	
141141014/52/F/W	Baseline	28JUN2022	non reactive	non reactive	
141141017/51/F/W	Baseline	23AUG2022	non reactive	non reactive	
141141026/62/F/W	Baseline	17JAN2023	non reactive	non reactive	
141191001/54/F/W	Baseline	31JAN2022	non reactive	non reactive	
141191007/55/F/B	Baseline	19APR2022	non reactive	non reactive	
141191010/61/F/B	Baseline	27JUL2022	non reactive	non reactive	

Listing 10.2.8.1 / 7: Clinical laboratory data: Immunology/ Virology

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Hepatitis B Virus Surface Antibody	Hepatitis C Virus Antibody	HCV-RNA
141191015/57/F/B	Baseline	27SEP2022	non reactive	non reactive	
141191016/52/F/W	Baseline	28SEP2022	non reactive	non reactive	
141251002/62/F/B	Baseline	14SEP2021	non reactive	non reactive	
141251003/61/F/B	Baseline	21SEP2021	non reactive	non reactive	
141251008/65/F/B	Baseline	14DEC2021	non reactive	non reactive	
141251014/56/F/B	Baseline	12MAY2022	non reactive	non reactive	
141251019/63/F/W	Baseline	29NOV2022	non reactive	non reactive	
141251021/55/F/B	Baseline	31JAN2023	non reactive	non reactive	
141361009/57/F/W	Baseline	13MAY2022	non reactive	non reactive	
141361013/62/F/W	Baseline	11JUL2022	non reactive	non reactive	
141361025/56/F/NR	Baseline	29AUG2022	non reactive	non reactive	
141361038/60/F/W	Baseline	13JAN2023	non reactive	non reactive	
141361042/55/F/W	Baseline	30JAN2023	non reactive	non reactive	
141431001/49/F/W	Baseline	23FEB2022	non reactive	non reactive	
141431004/49/F/W	Baseline	01JUN2022	non reactive	non reactive	
141431005/46/F/W	Baseline	20JUN2022	non reactive	non reactive	
141431010/45/F/W	Baseline	24AUG2022	non reactive	non reactive	
	Unscheduled	20SEP2022	non reactive	non reactive	
141431013/59/F/W	Baseline	22NOV2022	non reactive	non reactive	
141791001/52/F/B	Baseline	19DEC2022	non reactive	non reactive	
141791010/62/F/W	Baseline	21FEB2023	non reactive	non reactive	
141801001/57/F/W	Baseline	06OCT2022	non reactive	non reactive	
141801003/54/F/W	Baseline	20OCT2022	non reactive	non reactive	
141801010/53/F/W	Baseline	18JAN2023	non reactive	non reactive	
141801014/55/F/W	Baseline	13FEB2023	non reactive	non reactive	
141881001/42/F/W	Screening	20DEC2022			
	Unscheduled	10JAN2023	non reactive	non reactive	
141891023/59/F/W	Baseline	15FEB2023	non reactive	non reactive	
	Close Liver Observation	---------		non reactive	
		01AUG2023	non reactive		
141891028/54/F/W	Baseline	23FEB2023	non reactive	non reactive	
141891029/46/F/B	Baseline	24FEB2023	non reactive	non reactive	
141901009/47/F/B	Baseline	12OCT2022	non reactive	non reactive	
141901013/50/F/W	Baseline	03NOV2022	non reactive	non reactive	
141901022/55/F/B	Baseline	30NOV2022	non reactive	non reactive	
141901023/47/F/NR	Baseline	05DEC2022	non reactive	non reactive	
141901029/53/F/B	Baseline	04JAN2023	non reactive	non reactive	
141901035/51/F/B	Baseline	01MAR2023	non reactive	non reactive	
141901037/59/F/B	Baseline	09MAR2023	non reactive	non reactive	
141931021/58/F/B	Baseline	03FEB2023	non reactive	non reactive	
141931024/57/F/B	Baseline	26JAN2023	non reactive	non reactive	
141951013/61/F/W	Baseline	02MAR2023	non reactive	non reactive	
141971005/50/F/B	Baseline	01NOV2022	non reactive	non reactive	

Listing 10.2.8.1 / 7: Clinical laboratory data: Immunology/ Virology

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Hepatitis B Virus Surface Antibody	Hepatitis C Virus Antibody	HCV-RNA
141971015/54/F/B	Baseline	13DEC2022	non reactive	non reactive	
142111018/50/F/W	Baseline	20MAR2023	non reactive	non reactive	
220011006/52/F/W	Baseline	20JUN2022	non reactive	non reactive	
220031004/61/F/W	Baseline	20APR2022	non reactive	non reactive	
220031005/53/F/W	Baseline	29APR2022	non reactive	non reactive	
220031016/59/F/W	Baseline	01DEC2022	non reactive	non reactive	
220041004/53/F/W	Baseline	07FEB2023	non reactive	non reactive	
220041005/59/F/W	Baseline	13FEB2023	non reactive	non reactive	
220051005/55/F/W	Baseline	24OCT2022	non reactive	non reactive	
220051007/53/F/W	Baseline	14MAR2023	non reactive	non reactive	
220051008/51/F/W	Baseline	09FEB2023	non reactive	non reactive	
220071001/60/F/W	Baseline	02DEC2022	non reactive	non reactive	
300021001/52/F/W	Baseline	24MAY2022	non reactive	non reactive	
300021003/59/F/W	Baseline	16JUN2022	non reactive	non reactive	
300021004/57/F/B	Baseline	22JUN2022	non reactive	non reactive	
300021005/61/F/W	Baseline	27JUN2022	non reactive	non reactive	
300031002/62/F/W	Baseline	01JUN2022	non reactive	non reactive	
300031006/59/F/W	Baseline	07JUL2022	non reactive	non reactive	
380011005/52/F/W	Baseline	21JUN2022	non reactive	non reactive	
380011008/52/F/W	Baseline	22JUL2022	non reactive	non reactive	
380011014/51/F/W	Baseline	06OCT2022	non reactive	non reactive	
380011016/49/F/W	Baseline	25NOV2022	non reactive	non reactive	
380011017/52/F/W	Baseline	08DEC2022	non reactive	non reactive	
380011023/54/F/W	Baseline	09FEB2023	non reactive	non reactive	
380011024/48/F/W	Baseline	10FEB2023	non reactive	non reactive	
380011025/52/F/W	Baseline	14FEB2023	non reactive	non reactive	
380021001/50/F/W	Baseline	12JAN2022	non reactive	non reactive	
380061001/45/F/W	Baseline	27DEC2021	non reactive	non reactive	
380061007/59/F/W	Baseline	21FEB2022	non reactive	non reactive	
380061019/56/F/W	Unscheduled	12JAN2023	non reactive	non reactive	
380071001/49/F/W	Baseline	17FEB2022	non reactive	non reactive	
380071002/49/F/W	Baseline	28MAR2022	non reactive	non reactive	
380071004/49/F/W	Baseline	05MAY2022	non reactive	non reactive	
380071005/44/F/W	Baseline	09MAY2022	non reactive	non reactive	
380071007/53/F/W	Baseline	07JUN2022	non reactive	non reactive	
380071010/50/F/W	Baseline	12JUL2022	non reactive	non reactive	
380091001/44/F/W	Baseline	06JAN2022	non reactive	non reactive	
380091003/65/F/W	Baseline	02JUN2022	non reactive	non reactive	
380091007/63/F/W	Baseline	05JAN2023	non reactive	non reactive	
380091009/55/F/W	Baseline	23FEB2023	non reactive	non reactive	
380101001/53/F/W	Baseline	15FEB2022	non reactive	non reactive	
380101002/53/F/W	Baseline	15FEB2022	non reactive	non reactive	
380101003/56/F/W	Baseline	22FEB2022	non reactive	non reactive	

Listing 10.2.8.1 / 7: Clinical laboratory data: Immunology/ Virology

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Hepatitis B Virus Surface Antibody	Hepatitis C Virus Antibody	HCV-RNA
380101007/46/F/W	Baseline	26APR2022	non reactive	non reactive	
380101010/52/F/W	Baseline	10MAY2022	non reactive	non reactive	
380101011/51/F/W	Baseline	07JUN2022	non reactive	non reactive	
380101012/46/F/W	Baseline	20JUN2022	non reactive	non reactive	
380101016/46/F/W	Baseline	16AUG2022	non reactive	non reactive	
380101017/50/F/W	Baseline	20SEP2022	non reactive	non reactive	
380101018/52/F/W	Baseline	11OCT2022	non reactive	non reactive	
380101021/49/F/W	Baseline	20DEC2022	non reactive	non reactive	
380101022/58/F/W	Baseline	03JAN2023	non reactive	non reactive	
380111001/52/F/W	Baseline	31MAR2022	non reactive	non reactive	
380111004/54/F/W	Baseline	09JUN2022	non reactive	non reactive	
380111005/52/F/W	Baseline	06OCT2022	non reactive	non reactive	
380111010/49/F/W	Baseline	26JAN2023	non reactive	non reactive	
	Unscheduled	16FEB2023	non reactive	non reactive	
390071002/57/F/W	Baseline	24AUG2022	non reactive	non reactive	
390081001/60/F/W	Baseline	08FEB2023	non reactive	non reactive	
440011001/60/F/W	Baseline	21DEC2021	non reactive	non reactive	
440011007/52/F/W	Baseline	28FEB2022	non reactive	non reactive	
440011020/54/F/W	Baseline	09AUG2022	non reactive	non reactive	
440011023/54/F/W	Baseline	07NOV2022	non reactive	non reactive	
440021013/55/F/W	Baseline	19DEC2022	non reactive	non reactive	
440031004/54/F/W	Baseline	16MAY2022	non reactive	non reactive	
440031005/55/F/W	Baseline	19MAY2022	non reactive	non reactive	
440031007/51/F/W	Baseline	30MAY2022	non reactive	non reactive	
440031017/57/F/W	Baseline	26AUG2022	non reactive	non reactive	
440031023/56/F/W	Baseline	21OCT2022	non reactive	non reactive	
440031026/58/F/W	Baseline	19JAN2023	non reactive	non reactive	
440051011/56/F/W	Baseline	23JUN2022	non reactive	non reactive	
440051013/56/F/W	Baseline	12JUL2022	non reactive	non reactive	
460031005/58/F/W	Baseline	18JAN2023	non reactive	non reactive	
460061002/53/F/W	Baseline	06SEP2022	non reactive	non reactive	
460061008/53/F/W	Baseline	03JAN2023	non reactive	non reactive	
460071014/54/F/W	Baseline	23SEP2022	non reactive	non reactive	
460071019/54/F/W	Baseline	07NOV2022	non reactive	non reactive	
460071020/53/F/W	Baseline	18NOV2022	non reactive	non reactive	
460071021/56/F/W	Baseline	18NOV2022	non reactive	non reactive	
460071025/53/F/W	Baseline	30JAN2023	non reactive	non reactive	
460091005/55/F/W	Baseline	20JAN2023	non reactive	non reactive	
460091008/58/F/W	Baseline	09FEB2023	non reactive	non reactive	
490021005/41/F/B	Baseline	14SEP2022	non reactive	non reactive	

Listing 10.2.8.1 / 7: Clinical laboratory data: Immunology/ Virology

Actual Treatment Group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Hepatitis B Virus Surface Antibody	Hepatitis C Virus Antibody	HCV-RNA
490021010/51/F/W	Baseline	08FEB2023	non reactive	non reactive	

Sex is identified as: M = Male, F = Female.
Race is identified as: A = Asian, B = Black, W = White, AI = American Indian or Alaska Native, NH = Native Hawaiian or Other Pacific Islander, NR = Not Reported, MUL=Multiple.
The unit for "Age" is years.
Bayer: /var/swan/root/bhc/3427080/21651/stat/main01/prod/analysis/pgms/l_10_2_8_1_adlb_immu.sas 09JAN2024 16:31

Listing 10.2.8.1 / 7: Clinical laboratory data: Immunology/ Virology (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Hepatitis B Virus Surface Antibody	Hepatitis C Virus Antibody	HCV-RNA
140031002/56/F/B	Baseline	22FEB2022	non reactive	non reactive	
140031010/54/F/B	Baseline	02DEC2022	non reactive	non reactive	
140031011/59/F/B	Baseline	29DEC2022	non reactive	non reactive	
140051002/54/F/B	Baseline	14MAR2022	non reactive	non reactive	
140091002/52/F/W	Baseline	23JUN2022	non reactive	non reactive	
140181004/46/F/W	Baseline	30NOV2021	non reactive	non reactive	
140181025/60/F/W	Baseline	10OCT2022	non reactive	non reactive	
140191005/51/F/W	Baseline	11NOV2021	non reactive	non reactive	
140191007/58/F/W	Baseline	28DEC2021	non reactive	non reactive	
140191012/60/F/W	Screening	25JUL2022			
	Unscheduled	04AUG2022	non reactive	non reactive	
140191013/53/F/W	Baseline	21SEP2022	non reactive	non reactive	
140191019/54/F/W	Baseline	16JAN2023	non reactive	non reactive	
140201002/53/F/B	Baseline	18NOV2021	non reactive	non reactive	
140301008/52/F/B	Baseline	16MAY2022	non reactive	non reactive	
140371004/63/F/W	Baseline	01JUN2022	non reactive	non reactive	
140371010/51/F/W	Baseline	18JUL2022	non reactive	reactive	NEGATIVE
140371013/46/F/NR	Baseline	16AUG2022	non reactive	non reactive	
140371014/58/F/NR	Baseline	02AUG2022	non reactive	non reactive	
140371017/56/F/W	Baseline	15AUG2022	non reactive	non reactive	
140371019/64/F/W	Baseline	17AUG2022	non reactive	non reactive	
140371027/55/F/W	Baseline	22SEP2022	non reactive	non reactive	
140371036/51/F/W	Baseline	14FEB2023	non reactive	non reactive	
140371040/53/F/W	Baseline	01MAR2023	non reactive	non reactive	
140401001/55/F/W	Baseline	05OCT2021	non reactive	non reactive	
140401017/54/F/W	Baseline	12JAN2023	non reactive	non reactive	
140431004/57/F/W	Baseline	08APR2022	non reactive	non reactive	
140431037/52/F/W	Baseline	13DEC2022	non reactive	non reactive	
140461013/60/F/W	Baseline	25AUG2022	non reactive	non reactive	
140471005/53/F/AI	Baseline	28MAR2022	non reactive	non reactive	
140471011/61/F/W	Baseline	22JUN2022	non reactive	non reactive	
140471030/50/F/W	Baseline	02FEB2023	non reactive	non reactive	
140491029/58/F/B	Baseline	20MAR2023	non reactive	non reactive	
140511010/45/F/W	Baseline	08NOV2022	non reactive	non reactive	
140531006/41/F/B	Baseline	28SEP2022	non reactive	non reactive	
140541014/53/F/W	Baseline	03JUN2022	non reactive	non reactive	
140541021/59/F/B	Baseline	29JUL2022	non reactive	non reactive	
140541023/46/F/B	Baseline	01AUG2022	non reactive	non reactive	
140541027/59/F/B	Baseline	06MAR2023	non reactive	non reactive	
140581010/56/F/B	Baseline	13JUL2022	non reactive	non reactive	
140601012/54/F/W	Baseline	06FEB2023	non reactive	non reactive	
140601013/62/F/W	Baseline	06FEB2023	non reactive	non reactive	
140601018/57/F/W	Baseline	27FEB2023	non reactive	non reactive	

Listing 10.2.8.1 / 7: Clinical laboratory data: Immunology/ Virology (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Hepatitis B Virus Surface Antibody	Hepatitis C Virus Antibody	HCV-RNA
140601021/52/F/W	Baseline	28FEB2023	non reactive	non reactive	
140841009/62/F/W	Baseline	23AUG2022	non reactive	non reactive	
140841038/57/F/W	Baseline	01FEB2023	non reactive	non reactive	
140851011/45/F/W	Baseline	01FEB2023	non reactive	non reactive	
140931005/52/F/W	Baseline	12APR2022	non reactive	non reactive	
	Unscheduled	25APR2022	non reactive	non reactive	
140981009/58/F/W	Baseline	17NOV2022	non reactive	non reactive	
140981013/55/F/W	Baseline	29DEC2022	non reactive	non reactive	
140981014/55/F/W	Baseline	12JAN2023	non reactive	non reactive	
140991043/51/F/B	Baseline	22SEP2022	non reactive	non reactive	
140991048/51/F/W	Baseline	21NOV2022	non reactive	non reactive	
140991049/49/F/B	Baseline	01DEC2022	non reactive	non reactive	
140991053/62/F/B	Baseline	16FEB2023	non reactive	non reactive	
141051002/58/F/B	Baseline	27OCT2021	non reactive	non reactive	
141051005/63/F/B	Baseline	15DEC2021	non reactive	non reactive	
141051007/62/F/W	Baseline	11MAR2022	non reactive	non reactive	
141051012/55/F/B	Baseline	12MAY2022	non reactive	non reactive	
141051015/55/F/W	Baseline	23JUN2022	non reactive	non reactive	
141051017/56/F/B	Baseline	31AUG2022	non reactive	non reactive	
141051019/58/F/W	Baseline	09SEP2022	non reactive	non reactive	
141051020/52/F/W	Baseline	03OCT2022	non reactive	non reactive	
141051021/52/F/W	Baseline	05OCT2022	non reactive	non reactive	
141051026/57/F/W	Baseline	22NOV2022	non reactive	non reactive	
141051035/54/F/W	Baseline	06JAN2023	non reactive	non reactive	
141051036/56/F/B	Baseline	24JAN2023	non reactive	non reactive	
141101007/56/F/W	Baseline	15FEB2023	non reactive	non reactive	
141131005/56/F/W	Baseline	03MAY2022	non reactive	non reactive	
141131008/57/F/W	Baseline	16MAY2022	non reactive	non reactive	
141131024/51/F/W	Baseline	09AUG2022	non reactive	non reactive	
141131032/55/F/W	Baseline	12SEP2022	non reactive	non reactive	
141131050/56/F/W	Baseline	07FEB2023	non reactive	non reactive	
141141025/63/F/W	Baseline	10JAN2023	non reactive	non reactive	
141191006/57/F/W	Baseline	08APR2022	non reactive	non reactive	
141191021/61/F/B	Baseline	28DEC2022	non reactive	non reactive	
141251001/61/F/B	Baseline	13SEP2021	non reactive	non reactive	
141251005/54/F/B	Baseline	09NOV2021	non reactive	non reactive	
141251010/55/F/B	Baseline	01MAR2022	non reactive	non reactive	
141331004/53/F/B	Baseline	21OCT2022	non reactive	non reactive	
141361007/48/F/W	Baseline	05MAY2022	non reactive	non reactive	
141361012/56/F/W	Baseline	17JUN2022	non reactive	non reactive	
141361014/53/F/W	Baseline	20JUN2022	non reactive	non reactive	
141361016/44/F/W	Baseline	24JUN2022	non reactive	non reactive	
141361017/58/F/NR	Baseline	08JUL2022	non reactive	non reactive	

Listing 10.2.8.1 / 7: Clinical laboratory data: Immunology/ Virology (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Hepatitis B Virus Surface Antibody	Hepatitis C Virus Antibody	HCV-RNA
141361024/56/F/W	Baseline	25AUG2022	non reactive	non reactive	
141361035/62/F/W	Baseline	19DEC2022	non reactive	non reactive	
141361037/56/F/W	Baseline	12JAN2023	non reactive	non reactive	
141431002/56/F/W	Baseline	26APR2022	non reactive	non reactive	
141431003/56/F/W	Baseline	08JUN2022	non reactive	non reactive	
141431012/53/F/W	Baseline	19SEP2022	non reactive	non reactive	
141431015/52/F/W	Baseline	23JAN2023	non reactive	non reactive	
141791013/54/F/W	Baseline	06MAR2023	non reactive	non reactive	
141801004/60/F/W	Baseline	18NOV2022	non reactive	non reactive	
141801008/55/F/W	Baseline	11JAN2023	non reactive	non reactive	
141891008/55/F/B	Baseline	21DEC2022	non reactive	non reactive	
141891017/54/F/B	Baseline	09FEB2023	non reactive	non reactive	
141891027/57/F/B	Baseline	17FEB2023	non reactive	non reactive	
141901001/48/F/W	Baseline	31AUG2022	non reactive	non reactive	
141901007/55/F/W	Baseline	10OCT2022	non reactive	non reactive	
141901030/58/F/B	Baseline	02FEB2023	non reactive	non reactive	
141901032/61/F/W	Baseline	15FEB2023	non reactive	non reactive	
141901034/65/F/B	Baseline	17FEB2023	non reactive	non reactive	
141951001/55/F/B	Baseline	10NOV2022	non reactive	non reactive	
141951007/55/F/W	Baseline	27DEC2022	non reactive	non reactive	
141971002/62/F/B	Baseline	20OCT2022	non reactive	non reactive	
141971007/61/F/W	Baseline	08NOV2022	non reactive	non reactive	
141971008/57/F/B	Baseline	15NOV2022	non reactive	non reactive	
141971010/51/F/B	Baseline	17NOV2022	non reactive	non reactive	
141971012/49/F/B	Baseline	01DEC2022	non reactive	non reactive	
141971014/61/F/B	Baseline	07DEC2022	non reactive	non reactive	
142031004/54/F/W	Baseline	02MAR2023	non reactive	non reactive	
142111009/46/F/W	Baseline	21MAR2023	non reactive	non reactive	
142111014/58/F/W	Baseline	03APR2023	non reactive	non reactive	
142111017/56/F/W	Baseline	23MAR2023	non reactive	non reactive	
220011010/60/F/W	Baseline	25NOV2022	non reactive	non reactive	
220011012/48/F/W	Baseline	13DEC2022	non reactive	non reactive	
220021002/59/F/W	Baseline	21SEP2022	non reactive	non reactive	
220031003/49/F/W	Baseline	07APR2022	non reactive	non reactive	
220031006/55/F/W	Baseline	20MAY2022	non reactive	non reactive	
220031008/52/F/W	Baseline	10JUN2022	non reactive	non reactive	
220031009/58/F/W	Baseline	14JUN2022	non reactive	non reactive	
220031012/48/F/W	Baseline	01AUG2022	non reactive	non reactive	
220031013/53/F/W	Baseline	08SEP2022	non reactive	non reactive	
220031023/62/F/W	Baseline	09MAR2023	non reactive	non reactive	
220051004/51/F/W	Baseline	10OCT2022	non reactive	non reactive	
220051006/49/F/W	Baseline	24OCT2022	non reactive	non reactive	
220071004/59/F/W	Baseline	16FEB2023	non reactive	non reactive	

Listing 10.2.8.1 / 7: Clinical laboratory data: Immunology/ Virology (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Hepatitis B Virus Surface Antibody	Hepatitis C Virus Antibody	HCV-RNA
300011008/56/F/W	Baseline	31JAN2023	non reactive	non reactive	
300011009/49/F/W	Baseline	06FEB2023	non reactive	non reactive	
300011011/59/F/W	Baseline	17FEB2023	non reactive	non reactive	
300021007/53/F/W	Baseline	29AUG2022	non reactive	non reactive	
300031003/59/F/W	Baseline	20JUN2022	non reactive	non reactive	
300031004/52/F/W	Baseline	23JUN2022	non reactive	non reactive	
300031009/52/F/W	Baseline	24AUG2022	non reactive	non reactive	
300031011/55/F/W	Baseline	06OCT2022	non reactive	non reactive	
300031013/54/F/W	Baseline	07NOV2022	non reactive	non reactive	
380011001/60/F/W	Baseline	14MAR2022	non reactive	non reactive	
380011002/53/F/W	Baseline	20APR2022	non reactive	non reactive	
380011004/52/F/W	Baseline	16JUN2022	non reactive	non reactive	
380011019/50/F/W	Baseline	14DEC2022	non reactive	non reactive	
380011020/54/F/W	Baseline	12JAN2023	non reactive	non reactive	
380021002/55/F/W	Baseline	10FEB2022	non reactive	non reactive	
380051001/48/F/W	Baseline	05JAN2022	non reactive	non reactive	
380051002/64/F/W	Baseline	04MAR2022	non reactive	non reactive	
380051003/64/F/W	Baseline	08APR2022	non reactive	non reactive	
380051004/52/F/W	Baseline	08JUL2022	non reactive	non reactive	
380051005/55/F/W	Screening	21OCT2022			
	Baseline	21OCT2022		non reactive	
380061005/42/F/W	Baseline	06JAN2022	non reactive	non reactive	
380061010/55/F/W	Baseline	02JUN2022	non reactive	non reactive	
380061011/50/F/W	Baseline	02JUN2022	non reactive	non reactive	
380061015/52/F/W	Screening	24OCT2022			
	Baseline	24OCT2022	non reactive		
380061020/58/F/W	Baseline	05JAN2023	non reactive	non reactive	
380071009/57/F/W	Baseline	11JUL2022	non reactive	non reactive	
380071014/53/F/W	Baseline	23FEB2023	non reactive	non reactive	
380091004/44/F/W	Baseline	02JUN2022	non reactive	non reactive	
380091005/65/F/W	Baseline	14JUL2022	non reactive	non reactive	
380101004/45/F/W	Baseline	03MAR2022	non reactive	non reactive	
380101006/48/F/W	Baseline	14APR2022	non reactive	non reactive	
380101008/48/F/W	Baseline	28APR2022	non reactive	non reactive	
380101009/47/F/W	Baseline	03MAY2022	non reactive	non reactive	
380101014/46/F/W	Baseline	24JUN2022	non reactive	non reactive	
380101019/56/F/W	Baseline	06DEC2022	non reactive	non reactive	
380101023/47/F/W	Baseline	06JAN2023	non reactive	non reactive	
380101024/48/F/W	Baseline	28FEB2023	non reactive	non reactive	
380111006/51/F/W	Baseline	20OCT2022	non reactive	non reactive	
440011009/57/F/W	Baseline	30MAR2022	non reactive	non reactive	
440011010/49/F/W	Baseline	04APR2022	non reactive	non reactive	
440011012/56/F/W	Baseline	03MAY2022	non reactive	non reactive	

Listing 10.2.8.1 / 7: Clinical laboratory data: Immunology/ Virology (cont.)

Actual Treatment Group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Hepatitis B Virus Surface Antibody	Hepatitis C Virus Antibody	HCV-RNA
440011016/58/F/W	Baseline	13JUN2022	non reactive	non reactive	
440011028/59/F/W	Baseline	10FEB2023	non reactive	non reactive	
440021002/52/F/W	Baseline	14FEB2022	non reactive	non reactive	
440021006/51/F/W	Baseline	24MAY2022	non reactive	non reactive	
440021011/60/F/W	Baseline	12DEC2022	non reactive	non reactive	
440031006/54/F/W	Baseline	25MAY2022	non reactive	non reactive	
440031012/50/F/W	Baseline	23JUN2022	non reactive	non reactive	
440031024/53/F/W	Baseline	14NOV2022	non reactive	non reactive	
440031025/56/F/W	Baseline	21NOV2022	non reactive	non reactive	
440051002/64/F/W	Baseline	08FEB2022	non reactive	non reactive	
440051016/62/F/W	Baseline	29NOV2022	non reactive	non reactive	
460031004/60/F/W	Baseline	15NOV2022	non reactive	non reactive	
460061014/55/F/W	Baseline	07FEB2023	non reactive	non reactive	
460071001/57/F/W	Baseline	08APR2022	non reactive	non reactive	
460071003/53/F/W	Baseline	23MAY2022	non reactive	non reactive	
460071007/62/F/W	Baseline	29JUL2022	non reactive	non reactive	
460071010/40/F/W	Baseline	08AUG2022	non reactive	reactive	NEGATIVE
460071011/52/F/W	Baseline	29AUG2022	non reactive	non reactive	
460071024/53/F/W	Baseline	12JAN2023	non reactive	non reactive	
460071028/54/F/W	Baseline	09FEB2023	non reactive	non reactive	
460091006/53/F/W	Baseline	24JAN2023	non reactive	non reactive	
460091009/56/F/W	Baseline	09MAR2023	non reactive	reactive	NEGATIVE
490031003/50/F/W	Baseline	27MAY2022	non reactive	non reactive	
490031009/52/F/W	Baseline	20JAN2023	non reactive	non reactive	
490061002/58/F/W	Baseline	06JUL2022	non reactive	non reactive	
490061003/57/F/W	Baseline	07DEC2022	non reactive	non reactive	

Sex is identified as: M = Male, F = Female.
Race is identified as: A = Asian, B = Black, W = White, AI = American Indian or Alaska Native, NH = Native Hawaiian or Other Pacific Islander, NR = Not Reported, MUL=Multiple.
The unit for "Age" is years.
Bayer: /var/swan/root/bhc/3427080/21651/stat/main01/prod/analysis/pgms/l_10_2_8_1_adlb_immu.sas 09JAN2024 16:31
End of table

Listing 10.2.8.1 / 8: Clinical laboratory data: Urine Pregnancy Test

Actual treatment group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Pregnancy
140011004/56/F/W	Baseline	17JAN2023	NEGATIVE
140031003/48/F/B	Unscheduled	20JUL2022	NEGATIVE
140051001/63/F/W	Baseline	01FEB2022	NEGATIVE
140091011/63/F/B	Baseline	07MAR2023	NEGATIVE
	Unscheduled	16MAR2023	NEGATIVE
140171004/56/F/W	Baseline	04OCT2021	NEGATIVE
140171008/53/F/B	Baseline	18MAY2022	NEGATIVE
140181029/56/F/W	Baseline	10JAN2023	NEGATIVE
	Unscheduled	21FEB2023	NEGATIVE
		31MAR2023	NEGATIVE
140181032/60/F/W	Baseline	22FEB2023	NEGATIVE
140251008/65/F/W	Baseline	28MAR2022	NEGATIVE
140301007/55/F/B	Baseline	09MAY2022	NEGATIVE
140301017/61/F/W	Baseline	13DEC2022	NEGATIVE
140301020/57/F/W	Baseline	12JAN2023	NEGATIVE
140301031/62/F/W	Baseline	27FEB2023	NEGATIVE
140371002/55/F/AI	Baseline	29APR2022	NEGATIVE
	Unscheduled	10MAY2022	NEGATIVE
140371012/61/F/W	Baseline	28JUL2022	NEGATIVE
140371020/63/F/W	Baseline	18AUG2022	NEGATIVE
140371024/54/F/W	Baseline	24AUG2022	NEGATIVE
140371029/51/F/W	Baseline	19OCT2022	NEGATIVE
140371030/60/F/W	Baseline	31OCT2022	NEGATIVE
140371033/47/F/NR	Baseline	22NOV2022	NEGATIVE
140371035/57/F/W	Baseline	10JAN2023	NEGATIVE
140371038/55/F/W	Baseline	14FEB2023	NEGATIVE
140401003/59/F/B	Baseline	27OCT2021	NEGATIVE
140401010/54/F/W	Baseline	23AUG2022	NEGATIVE
140401018/60/F/W	Baseline	31JAN2023	NEGATIVE
140431028/58/F/W	Baseline	25AUG2022	NEGATIVE
140431033/60/F/W	Baseline	11OCT2022	NEGATIVE
140461003/59/F/B	Baseline	14SEP2021	NEGATIVE
140461007/62/F/B	Baseline	09NOV2021	NEGATIVE
140461014/55/F/B	Baseline	31OCT2022	NEGATIVE
140471001/59/F/W	Baseline	27OCT2021	NEGATIVE
140471014/56/F/W	Baseline	10AUG2022	NEGATIVE
140471022/54/F/B	Baseline	09JAN2023	NEGATIVE
140491010/51/F/MUL	Baseline	18JUL2022	NEGATIVE
140491014/49/F/B	Baseline	25JUL2022	NEGATIVE
140491025/55/F/MUL	Baseline	27FEB2023	NEGATIVE
140531002/60/F/W	Baseline	04AUG2022	NEGATIVE
140531004/61/F/W	Baseline	12SEP2022	NEGATIVE
140541005/51/F/W	Baseline	22APR2022	NEGATIVE

Listing 10.2.8.1 / 8: Clinical laboratory data: Urine Pregnancy Test

Actual treatment group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Pregnancy
140541028/54/F/W	Baseline	13MAR2023	NEGATIVE
140601005/65/F/W	Baseline	12JAN2023	NEGATIVE
140851003/53/F/B	Baseline	13DEC2022	NEGATIVE
140931006/56/F/W	Baseline	15JUL2022	NEGATIVE
140931008/64/F/W	Baseline	31JAN2023	NEGATIVE
140991018/58/F/W	Baseline	26APR2022	NEGATIVE
140991025/53/F/W	Baseline	09JUN2022	NEGATIVE
140991032/56/F/B	Baseline	13JUL2022	NEGATIVE
140991045/51/F/W	Baseline	05OCT2022	NEGATIVE
140991050/55/F/B	Baseline	05JAN2023	NEGATIVE
141051004/50/F/MUL	Baseline	12NOV2021	NEGATIVE
	Unscheduled	10DEC2021	NEGATIVE
141051008/51/F/A	Baseline	14MAR2022	NEGATIVE
141051010/53/F/W	Baseline	25APR2022	NEGATIVE
141131009/52/F/W	Baseline	18MAY2022	NEGATIVE
141131015/53/F/W	Baseline	13JUL2022	NEGATIVE
141131017/52/F/W	Baseline	21JUL2022	NEGATIVE
141131021/52/F/NR	Baseline	19AUG2022	NEGATIVE
141131048/41/F/W	Baseline	20JAN2023	NEGATIVE
141141006/58/F/W	Baseline	13APR2022	NEGATIVE
	Unscheduled	25MAY2022	NEGATIVE
		19DEC2022	NEGATIVE
141141014/52/F/W	Baseline	28JUN2022	NEGATIVE
141141017/51/F/W	Baseline	23AUG2022	NEGATIVE
	Unscheduled	19SEP2022	NEGATIVE
		28APR2023	NEGATIVE
141141026/62/F/W	Baseline	17JAN2023	NEGATIVE
141191001/54/F/W	Baseline	31JAN2022	NEGATIVE
	Unscheduled	08FEB2022	NEGATIVE
141191007/55/F/B	Baseline	19APR2022	NEGATIVE
	Unscheduled	26APR2022	NEGATIVE
141191010/61/F/B	Baseline	27JUL2022	NEGATIVE
141191015/57/F/B	Baseline	27SEP2022	NEGATIVE
	Unscheduled	03OCT2022	NEGATIVE
141191016/52/F/W	Baseline	28SEP2022	NEGATIVE
	Unscheduled	06OCT2022	NEGATIVE
		15MAY2023	NEGATIVE
141251002/62/F/B	Baseline	14SEP2021	NEGATIVE
141251003/61/F/B	Baseline	21SEP2021	NEGATIVE
141251008/65/F/B	Baseline	14DEC2021	NEGATIVE
141251014/56/F/B	Baseline	12MAY2022	NEGATIVE
141251021/55/F/B	Baseline	31JAN2023	NEGATIVE
	Unscheduled	27FEB2023	NEGATIVE

Listing 10.2.8.1 / 8: Clinical laboratory data: Urine Pregnancy Test

Actual treatment group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Pregnancy
141361009/57/F/W	Baseline	13MAY2022	NEGATIVE
141361013/62/F/W	Baseline	11JUL2022	NEGATIVE
141361025/56/F/NR	Baseline	29AUG2022	NEGATIVE
141361038/60/F/W	Baseline	13JAN2023	NEGATIVE
141361042/55/F/W	Baseline	30JAN2023	NEGATIVE
141431001/49/F/W	Baseline	23FEB2022	NEGATIVE
141431004/49/F/W	Baseline	01JUN2022	NEGATIVE
141431005/46/F/W	Baseline	20JUN2022	NEGATIVE
141431010/45/F/W	Baseline	24AUG2022	NEGATIVE
141431013/59/F/W	Baseline	22NOV2022	NEGATIVE
141791001/52/F/B	Baseline	19DEC2022	NEGATIVE
141791010/62/F/W	Baseline	21FEB2023	NEGATIVE
141801001/57/F/W	Baseline	06OCT2022	NEGATIVE
141801003/54/F/W	Baseline	20OCT2022	NEGATIVE
141801010/53/F/W	Baseline	18JAN2023	NEGATIVE
141801014/55/F/W	Baseline	13FEB2023	NEGATIVE
141881001/42/F/W	Baseline	20DEC2022	NEGATIVE
141891023/59/F/W	Baseline	15FEB2023	NEGATIVE
	Unscheduled	08MAR2023	NEGATIVE
		11SEP2023	NEGATIVE
141891028/54/F/W	Baseline	23FEB2023	NEGATIVE
	Unscheduled	06MAR2023	NEGATIVE
		27SEP2023	NEGATIVE
		02OCT2023	NEGATIVE
141891029/46/F/B	Baseline	24FEB2023	NEGATIVE
141901009/47/F/B	Baseline	12OCT2022	NEGATIVE
141901013/50/F/W	Baseline	03NOV2022	NEGATIVE
141901022/55/F/B	Baseline	30NOV2022	NEGATIVE
141901023/47/F/NR	Baseline	05DEC2022	NEGATIVE
141901029/53/F/B	Baseline	04JAN2023	NEGATIVE
	Unscheduled	17MAR2023	NEGATIVE
141901035/51/F/B	Baseline	01MAR2023	NEGATIVE
141901037/59/F/B	Unscheduled	22MAR2023	NEGATIVE
141931021/58/F/B	Baseline	03FEB2023	NEGATIVE
141931024/57/F/B	Baseline	26JAN2023	NEGATIVE
	Unscheduled	03MAR2023	NEGATIVE
141951013/61/F/W	Baseline	02MAR2023	NEGATIVE
	Unscheduled	28MAR2023	NEGATIVE
		17OCT2023	NEGATIVE
141971005/50/F/B	Baseline	01NOV2022	NEGATIVE
	Unscheduled	29NOV2022	NEGATIVE
		13MAR2023	NEGATIVE
141971015/54/F/B	Baseline	13DEC2022	NEGATIVE

Listing 10.2.8.1 / 8: Clinical laboratory data: Urine Pregnancy Test

Actual treatment group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Pregnancy
	Unscheduled	19DEC2022	NEGATIVE
142111018/50/F/W	Baseline	20MAR2023	NEGATIVE
220011006/52/F/W	Baseline	20JUN2022	NEGATIVE
220031004/61/F/W	Baseline	20APR2022	NEGATIVE
220031005/53/F/W	Baseline	29APR2022	NEGATIVE
220031016/59/F/W	Baseline	01DEC2022	NEGATIVE
220041004/53/F/W	Baseline	07FEB2023	NEGATIVE
220041005/59/F/W	Baseline	13FEB2023	NEGATIVE
220051005/55/F/W	Baseline	24OCT2022	NEGATIVE
220051007/53/F/W	Baseline	14MAR2023	NEGATIVE
220051008/51/F/W	Baseline	09FEB2023	NEGATIVE
220071001/60/F/W	Baseline	02DEC2022	NEGATIVE
300021001/52/F/W	Baseline	23MAY2022	NEGATIVE
300021003/59/F/W	Baseline	15JUN2022	NEGATIVE
300021004/57/F/B	Baseline	22JUN2022	NEGATIVE
300031002/62/F/W	Baseline	01JUN2022	NEGATIVE
300031006/59/F/W	Baseline	07JUL2022	NEGATIVE
380011005/52/F/W	Baseline	21JUN2022	NEGATIVE
	Unscheduled	03FEB2023	NEGATIVE
380011008/52/F/W	Baseline	22JUL2022	NEGATIVE
	Unscheduled	04AUG2022	NEGATIVE
		09MAR2023	NEGATIVE
		06APR2023	NEGATIVE
380011014/51/F/W	Baseline	06OCT2022	NEGATIVE
	Unscheduled	23MAY2023	NEGATIVE
380011016/49/F/W	Baseline	25NOV2022	NEGATIVE
	Unscheduled	08DEC2022	NEGATIVE
		15FEB2023	NEGATIVE
380011017/52/F/W	Baseline	15DEC2022	NEGATIVE
	Unscheduled	18JUL2023	NEGATIVE
		14AUG2023	NEGATIVE
380011023/54/F/W	Baseline	09FEB2023	NEGATIVE
	Unscheduled	16FEB2023	NEGATIVE
		21JUN2023	NEGATIVE
		20SEP2023	NEGATIVE
		31OCT2023	NEGATIVE
380011024/48/F/W	Baseline	10FEB2023	NEGATIVE
	Unscheduled	15FEB2023	NEGATIVE
		31MAR2023	NEGATIVE
		30JUN2023	NEGATIVE
		25JUL2023	NEGATIVE
		10OCT2023	NEGATIVE
		07NOV2023	NEGATIVE

Listing 10.2.8.1 / 8: Clinical laboratory data: Urine Pregnancy Test

Actual treatment group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Pregnancy
380011025/52/F/W	Baseline	14FEB2023	NEGATIVE
	Unscheduled	16FEB2023	NEGATIVE
		29MAR2023	NEGATIVE
		22JUN2023	NEGATIVE
		20SEP2023	NEGATIVE
		18OCT2023	NEGATIVE
380021001/50/F/W	Baseline	09FEB2022	NEGATIVE
380061001/45/F/W	Baseline	27DEC2021	NEGATIVE
380061007/59/F/W	Baseline	21FEB2022	NEGATIVE
380061019/56/F/W	Baseline	05JAN2023	NEGATIVE
380071004/49/F/W	Baseline	05MAY2022	NEGATIVE
	Unscheduled	04JAN2023	NEGATIVE
380071005/44/F/W	Baseline	09MAY2022	NEGATIVE
380071007/53/F/W	Baseline	07JUN2022	NEGATIVE
380071010/50/F/W	Baseline	12JUL2022	NEGATIVE
380091001/44/F/W	Baseline	06JAN2022	NEGATIVE
380091003/65/F/W	Baseline	02JUN2022	NEGATIVE
380091007/63/F/W	Baseline	05JAN2023	NEGATIVE
380091009/55/F/W	Baseline	23FEB2023	NEGATIVE
380101001/53/F/W	Baseline	15FEB2022	NEGATIVE
380101002/53/F/W	Baseline	15FEB2022	NEGATIVE
380101003/56/F/W	Baseline	22FEB2022	NEGATIVE
380101016/46/F/W	Baseline	16AUG2022	NEGATIVE
380101017/50/F/W	Baseline	20SEP2022	NEGATIVE
380101018/52/F/W	Baseline	11OCT2022	NEGATIVE
	Unscheduled	30MAY2023	NEGATIVE
380111005/52/F/W	Baseline	06OCT2022	NEGATIVE
390071002/57/F/W	Baseline	24AUG2022	NEGATIVE
390081001/60/F/W	Baseline	08FEB2023	NEGATIVE
440011001/60/F/W	Baseline	21DEC2021	NEGATIVE
	Unscheduled	25JAN2022	NEGATIVE
440011007/52/F/W	Baseline	28FEB2022	NEGATIVE
440011020/54/F/W	Baseline	09AUG2022	NEGATIVE
	Unscheduled	16AUG2022	NEGATIVE
440011023/54/F/W	Baseline	07NOV2022	NEGATIVE
440021013/55/F/W	Baseline	19DEC2022	NEGATIVE
440031004/54/F/W	Baseline	16MAY2022	NEGATIVE
440031005/55/F/W	Baseline	19MAY2022	NEGATIVE
	Unscheduled	03JAN2023	NEGATIVE
440031007/51/F/W	Baseline	30MAY2022	NEGATIVE
440031017/57/F/W	Baseline	26AUG2022	NEGATIVE
	Unscheduled	24APR2023	NEGATIVE
440031023/56/F/W	Baseline	21OCT2022	NEGATIVE

Listing 10.2.8.1 / 8: Clinical laboratory data: Urine Pregnancy Test

Actual treatment group: Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Pregnancy
440031026/58/F/W	Baseline	19JAN2023	NEGATIVE
440051011/56/F/W	Baseline	23JUN2022	NEGATIVE
	Unscheduled	04JUL2022	NEGATIVE
440051013/56/F/W	Baseline	09AUG2022	NEGATIVE
460031005/58/F/W	Baseline	18JAN2023	NEGATIVE
460061002/53/F/W	Baseline	06SEP2022	NEGATIVE
	Unscheduled	14OCT2022	NEGATIVE
		18MAY2023	NEGATIVE
460061008/53/F/W	Baseline	03JAN2023	NEGATIVE
	Unscheduled	26JAN2023	NEGATIVE
460071014/54/F/W	Baseline	23SEP2022	NEGATIVE
460071019/54/F/W	Baseline	07NOV2022	NEGATIVE
460071020/53/F/W	Baseline	18NOV2022	NEGATIVE
460071021/56/F/W	Baseline	18NOV2022	NEGATIVE
460071025/53/F/W	Baseline	30JAN2023	NEGATIVE
460091005/55/F/W	Baseline	20JAN2023	NEGATIVE
460091008/58/F/W	Baseline	09FEB2023	NEGATIVE
490021005/41/F/B	Baseline	14SEP2022	NEGATIVE

Sex is identified as: M = Male, F = Female.
Race is identified as: A = Asian, B = Black, W = White, AI = American Indian or Alaska Native, NH = Native Hawaiian or Other Pacific Islander, NR = Not Reported, MUL=Multiple.
The unit for "Age" is years.
Bayer: /var/swan/root/bhc/3427080/21651/stat/main01/prod/analysis/pgms/l_10_2_8_1_adlb_preg.sas 09JAN2024 16:32

Listing 10.2.8.1 / 8: Clinical laboratory data: Urine Pregnancy Test (cont.)

Actual treatment group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Pregnancy
140031002/56/F/B	Baseline	22FEB2022	NEGATIVE
140031010/54/F/B	Baseline	02DEC2022	NEGATIVE
	Unscheduled	26JUL2023	NEGATIVE
140051002/54/F/B	Baseline	14MAR2022	NEGATIVE
	Unscheduled	22MAR2022	NEGATIVE
140091002/52/F/W	Baseline	23JUN2022	NEGATIVE
	Unscheduled	07MAR2023	NEGATIVE
140181004/46/F/W	Unscheduled	14JAN2022	NEGATIVE
140191005/51/F/W	Baseline	11NOV2021	NEGATIVE
	Unscheduled	09JUN2022	NEGATIVE
140191007/58/F/W	Baseline	28DEC2021	NEGATIVE
140191012/60/F/W	Baseline	25JUL2022	NEGATIVE
140191013/53/F/W	Baseline	22SEP2022	NEGATIVE
140191019/54/F/W	Baseline	16JAN2023	NEGATIVE
140201002/53/F/B	Baseline	18NOV2021	NEGATIVE
	Unscheduled	10AUG2022	NEGATIVE
140301008/52/F/B	Baseline	16MAY2022	NEGATIVE
140371010/51/F/W	Baseline	18JUL2022	NEGATIVE
140371013/46/F/NR	Baseline	16AUG2022	NEGATIVE
140371014/58/F/NR	Baseline	02AUG2022	NEGATIVE
140371017/56/F/W	Baseline	15AUG2022	NEGATIVE
140371019/64/F/W	Baseline	17AUG2022	NEGATIVE
140371027/55/F/W	Baseline	22SEP2022	NEGATIVE
140371036/51/F/W	Baseline	14FEB2023	NEGATIVE
140371040/53/F/W	Baseline	01MAR2023	NEGATIVE
140401001/55/F/W	Baseline	05OCT2021	NEGATIVE
140401017/54/F/W	Baseline	12JAN2023	NEGATIVE
140431004/57/F/W	Baseline	08APR2022	NEGATIVE
140431037/52/F/W	Baseline	13DEC2022	NEGATIVE
140461013/60/F/W	Baseline	25SEP2022	NEGATIVE
140471005/53/F/AI	Baseline	04APR2022	NEGATIVE
140471011/61/F/W	Baseline	22JUN2022	NEGATIVE
140471030/50/F/W	Baseline	02FEB2023	NEGATIVE
140491029/58/F/B	Baseline	06MAR2023	NEGATIVE
140531006/41/F/B	Baseline	28SEP2022	NEGATIVE
140541014/53/F/W	Baseline	03JUN2022	NEGATIVE
140541021/59/F/B	Baseline	29JUL2022	NEGATIVE
140541023/46/F/B	Baseline	01AUG2022	NEGATIVE
140541027/59/F/B	Baseline	06MAR2023	NEGATIVE
140581010/56/F/B	Baseline	13JUL2022	NEGATIVE
	Unscheduled	01AUG2022	NEGATIVE
140601012/54/F/W	Baseline	06FEB2023	NEGATIVE
140601013/62/F/W	Baseline	06FEB2023	NEGATIVE

Listing 10.2.8.1 / 8: Clinical laboratory data: Urine Pregnancy Test (cont.)

Actual treatment group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Pregnancy
140601018/57/F/W	Baseline	27FEB2023	NEGATIVE
140601021/52/F/W	Baseline	28FEB2023	NEGATIVE
140841009/62/F/W	Baseline	23AUG2022	NEGATIVE
140841038/57/F/W	Baseline	01FEB2023	NEGATIVE
140851011/45/F/W	Baseline	01FEB2023	NEGATIVE
140931005/52/F/W	Baseline	12APR2022	NEGATIVE
140981009/58/F/W	Baseline	17NOV2022	NEGATIVE
140981013/55/F/W	Baseline	29DEC2022	NEGATIVE
140981014/55/F/W	Baseline	12JAN2023	NEGATIVE
140991043/51/F/B	Baseline	22SEP2022	NEGATIVE
140991048/51/F/W	Baseline	21NOV2022	NEGATIVE
140991049/49/F/B	Baseline	05DEC2022	NEGATIVE
140991053/62/F/B	Baseline	16FEB2023	NEGATIVE
141051002/58/F/B	Baseline	27OCT2021	NEGATIVE
	Unscheduled	19NOV2021	NEGATIVE
141051005/63/F/B	Baseline	15DEC2021	NEGATIVE
141051007/62/F/W	Baseline	11MAR2022	NEGATIVE
141051012/55/F/B	Baseline	12MAY2022	NEGATIVE
141051015/55/F/W	Baseline	23JUN2022	NEGATIVE
141051017/56/F/B	Baseline	31AUG2022	NEGATIVE
141051019/58/F/W	Baseline	09SEP2022	NEGATIVE
141051020/52/F/W	Baseline	28SEP2022	NEGATIVE
141051035/54/F/W	Baseline	06JAN2023	NEGATIVE
141101007/56/F/W	Baseline	15FEB2023	NEGATIVE
	Unscheduled	10MAR2023	NEGATIVE
141131005/56/F/W	Baseline	10MAY2022	NEGATIVE
	Unscheduled	12DEC2022	NEGATIVE
141131008/57/F/W	Baseline	16MAY2022	NEGATIVE
141131024/51/F/W	Baseline	09AUG2022	NEGATIVE
	Unscheduled	10APR2023	NEGATIVE
141131032/55/F/W	Baseline	12SEP2022	NEGATIVE
141131050/56/F/W	Baseline	07FEB2023	NEGATIVE
	Unscheduled	05SEP2023	NEGATIVE
141141025/63/F/W	Baseline	10JAN2023	NEGATIVE
141191006/57/F/W	Baseline	08APR2022	NEGATIVE
	Unscheduled	19APR2022	NEGATIVE
		09NOV2022	NEGATIVE
141251001/61/F/B	Baseline	13SEP2021	NEGATIVE
141251005/54/F/B	Baseline	09NOV2021	NEGATIVE
141251010/55/F/B	Baseline	01MAR2022	NEGATIVE
141331004/53/F/B	Baseline	21OCT2022	NEGATIVE
141361007/48/F/W	Baseline	05MAY2022	NEGATIVE
141361012/56/F/W	Baseline	17JUN2022	NEGATIVE

Listing 10.2.8.1 / 8: Clinical laboratory data: Urine Pregnancy Test (cont.)

Actual treatment group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Pregnancy
141361014/53/F/W	Baseline	20JUN2022	NEGATIVE
141361016/44/F/W	Baseline	24JUN2022	NEGATIVE
141361017/58/F/NR	Baseline	08JUL2022	NEGATIVE
141361024/56/F/W	Baseline	25AUG2022	NEGATIVE
141361035/62/F/W	Baseline	19DEC2022	NEGATIVE
141361037/56/F/W	Baseline	12JAN2023	NEGATIVE
141431002/56/F/W	Baseline	26APR2022	NEGATIVE
141431003/56/F/W	Baseline	08JUN2022	NEGATIVE
141791013/54/F/W	Baseline	06MAR2023	NEGATIVE
141801004/60/F/W	Baseline	18NOV2022	NEGATIVE
141801008/55/F/W	Baseline	11JAN2023	NEGATIVE
141891008/55/F/B	Baseline	21DEC2022	NEGATIVE
	Unscheduled	23JAN2023	NEGATIVE
		24AUG2023	NEGATIVE
141891017/54/F/B	Baseline	09FEB2023	NEGATIVE
	Unscheduled	22FEB2023	NEGATIVE
		20SEP2023	NEGATIVE
141891027/57/F/B	Baseline	17FEB2023	NEGATIVE
	Unscheduled	08MAR2023	NEGATIVE
		27SEP2023	NEGATIVE
141901001/48/F/W	Baseline	31AUG2022	NEGATIVE
	Unscheduled	16SEP2022	NEGATIVE
141901007/55/F/W	Baseline	10OCT2022	NEGATIVE
141951001/55/F/B	Baseline	10NOV2022	NEGATIVE
141951007/55/F/W	Baseline	27DEC2022	NEGATIVE
	Unscheduled	13APR2023	NEGATIVE
141971002/62/F/B	Baseline	20OCT2022	NEGATIVE
141971007/61/F/W	Baseline	08NOV2022	NEGATIVE
141971008/57/F/B	Baseline	15NOV2022	NEGATIVE
	Unscheduled	11JUL2023	NEGATIVE
141971010/51/F/B	Baseline	17NOV2022	NEGATIVE
	Unscheduled	09JAN2023	NEGATIVE
		13APR2023	NEGATIVE
141971012/49/F/B	Baseline	01DEC2022	NEGATIVE
	Unscheduled	13DEC2022	NEGATIVE
141971014/61/F/B	Baseline	07DEC2022	NEGATIVE
142031004/54/F/W	Baseline	02MAR2023	NEGATIVE
142111009/46/F/W	Baseline	21MAR2023	NEGATIVE
142111014/58/F/W	Baseline	03APR2023	NEGATIVE
142111017/56/F/W	Baseline	23MAR2023	NEGATIVE
220011010/60/F/W	Baseline	25NOV2022	NEGATIVE
220011012/48/F/W	Baseline	13DEC2022	NEGATIVE
220021002/59/F/W	Baseline	21SEP2022	NEGATIVE

Listing 10.2.8.1 / 8: Clinical laboratory data: Urine Pregnancy Test (cont.)

Actual treatment group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Pregnancy
220031003/49/F/W	Baseline	07APR2022	NEGATIVE
220031006/55/F/W	Baseline	20MAY2022	NEGATIVE
220031008/52/F/W	Baseline	10JUN2022	NEGATIVE
220031009/58/F/W	Baseline	14JUN2022	NEGATIVE
220031012/48/F/W	Baseline	01AUG2022	NEGATIVE
220031013/53/F/W	Baseline	08SEP2022	NEGATIVE
220051004/51/F/W	Baseline	10OCT2022	NEGATIVE
220051006/49/F/W	Baseline	24OCT2022	NEGATIVE
220071004/59/F/W	Baseline	16FEB2023	NEGATIVE
300011008/56/F/W	Baseline	31JAN2023	NEGATIVE
	Unscheduled	06MAR2023	NEGATIVE
		25SEP2023	NEGATIVE
300011009/49/F/W	Baseline	06FEB2023	NEGATIVE
	Unscheduled	04SEP2023	NEGATIVE
300011011/59/F/W	Baseline	17FEB2023	NEGATIVE
	Unscheduled	19SEP2023	NEGATIVE
300021007/53/F/W	Baseline	29AUG2022	NEGATIVE
	Unscheduled	31MAY2023	NEGATIVE
300031003/59/F/W	Baseline	20JUN2022	NEGATIVE
300031009/52/F/W	Baseline	24AUG2022	NEGATIVE
380011001/60/F/W	Baseline	28FEB2022	NEGATIVE
	Unscheduled	14MAR2022	NEGATIVE
		30SEP2022	NEGATIVE
380011002/53/F/W	Baseline	20APR2022	NEGATIVE
	Unscheduled	15DEC2022	NEGATIVE
380011004/52/F/W	Baseline	16JUN2022	NEGATIVE
380011019/50/F/W	Baseline	14DEC2022	NEGATIVE
	Unscheduled	20DEC2022	NEGATIVE
		20JUL2023	NEGATIVE
		17AUG2023	NEGATIVE
380011020/54/F/W	Baseline	12JAN2023	NEGATIVE
	Unscheduled	19JAN2023	NEGATIVE
		23MAR2023	NEGATIVE
		22JUN2023	NEGATIVE
		21SEP2023	NEGATIVE
		19OCT2023	NEGATIVE
380021002/55/F/W	Baseline	10FEB2022	NEGATIVE
380051001/48/F/W	Baseline	05JAN2022	NEGATIVE
380051002/64/F/W	Baseline	04MAR2022	NEGATIVE
380051003/64/F/W	Baseline	08APR2022	NEGATIVE
380051004/52/F/W	Baseline	08JUL2022	NEGATIVE
380051005/55/F/W	Baseline	21OCT2022	NEGATIVE
380061005/42/F/W	Baseline	06JAN2022	NEGATIVE

Listing 10.2.8.1 / 8: Clinical laboratory data: Urine Pregnancy Test (cont.)

Actual treatment group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Pregnancy
380061010/55/F/W	Baseline	02JUN2022	NEGATIVE
380061011/50/F/W	Baseline	02JUN2022	NEGATIVE
380061015/52/F/W	Baseline	24OCT2022	NEGATIVE
380061020/58/F/W	Baseline	05JAN2023	NEGATIVE
380071009/57/F/W	Baseline	11JUL2022	NEGATIVE
380071014/53/F/W	Baseline	23FEB2023	NEGATIVE
	Unscheduled	16MAR2023	NEGATIVE
380091004/44/F/W	Baseline	02JUN2022	NEGATIVE
380091005/65/F/W	Baseline	14JUL2022	NEGATIVE
380101004/45/F/W	Baseline	03MAR2022	NEGATIVE
380101019/56/F/W	Baseline	06DEC2022	NEGATIVE
380111006/51/F/W	Baseline	20OCT2022	NEGATIVE
440011009/57/F/W	Baseline	30MAR2022	NEGATIVE
440011010/49/F/W	Baseline	04APR2022	NEGATIVE
440011012/56/F/W	Baseline	03MAY2022	NEGATIVE
440011016/58/F/W	Baseline	13JUN2022	NEGATIVE
440011028/59/F/W	Baseline	10FEB2023	NEGATIVE
440021002/52/F/W	Baseline	14FEB2022	NEGATIVE
440021006/51/F/W	Baseline	24MAY2022	NEGATIVE
440021011/60/F/W	Baseline	12DEC2022	NEGATIVE
440031006/54/F/W	Baseline	25MAY2022	NEGATIVE
440031012/50/F/W	Baseline	23JUN2022	NEGATIVE
	Unscheduled	25MAR2022	NEGATIVE
440031024/53/F/W	Baseline	14NOV2022	NEGATIVE
	Unscheduled	19JUL2023	NEGATIVE
440031025/56/F/W	Baseline	21NOV2022	NEGATIVE
	Unscheduled	31MAY2023	NEGATIVE
440051002/64/F/W	Baseline	08FEB2022	NEGATIVE
440051016/62/F/W	Baseline	29NOV2022	NEGATIVE
460031004/60/F/W	Baseline	15NOV2022	NEGATIVE
460061014/55/F/W	Baseline	07FEB2023	NEGATIVE
	Unscheduled	27SEP2023	NEGATIVE
460071001/57/F/W	Baseline	08APR2022	NEGATIVE
460071003/53/F/W	Baseline	23MAY2022	NEGATIVE
460071007/62/F/W	Baseline	29JUL2022	NEGATIVE
460071010/40/F/W	Baseline	08AUG2022	NEGATIVE
460071011/52/F/W	Baseline	29AUG2022	NEGATIVE
460071024/53/F/W	Baseline	12JAN2023	NEGATIVE
460071028/54/F/W	Baseline	09FEB2023	NEGATIVE
460091006/53/F/W	Baseline	24JAN2023	NEGATIVE
460091009/56/F/W	Baseline	09MAR2023	NEGATIVE
490031003/50/F/W	Baseline	27MAY2022	NEGATIVE
	Unscheduled	09AUG2022	NEGATIVE

Listing 10.2.8.1 / 8: Clinical laboratory data: Urine Pregnancy Test (cont.)

Actual treatment group: Placebo - Elinzanetant 120mg

Subject Identifier/Age/Sex/Race	Visit	Specimen Collection Date	Pregnancy
490061002/58/F/W	Baseline	06JUL2022	NEGATIVE
490061003/57/F/W	Baseline	07DEC2022	NEGATIVE
	Unscheduled	28JUL2023	NEGATIVE

Sex is identified as: M = Male, F = Female.
Race is identified as: A = Asian, B = Black, W = White, AI = American Indian or Alaska Native, NH = Native Hawaiian or Other Pacific Islander, NR = Not Reported, MUL=Multiple.
The unit for "Age" is years.
Bayer: /var/swan/root/bhc/3427080/21651/stat/main01/prod/analysis/pgms/l_10_2_8_1_adlb_preg.sas 09JAN2024 16:32
End of table