

## Static meshes

Offset	Type	Usage	Meaning	Format
0	FLOAT3	POSITION	XYZ	
12	D3DCOLOR	COLOR	Vertex normal (xyzw)	0 to 128 = -1.0 to 0.0 128 to 255 = 0.0 to 1.0
16	D3DCOLOR	COLOR	Specular?	0 to 255 = 0.0 to 1.0
20	SHORT2N	TEXCOORD	Channel 0 uv	0 to 32768 = 0.0 to 1.0
24	SHORT2N	TEXCOORD	Channel 1 uv	0 to 32768 = 0.0 to 1.0
28	D3DCOLOR	BLENDWEIGHT	Blendweight	0 to 255 = 0.0 to 1.0

Vertex normal XYZW correspond to RGBA.

UVs have to be transformed:  $u' = 0.5 + u/2$ ,  $v' = 0.5 - v/2$

vertex shader

```
vs_3_0
def c14, 2, -1, 1, 0
dcl_position v0
dcl_blendweight1 v1
dcl_texcoord v2
dcl_texcoord1 v3
dcl_color v4
dcl_color1 v5
dcl_position o0
dcl_texcoord o1
dcl_texcoord1 o2.xyz
dcl_texcoord2 o3.xyz
dcl_texcoord3 o4.xyz
dcl_texcoord4 o5.xyz
dcl_texcoord5 o6.xyz
dcl_texcoord6 o7
dcl_texcoord8 o8
dcl_texcoord9 o9.xy
mad r0.xyz, v4.zyxw, c14.x, c14.y
dp3 o6.x, r0, c0
dp3 o6.y, r0, c1
dp3 o6.z, r0, c2
mov r0.w, c14.z
mad r1, v0.xyzy, c14.zzzw, c14.wwwz
dp4 r0.x, r1, c0
dp4 r0.z, r1, c2
dp4 r0.y, r1, c1
dp4 o0.x, r0, c3
dp4 o0.y, r0, c4
dp4 o0.z, r0, c5
dp4 o0.w, r0, c6
```

```

dp4 r0.w, r0, c10
mad_sat r0.w, r0.w, c8.x, c8.y
mad r1.xyz, v5.zyxw, c14.x, c14.y
dp3 o4.x, r1, c0
dp3 o4.y, r1, c1
dp3 o4.z, r1, c2
mad r1.xyz, v1.zyxw, c14.x, c14.y
dp3 o5.x, r1, c0
dp3 o5.y, r1, c1
dp3 o5.z, r1, c2
mad r1.x, r0.y, c8.z, c8.w
add r1.y, -r0.w, c14.z
mul_sat r1.x, r1.x, r1.y
add_sat o8.w, r0.w, -r1.x
mad o1.zw, v3.xyxy, c12.xyxy, c12
mad r1.xy, v2, c11, c11.zwzw
mul o9.xy, r1, c13
mov o1.xy, r1
add r1.xyz, r0, -c7
mov o3.xyz, r0
dp3 r0.x, r1, r1
rsq r0.x, r0.x
mul o2.xyz, r1, r0.x
mov o7, c14.zzzw
mov o8.xyz, c9

```

// approximately 38 instruction slots used

#### pixel shader

```

ps_3_0
def c10, 2, -1, 1, 0.5
def c11, 0, 32, 0, 0
dcl_texcoord v0.xy
dcl_texcoord1 v1.xyz
dcl_texcoord2 v2.xyz
dcl_texcoord3 v3.xyz
dcl_texcoord4 v4.xyz
dcl_texcoord5 v5.xyz
dcl_texcoord8 v6
dcl_texcoord9 v7.xy
dcl_2d s0
dcl_2d s1
add r0.xyz, c2, -v2
dp3 r0.w, r0, r0
mov r1.z, c10.z
mad r1.x, r0.w, -c2.w, r1.z
rsq r0.w, r0.w
max r2.x, r1.x, c11.x
add_sat r1.x, r2.x, r2.x
mul r1.xyw, r1.x, c3.xyz
mul r2.xyz, r1.xyww, c8
nrm r3.xyz, v1
mad r4.xyz, r0, r0.w, -r3
mul r0.xyz, r0, r0.w
nrm r5.xyz, r4
texld r4, v7, s1

```

```

mad r4.xy, r4.wyzw, c10.x, c10.y
mul r6.xyz, r4.y, v4
mad r6.xyz, r4.x, v3, r6
dp2add r0.w, r4, -r4, c10.z
rsq r0.w, r0.w
rep r0.w, r0.w
mad r4.xyz, r0.w, v5, r6
dp3_sat r0.w, r4, r5
pow_sat r2.w, r0.w, c11.y
mul r2.xyz, r2, r2.w
mul r5.xyz, r2, c3.w
add r6.xyz, c0, -v2
dp3 r0.w, r6, r6
rsq r2.w, r0.w
mad r0.w, r0.w, -c0.w, r1.z
max r3.w, r0.w, c11.x
add_sat r0.w, r3.w, r3.w
mul r7.xyz, r0.w, c1
mad r8.xyz, r6, r2.w, -r3
mul r6.xyz, r6, r2.w
dp3_sat r0.w, r4, r6
mul r6.xyz, r7, r0.w
mul r7.xyz, r7, c8
nrm r9.xyz, r8
dp3_sat r0.w, r4, r9
pow_sat r2.w, r0.w, c11.y
mul r7.xyz, r7, r2.w
mad r5.xyz, r7, c1.w, r5
add r8.xyz, c4, -v2
dp3 r0.w, r8, r8
rsq r2.w, r0.w
mad r0.w, r0.w, -c4.w, r1.z
max r3.w, r0.w, c11.x
add_sat r0.w, r3.w, r3.w
mul r9.xyz, r0.w, c5
mad r3.xyz, r8, r2.w, -r3
mul r8.xyz, r8, r2.w
dp3_sat r0.w, r4, r8
mul r8.xyz, r9, r0.w
mul r9.xyz, r9, c8
nrm r10.xyz, r3
dp3_sat r0.w, r4, r10
pow_sat r2.w, r0.w, c11.y
mul r3.xyz, r9, r2.w
mad r5.xyz, r3, c5.w, r5
add r0.w, r1.z, -c3.w
mul r2.xyz, r2, r0.w
add r2.w, r1.z, -c1.w
mad r2.xyz, r7, r2.w, r2
add r1.z, r1.z, -c5.w
mad r2.xyz, r3, r1.z, r2
add r2.xyz, r2, r2
mad r2.xyz, r5, c10.x, r2
dp3_sat r0.x, r4, r0
mad r0.y, r4.y, c10.w, c10.w
mul r1.xyw, r1, r0.x
mul r0.xzw, r0.w, r1.xyyw
mul r1.xyw, r1, c3.w

```

```

mad r1.xyw, r6.xyyz, c1.w, r1
mad r0.xzw, r6.xyyz, r2.w, r0
mad r0.xzw, r8.xyyz, r1.z, r0
mad r1.xyz, r8, c5.w, r1.xyww
add r0.xzw, r0, r0
mad r0.xzw, r1.xyyz, c10.x, r0
mov r1.xyz, c7
add r1.xyz, -r1, c6
mad r1.xyz, r0.y, r1, c7
add r0.xyz, r0.xzww, r1
mov r0.w, c8.w
mad r0.xyz, c9, r0.w, r0
texld r1, v0, s0
mad r0.xyz, r1, r0, r2
mov oC0.w, r1.w
add r0.xyz, r0, -v6
mad oC0.xyz, v6.w, r0, v6

```

// approximately 104 instruction slots used (2 texture, 102 arithmetic)

### Animated meshes

Stream	Offset	Type	Usage	Meaning	Format
0	0	FLOAT3	POSITION	XYZ	
0	12	D3DCOLOR	COLOR	Vertex normal (xyzw)	0 to 128 = -1.0 to 0.0 128 to 255 = 0.0 to 1.0
0	16	D3DCOLOR	COLOR	Unknown	0 to 255 = 0.0 to 1.0
0	20	SHORT2N	TEXCOORD	Channel 0 uv	0 to 32768 = 0.0 to 1.0
0	24	SHORT2N	TEXCOORD	Channel 1 uv	0 to 32768 = 0.0 to 1.0
0	28	D3DCOLOR	BLENDWEIGHT	Blendweight	0 to 255 = 0.0 to 1.0
2	0	D3DCOLOR	BLENDWEIGHT	Blendweight	0 to 255 = 0.0 to 1.0
2	4	D3DCOLOR	BLENDWEIGHT	BLENDINDICES	0 to 255 = 0.0 to 1.0

### Vertex shader

```

vs_3_0
def c242, 2, -1, 765.005859, -0
def c243, -0.159154937, 0.5, 6.28318548, -3.14159274
dcl_position v0
dcl_blendweight v1
dcl_blendweight1 v2

```

```

dcl_blendindices v3
dcl_texcoord v4
dcl_texcoord1 v5
dcl_color v6
dcl_color1 v7
dcl_position o0
dcl_texcoord o1
dcl_texcoord1 o2.xyz
dcl_texcoord2 o3.xyz
dcl_texcoord3 o4.xyz
dcl_texcoord4 o5.xyz
dcl_texcoord5 o6.xyz
dcl_texcoord6 o7
dcl_texcoord8 o8
dcl_texcoord9 o9.xy
mad r0.xyz, v6.zyxw, c242.x, c242.y
mul r1, c242.z, v3.zyxw
mov a0, r1
mul r1, v1.y, c11[a0.y]
mad r1, v1.z, c11[a0.x], r1
mad r1, v1.x, c11[a0.z], r1
mad r1, v1.w, c11[a0.w], r1
dp3 r2.x, r0, r1
mul r3, v1.y, c12[a0.y]
mad r3, v1.z, c12[a0.x], r3
mad r3, v1.x, c12[a0.z], r3
mad r3, v1.w, c12[a0.w], r3
dp3 r2.y, r0, r3
mul r4, v1.y, c13[a0.y]
mad r4, v1.z, c13[a0.x], r4
mad r4, v1.x, c13[a0.z], r4
mad r4, v1.w, c13[a0.w], r4
dp3 r2.z, r0, r4
nrm r0.xyz, r2
dp3 o6.x, r0, c0
dp3 o6.y, r0, c1
dp3 o6.z, r0, c2
mad r0, v0.xyzx, -c242.yyyw, -c242.wwwy
dp4 r2.x, r0, r1
dp4 r2.y, r0, r3
dp4 r2.z, r0, r4
mov r2.w, -c242.y
dp4 r0.x, r2, c0
dp4 r0.z, r2, c2
dp4 r0.y, r2, c1
mov r0.w, -c242.y
dp4 o0.x, r0, c3
dp4 o0.y, r0, c4
dp4 o0.z, r0, c5
dp4 o0.w, r0, c6
dp4 r0.w, r0, c10
mad_sat r0.w, r0.w, c8.x, c8.y
mad r2.xyz, v7.zyxw, c242.x, c242.y
dp3 r5.x, r2, r1
dp3 r5.y, r2, r3
dp3 r5.z, r2, r4
dp3 o4.x, r5, c0
dp3 o4.y, r5, c1
dp3 o4.z, r5, c2

```

```

mad r2.xyz, v2.zyxw, c242.x, c242.y
dp3 r1.x, r2, r1
dp3 r1.y, r2, r3
dp3 r1.z, r2, r4
dp3 o5.x, r1, c0
dp3 o5.y, r1, c1
dp3 o5.z, r1, c2
add r1.xyz, r0.xzzw, -c236.xyyw
mov r2.z, c237.z
mad r1.w, r2.z, c243.x, c243.y
frc r1.w, r1.w
mad r1.w, r1.w, c243.z, c243.w
sincos r2.xy, r1.w
mul r1.yzw, r1.xxyz, r2.xxyx
mad r2.z, r1.x, -r2.y, r1.w
add r2.x, r1.z, r1.y
add r1.xz, -r2, c236.zyww
add r2.y, r0.y, -c237.x
add r1.y, -r2.y, c237.y
min r1.xyz, r2, r1
min r1.y, r1.z, r1.y
min r1.x, r1.x, r1.y
add r1.x, r1.x, -c237.w
mul r1.x, r1.x, c238.w
mad r1.y, r0.y, c8.z, c8.w
add r1.z, -r0.w, -c242.y
mul_sat r1.y, r1.y, r1.z
add_sat r0.w, r0.w, -r1.y
add r1.y, -r0.w, -c242.y
mul_sat r1.y, -r1.x, r1.y
max r1.x, -r1.x, -c242.w
min o8.w, r0.w, r1.x
add r1.x, -r1.y, -c242.y
mov r2.xyz, c9
add r1.yzw, -r2.xxyz, c238.xxyz
mul r1.xyz, r1.x, r1.yzww
mad o8.xyz, r0.w, r1, c9
mad o1.zw, v5.xxyx, c240.xxyx, c240
mad r1.xy, v4, c239, c239.zwzw
mul o9.xy, r1, c241
mov o1.xy, r1
add r1.xyz, r0, -c7
mov o3.xyz, r0
dp3 r0.x, r1, r1
rsq r0.x, r0.x
mul o2.xyz, r1, r0.x
mov o7, -c242.yyww

```

// approximately 100 instruction slots used

## pixel shader

```

ps_3_0
def c9, 2, -1, 1, 0.5
def c10, 0, 32, 0, 0
dcl_texcoord v0.xy
dcl_texcoord1 v1.xyz
dcl_texcoord2 v2.xyz
dcl_texcoord3 v3.xyz
dcl_texcoord4 v4.xyz

```

```

dcl_texcoord5 v5.xyz
dcl_texcoord8 v6
dcl_texcoord9 v7.xy
dcl_2d s0
dcl_2d s1
dcl_2d s2
texld r0, v7, s1
mad r0.xy, r0.wyzw, c9.x, c9.y
mul r1.xyz, r0.y, v4
mad r1.xyz, r0.x, v3, r1
dp2add r0.x, r0, -r0, c9.z
rsq r0.x, r0.x
rcp r0.x, r0.x
mad r0.xyz, r0.x, v5, r1
add r1.xyz, c2, -v2
dp3 r0.w, r1, r1
rsq r1.w, r0.w
mov r2.z, c9.z
mad r0.w, r0.w, -c2.w, r2.z
max r2.x, r0.w, c10.x
add_sat r0.w, r2.x, r2.x
mul r2.xyw, r0.w, c3.xyz
nrm r3.xyz, v1
mad r4.xyz, r1, r1.w, -r3
mul r1.xyz, r1, r1.w
dp3_sat r0.w, r0, r1
mul r1.xyz, r2.xyww, r0.w
nrm r5.xyz, r4
dp3_sat r0.w, r0, r5
pow_sat r1.w, r0.w, c10.y
texld r4, v0, s2
mul r2.xyw, r2, r4.xyz
mul r2.xyw, r1.w, r2
mul r5.xyz, r2.xyww, c3.w
add r6.xyz, c0, -v2
dp3 r0.w, r6, r6
rsq r1.w, r0.w
mad r0.w, r0.w, -c0.w, r2.z
max r3.w, r0.w, c10.x
add_sat r0.w, r3.w, r3.w
mul r7.xyz, r0.w, c1
mad r8.xyz, r6, r1.w, -r3
mul r6.xyz, r6, r1.w
dp3_sat r0.w, r0, r6
mul r6.xyz, r7, r0.w
mul r7.xyz, r4, r7
nrm r9.xyz, r8
dp3_sat r0.w, r0, r9
pow_sat r1.w, r0.w, c10.y
mul r7.xyz, r7, r1.w
mad r5.xyz, r7, c1.w, r5
add r8.xyz, c4, -v2
dp3 r0.w, r8, r8
rsq r1.w, r0.w
mad r0.w, r0.w, -c4.w, r2.z
max r3.w, r0.w, c10.x
add_sat r0.w, r3.w, r3.w
mul r9.xyz, r0.w, c5
mad r3.xyz, r8, r1.w, -r3

```

```

mul r8.xyz, r8, r1.w
dp3_sat r0.w, r0, r8
mul r8.xyz, r9, r0.w
mul r4.xyz, r4, r9
nrm r9.xyz, r3
dp3_sat r0.x, r0, r9
mad r0.y, r0.y, c9.w, c9.w
pow_sat r1.w, r0.x, c10.y
mul r0.xzw, r4.xyyz, r1.w
mad r3.xyz, r0.xzww, c5.w, r5
add r1.w, r2.z, -c3.w
mul r2.xyw, r2, r1.w
mul r4.xyz, r1, r1.w
mul r1.xyz, r1, c3.w
mad r1.xyz, r6, c1.w, r1
mad r1.xyz, r8, c5.w, r1
add r1.w, r2.z, -c1.w
mad r2.xyw, r7.xyyz, r1.w, r2
mad r4.xyz, r6, r1.w, r4
add r1.w, r2.z, -c5.w
mad r0.xzw, r0, r1.w, r2.xyyw
mad r2.xyz, r8, r1.w, r4
add r2.xyz, r2, r2
mad r1.xyz, r1, c9.x, r2
add r0.xzw, r0, r0
mad r0.xzw, r3.xyyz, c9.x, r0
mov r2.xyz, c7
add r2.xyz, -r2, c6
mad r2.xyz, r0.y, r2, c7
add r1.xyz, r1, r2
mad r1.xyz, c8, r4.w, r1
texld r2, v0, s0
mad r0.xyz, r2, r1, r0.xzww
mov oc0.w, r2.w
add r0.xyz, r0, -v6
mad oc0.xyz, v6.w, r0, v6

```

// approximately 104 instruction slots used (3 texture, 101 arithmetic)