

ISTB – Institute for Surgical **Technology and Biomechanics**




Project Id: 5 – The Virtual Skeleton Database Workpackage: 3 – Statistical Finite Element Modeling for the VSD

Name: Serena Bonaretti

Project Description


Finite element models developed from CT data are commonly used to evaluate the mechanical performance of bones without taking into account variations of bone geometry and material properties. Using Statistical Shape Modeling bone anatomical variations can be included in mechanical simulations.




Results

Assessment of Bone Stiffness

- Caucasian femur CT images 57 for males; 80 for females
- Statistical Shape Model 4 modes - 40 instances for each gender
- 10-node tetrahedral mesh
- Bone: E = 6.85p1.49 GPa; v = 0.3
- L = 800 N; distal part constrained
- No statistical difference between male and female Limitation: same length and density for all bones





Implant Design

- 43 Caucasian tibia CT images
- 47 Asian tibia CT images
- Statistical Shape Model 2 modes - 13 instances for each ethnic group






10-node tetrahedral mesh

Asian

- Bone: E = 15.52p1.93 GPa, v = 0.3
- Implant: E = 110 GPa, v = 0.3
- L = 1600 N; distal part constrained
- Bone-implant average distance higher for
- Stress in the plate statistically higher for Asian (p<0.05)



Summary

Motivation: To exploit the mechanical information available in medical images and to establish tools to integrate biomechanical information into the Virtual Skeleton Database

Algorithms: Demons Registration, Principal Component Analysis, Finite Element Analysis

Materials: ITK, VTK, MRFSurface, NetGen, Abaqus

Datasets: CT images

Output: CT images of virtual bones and their mechanical evaluation

Needs: More mechanical simulation on shape and shape-intensity new instances

