



MUT

MANGOSUTHU
UNIVERSITY OF TECHNOLOGY





Microbiological Components Affecting Food Safety

Ensuring Safe Food from Farm to Fork

  **Dr Mpou J Manyatsa**

INTRODUCTION

- Food safety ensures public health, economic stability, and consumer trust.
- Microorganisms can be both beneficial (fermentation) and harmful (pathogens).
- Foodborne diseases affect millions annually worldwide.



Categories of Microorganisms

- Bacteria: Most common culprits in foodborne illness.
- Viruses: Spread through contaminated food/water.
- Fungi: Cause spoilage and produce toxins.
- Parasites: Less common but serious health risks..



- Food safety ensures public health, economic stability, and Salmonella: Causes diarrhea, fever; linked to poultry/eggs.
- Listeria: Dangerous for pregnant women; found in dairy and ready-to-eat foods.
- E. coli O157:H7: Severe illness from undercooked beef and contaminated produce.
- Clostridium botulinum: Produces deadly toxin in improperly canned foods. trust.



- Norovirus: Highly contagious, causes vomiting/diarrhea.
- Hepatitis A: Affects liver; spread via contaminated water/shellfish.
- Viruses don't multiply in food but survive long enough to infect humans.



Fungi

- Molds produce mycotoxins (e.g., aflatoxin from *Aspergillus*).
- Yeasts spoil sugary foods, juices, and baked goods.
- Health risks: cancer, organ damage, allergic reactions.



- *Giardia lamblia*: Causes giardiasis, spread via water.
- *Toxoplasma gondii*: Linked to undercooked meat, dangerous for pregnant women.
- *Trichinella spiralis*: Found in pork, causes muscle pain and fever..



Sources of Contamination

- Farm: Soil, water, animal feces.
- Processing: Poor hygiene, dirty equipment.
- Storage: Improper refrigeration, temperature abuse.
- Consumer: Cross-contamination, undercooking.



- GAPs: Safe farming practices.
- GMPs: Clean facilities, trained staff.
- HACCP: Systematic hazard control.
- Consumer role: cooking thoroughly, handwashing, proper storage.



Emerging Concerns

- Antimicrobial resistance: Pathogens harder to treat.
- Globalization: Food travels long distances, increasing risk.
- Climate change: Warmer temperatures favor microbial growth.



- Investigate foodborne illness outbreaks and trace contamination sources.
- Educate food handlers and the public on safe practices.
- Collaborate with other agencies (health departments, laboratories).
- Provide certification/licensing for food businesses under their jurisdiction.
- Act as a bridge between science, law, and community health.



Conclusion

- Microorganisms are central to food safety challenges.
- Prevention requires collaboration across farms, factories, and households.
- Safe food = healthier communities and stronger economies.



- Cite WHO, FAO, CDC, peer-reviewed journals.





A RESEARCH-
INFORMED
UNIVERSITY



EXCELLENCE
IN TEACHING
AND LEARNING



THANK YOU



FAIR AND
INCLUSIVE



ACCOUNTABILITY
INTEGRITY
RESPECT
EXCELLENCE



MUT
MANGOSUTHU
UNIVERSITY OF TECHNOLOGY