

RECEIVED

MAY 26 2026

KARA SANDS
CLERK OF THE COUNTY COURT
NUECES COUNTY, TEXAS**Notice of Foreclosure Sale**1. *Property to Be Sold.* The property to be sold is described as follows:

A 10.88 Acre Tract of Land, situated in the Edward Hall Survey 588, Land Script 227, Abstract 160, Nueces County, Texas, being a portion of a 25.559 Acre Tract, as described in an Assumption Warranty Deed from Charles Castor, Jr. to Merisol Villages LLC, recorded in Document No. 2019051116 Official Public Records of Nueces County, Texas; the said 10.88 Acre Tract, being more fully described as follows:

Beginning, at a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Found, being the West corner of Lot 5, Block 2, Merisol Subdivision Unit 1, a map of which is recorded in Volume 69, Pages 602-603, Map Records of Nueces County, Texas and the North corner of Lot 1B, said Block 2, for the South corner of this Tract;

Thence with the boundary of this Tract as follows:

- North 53°37'42" West, 201.52 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
- North 36°22'18" East, 26.33 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and the beginning of a non-tangent curve to the Right, having a Delta of 77°54'01", a Radius of 50.00 Feet, an Arc Length of 67.98 Feet, and a Chord which bears North 50°13'51" West, 62.86 Feet;
- With said non-tangent curve to the Right, 67.98 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and for the beginning of a reverse curve to the Left, having a Delta of 42°20'51", a Radius of 25.00 Feet, an Arc Length of 18.48 Feet, and a Chord which bears North 32°27'16" West, 18.06 Feet;
- With said reverse curve to the Left, 18.48 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
- North 53°37'42" West, 297.05 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and the beginning of a circular curve to the Right, having a Delta of 1°09'23", a Radius of 300.00 Feet, an Arc Length of 6.05 Feet, and a Chord which bears North 53°03'00" West, 6.05 Feet;
- With said circular curve to the Right, 6.05 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
- South 42°21'41" West, 14.94 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and the beginning of a non-tangent curve to the Right, having a Delta of 10°54'03", a Radius of 418.51 Feet, an Arc Length of 79.62 Feet, and a Chord which bears North 43°44'43" West, 79.50 Feet, from Whence, a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Found, being a corner of the said 25.559 Acre Tract, bears South 42°21'41" West, 56.71 Feet;
- With said non-tangent curve to the Right, 79.62 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract, from Whence, a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Found, being a corner of the said 25.559 Acre Tract, bears South 40°12'16" West, 175.28 Feet;

- North $40^{\circ}12'16''$ East, 13.49 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and the beginning of a non-tangent curve to the Right, having a Delta of $13^{\circ}32'59''$, a Radius of 300.00 Feet, an Arc Length of 70.95 Feet, and a Chord which bears North $30^{\circ}23'12''$ West, 70.78 Feet;
- With said non-tangent curve to the Right, 70.95 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
- North $23^{\circ}36'43''$ West, 8.72 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
- North $59^{\circ}50'33''$ West, 656.07 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
- North $32^{\circ}00'30''$ East, 90.37 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and the beginning of a circular curve to the Right, having a Delta of $88^{\circ}08'57''$, a Radius of 10.00 Feet, an Arc Length of 15.38 Feet, and a Chord which bears North $76^{\circ}04'59''$ East, 13.91 Feet;
- With said circular curve to the Right, 15.38 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
- North $59^{\circ}50'33''$ West, 7.23 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and the beginning of a circular curve to the Right, having a Delta of $4^{\circ}11'00''$, a Radius of 850.00 Feet, an Arc Length of 62.06 Feet, and a Chord which bears North $57^{\circ}45'03''$ West, 62.05 Feet;
- With said circular curve to the Right, 62.06 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and the beginning of a non-tangent curve to the Right, having a Delta of $87^{\circ}40'03''$, a Radius of 10.00 Feet, an Arc Length of 15.30 Feet, and a Chord which bears South $11^{\circ}49'31''$ East, 13.85 Feet;
- With said non-tangent curve to the Right, 15.30 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
- South $32^{\circ}00'30''$ West, 90.38 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and the beginning of a non-tangent curve to the Right, having a Delta of $16^{\circ}11'15''$, a Radius of 950.00 Feet, an Arc Length of 268.40 Feet, and a Chord which bears North $48^{\circ}23'24''$ West, 267.51 Feet;
- With said non-tangent curve to the Right, 268.40 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
- North $40^{\circ}17'46''$ West, 306.76 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and the beginning of a circular curve to the Right, having a Delta of $17^{\circ}52'19''$, a Radius of 415.00 Feet, an Arc Length of 129.45 Feet, and a Chord which bears North $31^{\circ}21'37''$ West, 128.92 Feet;
- With said circular curve to the Right, 129.45 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and for the beginning of a reverse curve to the Left, having a Delta of $22^{\circ}58'51''$, a Radius of 165.00 Feet, an Arc Length of 66.18 Feet, and a Chord which bears North $33^{\circ}54'53''$ West, 65.74 Feet;
- With said reverse curve to the Left, 66.18 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and for the beginning of a reverse curve to the Right, having a Delta of $225^{\circ}57'43''$, a Radius of 150.00 Feet, an Arc Length of 591.57 Feet, and a Chord which bears North $67^{\circ}34'32''$ East, 276.19 Feet;
- With said reverse curve to the Right, 591.57 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and for the beginning of a reverse

- curve to the Left, having a Delta of $40^{\circ}51'10''$, a Radius of 165.00 Feet, an Arc Length of 117.65 Feet, and a Chord which bears South $19^{\circ}52'11''$ East, 115.17 Feet;
- With said reverse curve to the Left, 117.65 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
 - South $40^{\circ}17'46''$ East, 302.37 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract, from Whence, a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Found, being a corner of the said 25.559 Acre Tract, bears North $49^{\circ}42'14''$ East, 50.00 Feet;
 - South $49^{\circ}42'14''$ West, at 40.00 Feet pass, a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Found, being a corner of the said 25.559 Acre Tract, in all 100.00 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
 - South $40^{\circ}17'46''$ East, 4.38 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and the beginning of a non-tangent curve to the Left, having a Delta of $13^{\circ}24'58''$, a Radius of 800.00 Feet, an Arc Length of 187.32 Feet, and a Chord which bears South $47^{\circ}00'15''$ East, 186.90;
 - With said non-tangent curve to the Left, 187.32 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
 - North $49^{\circ}42'14''$ East, 103.23 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and the beginning of a non-tangent curve to the Left, having a Delta of $4^{\circ}10'10''$, a Radius of 700.00 Feet, an Arc Length of 50.94 Feet, and a Chord which bears South $57^{\circ}45'28''$ East, 50.93 Feet;
 - With said non-tangent curve to the Left, 50.94 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
 - South $59^{\circ}50'33''$ East, 448.48 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and the beginning of a circular curve to the Right, having a Delta of $36^{\circ}13'50''$, a Radius of 350.00 Feet, an Arc Length of 221.32 Feet, and a Chord which bears North $41^{\circ}43'38''$ West, 217.65 Feet;
 - With said circular curve to the Right, 221.32 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
 - South $23^{\circ}36'43''$ East, 112.48 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and the beginning of a circular curve to the Left, having a Delta of $30^{\circ}00'59''$, a Radius of 150.00 Feet, an Arc Length of 78.58 Feet, and a Chord which bears South $38^{\circ}37'12''$ East, 77.69 Feet;
 - With said circular curve to the Left, 78.58 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
 - South $53^{\circ}37'42''$ East, 29.80 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
 - South $50^{\circ}57'48''$ West, 103.33 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
 - South $53^{\circ}37'42''$ East, 283.48 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and the beginning of a circular curve to the Left, having a Delta of $53^{\circ}32'24''$, a Radius of 25.00 Feet, an Arc Length of 23.36 Feet, and a Chord which bears South $80^{\circ}23'54''$ East, 22.52 Feet;
 - With said circular curve to the Left, 23.36 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and for the beginning of a reverse

curve to the Right, having a Delta of $25^{\circ}11'15''$, a Radius of 50.00 Feet, an Arc Length of 21.98 Feet, and a Chord which bears North $85^{\circ}25'32''$ East, 21.80 Feet;

- With said reverse curve to the Right, 21.98 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract and for the beginning of a compound curve to the Right, having a Delta of $5^{\circ}43'10''$, a Radius of 325.00 Feet, an Arc Length of 32.44 Feet, and a Chord which bears South $79^{\circ}07'16''$ East, 32.43 Feet;
- With said compound curve to the Right, 32.44 Feet, to a 5/8 Inch Iron Rod with red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
- North $24^{\circ}32'10''$ East, 31.61 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
- North $50^{\circ}40'58''$ East, 97.11 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Set, for a corner of this Tract;
- South $53^{\circ}37'42''$ East, 180.02 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Found, being the North corner of Lot 7, Block 1, said Merisol Subdivision Unit 1, for a corner of this Tract;
- South $36^{\circ}22'18''$ West, at 100.00 Feet pass, a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Found, being the North corner of Merisol Drive, a public roadway, as shown on the said plat of Merisol Subdivision Unit 1, the West corner of the said Lot 7, in all 150.00 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Found, being the West corner of the said Merisol Drive, for a corner of this Tract;
- South $53^{\circ}37'42''$ East, with the Southwest Right-of-Way line of the said Merisol Drive, 27.52 Feet, to a 5/8 Inch Iron Rod with a red plastic cap stamped "URBAN ENGR CCTX" Found, being the North corner of Lot 5, Block 2, said Merisol Subdivision Unit 1, for a corner of this Tract;

Thence, South $36^{\circ}22'18''$ West, 100.00 Feet, to the Point of Beginning, containing 10.88 Acres (473,846 Sq. Ft.) of Land, more or less.

2. *Instrument to Be Foreclosed.* The instrument to be foreclosed is the *Deed of Trust and Security Agreement* recorded under Clerk's File Number 2023036574, Official Public Records of Nueces County, Texas; modified by *Modification and Extension Agreement* recorded under Clerk's File Number 2025018574, Official Public Records of Nueces County, Texas.

3. *Date, Time, and Place of Sale.* The sale is scheduled to be held at the following date, time, and place:

Date: July 7, 2026

Time: The sale of the Property will be held between the hours of 10:00 a.m. and 4:00 p.m. local time; the earliest time at which the foreclosure sale will begin is 10:00 a.m. and not later than three hours thereafter.

Place: Nueces County Courthouse in Corpus Christi, Texas, at the following location: At the South entrance of the Nueces County Courthouse facing Lipan Street.

The deed of trust permits the beneficiary to postpone, withdraw, or reschedule the sale for another day. In that case, the trustee or substitute trustee under the deed of trust need not appear at the date, time, and place of a scheduled sale to announce the postponement, withdrawal, or rescheduling. Notice of the date of any rescheduled foreclosure sale will be reposted and refiled in accordance with the posting and filing requirements of the *Texas Property Code*. The reposting or refileing may be after the date originally scheduled for this sale.

4. *Terms of Sale.* The sale will be conducted as a public auction to the highest bidder for cash, subject to the provisions of the deed of trust permitting the beneficiary thereunder to have the bid credited to the note up to the amount of the unpaid debt secured by the deed of trust at the time of sale.

Those desiring to purchase the property will need to demonstrate their ability to pay their bid immediately in cash if their bid is accepted.

The sale will be made expressly subject to any title matters set forth in the deed of trust, but prospective bidders are reminded that by law the sale will necessarily be made subject to all prior matters of record affecting the property, if any, to the extent that they remain in force and effect and have not been subordinated to the deed of trust. The sale shall not cover any part of the property that has been released of public record from the lien of the deed of trust. Prospective bidders are strongly urged to examine the applicable property records to determine the nature and extent of such matters, if any.

Pursuant to the deed of trust, the beneficiary has the right to direct the Trustee to sell the property in one or more parcels and/or to sell all or only part of the property.

Pursuant to section 51.009 of the *Texas Property Code*, the property will be sold "AS IS," without any expressed or implied warranties, except as to the warranties (if any) provided for under the deed of trust. Prospective bidders are advised to conduct an independent investigation of the nature and physical condition of the Property.

Pursuant to section 51.0075(a) of the *Texas Property Code*, the trustee or any substitute trustee reserves the right to set further reasonable conditions for conducting the sale. Any such further conditions shall be announced before bidding is opened for the first sale of the day held by the trustee or any substitute trustee. This sale will be conducted subject to the right of rescission contained in section 51.016 of the *Texas Property Code*.

5. *Type of Sale.* The sale is a nonjudicial deed-of-trust lien foreclosure sale being conducted pursuant to the power of sale granted by the deed of trust and security agreement executed by Merisol Villages LLC, a Texas limited liability company. The real property encumbered by the deed of trust will be sold at the sale in accordance with the provisions of the deed of trust.

6. *Obligations Secured.* The deed of trust provides that it secures the payment of the indebtednesses and obligations therein described (collectively, the "Obligations") including but not limited to (a) the promissory note in the original principal amount of \$2,550,000.00, executed

by Merisol Villages LLC, a Texas limited liability company, and payable to the order of Total Financing, LLC, a Texas limited liability company; (b) all renewals and extensions of the note; and (c) any and all present and future indebtednesses of Merisol Villages LLC, a Texas limited liability company to Total Financing, LLC, a Texas limited liability company. Total Financing, LLC, a Texas limited liability company is the current owner and holder of the Obligations and is the beneficiary under the deed of trust.


Questions concerning the sale may be directed to the undersigned or to the beneficiary, Total Financing, LLC, a Texas limited liability company.

7. *Default and Request to Act.* Default has occurred under the deed of trust, and the beneficiary has requested Abstracts/Trustees of Texas LLC, as substitute trustee, to conduct this sale. Notice is given that before the sale the beneficiary may appoint another person substitute trustee to conduct the sale.


THIS INSTRUMENT APPOINTS THE SUBSTITUTE TRUSTEE IDENTIFIED TO SELL THE PROPERTY DESCRIBED IN THE SECURITY INSTRUMENT IDENTIFIED IN THIS NOTICE OF SALE. THE PERSON SIGNING THIS NOTICE IS THE ATTORNEY OR AUTHORIZED AGENT OF THE MORTGAGEE OR MORTGAGE SERVICER.

Dated May 22, 2026.

Abstracts/Trustees of Texas LLC



By: WALT FAIR
Attorney for Total Financing, LLC
State Bar Number 06781800
1508 North Valley Mills Drive
Waco, Texas 76710
Telephone: (254) 772-6400
Telecopier: (254) 772-6432



VG-38-2026-2026000312

Nueces County
Kara Sands
Nueces County Clerk

Instrument Number: 2026000312


Foreclosure Posting
FORECLOSURE NOTICE

Recorded On: May 26, 2026 10:00 AM

Number of Pages: 7

" Examined and Charged as Follows: "

Total Recording: \$7.00



STATE OF TEXAS

Nueces County

I hereby certify that this Instrument was filed in the File Number sequence on the date/time printed hereon, and was duly recorded in the Official Records of Nueces County, Texas

Kara Sands
Nueces County Clerk
Nueces County, TX

Kara Sands

***** THIS PAGE IS PART OF THE INSTRUMENT *****

Any provision herein which restricts the Sale, Rental or use of the described REAL PROPERTY because of color or race is invalid and unenforceable under federal law.

File Information:

Document Number: 2026000312
Receipt Number: 20260526000055
Recorded Date/Time: May 26, 2026 10:00 AM
User: Lourdes V
Station: CLERK13

Record and Return To:

Pioneer Land Services
3737 Reynosa St
Corpus Christi TX 78416