Building Your First Plugin

Steve Bruner

www.slipfire.com

s.bruner.me

Steve Bruner

- CEO of <u>SlipFire</u>: WordPress development studio.
- Partner in <u>Piklist LLC</u>: building a WordPress framework plugin.
- An organizer of WordPress NYC meetup
- Organized WordCamp NYC 2009, 2010, 2012, 2014
- Building WordPress plugins since 2008

Prerequisites

- Access to a WordPress website (local is best)
- Code editor
- A few test posts (use Fakerpress)
- Images in media library

What is a plugin?

- Allows easy modification, customization, and enhancement of a WordPress website.
- Instead of changing the core code of WordPress, you can add functionality with WordPress Plugins.
- Plugins interact with WordPress and/or your theme.

How do plugins interact with WordPress and your theme?

Hooks

"Action" Hooks and "Filter" Hooks

What is an "Action" Hook?

- An Action in is a piece of code that is triggered at specific time when and lets you take an action. (i.e when a theme or plugin is activated)
- Actions can be in WordPress, your theme or a plugin.
- Example: do action('init')
- To hook: add_action('init', 'my_function')
- Popular Actions:
 - o wp head: theme
 - > wp_footer : theme
 - o init
 - o admin init
 - wp_enqueue_scripts
- Action reference:
 - https://codex.wordpress.org/Plugin_API/Action_Reference

What is an "Filter" Hook?

- Filters are functions that WordPress uses to pass data through.
- Allows you to modify the default behavior of a specific function.
- Filters can be in WordPress, your theme or a plugin.
- Example: \$content = apply_filters('the_content', \$content);
- To filter: add_filter('the_content', 'my_function');
- Popular Filters:
 - The content
 - The_excerpt
 - o the title
 - body_class
- Action reference:
 - https://codex.wordpress.org/Plugin_API/Filter_Reference

What does a Filter do?

Data > apply_filters > changed data

Anatomy of a Plugin

- Main plugin file
- File header:
 - https://codex.wordpress.org/File_Header
- Readme.txt
 - Generate: https://generatewp.com/plugin-readme/
 - Validate: <u>https://wordpress.org/plugins/about/validator/</u>
- Language folder
 - Store language files (i.e. pot file)
- uninstall.php
 - Any scripts you need to run when a user uninstalls your plugin from wp-admin