

2nd Generation IP Video Intercom

Real Security, Really Convenient




Hikvision VDP Product line





2nd Generation IP video intercom (Modular VDP)



- Access control/Elevator control
- Cloud service
- Excellent image
- Easy management





IP video intercom



- IP trend
- Access control/Elevator control
- Cloud service
- Excellent image
- Easy management









Analog intercom




- Plug-play
- Cost effective
- Easy maintenance



Product Scales








Product Scales







Entry-level solution





DS-KH6320-C



DS-KV8102-IPE

Indoor station:

- No storage for image capture
- Intercom supported
- Hikvision private POE
- Alarm in & out
- APP not supported

- 120 wide angle, WDR
- 1.3MP camera
- No Access Control function
- No Alarm/RS485 interfaces
- IR light compensation
- Hikvision private POE



Professional solution





DS-KH6320-TE1



DS-KV6103-PE1

Indoor station:

- Standard SIP and standard POE supported
- Max 32G SD card support
- APP supported
- Alarm in & out
- Upgraded GUI and improved screen resolution 1024 X 600

- 129 wide angle, WDR
- 2 MP HD camera
- IR light compensation
- Standard SIP and standard POE supported
- Tamper-proof



Standard solution





DS-KH6320-WTE1



DS-KD8003-IME1/Surface

Indoor station:

- Standard SIP and standard POE supported
- Max 32G SD card support
- Wi-Fi and APP supported
- Alarm in & out
- Upgraded GUI and improved screen resolution 1024 X 600

- 180 Horizontal wide angle, WDR
- 2MP camera
- Standard SIP and standard POE supported
- IR light compensation
- Noise suppression and echo cancellation



Premium solution







DS-KH8350-WTE1



DS-KD8003-IME1/Surface

Indoor station:

- Standard SIP and standard POE supported
- Max 32G SD card support
- Wi-Fi and APP supported
- Alarm in & out
- Upgraded GUI and improved screen resolution 1024 X 600

- 180 Horizontal wide angle, WDR
- 2MP camera
- Standard SIP and standard POE supported
- IR light compensation
- Noise suppression and echo cancellation









IP solution — Indoor Station



10 Inch, DS-KH8520-WTE1





7 Inch, DS-KH8350-(W)TE1



7 Inch, DS-KH6320-(W)TE1



Wi-Fi Supported



Standard PoE



Alarm In & Out



32G SD Card



Auto Capturing

Pictures



User friendly design

11 Languages include:

English, French, Italian, German, Polish, Spanish, Russian, Portuguese, Vietnamese, Turkish, Arabic



IP solution — Modular Door Station



DS-KV6103-PE1

(Villa Door Station)

Key Feature

- Standard SIP and standard POE supported
- 2 MP HD camera
- Noise suppression and echo cancellation
- Low illumination
- Tamper-proof
- Configuration remotely via Web





IP solution — Modular Door Station



DS-KV6113-WPE1

(Villa Door Station)

Key Feature

- Standard SIP and standard POE supported
- 2 MP HD camera
- Noise suppression and echo cancellation
- Low illumination
- Access control functions
- Tamper-proof
- Configuration remotely via Web



Modular Door Station



Main unit

DS-KD8003-IME1









2MP

Standard PoE

180°Wide

Angle, WDR





IP 65



IR Light

Compensation



Auto

Capturing

Pictures



Tamper alarm



Modular Door Station



Extension module




Indicator module DS-KD-IN



Card reader module DS-KD-E (125KHz)



Keypad module DS-KD-KP



Nametag module DS-KD-KK



Blank module DS-KD-BK



Card reader module DS-KD-M (13.5MHz)



More modules







IP solution — Modular Door Station







Standard PoE



2M, 180°Wide

Angle, WDR





Two locks control



Fashionable design

Backlight function



Multiple

languages



Configurable

modularity



Bigger nametag



Display screen

11 Languages include:

English, French, Italian, German, Polish, Spanish, Russian, Portuguese, Vietnamese, Turkish, Arabic

Indoor Station



Reddot award 2017 winner









Wi-Fi Supported

Standard PoE

Alarm In & Out



DS-KH8301-(W)T

Nbalagos

Space grey

ice grey



32G SD Card Auto Capturing



Pictures


7 Inch Touch Screen with Resolution 1024 * 600







User friendly design



10 Languages include:


English, French, Italian, German, Polish, Spanish, Russian, Portuguese, Vietnamese, Turkish



IP Video Intercom **HIKVISIO**N System Framework for Apartment UTP Master Station iVMS-4200 RVV **Apartment** Alarm LAN IP Camera sensors Standard PoE Switch Indoor Station Alarm **** 8 8 ### # # sensors Standard PoE Switch Indoor Station Alarm sensors Standard PoE Switch Main unit Indoor Station Powered by Extension module Standard PoE Switch

HIKVISION

System Framework for Villa




https://tools.hikvision.com/



HIKVISION

System Framework for Wireless Villa Solution



https://tools.hikvision.com/

Modular Door Station



Fully-upgraded door station


















2M, 180°Wide

Angle, WDR



Two locks control



Fashionable design




Multiple languages



Configurable modularity







10 Languages include:

English, French, Italian, German, Polish, Spanish, Russian, Portuguese, Vietnamese, Turkish



Modular Door Station



Fully-upgraded door station
















2M, 180°Wide

Angle, WDR



Two locks control



Fashionable design



Multiple languages



Configurable modularity

10 Languages include:

English, French, Italian, German, Polish, Spanish, Russian, Portuguese, Vietnamese, Turkish



IP Video Intercom Highlights

1. Excellent Image Quality

Fisheye camera, 2MP, WDR, Night Vision

2. Easy Control & Various Application

- Mobile control/ Access control/ Two locks control
- Public password/Message/Do not disturb

Flexible combination


- Readily expansibility with various modules
- Various installation frame

Elegant & useful design

- · Suitable for the disabled
- · Artistic industrial design
- Rdedot award winner (indoor station)

5. CCTV integration

- Management on All-in-one client
- Video recording to DVR/NVR



Highlights — Excellent Image Quality

HIKVISION

Fisheye camera, 2MP, 180°, ultra wide view angle, night version




Door station image at night

Highlights -Easy Control & Various Application



Receive call and unlock door on Mobile App








Highlights

Easy Control & Various Application



Neighbor call/Message/Self-define ringtone







Highlights — Flexible combination



Readily expansibility with various modules

Surface mounting









Main unit + Nametag + Keypad + DS-KD-ACW3 Main unit + Nametag + Blank + DS-KD-ACW3 Main unit + Blank + Keypad + DS-KD-ACW3

Main unit + Blank + Blank + DS-KD-ACW3

Flush mounting



Main unit + Nametag + Keypad + DS-KD-ACF3 Main unit + Nametag + Blank + DS-KD-ACF3





Main unit + Blank + Keypad + DS-KD-ACF3



Main unit + Blank + Blank + DS-KD-ACF3

Highlights — Flexible combination



Readily expansibility with various modules

Surface mounting



Main unit + Nametag + Blank + Keypad + 2*DS-KD-ACW2



Main unit + 3*Nametag + 2*DS-KD-ACW2

Flush mounting



Main unit + Nametag + Blank + Keypad + 2* DS-KD-ACF2



Main unit + 3*Nametag + 2* DS-KD-ACF2

System capacity: 1* main unit + 8 * extension modules


Highlights — CCTV integration

HIKVISION

Management on All-in-one client

Video recording

Monitorina IP camer





NVR/DVR Video Recording



IP Video Intercom Kit

DS-KIS602





DS-KH6320-WTE1



DS-KD8003-IME1/Surface





Standard Poe Switch DS-3E0105P-E/M





IP solution — Electric Lock Solution



DS-K4E208

(Electric LOCK)

Technical Parameters

Lock Body Size:- 366(L)X(W)105X(H)50 (MM)

Input Voltage:- 12VDC Working Current:- 3A

Working Temperature: -- 40+80°C

Suitable door:-wooden door, metal door

Unlocking mode:-electric impulse or mechanical key

Weight:- 1.5KG



Product comparison















IP (UTP cable)	IP (UTP cable)	IP (UTP cable)
120°	180° fisheye camera	120°
1.3MP	2MP	1.3MP
Night version	Night version	Night version
N/A	WDR	N/A
Mobile control	Mobile control	Mobile control
IP54	IP65	IP54
CCTV integration	CCTV integration	CCTV integration

Product selection

Modular Door Station



Name index


Main unit	DS-KD8003-IME1 (Baseline version)	1 button Standard PoE Main unit	9
Extension module	DS-KD- <mark>KK</mark> (Baseline version)	6 buttons Nametag module	100 mm m
	DS-KD- <mark>KP</mark> (Baseline version)	Keypad module	
	DS-KD- <mark>BK</mark> (Baseline version)	Blank module	
	DS-KD- <mark>M</mark> (Baseline version)	Card reader module (13.56MHz)	
	DS-KD- E (Baseline version)	Card reader module (125KHz)	
	DS-KD- <mark>IN</mark> (Baseline version)	Indicator module	
SAFFHOLISE			




Intercom APP —— HIK-CONNECT











For 2nd generation VDP, KD8003 door station, the maximum number of sub-modules: Max nametag modules: 8;
Max keyboard modules: 1;
Max indicator modules: 1;
Max card modules: 5:

The maximum number of any combination of modules is 8, but if it include the display module, the maximum is 5.



Max display modules: 1



Thank You!

CONTACT US FOR INQUIRIES

www.safehousepune.com 020 2444 8542 / 9370545001

Office No. 73/74 & 77 Patil Plaza, Near Mitra Mandal Chowk, Parvati, Pune 411009