

# Test On

## Java, Hibernate and SpringBoot

Name:  
Company:

ID:

Total No. of Questions:22

Total Marks: 22

### Instructions:

1. All the questions are compulsory.
2. More than one answer is possible in case of a few questions. Select all correct answers.
3. Each question carries 1 mark.

### 1. Which are valid declarations? (Choose all that apply.)

- a. int \$x;
- b. int 123;
- c. int \_123;
- d. int #dim;

### 2. Which are legal declarations? (Choose all that apply.)

- a. short x [];
- b. short [] y;
- c. short[5] x2;
- d. short z2 [5];
- f. short [] y2 = [5];

### 3. String s1 = new String("MyString"); String s2 = new String("MyString"); s1==s2 will return \_\_\_\_.

- A. true
- B. false
- C.. null

### 4. The StringBuilder class is thread-safe, while StringBuffer is not.

- A. True
- B. False

### 5. Set, List, and Map extend the java.util.Collection interface.

- A. True
- B. False

### 7. What is the correct declaration of an abstract method

- a. public abstract method();
- b. public void abstract method();
- c. public abstract void method() ;
- d. public final abstract void method();

**8. What is the body of a Thread**

- a. *run*
- b. *begin*
- c. *execute*
- d. *start*
- e. *resume*

**9. Connection interface is implemented by**

- a) the database
- b) the database driver
- c) the programmer of the jdbc application
- d) none

**10. A thin driver is**

- a) Type 1 driver
- b) Type 2 driver
- c) Type 3 driver
- d) Type 4 driver

**11. In the same session if we call session.get(Employee.class,123) three times how many times it will hit the server**

- a) 3 times
- b) 1 time
- c) can't say
- d) none

**12. In a session if we execute the following code then what is the result assume that 123 record exists**

```
Employee e1=(Employee)session.get(Employee.class,123)
Employee e2=(Employee)session.get(Employee.class,123)
System.out.println(e1==e2)
```

- a) Exception
- b) false
- c) true
- d) compilation error should not use ==

**13. Select TRUE statement below. The default scope of a spring bean is**

- a) Singleton
- b) lazy
- c) prototype
- d) request
- e) session

**14. The act of creating associations between application components (beans) within the Spring IOC container is referred to as\_\_\_\_\_.**

- a) Bean association
- b) Bean wiring
- c) Bean coupling
- d) Bean lookup

**15. Which of the ApplicationContext Object is associated with Spring MVC Application**

- a. ClassPathXMLApplicationContext
- b. AnnotationConfigApplicationContext
- c. WebApplicationContext
- d. DefaultListableBeanFactory

**16. Default Web Server in Spring Boot Applications is**

- a) Apache Tomcat
- b) Jetty
- c) Netty
- d) Undertow

**17. Which of the following patterns is used to abstract the creational details of an Object**

- a. ContextFactory
- b. FactoryPattern
- c. AdapterPattern
- d. none

**18. Which of the main annotation used in a Spring Boot Application**

- a. @Configuration
- b. @SpringBootConfiguration
- c. @SpringBootApplication
- d. @AutoConfiguration

**19. What is the name of default file where we can configure spring boot application**

- a. application.properties
- b. rest-app.properties
- c. boot.properties
- d. context.xml

**20. Which annotations are used to create a Spring bean?**

- a) @Service
- b) @ComponentScan
- c) @Bean
- d) @Repository

**21. Which of the annotations in spring is used to inject dependency?**

- a) @Bean
- b) @Autowired
- c) @Aspect
- d) @Scope

**22) Which of the following annotation is not used for defining a Spring Bean?**

- a) @Component
- b) @Configuration
- c) @Services
- d) @Aspect