


A M A D O R C L U B

Reciprocal Guest Automation System

Deployment Guide



Version 1.0 | March 2026

Prepared for Operations Team

Amador Club | San Francisco, CA

Table of Contents

Table of Contents	3
1. System Overview	5
What This System Does	5
Architecture.....	5
Components Checklist.....	5
2. Prerequisites.....	7
3. Setup Steps.....	8
Step 1: Upload the Spreadsheet.....	8
Step 2: Copy the Spreadsheet ID	8
Step 3: Open Apps Script Editor	8
Step 4: Create the Script Files	8
Step 5: Paste the Code	8
Step 6: Update Configuration.....	9
Step 7: Run Setup Triggers	9
Step 8: Verify the Setup.....	9
4. Gmail Label Setup.....	11
Creating the Gmail Filter	11
Label Structure	11
5. Managing the Partner List	12
Column Reference	12
Adding a New Partner	12
Deactivating a Partner.....	12
How Alias Matching Works	13
6. Daily Operations.....	14
How the Automation Works.....	14
When a Match Is Found	14
When No Match Is Found.....	14
Reviewing and Sending LOI Drafts.....	14
Updating Approval and Arrival Status	15
7. Tracking & Reporting.....	16
Using the Guest Log for Reporting	16
Key Metrics to Track.....	16
Using the Dashboard Sidebar	16

8. Troubleshooting	17
Common Issues and Solutions.....	17
Checking Trigger Execution Logs	17
Re-running Processing Manually	17
What to Do If PeopleVine API Fails.....	17
9. PeopleVine Integration.....	19
Finding Your API Key.....	19
What the Follow-Up Task Looks Like	19
Customizing the Task Assignment	19

1. System Overview

What This System Does

The Reciprocal Guest Automation System streamlines how Amador Club manages visiting members from partner clubs. When a reciprocal guest inquiry arrives via email, the system automatically:

1. Detects and classifies the incoming email as a reciprocal guest request
2. Matches the guest's home club against the Reciprocal Partners database using fuzzy name matching
3. Logs the inquiry in the Guest Log spreadsheet with full details
4. Drafts a Letter of Introduction (LOI) email for staff review
5. Notifies the host team for approval
6. Creates a follow-up task in PeopleVine for tracking

This eliminates the manual process of checking partner lists, drafting letters, and tracking guest visits across disconnected systems.

Architecture

The system connects four components in an automated pipeline:

Component	Role	Description
Gmail	Input	Receives reciprocal guest inquiry emails; auto-labeled for processing
Apps Script	Engine	Runs on a 15-minute trigger; parses emails, matches clubs, drafts LOIs, sends notifications
Google Sheets	Database	Stores partner club list and running guest log with status tracking
PeopleVine	CRM	Receives follow-up task assignments for guest conversion tracking

Data Flow

Gmail Inbox → Apps Script (15-min trigger) → Google Sheet (log entry) + Gmail Draft (LOI) + Host Email (notification) + PeopleVine (follow-up task)

Components Checklist

Reciprocal_Club_Management.xlsx — Google Sheet with two tabs: Reciprocal_Partners (master club list) and Guest_Log (inquiry tracking)

ReciprocalGuestModule.gs — Core Apps Script that processes emails, matches clubs, logs entries, and drafts LOIs

ReciprocalGuestModule_Menu.gs — Adds a custom menu to the spreadsheet for manual operations and dashboard access

Gmail Labels — Reciprocal/Incoming and Reciprocal/Processed for email routing

PeopleVine API Integration — Creates follow-up tasks for guest conversion

2. Prerequisites

Before beginning setup, ensure you have the following:

#	Requirement	Details
1	Google Workspace Account	Must have Gmail and Google Sheets access. The account should have permission to create Apps Script projects and manage Gmail labels.
2	PeopleVine API Key	Log in to PeopleVine Admin → Settings → API & Integrations → Generate API Key. Copy the key — you will need it during configuration.
3	Reciprocal Club Management Spreadsheet	The Reciprocal_Club_Management.xlsx file provided with this guide. This will be uploaded to Google Drive and converted to a Google Sheet.
4	Shared Gmail Inbox Access	The Gmail account that receives reciprocal guest inquiries. If using a shared inbox (e.g., concierge@amadorclub.com), ensure the setup account has delegated access.
5	Host Team Email	The email address where approval notifications should be sent (e.g., host@amadorclub.com or the GM's email).

Permissions Note

The Apps Script will request permission to read/send Gmail and edit Google Sheets on first run. An admin may need to approve these scopes if your organization restricts third-party apps.

3. Setup Steps

Follow these steps in order. Each step builds on the previous one.

Step 1: Upload the Spreadsheet

- a. Open Google Drive (drive.google.com)
- b. Click New → File Upload and select Reciprocal_Club_Management.xlsx
- c. Once uploaded, double-click the file to open it in Google Sheets
- d. Google will display it in compatibility mode. Click File → Save as Google Sheets to convert it

The file will now be a native Google Sheet with full functionality, including data validation dropdowns and conditional formatting.

Step 2: Copy the Spreadsheet ID

Look at the URL bar. The spreadsheet ID is the long string between /d/ and /edit. For example:

`https://docs.google.com/spreadsheets/d/1aBcDeFgHiJkLmNoPqRsTuVwXyZ/edit`

In this example, the Spreadsheet ID is: **1aBcDeFgHiJkLmNoPqRsTuVwXyZ**

Copy this ID and save it — you will paste it into the script configuration.

Step 3: Open Apps Script Editor

- a. With the spreadsheet open, go to Extensions → Apps Script
- b. The Apps Script editor will open in a new tab
- c. You will see a default Code.gs file — you can delete its contents

Step 4: Create the Script Files

- a. Rename the existing Code.gs file to ReciprocalGuestModule.gs
- b. Click the + button next to "Files" and select Script to create a second file
- c. Name it ReciprocalGuestModule_Menu.gs

Step 5: Paste the Code

- a. Open ReciprocalGuestModule.gs and paste the full contents of the core processing script

- b. Open ReciprocalGuestModule_Menu.gs and paste the full contents of the menu/UI script
- c. Click the Save icon (or Ctrl+S) to save both files

Step 6: Update Configuration

At the top of ReciprocalGuestModule.gs, locate the RECIPROCAL_CONFIG object and update these values:

```
const RECIPROCAL_CONFIG = {
  SPREADSHEET_ID: 'YOUR_SPREADSHEET_ID_HERE',
  HOST_TEAM_EMAIL: 'host@amadorclub.com',
  PEOPLEVINE_API_KEY: 'YOUR_PEOPLEVINE_API_KEY_HERE',
  PEOPLEVINE_API_URL: 'https://api.peoplevine.com/v1',
  CLUB_NAME: 'Amador Club',
};
```

Setting	What to Enter
SPREADSHEET_ID	The ID you copied in Step 2
HOST_TEAM_EMAIL	The email address of the host team or GM who approves guest visits
PEOPLEVINE_API_KEY	Your PeopleVine API key from Prerequisites step 2

Step 7: Run Setup Triggers

- a. In the Apps Script editor, select setupTriggers from the function dropdown at the top
- b. Click the Run button (play icon)
- c. Google will prompt you to authorize the script — click Review Permissions
- d. Select your Google account, then click Allow to grant Gmail and Sheets access

Once authorized, the setupTriggers function will:

- Create the Gmail labels: **Reciprocal/Incoming** and **Reciprocal/Processed**
- Set up a time-driven trigger that runs every 15 minutes to check for new inquiries
- Log a confirmation message in the Apps Script execution log

Step 8: Verify the Setup

Send a test email to the shared inbox with the following characteristics:

- Subject line containing: **"reciprocal guest visit"**

- Body mentioning a partner club name (e.g., "I am a member of Soho House and would like to visit Amador Club")

Wait up to 15 minutes, then check:

1. The email should be labeled Reciprocal/Processed in Gmail
2. A new row should appear in the Guest_Log sheet
3. A draft LOI email should appear in Gmail Drafts
4. The host team should receive a notification email

Troubleshooting Tip

If nothing happens after 15 minutes, go to Apps Script → Executions (left sidebar) to check for errors. The most common issue is an incorrect Spreadsheet ID.

4. Gmail Label Setup

The setupTriggers function creates the required labels automatically. However, you should also create a Gmail filter to pre-label incoming reciprocal inquiries so they are queued for processing immediately.

Creating the Gmail Filter

1. In Gmail, click the search bar dropdown arrow (Show search options)
2. In the "Has the words" field, enter the following:

```
reciprocal OR "letter of introduction" OR LOI OR  
"visiting member" OR "guest access"
```

3. Click Create filter
4. Check Apply the label and select Reciprocal/Incoming
5. Optionally check Also apply filter to matching conversations to catch existing emails
6. Click Create filter

Label Structure

Label	Purpose
Reciprocal/Incoming	Emails waiting to be processed by the automation. The script checks this label every 15 minutes.
Reciprocal/Processed	Emails that have been successfully parsed and logged. Moved here after processing to avoid duplicate entries.

5. Managing the Partner List

The Reciprocal_Partners sheet is the master database of all clubs with which Amador Club has reciprocal agreements. Keep this list current to ensure accurate matching.

Column Reference

Column	Description
Club Name	The official name of the partner club. This is the primary name used in LOI templates.
Aliases	Comma-separated alternate names. The matching engine checks email text against both the Club Name and all Aliases. Include abbreviations, nicknames, and common misspellings.
City / State/Country	Location of the partner club. Used for context in LOI drafts and reporting.
Contact Email	The primary contact email at the partner club for reciprocal matters.
Status	Active = currently accepting guests. Inactive = agreement expired or paused. Pending = in negotiation. Only Active clubs trigger automatic LOI drafting.
Tier	Tier 1 = full reciprocal access. Tier 2 = limited (dining/common areas only). Tier 3 = events only. The tier determines the LOI template used.
Agreement Start/End	The dates of the reciprocal agreement. The system flags clubs with agreements expiring within 30 days.
Notes	Free-text field for special conditions, dress codes, restrictions, or other relevant details.

Adding a New Partner

1. Open the Reciprocal_Partners sheet
2. Add a new row at the bottom with the club's details
3. Set Status to "Active" (or "Pending" if still negotiating)
4. Add at least 2-3 aliases for fuzzy matching (abbreviations, common nicknames)

The system reads the partner list on each run, so changes take effect within 15 minutes.

Deactivating a Partner

Change the Status column from "Active" to "Inactive." Do not delete the row — historical data in the Guest Log references partner names, and keeping the row preserves reporting integrity. Inactive clubs will not trigger automatic LOI drafting, but inquiries will still be logged with a note that the club is inactive.

How Alias Matching Works

When an email arrives, the system extracts text from the subject and body, then compares it against every Club Name and Alias in the partner list. The matching is case-insensitive and uses partial string matching, so:

- "I'm a Soho House member" matches the alias "Soho House"
- "Visiting from Battery SF" matches the alias "Battery SF"
- "Member of the Arts Club London" matches the alias "Arts Club London"

Best Practice

Add common misspellings and abbreviations as aliases. For example, add "SoHo House" and "Soho" for Soho House West Hollywood. The more aliases you provide, the more accurate the matching.

6. Daily Operations

How the Automation Works

Every 15 minutes, the Apps Script trigger runs and performs the following:

1. Checks Gmail for emails with the Reciprocal/Incoming label
2. For each new email, extracts the sender name, email, and message content
3. Searches the Reciprocal_Partners list for a club name or alias match
4. Logs the inquiry in the Guest_Log sheet with all extracted details
5. If a match is found: drafts an LOI email and notifies the host team
6. If no match: logs with "Unrecognized" status and flags for manual review
7. Moves the email from Reciprocal/Incoming to Reciprocal/Processed

When a Match Is Found

The system automatically:

- Sets Club Match Status to "Matched" and fills in the Partner Tier
- Creates a draft LOI email in Gmail Drafts addressed to the guest, CC'ing the partner club contact
- Sends a notification to the Host Team Email with guest details and a link to the draft
- Creates a PeopleVine follow-up task assigned to the host team

When No Match Is Found

The system:

- Sets Club Match Status to "Unrecognized" (highlighted orange in the log)
- Does not draft an LOI or send notifications automatically
- Sends a summary email to the host team flagging the inquiry for manual review

The host team should then research the club, and if a reciprocal relationship exists, add it to the Reciprocal_Partners sheet and manually process the guest request.

Reviewing and Sending LOI Drafts

1. Open Gmail Drafts and locate the LOI draft (subject will include "Letter of Introduction")
2. Review the draft for accuracy — check guest name, dates, and partner club details

3. Make any necessary edits (special instructions, dress code reminders, etc.)
4. Send the email
5. Update the LOI Status in the Guest Log from "Drafted" to "Sent"

Updating Approval and Arrival Status

After the host team reviews the guest request:

- Set Approval Status to "Approved" or "Denied" in the Guest Log (conditional formatting will apply green or red highlighting)
- When the guest arrives, set Arrival Confirmed to "Yes" and enter the Actual Arrival Date
- If the guest converts (becomes a member or attends an event), update the Converted to Member or Converted to Event Attendee fields

7. Tracking & Reporting

Using the Guest Log for Reporting

The Guest_Log sheet serves as the single source of truth for all reciprocal guest activity. Use Google Sheets' built-in filter and pivot table features to generate reports.

Key Metrics to Track

Metric	How to Calculate	What It Tells You
Inquiry Volume	Count of rows in Guest_Log per month	Overall demand for reciprocal visits
Approval Rate	$\text{Approved} / (\text{Approved} + \text{Denied}) \times 100$	How selective the club is with reciprocal guests
Arrival Rate	$\text{Arrivals Confirmed} / \text{Approved} \times 100$	How many approved guests actually visit
Conversion Rate	$(\text{Converted to Member} + \text{Event}) / \text{Arrivals} \times 100$	Revenue potential from reciprocal guests
Unrecognized Rate	$\text{Unrecognized} / \text{Total Inquiries} \times 100$	Whether the partner list needs expansion

Using the Dashboard Sidebar

The ReciprocalGuestModule_Menu.gs script adds a custom menu to the spreadsheet under "Reciprocal Guests." From this menu, you can:

- Open Dashboard — displays a summary sidebar with key metrics for the current month
- Process Now — manually trigger email processing without waiting for the 15-minute cycle
- Refresh Partners — reload the partner cache if you just made changes
- Export Report — generate a CSV export of the Guest Log filtered by date range

8. Troubleshooting

Common Issues and Solutions

Issue	Likely Cause	Solution
Emails not being processed	Trigger not running or incorrect label	Check Triggers page in Apps Script. Verify the Reciprocal/Incoming label exists in Gmail.
"Spreadsheet not found" error	Wrong SPREADSHEET_ID in config	Re-copy the ID from the Google Sheets URL. Make sure there are no extra spaces.
Known club marked as "Unrecognized"	Club name not matching any alias	Add more aliases to the Reciprocal_Partners sheet. Check spelling variations.
LOI draft not created	Gmail permissions revoked or quota exceeded	Re-authorize the script. Check Gmail's daily sending limit (2,000 for Workspace).
PeopleVine task not created	Invalid API key or network error	Verify the API key in PeopleVine Admin. Check the execution log for HTTP error codes.
Duplicate entries in Guest Log	Email not moved to Processed label	Check that the Reciprocal/Processed label exists. The script needs permission to modify labels.

Checking Trigger Execution Logs

1. Open the Apps Script editor (Extensions → Apps Script from the spreadsheet)
2. Click Executions in the left sidebar
3. Review the list of recent executions — each shows status (Completed, Failed, Timed Out)
4. Click any failed execution to see the error message and stack trace

Re-running Processing Manually

If you need to process emails immediately without waiting for the next trigger cycle:

Option A: Use the custom menu in the spreadsheet: Reciprocal Guests → Process Now

Option B: In the Apps Script editor, select processReciprocalEmails from the function dropdown and click Run

What to Do If PeopleVine API Fails

The system is designed to be resilient — if the PeopleVine API call fails, the email processing and LOI drafting still complete. The PeopleVine Task ID column will be empty for affected rows.

To retry failed PeopleVine tasks:

1. Filter the Guest Log for rows where PeopleVine Task ID is blank and Approval Status is not empty
2. Use the custom menu: Reciprocal Guests → Retry PeopleVine Tasks
3. The system will attempt to create tasks for all unlinked rows

9. PeopleVine Integration

Finding Your API Key

1. Log in to PeopleVine Admin (admin.peoplevine.com)
2. Navigate to Settings → API & Integrations
3. Click Generate New API Key (or copy an existing one)
4. The key will look like: pv_live_XXXXXXXXXXXXXXXXXXXX
5. Copy this key and paste it into the RECIPROCAL_CONFIG.PEOPLEVINE_API_KEY field in the script

Security Note

Keep your API key confidential. Do not share the Apps Script project with users who should not have API access. Consider using Apps Script's PropertiesService to store the key securely instead of hardcoding it.

What the Follow-Up Task Looks Like

When the system creates a PeopleVine task, it includes:

- Task Title: "Reciprocal Guest Follow-Up: [Guest Name] from [Club Name]"
- Description: Visit date(s), number of guests, partner tier, and any special notes
- Assignment: Assigned to the team member configured in HOST_TEAM_EMAIL
- Due Date: Set to the guest's planned visit date
- Tags: "reciprocal-guest", "[club-name-slug]"

The task appears in the PeopleVine task dashboard and can be managed like any other task — reassigned, updated with notes, or marked complete.

Customizing the Task Assignment

By default, all tasks are assigned to the HOST_TEAM_EMAIL. To customize assignment logic:

1. Open ReciprocalGuestModule.gs
2. Locate the createPeopleVineTask() function
3. Modify the assignee_email field in the task payload

For example, you could route Tier 1 guests to the GM and Tier 2/3 guests to the front desk team by adding a conditional check on the partner tier.

End of Deployment Guide

For questions or issues, contact the Amador Club operations team.