






```
root@ngtc-srv:~
File Edit View Search Terminal Help
  Loaded: loaded (/usr/lib/systemd/system/zabbix-agent.service; disabled; vendor preset: disabled)
  Active: active (running) since Thu 2019-06-27 13:55:43 UTC; 18min ago
 Process: 21284 ExecStart=/usr/sbin/zabbix agentd -c $CONFFILE (code=exited, status=0/SUCCESS)
Main PID: 21286 (zabbix agentd)
  CGroup: /system.slice/zabbix-agent.service
           -21286 /usr/sbin/zabbix agentd -c /etc/zabbix/zabbix agentd.conf
           —21291 /usr/sbin/zabbix agentd: collector [idle 1 sec]
           —21292 /usr/sbin/zabbix agentd: listener #1 [waiting for connection]
           -21293 /usr/sbin/zabbix agentd: listener #2 [waiting for connection]
           —21294 /usr/sbin/zabbix agentd: listener #3 [waiting for connection]
           └─21295 /usr/sbin/zabbix agentd: active checks #1 [idle 1 sec]
Jun 27 13:55:43 ngtc-srv systemd[1]: Starting Zabbix Agent...
Jun 27 13:55:43 ngtc-srv systemd[1]: Started Zabbix Agent.
[root@ngtc-srv ~]# netstat -nltp
Active Internet connections (only servers)
Proto Recv-Q Send-Q Local Address
                                           Foreign Address
                                                                  State
                                                                              PID/Program name
                                          0.0.0.0:*
                                                                              2914/sshd
                 0 0.0.0.0:22
                                                                  LISTEN
tcp
tcp
          0 0 127.0.0.1:25
                                          0.0.0.0:*
                                                                  LISTEN
                                                                              4291/master
tcp
            0 0.0.0.0:10050
                                          0.0.0.0:*
                                                                  LISTEN
                                                                              21286/zabbix agentd
[root@ngtc-srv ~]#
```


























```
mc [root@zbx-srv]:/etc/httpd/conf
```

```
File Edit View Search Terminal Help
[root@zbx-srv conf]# ifconfig eth1
eth1: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
       inet 192.168.99.10 netmask 255.255.255.0 broadcast 192.168.99.255
       ether 08:00:27:76:6d:86 txqueuelen 1000 (Ethernet)
       RX packets 85349 bytes 12869830 (12.2 MiB)
       RX errors 0 dropped 0 overruns 0 frame 0
       TX packets 108945 bytes 77458020 (73.8 MiB)
       TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
[root@zbx-srv conf]# zabbix get -s 127.0.0.1 -k system.uptime
33077
[root@zbx-srv conf]# zabbix get -s 192.168.99.20 -k system.uptime
32782
[root@zbx-srv conf]#
```

