

MA

McDOWELL & ASSOCIATES

 Geotechnical, Environmental, & Hydrogeologic Services
 21355 Hatcher Avenue • Ferndale, MI 48220
 Phone: (248) 399-2066 • Fax: (248) 399-2157

 JOB NO. 13-15148
LOG OF SOIL BORING NO. GP-109

 PROJECT Environmental Site Assessment

 Approximate 85-Acre Parcel
 Dhu Varren Road and Pontiac Trail

SURFACE ELEV. _____

 DATE 1-31-14

Ann Arbor, Washtenaw County, Michigan

Sample & Type	Depth	Legend	SOIL DESCRIPTION	Penetration Blows for 6"	PID Readings PPM	Dry Den Wt. P.C.F.	Unc. Comp. Strength PSF.	Str. %
			0'6"					
1			Moist dark brown clayey TOPSOIL, fill	ND				
2								
3			Moist brown silty CLAY, possible fill	ND				
4								
5				ND				
6								
7				ND				
109	8							
9			Moist brown fine to medium SAND	ND				
10								
11				ND				
12								
13				ND				
14								
15				ND				
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
TYPE OF SAMPLE		REMARKS:		GROUND WATER OBSERVATIONS				
D. - DISTURBED				G.W. ENCOUNTERED AT		FT.	INS.	
U.L. - UNDIST. LINER				G.W. ENCOUNTERED AT		FT.	INS.	
S.T. - SHELBY TUBE				G.W. AFTER COMPLETION		FT.	INS.	
S.S. - SPLIT SPOON				G.W. AFTER		FT.	INS.	
R.C. - ROCK CORE				G.W. VOLUMES	none	HRS.	FT.	INS.
() - PENETROMETER								
Standard Penetration Test - Driving 2" OD Sampler 1' With 140# Hammer Falling 30°. Count Made at 6" Intervals								